INFORMATION TO USERS

This manuscript has been reproduced from the microfilm master. UMI films the text directly from the original or copy submitted. Thus, some thesis and dissertation copies are in typewriter face, while others may be from any type of computer printer.

The quality of this reproduction is dependent upon the quality of the copy submitted. Broken or indistinct print, colored or poor quality illustrations and photographs, print bleedthrough, substandard margins, and improper alignment can adversely affect reproduction.

In the unlikely event that the author did not send UMI a complete manuscript and there are missing pages, these will be noted. Also, if unauthorized copyright material had to be removed, a note will indicate the deletion.

Oversize materials (e.g., maps, drawings, charts) are reproduced by sectioning the original, beginning at the upper left-hand corner and continuing from left to right in equal sections with small overlaps.

Photographs included in the original manuscript have been reproduced xerographically in this copy. Higher quality 6" x 9" black and white photographic prints are available for any photographs or illustrations appearing in this copy for an additional charge. Contact UMI directly to order.

ProQuest Information and Learning 300 North Zeeb Road, Ann Arbor, MI 48106-1346 USA . 800-521-0600



University of Alberta

by

Lana Dee Laird



A thesis submitted to the Faculty of Graduate Studies and Research in partial fulfillment of the requirements for the degree of Master of Science

Department of Earth and Atmospheric Sciences

Edmonton, Alberta

Spring 2000



National Library of Canada

Acquisitions and Bibliographic Services

395 Wellington Street Ottawa ON K1A 0N4 Canada Bibliothèque nationale du Canada

Acquisitions et services bibliographiques

395, rue Wellington Ottawa ON K1A 0N4 Canada

Your file Votre référence

Our file Notre référence

The author has granted a nonexclusive licence allowing the National Library of Canada to reproduce, loan, distribute or sell copies of this thesis in microform, paper or electronic formats.

The author retains ownership of the copyright in this thesis. Neither the thesis nor substantial extracts from it may be printed or otherwise reproduced without the author's permission.

L'auteur a accordé une licence non exclusive permettant à la Bibliothèque nationale du Canada de reproduire, prêter, distribuer ou vendre des copies de cette thèse sous la forme de microfiche/film, de reproduction sur papier ou sur format électronique.

L'auteur conserve la propriété du droit d'auteur qui protège cette thèse. Ni la thèse ni des extraits substantiels de celle-ci ne doivent être imprimés ou autrement reproduits sans son autorisation.

0-612-60142-0



University of Alberta

Library Release Form

Name of Author: Lana Dee Laird

Title of Thesis: Charcoal-based Paleofire History of Christina Lake in the Boreal Forest of

Aiberta

Degree: Master of Science

Year this Degree Granted: 2000

Permission is hereby granted to the University of Alberta Library to reproduce single copies of this thesis and to lend or sell such copies for private, scholarly, or scientific research purposes only.

The author reserves all other publication and other rights in association with the copyright in the thesis, and except as herein before provided, neither the thesis nor any substantial portion thereof may be printed or otherwise reproduced in any material form whatever without the author's prior written permission.

10626 - 158 Avenue Edmonton, Alberta

Lana Laind

T5X 4H5

April 17, 2000

University of Alberta

Faculty of Graduate Studies and Research

The undersigned certify that they have read, and recommend to the Faculty of Graduate Studies and Research for acceptance, a thesis entitled Charcoal-based Paleofire History of Christina Lake in the Boreal Forest of Alberta submitted by Lana Dee Laird in partial fulfillment of the requirements for the degree of Master of Science.

Dr. I.D. Campbell

Dr. G.P. Kershaw

Dr. M. Sharp

Dr. R.W. Wein

Abstract

Annually-laminated sediment (spanning ~940 years) from Christina Lake, Alberta was analysed for charcoal, pollen, sediment influx, loss on ignition and vivianite concentrations. The sedimentology suggests a cooler/wetter "Little Ice Age" interval preceded and followed by warmer/drier conditions. Vivianite concentrations were not found to be a useful palaeoenvironmental indicator. The charcoal profile showed large fire return intervals of ~68 years (1083 - 1490 AD), ~29 years (1490 -1723 AD), ~130 years (1723 - 1853 AD), and ~16 years (1853-1949 AD). Vegetation changed little, with the exception of a *Pinus* pollen decline 1797-1853 AD (possibly related to cold/wet climate and/or reduced fire activity) and small *Populus* and *Corylus* pollen increases prior to ~1250 AD (possibly related to the warm/dry "Medieval Warm Period"). This is the first long, high-resolution charcoal record from the boreal forest of north-central Alberta, and confirms that even far from any major ecotone, fire activity and vegetation were affected by climatic fluctuations over the last millennium.



Acknowledgements

This thesis could not have been completed without the kind support of the following individuals and organizations. For assistance with field work I thank Amy Reisler, Karen Perronnet, Dr. Ross Wein, Connie Boldt, Michael Liston, Farrah Gilchrist, and personnel from Amoco Petroleum (who also provided snowmobiles). For laboratory analyses I thank M.J.M. Duke for ¹³⁷Cs analysis, Diane Caird for XRD analysis, Frank Radford for ICP-AES analysis, Farrah Gilchrist for preparing material for DendroScan, and Environment Canada. Environmental Protection Service who allowed me to use their Total Carbon Analyser machine and Cathy Biehn who patiently trained me on it. For research support I thank the Sustainable Forest Management Network of Centres of Excellence, Alberta-Pacific Forest Industries who paid for the plane on one of the field trips, the J. Gordin Kaplin Graduate Student Award who provided a travel bursary, and the Canadian Forest Service, Northern Forestry Centre who provided office and laboratory facilities. NSERC, the Canadian Forest Service, the Walter H. Johns Graduate Fellowship, the Harington Paleoenvironmental Scholarship, and the Sustainable Forest Management Network of Centres of Excellence provided personal funding. Thierry Varem-Sanders wrote the image analysis program for vivianite analysis, taught me how to use DendroScan, built field equipment, kept my computer running, and was helpful in a hundred other ways. For all of the above, I am truly grateful.

I especially thank Dr. Ian Campbell for his cheerful encouragement and assistance on every aspect of this project. Most of all, I am grateful to my family for their love, patience, and unfailing support from start to finish.

Table of Contents

CHAPTER 1 Introduction
1.1 Rationale and Hypothesis
1.2 Organization of Thesis
1.3 Literature Review 4
1.3.1 Stratigraphic Charcoal Theory and Methods
1.3.2 High-resolution Paleofire Studies in the Canadian Boreal Forest 7
1.3.2.1 Long-term Fire Histories
1.3.2.2 Shorter-term Fire Histories
1.4 References
CHAPTER 2 High-resolution Palaeofire Signals from Christina Lake, Alberta: a Comparison of
the Charcoal Signals Extracted by Two Different Methods
2.1 Introduction
2.2 Study Site
2.3 Methodology
2.3.1 Core Retrieval and Sampling
·
2.3.2 Core Dating
2.3.2 Core Dating
2.3.2 Core Dating 21 2.3.3 Determination of Near Shore Fire Activity 21
2.3.2 Core Dating212.3.3 Determination of Near Shore Fire Activity212.3.4 Charcoal Extraction via Sieving22
2.3.2 Core Dating212.3.3 Determination of Near Shore Fire Activity212.3.4 Charcoal Extraction via Sieving222.3.5 Nitric Acid Digestion Trials22
2.3.2 Core Dating 21 2.3.3 Determination of Near Shore Fire Activity 21 2.3.4 Charcoal Extraction via Sieving 22 2.3.5 Nitric Acid Digestion Trials 22 2.3.5.1 Organics 22
2.3.2 Core Dating 21 2.3.3 Determination of Near Shore Fire Activity 21 2.3.4 Charcoal Extraction via Sieving 22 2.3.5 Nitric Acid Digestion Trials 22 2.3.5.1 Organics 22 2.3.5.2 Charcoal, Clay, Sand, and Sediments 23
2.3.2 Core Dating 21 2.3.3 Determination of Near Shore Fire Activity 21 2.3.4 Charcoal Extraction via Sieving 22 2.3.5 Nitric Acid Digestion Trials 22 2.3.5.1 Organics 22 2.3.5.2 Charcoal, Clay, Sand, and Sediments 23 2.3.6 Total Carbon Analyser Tests 23

2.4.2 Christina Lake Results
2.5 Conclusions
2.6 References
CHAPTER 3 ~940-year Fire History from Christina Lake, Alberta
3.1 Introduction
3.2 Study Site
3.3 Methodology 40
3.3.1 Core Retrieval and Sampling40
3.3.2 Core Dating
3.3.3 Basic Geochemical Analyses41
3.3.3.1 Sediment Influx
3.3.3.2 Organics, Carbonates, and Ash
3.3.4 Determination of Near Shore Fire Activity
3.3.5 Charcoal Extraction
3.3.6 Determination of "Significant" Fire Periods
3.3.7 Pollen Analyses
3.4 Results
3.4.1 Basic Geochemical Analyses
3.4.2 Paleofire Signal and Fire Return Intervals
3.4.3 Pollen
3.5 Discussion
3.5 Summary and Conclusions
3.6 References
CHAPTER 4 Vivianite in the Laminated Sediments of Christina Lake, Alberta, Canada and its
Potential as a Paleoenvironmental Indicator
4.1 Introduction 65

4.2	Study Site	
4.3	Methodology	
	4.3.1 Core Retrieval and Sampling	
	4.3.2 Geochronology 67	
	4.3.3 Vivianite Quantification via Image Analysis	
	4.3.4 Geochemical Analyses	
4.4	Basic Geochemistry of Vivianite Precipitation	
4.5	Vivianite as a Paleoenvironmental Indicator	
	4.5.1 Groundwater Source	
	4.5.2 Groundwater Level	
	4.5.3 Lake Productivity, Stratification, and Sedimentation	
4.6	Christina Lake Vivianite - Results and Discussion	
4.7	Conclusion	
4.8	References	
CHAPTER :	5 Summary, Discussion, Conclusion, and Suggestions for Further Research 84	
5.1	Summary 84	
	5.1.1 Pollen	
	5.1.2 Charcoal	
	5.1.3 Sedimentology	
5.2	Discussion - Potential Impact of Future Climate Change on Christina Lake 87	
5.3	Conclusion	
5.4	Suggestions for Further Research	
5.5	References	
Appendix 1:	Description of ¹³⁷ Cs determination	
Appendix 2	- Basic pollen preparation procedure	
Appendix 3	- Full pollen diagrams	

Appendix 4: Results from geochemical analyses	
Appendix 5: Digestion-TCA ignition results compared to sieved charcoal and sediment	
influx	
Appendix 6: Pearson correlation results for sedimentological characteristics, sieved charcoal,	
TCA carbon, vivianite, and geochemistry results	
Appendix 7: Data spreadsheet	

List of Tables

Table 2-1: Effects of nitric acid treatments of various durations on different types of organic
materials
Table 2-2: Results of nitric acid and ignition treatments on clastics and sediments29
Table 2-3: Total Carbon Analyser results for treated and untreated samples
Table 2-4: Fire activity in the Christina Lake region between 1900 and 1940 as determined by
fire scars31
Table 4-1: Characteristics of Christina Lake
Table 4-2: Pearson correlation results (two-tailed) between vivianite and other physical and
chemical factors78
Table A-1. 137Cs gamma-ray spectrometry results

List of Figures

Figure 2-1: Location of Christina Lake in the boreal forest of Alberta, Canada
Figure 2-2: TCA results for a duplicate series of samples analysed on different days3
Figure 2-3: Fire activity since 1940 in the Christina Lake region
Figure 2-4: Known fire activity since 1900 compared with the charcoal curve extracted by the
sieving method and the carbon curve extracted by the TCA method
Figure 3-1: Location of Christina Lake53
Figure 3-2: Results for sediment influx and concentrations of ash, organics and carbonates 54
Figure 3-3: Known fire activity near Christina Lake55
Figure 3-4: Charcoal results for Christina Lake56
Figure 3-5: Christina Lake pollen percentage diagram57
Figure 3-6: Christina Lake pollen influx diagram58
Figure 4-1: Location of Christina Lake79
Figure 4-2: Vivianite abundance in Christina Lake (based on image analysis) shown with
sediment influx, organic matter concentration (loss on ignition), and phosphorus, iron,
and sulfur concentrations80
Figure A-1: Full pollen percentage diagram for Christina Lake
Figure A-2: Full pollen influx diagram for Christina Lake
Figure A-3: Concentrations of aluminum, arsenic, calcium, iron, and lead
Figure A-4: Concentrations of magnesium, manganese, nickel, phosphorus, potassium
and sodium98
Figure A-5: Concentrations of sulfur, titanium, and zinc99
Figure A-6: Digestion-TCA ignition results compared to sieved charcoal and sediment
influx

CHAPTER 1

Introduction

1.1 Rationale and Hypothesis

Fire is the primary agent of disturbance in Canada's boreal forest, and the floristic and structural mosaic of this biome exists largely as a result of the fire regime (Johnson 1992; Payette 1992; Rowe and Scotter 1973; Wein and MacLean 1983). Understanding the fire history of the forest and the factors affecting the fire regime is therefore essential to understanding the ecosystem as a whole. Historical records and dendrochronological studies including fire scars and stand origin dates can illuminate recent fire history (e.g., Heinselman 1973; Larsen 1997), but a much longer record (many 100s to 1000s of years) is required to fully understand the complicated interactions among climate, fire and vegetation through time (Campbell and Flannigan 2000; Clark and Robinson 1993). Such long-term information is available only through proxy indicators of fire, such as charcoal deposits in lake sediments, peats, or soils.

In recent years, the interest in paleofire research has increased substantially. This interest has come primarily from three groups: 1) national park and wilderness area managers who want to understand the "natural" fire regime in order to develop appropriate fire management policies; 2) forest managers who want to emulate natural disturbances as much as possible in their harvesting practices; and 3) climate change researchers who need to know how the fire regime and vegetation responded to climate changes in the past in order to model the potential impacts on the boreal forest of various future climate change scenarios. Current research by the latter group suggests that if global climate change occurs as expected, the fire regime of the boreal forest will be altered (Bergeron and Flannigan 1995; Weber and Flannigan 1997; Wotton and Flannigan 1993) and the changed fire regime could have a greater impact on the boreal forest than will the direct effects of the climate change itself (Bergeron and Flannigan 1995; Weber and Flannigan 1997; Wein and de Groot 1996). Thus, at a recent conference on fire activity in the boreal forest ("National Workshop on Increasing Forest Fire Activity in Canada," Edmonton, Alberta, April 1-4, 1996), several speakers (e.g., B.J. Stocks and B. S. Lee) designated the acquisition of long-term fire history data through stratigraphic charcoal studies as a research priority.

To date, most high-resolution long-term paleofire studies have been concentrated in the temperate forests of eastern North America (reviewed by Campbell and Flannigan 2000) and very few such studies have been done in Canada's boreal forest region (e.g., Bergeron et al. 1998; Larsen and MacDonald 1998a, 1998b). The need for research on the long-term paleofire history of the western boreal forest thus provided the impetus for this study.

Annually-laminated (varved) lake sediments provide ideal study sites for long-term paleofire studies based on charcoal (Tolonen 1986). The lack of sediment mixing allows for good temporal resolution of the charcoal signal from which fire events can be determined, and the varves provide a tight chronology for the study. Near the beginning of this project, four lakes in the boreal forest of Alberta were tested for the presence of varves. Only one, Christina Lake (55° 37' N, 110° 57' W), showed evidence of laminations and thus this moderately large (2130 ha) open lake became the study site. (The study site is described in Chapters 2-4 and so will not be described here).

The main objective of this study was to determine the fire history of a mid-boreal area over the last several hundred years using charcoal extracted from the annually-laminated lake sediment. To this end, a ~940-year charcoal record was extracted from the sediments of Christina Lake. Selected samples were also analyzed for pollen to determine if any significant palynologically detectable changes in vegetation occurred over the last 900+ years, and basic geochemical analyses of the sediment (sediment accumulation rate, and the concentrations of organic matter, carbonate and ash) were done to determine if some type of proxy climate signal could be detected. The possibility of using vivianite (Fe₃(PO₄)₂· 8H₂O) as a paleoenvironmental indicator was also explored. The main purpose of these corollary investigations was to provide some vegetational and climatic context for the paleofire signal.

Based on low-resolution palynological studies spanning much of the Holocene, the assumption has often been made that the mid-boreal forest has seen little change over the last 3000 or so years (eg., Lichti-Federovich 1970; Vance 1986). It is also generally thought that vegetation responds to climate changes very slowly and with long time lags, and so the climatic fluctuations of the last 1000 years may not have been of sufficient intensity or duration to cause any significant impacts, except perhaps at ecotones (Gajewski 1993). Several high-resolution studies of various types have shown, however, that the climatic changes over the last millennium were sufficient to impact lake hydrology (Campbell 1998; Vance et al. 1992), treeline limits in the Rockies (Luckman et al. 1997), and tree growth near both the northern and subalpine treelines (Jacoby and Cook 1981; Luckman et al. 1997; Szeicz 1996). Several dendrochronology-based studies in the subalpine forests of Alberta and British Columbia also showed changes in fire cycles over the last few hundred years, apparently in response to climate (Johnson et al. 1990; Johnson and Larsen 1991; Johnson and Wowchuk 1993; Masters 1990). It was thought possible, then, that the climatic changes over the last 1000 years may have affected the fire regime and vegetation of the mid-boreal forest as well (although perhaps more subtly than at ecotonal sites), but the changes may have gone undetected due to the low temporal resolution of most palynological studies.

Based on borrowed ideas relevant to site selection for pollen studies, it has also been suggested that small, closed lakes might be best suited for charcoal-based reconstruction of

local fire histories while larger lakes would be more appropriate for more regional paleofire studies (Patterson et al. 1987; Tolonen 1986). It was thought, however, that by choosing a method of charcoal analysis that included only large fragments of charcoal which do not travel very far from source (Clark 1988a; Clark et al. 1998; Clark and Patterson 1997; Patterson et al. 1987; Wein et al. 1987), extracting a local fire signal from an open lake as large as Christina Lake, might be possible.

This study thus attempted to disprove the following null hypothesis:

The mid-boreal forest is sufficiently stable in the face of minor climate changes that none of the known climate changes over the last 1000 years will be detectable in the pollen, charcoal, or sedimentological records of a moderately large lake in the mid-boreal forest.

It was hoped that the results of this study would help to establish the sensitivity limits of the fire regime and vegetation of the western boreal forest to climatic changes as this information may be useful to others in predicting the response of the forest to future climate change.

1.2 Organization of Thesis

This thesis is organized as follows. Immediately following is a brief literature review consisting of two parts. Part one gives a summary of what is known about charcoal production and taphonomy, and a brief review of a variety of methods used in charcoal-based paleofire studies. Part two presents the findings of the high-resolution paleofire studies that have been completed to date in the boreal forest of Canada (and selected studies from adjacent biomes). In Chapter 2, I present a comparison of two different methods of charcoal extraction, and compare the results of each to the known fire history near Christina Lake since 1900. The purpose of that investigation was to determine the spatial sensitivity of the paleofire signal derived from each method and by doing so, to determine if either method produced a useable signal for local fire activity near Christina Lake. In Chapter 3, the paleofire signal extracted by the sieving method (which proved to be a more reliable method for extracting a local fire signal) is compared to pollen analysis results and to the results from basic geochemical analyses of the sediment (sediment accumulation rate, and the concentrations of organic matter, carbonates and ash) from which a general proxy paleoclimate signal was inferred. In Chapter 4, the possibility of using vivianite as a proxy indicator of climate is explored. A final summary, discussion, and suggestions for further research are presented in Chapter 5.

As this thesis is organized around three papers, it contains some unavoidable redundancies (such as repetition of introductory material, methodological details and study site descriptions). Each of the three papers also has a different bibliographic style to meet the requirements of the journal to which it was (or will be) submitted. Chapter 2 has been accepted for publication in an upcoming special issue of the journal *Palaeogeography*, *Palaeoclimatology*,

Palaeoecology (Laird and Campbell In Press).

All dates refer to year AD unless otherwise noted.

1.3 Literature Review

1.3.1 Stratigraphic Charcoal Theory and Methods

Because paleofire studies based on charcoal analysis is a relatively new branch of paleoecology, no standardized approach to studying sedimentary charcoal has yet been adopted and large knowledge gaps concerning charcoal taphonomy still remain. Below is a brief synopsis of what is known about charcoal production and taphonomy and a brief summary of charcoal quantification methodologies. The latter is intended to be indicative of the great variety in techniques rather than an exhaustive compilation and is biased towards those methods which have been used on lake sediments rather than peats or soils. More detailed reviews can be found in Tolonen (1986), Novokov et al. (1997), and especially Patterson et al. (1987) and Rhodes (1998).

Charcoal is produced by the incomplete combustion of plant material. The amount of charcoal produced depends on the fuel type (Stocks and Kauffman 1997) and more specifically on the density, moisture and lignin content of the plant material (Clark 1984; Patterson et al. 1987; Pyne et al. 1996). Fire intensity is also important. Generally speaking, given the same mass of identical fuel, high intensity fires will produce lower quantities and smaller fragments of charcoal with a higher carbon content while low intensity fires will produce higher quantities and larger fragments of charcoal with lower carbon content (Clark 1984; Patterson et al. 1987; Pyne et al. 1996). Wildfires in the boreal forest burn through a variety of fuels and at different temperatures and so can be expected to produce charcoal fragments of varying sizes and carbon concentrations.

Once produced, the charcoal can be transported to the lake via wind or water. The aerial dispersal of charcoal is dependent on particle size, the height of the thermal plume associated with the fire, wind speed and direction, and atmospheric washing by rain. Theoretical and experimental studies suggest that larger charcoal particles (> ~100 μ m in diameter) generally do not travel very far (usually < 1 km) from source (Clark 1988a; Clark et al. 1998; Clark and Patterson 1997; Patterson et al. 1987; Wein et al. 1987). If, however, the thermal plume of the fire interacts with larger scale meteorological conditions (frontal systems, jet streams, etc.), large particles may be transported up to 10s of km while very small particles may potentially travel 100s or 1000s of km (Garstang et al. 1997).

No studies have yet been done on water dispersal of charcoal but Clark and Patterson (1997) suggest that charcoal transport by surface runoff (i.e. slope wash) might be important in areas of steep slopes, heavy precipitation, or impermeable soils, but is probably insignificant in forested areas with porous soils overlying gentle terrain. For lakes with inflowing streams,

fluvially-transported charcoal could be very important. The surface area of inflowing streams might be greater than the surface area of the lake and the lower wind velocities over sheltered streams as compared to the lake might mean greater deposition of wind-borne charcoal on the stream surface (Clark 1988a). Also, direct deposits of charcoal into the stream could occur wherever stream bank vegetation was burned. Stream or shoreline erosion of older charcoal deposits would also be possible during periods of high water levels.

Several factors influence the deposition of charcoal particles once they have reached the lake. Due to its porosity, charcoal has an effective specific density of ~0.3 - 0.6 and so floats until it becomes waterlogged (Clark 1988a; Patterson et al. 1987). Thus, some losses may occur in open lakes if the charcoal reaches the outlet before sinking. Wave action may also redistribute charcoal towards the shores where it may become trapped in littoral vegetation. Once the charcoal finally sinks, it may be resuspended and redeposited many times until it is either finally overlain by sufficient sediment to protect it from lake currents or is deposited in a part of the basin that is too deep to be affected by lake currents. Whitlock and her colleagues (Whitlock et al. 1997; Whitlock and Millspaugh 1996) have shown that even 8 years after the 1988 Yellowstone fires, charcoal was still working its way from the sides of the lake basin into the centre. Similarly, Bradbury (1996) found that charcoal was still being reworked from the littoral areas to the profundal sediments of Elk Lake (Minnesota) more than 70 years after the last known fire in the watershed.

Most charcoal studies to date involved quantifying charcoal on microscope slides, often in conjunction with pollen analysis (Patterson et al. 1987; Rhodes 1998). Techniques include areal estimates based on ocular grid counts or point counts, or simply tallying the number of charcoal fragments above and below a certain size threshold (eg., Battson and Cawker 1983; Cwynar 1978; Gajewski et al. 1985; Mehringer et al. 1977; Swain 1973, 1978, 1980; Waddington 1969; Wein et al. 1987). Researchers using an ocular grid to estimate the area of each charcoal fragment often group the data into various size classes as larger particles are thought to be more indicative of local fire. Because counting charcoal particles is very time consuming (especially if each particle has to be measured as well), some researchers have used image analysis software to expedite the process (Earle et al. 1996; Horn et al. 1992; MacDonald et al. 1991; Morrison 1994; Patterson et al. 1987; Terasmae and Weeks 1979). Distinguishing charcoal from other dark objects was the most common problem encountered with the image analysis technique.

Several recent studies have employed methods which focus only on larger charcoal particles which are thought to be a more reliable indicator of local fire activity. In many of Clark's studies, for example, only charcoal particles > 50 μ m are counted on petrographic thin sections of varved lake sediments (eg., Clark 1988b; Clark 1990; Clark and Royall 1995). While the thin section method has the advantage of being able to attain annual resolution, thin section

preparation is costly in terms of time, money and sediment and several researchers have experienced difficulty in preparing thin sections of suitable quality (C. Carcaillet, pers. comm.). A simpler wet sieving method in which only larger particles (usually > 125 μ m) are retained has been used successfully by several researchers (Clark et al. 1998; Long et al. 1998; Millspaugh and Whitlock 1995; Whitlock et al. 1997; Whitlock and Millspaugh 1996). The sieving method will be described in greater detail in Chapters 2 and 3.

Winkler (1985) developed a rapid non-visual method of quantifying the total charcoal content of a sample based on digestion in hot nitric acid followed by ignition at 500 °C. Nitric acid removes non-charred organic material, carbonates and pyrite but does not digest charcoal, coal, or "soot". Subtracting the post-ignition sample weight from the oven-dry post-treatment weight yields the amount of undigested elemental carbon remaining after the acid treatment. This elemental carbon represents the amount of charcoal in the sample if the study site is not contaminated by coal or "soot" from the burning of fossil fuels. This method is discussed in greater detail in Chapter 2.

In some studies the relationship between the charcoal signal and local fire activity is not always clear so other indices are used in conjunction with charcoal to help distinguish true fire events. In charcoal studies which also include pollen analysis, charcoal:pollen ratios have been used based on the rationale that after a fire event charcoal will increase while pollen will decrease (Battson and Cawker 1983; Cwynar 1978; Gajewski et al. 1985; Swain 1973, 1978, 1980). Similarly, conifer:sprouter ratios (or its variants) have been used based on the assumption that "sprouter" taxa which proliferate after a fire will be more abundant than conifers which take longer to regenerate and reach sexual maturity (Cwynar 1978; Swain 1973, 1980). Pollen chronosequences have also been used in which a progression from early successional to late successional species in the pollen record are assumed to reflect post-fire vegetation changes (Larsen and MacDonald 1998a, 1998b). In areas of high relief where post-fire erosion is likely, increases in varve thickness, the magnetic susceptibility of the sediment, or the Al or V content of the sediment have been used in conjunction with charcoal to determine local fire events (Cwynar 1978; Long et al. 1998; Millspaugh and Whitlock 1995; Swain 1973; Tolonen 1986; Whitlock et al. 1997).

To date, only one study has been done which compares the results of various proxy measures of fire activity to each other and to the known fire history of the study site. In Rainbow Lakes, Wood Buffalo National Park, MacDonald et al. (1991) compared microscopic charcoal (using both optical microscopy and an image analysis technique), macroscopic charcoal, elemental carbon (using the Winkler method), pollen, varve thickness, and geochemical analysis of the sediment to the known fire history (based on fire maps, fire scars and stand origin dates). Their results showed that none of the various charcoal measures had consistent correspondence to local fires and none, except microscopic charcoal counted by optical

microscopy and image analysis, had any significant correlation to each other. Erosional indices (varve thickness and geochemical analyses) also showed no relationship to fire activity. The authors suggest that variations in fire characteristics (spatial extent, proximity to the lake, fuel type, intensity, and meteorological conditions during and after the fire), inconsistent erosion, and the order of magnitude difference in abundance between microscopic and macroscopic charcoal may be responsible for the poor correlations. Overall, however, macroscopic charcoal had a better correspondence to local fire activity while microscopic charcoal appeared to be strongly influenced by regional fire activity.

As indicated in the preceding review, there is no standardized methodology for paleofire studies based on stratigraphic charcoal. The research to date suggests, however, that choosing a method which focuses on larger charcoal particles may yield the most reliable signal for local fire activity. A method which focuses on the smaller fragments (such as pollen slide counts) or the "total" charcoal content (such as the Winkler method) may, however, be useful for determining a more regional signal which imay provide additional valuable information.

1.3.2 High-resolution Paleofire Studies in the Canadian Boreal Forest

The following is a brief review of haigh-resolution studies concerning the fire history of the boreal forest of Canada over the past 10000 years. These studies are grouped into two broad categories: 1) long-term fire histories externding more than 500 years into the past; and 2) shorter-term fire histories which are limited to the last 500 years or less. The main emphasis is on studies from the western boreal forest and secondarily on the eastern boreal. Selected studies from the Subalpine, Aspen Parkla.nd, and Forest-Tundra areas which show changes in fire activity over the last 1000 years are also included.

In the studies below, "fire return in terval" refers to the time between fires (often of unknown size) within the study area (where the study area is usually a stand for dendrochronlogical studies and the charcoal catchment for charcoal-based studies). "Fire cycle" refers to the time it takes to burn an area equivalent in size to the study area (Romme 1980).

1.3.2.1 Long-term Fire Histories

In the western boreal forest of Carada, only three fire history studies have been completed which span more than 500 years and have sufficient resolution to detect possible changes in fire regimes over the last millerinium. In Rainbow Lakes, Wood Buffalo National Park, Larsen and MacDonald (1998a) found a mean fire return interval of 69 years over an 840-year time span in this white spruce (*Picea glauca* (Moench)Voss) dominated site. Their data showed shorter mean fire return intervals between 1555 and 1700 (48 years) and longer mean fire return intervals before (56 years) and after (80 years) this period. In the Fariya Lake area (just outside Wood Buffalo National Park), Larsen and MacDonald (1998b) found an average fire

return interval of 34 years (over 580 years) in a landscape dominated by black spruce (*Picea mariana* (Mill.)BSP) and jack pine (*Pinus banksiana* Lamb.). Again, their data showed shorter mean fire return intervals between 1552 and 1680 (~26 years) and longer mean fire return intervals before (41 years) and after (~36 years) this period. Both sites showed anomalously low pine pollen abundance from the late 1700s to the mid-1800s which may be related to climate.

The resolution of Campbell and Campbell's (In Press) study in Elk Island National Park, Alberta is not sufficient to determine individual fire events but their pollen and charcoal results showed climate-induced vegetation changes over the last ~1400 years and their effect on the fire regime. The charcoal curve showed much lower charcoal abundance during the Medieval Warm Period ~800 to 1200 AD. The authors suggest that the warm dry climate during this time period caused groundwater levels to drop around a small pond and lead to the replacement of flammable shrub birch (*Betula glandulosa* Michx.) with less flammable aspen (*Populus tremuloides* Michx.) around the fringes of the pond resulting in less fire activity despite the warm dry climate.

In the eastern boreal forest, Bergeron et al. (1998) report preliminary results from a 6700-year charcoal record extracted from the varved sediments of Lake Francis in Quebec. The results showed variable fire return intervals throughout the Holocene but the mean fire return interval was much longer prior to 2100 years ago (332 +/- 195 yr) than in the last 2100 years (99 +/- 53 years). Regional pollen evidence also showed that white cedar (*Thuja occidentalis* L., a late successional species) was much more abundant during the period of longer fire return intervals in the mid-Holocene whereas jack pine (a pioneer species) became more abundant in more recent times when fire return intervals were shorter. All tree species were present throughout the study period (although in varying abundances) suggesting that each of them was able to cope with the variable fire return intervals.

Using pollen and charcoal deposits in humus on the islands of Lake Duparquet, Quebec, Larocque et al. (2000) showed that long fire return intervals lead to the replacement of jack pine by eastern white pine (*Pinus strobus* L.) and black spruce while short fire return intervals lead to the cyclic regeneration of jack pine.

Near the northern tree limit in northern Quebec, Arseneault and Payette (1992) found that a fire in ~1750 lead to a shift from lichen-spruce to lichen-tundra. The lichen-spruce vegetation established on the site ~1700 BP, but severe climate during the Little Ice Age lead to the krummholz spruce being able to reproduce only through layering. Thus, after the fire in 1750, the forest could not be regenerated as the remaining krummholz spruce in unburned areas could not produce viable seed. Similarly, lack of post-fire regeneration, especially during cool periods, has been implicated in the deforestation of many sites in the forest-tundra of northern Quebec over the last 3000 years BP (Filion et al. 1991; Payette 1980; Payette and Gagnon 1985).

In Pine Lake, in the Aspen Parkland region of Alberta, Campbell et al. (In Press) found low-amplitude variation in the charcoal curve for most of the 3000 years of their record. They suggest this typifies a grassland fire regime. A marked change in the charcoal record occurred in the mid-19th century coincident with the time when the modern aspen forest developed. After the mid-19th century, the charcoal curve showed variations of much higher amplitude. The authors suggest that aspen "fire-proofed" the landscape somewhat resulting in less frequent fires. When fires did occur, however, the charcoal peaks were higher due to greater fuel loads.

1.3.2.2 Shorter-term Fire Histories

Larsen (1997) used forest stand age, fire scars, and historical data in Wood Buffalo National Park to compare fire cycles in aspen, jack pine, black spruce, and white spruce stands from the mid-1700s to the present. He found average fire cycles of 39, 39, 78, and 96 years respectively. He also looked at the mean waterbreak distance at each site and concluded that the shorter fire cycles found in aspen and jack pine stands may be partly due to their preference for drier sites which are further away from water bodies which might act as fire breaks. He also noted a decrease in fire frequency after ~1860 which he suggested might be due to increased precipitation which more than offset the increase in temperatures in the last century, or alternatively, to changes in aboriginal burning practices.

Yarie (1981) also estimated fire cycles in different vegetation types in the interior of Alaska and found fire cycles of 105 years in white spruce, 43 years in black spruce, and 30 years in hardwood (poplar and birch) stands based on life table analysis. His results also suggested that the flammability of white spruce stands increases with age, whereas black spruce stands experience a slight decrease in flammability with age due to increased paludification.

Carroll and Bliss (1982) used fire scars and stand origin dates to determine fire return intervals in jack pine stands in six sites in northeastern Alberta and northern Saskatchewan. The average fire return intervals for these sites ranged from 28 to 54 years (overall average 38 years) and increased from west to east.

The charcoal record from Amisk Lake, Alberta shows increased fire activity with increased warming since the mid-1800s, while the charcoal record from Opal Lake, Saskatchewan shows decreasing fire activity over the same period (Campbell and Flannigan 2000). The vegetation around Opal Lake is dominated by open pine and aspen stands on well-drained soils. The authors suggest that the cooler/moister Little Ice Age climate may have promoted more pine than aspen and thus increased the flammability of the landscape whereas the drier conditions since the mid-1800s may have promoted more aspen than pine resulting in a decrease in fire activity despite the general warming trend.

In the eastern boreal, Bergeron and Archambault (1993) compiled a 300-year dendrochronology-based fire history of the La_ke Duparquet area in northwestern Quebec. They found that drought and fire were more frequent during the Little Ice Age than during the warming trend from the end of the Little Ice Age ~1850 to the present. Other studies in the Lake Duparquet area have shown that islands in the lake experienced a greater number of fires than the lakeshore due to a higher frequency of lightning strikes on the islands (Bergeron 1991). Many of the island fires were smaller and of non-lethal intensity, however, whereas the lakeshore fires were predominantly large, stand-replacing fires. It was concluded that the lower intensity of most of the island fires has allowed red pine (*Pinus resinosa* Ait.) to continue to exist on the islands whereas it has been eliminated on the mainland (Bergeron 1991; Bergeron and Brisson 1990).

In central Quebec, Cogbill (1985) found fire cycles of 130 years in black spruce - feather moss forests and 70 years in both jack pine and deciduous forests using dendrochronological techniques. Further east in southeastern Labrador, Foster (1983) estimated a 500 year fire cycle based on fire maps and fire scars. He suggested large fires were rare in this area due to high precipitation and a preponderance of lakes and wetlands which act as firebreaks. Lichenwoodlands and birch forests existed only in areas which had burned in the last 110 years. Old black spruce and fir stands occurred in extensive paludified plains with much longer fire cycles (> 500 years).

Several dendrochronology-based fire histories in the subalpine forests of Alberta and British Columbia begin in the 1500s or 1600s and show a substantial increase in fire cycle length from the mid-1700's to the present (eg., Johnson et al. 1990; Johnson and Larsen 1991; Johnson and Wowchuk 1993; Masters 1990). Johnson and Wowchuk (1993) suggest the consistency in the timing of fire cycle changes must be due to large-scale climatic factors and suggest a reduced frequency of blocking upper ridges in the mid-troposphere since the onset of the last phase of the Little Ice Age in the mid- $\boxed{1}$ 700s as a possible mechanism. Very long fire cycles between 1780 and 1830 were also noted in the Kananaskis watershed (Johnson and Larsen 1991) and a reduction of Indian-cause d fires due to a small-pox epidemic was suggested as a possible cause, although the authors note there is little evidence to support this hypothesis.

In Jasper National Park, Tande (1979 = 1980) compared area burned with below average tree-ring growth (which he used as a proxy indicator for below average precipitation) for the period of 1700 to 1913 near the Jasper townsite. He found that 92% of the total area burned was burned during periods of below average precipitation. While human use of the area may have increased the number of fires during certain time periods, climate seemed to be the dominant influence on total area burned. No fires > 500 ha occurred in the study area from 1908 to 1980 which the author attributed to active fire suppression in the Park which began in 1913.

As illustrated in the above review, very few long-term fire histories have been done in the boreal forest as most of the studies are based on dendrochronology and are necessarily limited to the last few hundred years. High-resolution charcoal-based studies spanning a longer time interval are therefore needed to place the results of the shorter-term studies into a broader temporal context. It should also be noted that only the coarsest of comparisons can be made among many of the studies due to the differences in methodology and sizes of the study areas.

1.4 References

- Arseneault, D., and Payette, S. 1992. A postfire shift from lichen-spruce to lichen-tundra vegetation at tree line. Ecology **73**: 1067-1081.
- Battson, R.A., and Cawker, K.B. 1983. Methodology to determine long term fire histories: an examination of charcoal and pollen from Mashagama Lake, Ontario. *In* Resources and dynamics of the boreal zone. *Edited by* R.W. Wein, R.R. Riewe, and I.R. Methven. Association of Canadian Universities Northern Studies, Ottawa, Ont. pp. 226-248.
- Bergeron, Y. 1991. The influence of island and mainland lakeshore landscapes on boreal forest fire regimes. Ecology **72**: 1980-1992.
- Bergeron, Y., and Archambault, S. 1993. Decreasing frequency of forest fires in the southern boreal zone of Quebec and its relation to global warming since the end of the 'Little Ice Age'. Holocene 3: 255-259.
- Bergeron, Y., and Brisson, J. 1990. Fire regime in red pine stands at the northern limit of the species' range. Ecology **71**: 1352-1364.
- Bergeron, Y., and Flannigan, M.D. 1995. Predicting the effects of climate change on fire frequency in the southeastern Canadian boreal forest. Wat. Air Soil Pollut. 82: 437-444.
- Bergeron, Y., Richard, P.J.H., Carcaillet, C., Gauthier, S., Flannigan, M., and Prairie, Y.T. 1998. Variability in fire frequency and forest composition in Canada's southeastern boreal forest: a challenge for sustainable forest management. Conservation Ecology [online] 2: 6.
- Bradbury, J.P. 1996. Charcoal deposition and redeposition in Elk Lake, Minnesota, USA. Holocene **6**: 339-344.
- Campbell, C. 1998. Late Holocene lake sedimentology and climate change in southern Alberta, Canada. Quat. Res. **49**: 96-101.
- Campbell, I.D., and Campbell, C. In Press. Late Holocene vegetation and fire history at the southern boreal forest margin in Alberta, Canada. Palaeogeogr. Palaeoclim. Palaeoecol.
- Campbell, I.D., and Flannigan, M.D. 2000. Long-term perspectives on fire-climate-vegetation relationships in the North American boreal forest. *In* Fire, climate change, and carbon cycling in the boreal forest. *Edited by* E.S. Kasischke and B.J. Stocks. Springer, New York. pp. 151-172.
- Campbell, I.D., Last, W.M., Campbell, C., Clare, S., and McAndrews, J.H. In Press. The late-Holocene paleohydrology of Pine Lake, Alberta: a multiproxy investigation. J. of Paleolimn.
- Carroll, S.B., and Bliss, L.C. 1982. Jack pine lichen woodland on sandy soils in northern Saskatchewan and northeastern Alberta. Can. J. Bot. **60**: 2270-2282.
- Clark, J.S. 1988a. Particle motion and the theory of charcoal analysis: source area, transport, deposition, and sampling. Quat. Res. **30**: 67-80.
- Clark, J.S. 1988b. Stratigraphic charcoal analysis on petrographic thin sections: application to fire history in northwestern Minnesota. Quat. Res. 30: 81-91.

- Clark, J.S. 1990. Fire and climate change during the last 750 yr in northwestern Minnesota. Ecol. Monogr. **60**: 135-159.
- Clark, J.S., Lynch, J., Stocks, B.J., and Goldammer, J.G. 1998. Relationships between charcoal particles in air and sediments in west-central Siberia. Holocene 8: 19-29.
- Clark, J.S., and Patterson, W.A., III. 1997. Background and local charcoal in sediments: Scales of fire evidence in the paleorecord. *In* Sediment records of biomass burning and global change. *Edited by* J.S. Clark, H. Cachier, J.G. Goldammer, and B.J. Stocks. Springer-Verlag, Berlin. pp. 23-48.
- Clark, J.S., and Robinson, J. 1993. Paleoecology of Fire. *In* Fire in the environment: the ecological, atmospheric, and climatic importance of vegetation fires. *Edited by* P.J. Crutzen, and J.G. Goldammer. John Wiley and Sons, Ltd., New York. pp. 193-214.
- Clark, J.S., and Royall, P.D. 1995. Particle-size evidence for source areas of charcoal accumulation in late Holocene sediments of eastern North American lakes. Quat. Res. 43: 80-89.
- Clark, R.L. 1984. Effects on charcoal of pollen preparation procedures. Pollen et Spores 26: 559-576.
- Cogbill, C.V. 1985. Dynamics of the boreal forests of the Laurentian Highlands, Canada. Can. J. For. Res. **15**: 252-261.
- Cwynar, L.C. 1978. Recent history of fire and vegetation from laminated sediment of Greenleaf Lake, Algonquin Park, Ontario. Can. J. Bot. **56**: 10-21.
- Earle, C.J., Brubaker, L.B., and Anderson, P.M. 1996. Charcoal in northcentral Alaskan lake sediments: relationships to fire and late-Quaternary vegetation history. Rev. Palaeobot. Palynol. 92: 83-95.
- Filion, L., Saint-Laurent, D., Desponts, M., and Payette, S. 1991. The late Holocene record of aeolian and fire activity in northern Quebec, Canada. Holocene 1: 201-208.
- Foster, D.R. 1983. The history and pattern of fire in the boreal forest of southeastern Labrador. Can. J. Bot. **61**: 2459-2471.
- Gajewski, K. 1993. The role of paleoecology in the study of global climatic change. Rev. Palaeobot. Palynol. **79**: 141-151.
- Gajewski, K., Winkler, M.G., and Swain, A.M. 1985. Vegetation and fire history from three lakes with varved lake sediments in northwestern Wisconsin, U.S.A. Rev. Palaeobot. Palynol. 44: 277-292.
- Garstang, M., Tyson, P.D., and Radke, L. 1997. Atmospheric transports of particulate and gaseous products by fires. *In* Sediment records of biomass burning and global change. *Edited by* J.S. Clark, H. Cachier, J.G. Goldammer, and B.J. Stocks. Springer-Verlag, Berlin. pp. 207-250.
- Heinselman, M.L. 1973. Fire in the virgin forests of the Boundary Waters Canoe Area, Minnesota. Quat. Res. 3: 329-382.

- Horn, S.P., Horn, R.D., and R.Byrne. 1992. An automated charcoal scanner for paleoenvironmental studies. Palynology **16**: 7-12.
- Jacoby, G.C., and Cook, E.R. 1981. Past temperature variations inferred from a 400-year treering chronology from Yukon Territory, Canada. Arct. Alp. Res. 13: 409-418.
- Johnson, E.A. 1992. Fire and vegetation dynamics: studies from the North American boreal forest. Cambridge University Press, Cambridge, UK.
- Johnson, E.A., Fryer, G.I., and Heathcott, M.J. 1990. The influence of man and climate on frequency of fire in the interior wet belt forest, British Columbia. J. Ecol. 78: 403-412.
- Johnson, E.A., and Larsen, C.P.S. 1991. Climatically induced change in fire frequency in the southern Canadian Rockies. Ecology **72**: 194-201.
- Johnson, E.A., and Wowchuk, D.R. 1993. Wildfires in the southern Canadian Rocky Mountains and their relationship to mid-tropospheric anomalies. Can. J. For. Res. 23: 1213-1222.
- Laird, L.D., and Campbell, I.D. In Press. High resolution palaeofire signals from Christina Lake, Alberta: a comparison of the charcoal signals extracted by two different methods. Palaeogeogr. Palaeoclim. Palaeoecol.
- Larocque, I., Bergeron, Y., Campbell, I.D., and Bradshaw, R.H.W. 2000. Vegetation changes through time on islands of Lac Duparquet, Abitibi, Canada. Can. J. For. Res. **30**: 179-190.
- Larsen, C.P.S. 1997. Spatial and temporal variations in boreal forest fire frequency in northern Alberta. J. Biogeogr. **24**: 663-673.
- Larsen, C.P.S., and MacDonald, G.M. 1998a. An 840-year record of fire and succession in a boreal white spruce forest. Ecology **79**: 106-118.
- Larsen, C.P.S., and MacDonald, G.M. 1998b. Fire and vegetation dynamics in a jack pine and black spruce forest reconstructed using fossil pollen and charcoal. J. Ecol. 86: 815-828.
- Lichti-Federovich, S. 1970. The pollen stratigraphy of a dated section of Late Pleistocene lake sediment from central Alberta. Can. J. Earth Sci. 7: 938-945.
- Long, C.J., Whitlock, C., Bartlein, P.J., and Millspaugh, S.H. 1998. A 9000-year fire history from the Oregon Coast Range, based on a a high-resolution charcoal study. Can. J. For. Res. 28: 774-787.
- Luckman, B.H., Briffa, K.R., Jones, P.D., and Schweingruber, F.H. 1997. Tree-ring based reconstruction of summer temperatures at the Columbia Icefield, Alberta, Canada, AD 1073-1983. Holocene 7: 375-389.
- MacDonald, G.M., Larsen, C.P.S., Szeicz, J.M., and Moser, K.A. 1991. The reconstruction of boreal forest fire history from lake sediments: a comparison of charcoal, pollen, sedimentological, and geochemical indices. Quat. Sci. Rev. 10: 53-71.
- Masters, A.M. 1990. Changes in forest fire frequency in Kootenay National Park, Canadian Rockies. Can. J. Bot. 68: 1763-1767.
- Mehringer, P.J.Jr., Arno, S.F., and Petersen, K.L. 1977. Postglacial history of Lost Trail Pass Bog, Bitterroot Mountains, Montana. Arct. Alp. Res. 9: 345-368.

- Millspaugh, S.H., and Whitlock, C. 1995. A 750-year fire history based on lake sediment records in central Yellowstone National Park, USA. Holocene 5: 283-292.
- Morrison, K.D. 1994. Monitoring regional fire history through size-specific analysis of microscopic charcoal: the last 600 years in south India. J. Arch. Sci. 21: 675-685.
- Novakov, T., Cachier, H., Clark, J.S., Gaudichet, A., Macko, S., and Masclet, P. 1997.
 Characterization of particulate products of biomass combustion. *In* Sediment Records of Biomass Burning. *Edited by* J.S. Clark, H. Cachier, J.G. Goldammer, and B. Stocks. Springer-Verlag, Berlin. pp. 117-143.
- Patterson, W.A., III, Edwards, K.J., and Maguire, D.J. 1987. Microscopic charcoal as a fossil indicator of fire. Quat. Sci. Rev. 6: 3-23.
- Payette, S. 1980. Fire history at the treeline in northern Quebec: a paleoclimatic tool. *In*Proceedings of the fire history workshop, October 20-24, 1980, Tuscon, Arizona. USDA
 Forest Service, Rocky Mountain Forest and Range Experimental Station, General
 Technical Report RM-81. pp. 126-131.
- Payette, S. 1992. Fire as a controlling process in the North American boreal forest. *In* A systems analysis of the global boreal forest. *Edited by* H. Shugart, R. Leemans, and G.B. Bonan. Cambridge University Press. pp. 144-169.
- Payette, S., and Gagnon, R. 1985. Late Holocene deforestation and tree regeneration in the forest-tundra of Quebec. Nature **313**: 570-572.
- Pyne, S.J., Andrews, P.L., and Laven, R.D. 1996. Introduction to Wildland Fire. John Wiley & Sons, New York.
- Rhodes, A.N. 1998. A method for the preparation and quantification of microscopic charcoal from terrestrial and lacustrine sediment cores. Holocene 8: 113-117.
- Romme, W. 1980. Fire history terminology: report of the ad hoc committee. *In Proceedings of the fire history workshop*, October 20-24, 1980, Tuscon, Arizona. USDA Forest Service, Rocky Mountain Forest and Range Experimental Station, General Technical Report RM-81. pp. 135-137.
- Rowe, J.S., and Scotter, G.W. 1973. Fire in the boreal forest. Quat. Res. 3: 444-464.
- Stocks, B.J., and Kauffman, J.B. 1997. Biomass consumption and behavior of wildland fires in boreal, temperate, and tropical ecosystems: parameters necessary to interpret historic fire regimes and future fire scenarios. *In* Sediment records of biomass burning and global change. *Edited by* J.S. Clark, H. Cachier, J. G. Goldammer, and B.J. Stocks. Springer-Verlag, Berlin. pp. 169-188.
- Swain, A.M. 1973. A history of fire and vegetation in northeastern Minnesota as recorded in lake sediments. Quat. Res. 3: 383-396.
- Swain, A.M. 1978. Environmental changes during the past 2000 years in north-central Wisconsin; analysis of pollen, charcoal, and seeds from varved lake sediments. Quat. Res. **10**: 55-68.
- Swain, A.M. 1980. Landscape patterns and forest history in the Boundary Waters Canoe Area, Minnesota: a pollen study from Hug Lake. Ecology 61: 747-754.

- Szeicz, J.M. 1996. White spruce light rings in northwestern Canada. Arct. Alp. Res. 28: 184-189.
- Tande, G.F. 1979. Fire history and vegetation pattern of coniferous forests in Jasper National Park, Alberta. Can. J. Bot. **57**: 1912-1931.
- Tande, G.F. 1980. Interpreting fire history in Jasper National Park, Alberta. *In Proceedings of the fire history workshop*, October 20-24, 1980, Tuscon, Arizona. USDA Forest Service, Rocky Mountain Forest and Range Experimental Station, General Technical Report RM-81. pp. 31-34.
- Terasmae, J., and Weeks, N.C. 1979. Natural fires as an index of paleoclimate. Can. Field Nat. 93: 116- 125.
- Tolonen, K. 1986. Charred particle analysis. *In* Handbook of Holocene palaeoecology and palaeohydrology. *Edited by* B.E. Berglund. John Wiley and Sons, New York. pp. 485-496.
- Vance, R.E. 1986. Pollen stratigraphy of Eaglenest Lake, northeastern Alberta. Can. J. Earth Sci. 23: 11-20.
- Vance, R.E., Mathewes, R.W., and Clague, J.J. 1992. 7000 year record of lake-level change on the northern Great Plains: a high-resolution proxy of past climate. Geology 20: 879-882.
- Waddington, J.C.B. 1969. A stratigraphic record of the pollen influx to a lake in the Big Woods of Minnesota. Geological Society of America, Special Paper 123: 263-281.
- Weber, M.G., and Flannigan, M.D. 1997. Canadian boreal forest ecosystem structure and function in a changing climate: impact on fire regimes. Environ. Rev. 5: 145-166.
- Wein, R.W., Burzynski, M.P., Sreenivasa, B.A., and Tolonen, K. 1987. Bog profile evidence of fire and vegetation dynamics since 3000 years BP in the Acadian forest. Can. J. Bot. 65: 1180-1186.
- Wein, R.W., and de Groot, W.J. 1996. Fire climate change hypotheses for the Tiaga. *In* Fire in ecosystems of boreal Eurasia. *Edited by* J.G. Goldammer, and V.V. Furyaev. Kluwer Academic Press, The Netherlands. pp. 505-512.
- Wein, R.W., and MacLean, D.A. (*Eds.*). 1983. The role of fire in northern circumpolar ecosystems. John Wiley and Sons, New York.
- Whitlock, C., Bradbury, J.P., and Millspaugh, S.H. 1997. Controls on charcoal distribution in lake sediments: case studies from Yellowstone National Park and northwestern Minnesota. *In* Sediment records of biomass burning and global change. *Edited by* J.S. Clark, H. Cachier, J.G. Goldammer, and B.J. Stocks. Springer-Verlag, Berlin. pp. 367-386.
- Whitlock, C., and Millspaugh, S.H. 1996. Testing the assumptions of fire-history studies: an examination of modern charcoal accumulation in Yellowstone National Park, USA. Holocene 6: 7-15.
- Winkler, M.G. 1985. Charcoal analysis for paleoenvironmental interpretation: a chemical assay. Quat. Res. 23: 313-326.
- Wotton, B.M., and Flannigan, M.D. 1993. Length of the fire season in a changing climate. For. Chron. **69**: 187-192.

Yarie, J. 1981. Forest fire cycles and life tables: a case study from interior Alaska. Can. J. For. Res. 11: 554-562.

CHAPTER 2

High-resolution Palaeofire Signals from Christina Lake, Alberta: a Comparison of the Charcoal Signals Extracted by Two Different Methods¹

2.1 Introduction

The boreal forest of Canada is a fire-dependent biome (Rowe and Scotter, 1973; Wein and MacLean, 1983; Payette, 1992) and understanding the interactions among fire, vegetation and climate is integral to understanding the boreal ecosystem. Palaeofire studies can illuminate past fire regime and vegetation responses to climate changes (Clark and Robinson, 1993; Campbell and Flannigan, 2000). This information is increasingly important as concern over future global climate change escalates. Current climate change models suggest that global warming may dramatically alter the fire regime of the boreal forest, especially in those areas where an increase in drought is predicted (Weber and Flannigan, 1997). If so, the changed fire regime is expected to have a much greater impact on the boreal forest than will the direct effects of climate warming alone (Wein and de Groot, 1996; Weber and Flannigan, 1997).

Palaeofire studies necessarily depend on proxy indicators of fire such as charcoal found in lake sediments, peat, and soils. Adequate dating control allows for the interpretation of the charcoal signal through time but it is difficult to interpret the spatial aspect of the signal. The source area of a particular signal may depend on both the methodology used and the characteristics of the sampling site.

The methodologies employed to extract and quantify stratigraphic charcoal vary widely and include sieving methods, thin sections, chemical assays, and an array of pollen slide counting methods (for reviews, see Tolonen (1986), Patterson et al. (1987), Novakov et al. (1997), and Rhodes (1998)). Each of these methods focuses on a particular size fraction of charcoal except for chemical assays which quantify all size fractions. Aerial dispersal models and limited experimental research suggest that larger charcoal fragments (> $100~\mu m$) are not aerially transported very far from source (at most, 10s of km if entrained in a thermal plume) while smaller particles may be aerially transported 100s to 1000s of km (Clark and Patterson, 1997; Garstang et al., 1997). It is therefore assumed that charcoal quantification methods which focus on larger particles, such as thin sections and sieving methods, extract a more "local" charcoal signal, while pollen slide counts which focus on smaller charcoal particles may reflect a more "regional" fire signal (Clark and Patterson, 1997). It is not clear what sort of signal

¹ A version of this chapter has been accepted for publication in *Palaeogeography*,

**Palaeoclimatology, Palaeoecology as "High-resolution palaeofire signals from Christina Lake, Alberta: a comparison of the charcoal signals extracted by two different methods" by L.D. Laird and I.D. Campbell.

chemical assay methods reflect since particles of all sizes are included, but Winkler (1985) suggests her chemical assay method is comparable to pollen slide counts so the charcoal signal obtained by this method may be predominantly regional as well. There have been very few studies which compare the charcoal signals obtained via different methods (eg. MacDonald et al., 1991 and Clark and Patterson, 1997) so it is not yet clear how widely the above assumptions may apply. Also, these assumptions are based on aerial dispersal only as no quantitative research has been done on charcoal transport in surface runoff and streams.

The sampling site characteristics may also affect the size of the charcoal catchment. If the same factors affecting pollen dispersal hold true for charcoal as well (at least for very small particles), charcoal deposits found in sediments of small closed lakes and peat deposits in forest hollows would be expected to reflect dominantly local fire activity while the charcoal in large open lakes might be more representative of regional fire activity (Jacobson and Bradshaw, 1981; Sugita, 1994).

Since both local and regional fire signals have the potential to yield valuable information, an attempt was made to extract both types of signals from annually-laminated sediment retrieved from Christina Lake in the boreal forest of northern Alberta. Constraints of time and sediment availability precluded the use of Clark's thin section method or pollen slide counts for this study. Two methods of charcoal extraction were chosen based on their ease of use and cost effectiveness in terms of both time and money. The sieving method described by Whitlock and Millspaugh (1996) was chosen to extract the "local" charcoal signal. Winkler's (1985) chemical assay method based on nitric acid digestion was chosen to extract what was hoped would be a more "regional" signal. The charcoal curve from each of these methods was then compared to the known recent fire history near the lake to determine the spatial sensitivity of each signal.

Digestion in nitric acid has often been used to distinguish charcoal from other dark organic material and to remove excess organics (eg. Swain, (1973); Singh (1981)). The use of nitric acid digestion in combination with loss on ignition as a method of quantifying charcoal (or black carbon) as described by Winkler (1985) has, however, sometimes been problematic and thus has not been widely adopted. One of the major drawbacks attributed to this method has been the imprecision inherent in gravimetric techniques which makes it difficult to reproduce results especially in small samples with very low levels of charcoal (Novakov et al., 1997; Rhodes, 1998). Another disadvantage is that the resulting "charcoal" signal may include not only charcoal but also coal, carbon from the by-products of fossil fuel combustion (Winkler, 1985) and clay water losses, and such "noise" may obscure the true charcoal signal (MacDonald et al., 1991; Novakov et al., 1997). Some researchers have also experienced problems with inadequate digestion in materials with very high organic content such as peat (Rhodes, 1998).

Given the various problems encountered with this technique, some testing and modifications were done to improve the precision and suitability of this method for sediments containing low levels of charcoal. First, the ability of nitric acid digestion to remove different types of organic material and the effect of nitric acid on charcoal and different types of clastic material was tested. Secondly, the use of a Total Carbon Analyser apparatus rather than standard loss on ignition was explored. The methodology and results of these experiments are outlined below. The remainder of the paper focuses on a comparison of the charcoal signals extracted by sieving and nitric acid digestion/Total Carbon Analyser quantification and their relationship to each other and to known fire activity near the lake.

2.2 Study Site

Christina Lake (55° 37' N 110° 57' W) is located in northern Alberta, Canada (Figure 2-1). The lake is large (2130 ha) with six permanent inflowing streams and a drainage basin of 1250 km². The morphology of the lake is long and narrow reaching a maximum length and width of approximately 13 km and 2 km respectively. The deepest basin reaches a maximum depth of 33 m and here the sediments are laminated. Most of the lake basin has steeply sloping sides and there are only isolated pockets of littoral areas (Bradford, 1990).

The lake lies within the Central Mixedwood Subregion of the Boreal Forest Natural Region (Alberta Environmental Protection, 1994). This subregion is characterized by a mosaic of deciduous and coniferous trees (often occurring in mixed stands) and extensive peatlands. Predominant soils are Gray Luvisols and Eutric Brunisols on upland sites and Organic and Gleysolic soils in poorly drained areas. The climate is subhumid continental with short cool summers (average May-September temperature is 12° C) and long cold winters. Average annual precipitation is 380 mm.

The drainage basin of the lake consists of level to gently rolling terrain overlying a thick (up to 150 m) mantle of glacial till and channel fill materials. Although no known outcrops of potentially coal-bearing bedrock occur in the basin, the till may contain a small amount of coal derived from ice-scoured bedrock to the northeast of the study area.

Vegetation in the drainage basin is largely dominated by peatlands with black spruce (*Picea mariana*) and larch (*Larix laricina*) as the dominant trees. Vegetation on upland areas is composed of trembling aspen (*Populus tremuloides*), white spruce (*Picea glauca*), jack pine (*Pinus banksiana*), birch (*Betula papyrifera*) and balsam poplar (*Populus balsamifera*).

Human impact on the area was minimal until oil and gas exploration began in the region in the mid 1980s. Although it has been accessible by rail since 1919, the lake has been accessible by an all-weather road only since 1986. The hamlet of Conklin is located immediately west of the lake but other than a recreational lodge and campground on the north shore at the western end of the lake, there is no other shoreline development. The nearest large

population centre is Fort McMurray 125 km to the north. Contamination in the core due to fossil fuel combustion should therefore be minimal.

2.3 Methodology

2.3.1 Core Retrieval and Sampling

A core of laminated sediment was retrieved using a box-type freeze-corer (Swain, 1973) at a water depth of approximately 30 m. The core included the water/sediment interface and penetrated to a depth of 100 cm. Judged on the basis of crust thickness and regularity of laminations, the best face was selected for sampling. The sediment was cut into contiguous 1 cm strips parallel to the plane of deposition.

2.3.2 Core Dating

The laminations were examined under a stereoscope at 50x magnification and were found to be similar to those described from Swedish lakes (Petterson, 1996) and consistent with the successional deposition of material over one year. Typically, a thicker (1-1.5 mm) light-coloured layer consisting of a mixture of silt, diatoms, and organic material (representing spring to autumn) alternated with a thinner (< 1 mm) dark layer consisting of very fine organic material (deposited while the lake was frozen over in winter). The light layer sometimes included a white layer of pure diatoms representing an algal "bloom" in the spring or autumn. Each couplet of a light layer (with or without a diatom bloom) and a dark layer was assumed to be a true varve (i.e. to represent one year of deposition) and the cores were dated by varve counting.

Independent confirmation of the annual nature of the laminations was given by ¹³⁷Cs dating (see Appendix 1). Contiguous 1 cm samples from the upper 20 cm of core 1 were analysed for radioactive cesium content. The greatest cesium activity occurred in the sample containing sediment deposited in the years 1963 to 1967 as determined by the varve count. This is consistent with the peak in ¹³⁷Cs fallout in the northern hemisphere (due to the atmospheric testing of nuclear weapons) in 1963 (Walling and He, 1993).

2.3.3 Determination of Near Shore Fire Activity

Recent fire activity near the lake was determined mainly from Delisle and Hall's (1987) study of fires > 200 ha occurring beween 1931 and 1983 in Alberta. The first fire reported in this study for the Christina Lake region occurred in 1940 but the authors caution that fires occurring in more remote areas were under-reported in the early years of their study period. For this study, the information obtained from Delisle and Hall was assumed to be a fair representation of fires > 200 ha in the Christina Lake area from 1940 to 1983. These data were supplemented by fire records (1961- 1995) from the Conklin Fire Tower located 8 km immediately west of Christina Lake to obtain information on fires > 200 ha since 1983 (Rick Strickland, pers. comm.;

Peter Englefield, pers. comm.).

To obtain information on older fires, fire scars were collected from jack pine (*Pinus banksiana*) trees within 5.5 km of the lake shore. Disks, wedges or cores were collected from scarred trees (Arno and Sneck, 1977) at 30 cm above the ground. A total of 30 fire scars were obtained from fourteen different sites. Fire scars were dated using DendroScan (Varem-Sanders and Campbell, 1996) to count the annual tree rings. Samples too fragile to survive processing for DendroScan were planed with a razor blade and the rings were counted under a stereo microscope at 50x magnification.

2.3.4 Charcoal Extraction via Sieving

The "Oregon Sieving Method" developed by Whitlock and Millspaugh (1996; Millspaugh and Whitlock, 1997) was used. Known volumes of sediment (in most cases 2 ml) were soaked in a sodium polyphosphate-based water softening agent (i.e., Calgon) for several days to deflocculate the sediment. Each sample was then very gently washed through nested sieves with mesh openings of 125 μ m and 250 μ m. The material retained on each screen was washed onto filter paper and examined under a stereo microscope at 25x to 50x magnification. All charcoal particles were tallied. Although separating the sediment into two size fractions facilitated counting, very few charcoal particles > 250 μ m were found. Totals from both size fractions were added together and expressed in terms of number of fragments > 125 μ m per cc of sediment. The results were then divided by the number of varves in that 1 cm segment of the core to obtain the influx (number of charcoal fragments per cm² per year) or divided by the ovendry weight per cc of sediment (determined from a separate series of samples) to obtain concentration (number of charcoal fragments per g of oven-dry sediment). Number of fragments rather than areal estimates of charcoal were tallied to remain true to the method outlined by Whitlock and Millspaugh (1996). Also, areal estimates of charcoal are usually done so that larger fragments of charcoal (presumably representing more local fire activity) are given more weight than very small fragments (which are presumed to represent a more "regional" background signal of less importance) (Patterson et al., 1987). Because only the large (and presumably "local") fragments of charcoal are extracted by this method, the extra time involved in measuring each particle was deemed unnecessary.

2.3.5 Nitric Acid Digestion Trials

2.3.5.1 Organics

Various types of oven-dry organic material (alfalfa sprouts, spruce needles, aspen leaves, grass, sawdust, peat, and algae) were ground with a mortar and pestle and passed through a #35 sieve with openings of $500 \, \mu \text{m}$. Dried insects (small beetles) were used whole. Approximately 0.5 ml of oven-dried sample was added to tared Pyrex test tubes and weighed.

Approximately 3 ml of concentrated nitric acid was added to each test tube and all were placed in a hot water bath (temperatures within the test tubes averaged ~ 75°C). Once the initial rapid reaction subsided (about 15 - 20 minutes) an additional 7 ml of acid was added and timing began. Every half hour, the samples were stirred and any material stuck to the sides of the tube above the acid level was washed down with a small amount of additional acid. Once the prescribed length of time had elapsed, test tubes were removed, centrifuged for 10 minutes and decanted through glass filter paper. Any residue caught on the filter paper was washed back into the tube with distilled water. Two distilled water rinses were centrifuged and decanted (again through glass filter paper). The test tubes were then oven-dried at 105°C overnight, cooled in a desiccator and weighed again. Timed trials of 1, 2, 4 and 8 hours of acid digestion were done to determine the optimal duration for treatment.

A replicate series of oven-dried organic samples were also ignited at 550°C for one hour to ascertain how nitric acid digestion compared with common loss on ignition methods for determining organic content.

2.3.5.2 Charcoal, Clay, Sand, and Sediments

Charcoal (completely charred spruce wood), clay (kaolinite), sand, lake sediment from two different lakes, and synthetic sediments made up of known amounts of charcoal, clay, sand, and organic material (ground dried spruce needles) were digested in nitric acid for the optimal time period resulting from the above experiment (two hours). After processing, oven-dried samples were weighed, ignited in a muffle furnace for one hour at 550°C, cooled in a desiccator and reweighed as suggested by Winkler (1985). As a control, a series of the same sample types were processed as above but omitting the nitric acid treatment.

2.3.6 Total Carbon Analyser Tests

A series of test samples were processed in nitric acid as above. Sub-samples of oven-dried material were then analysed for total carbon using an ASTRO 2001 Total Organic Carbon Analyser. In this technique, the carbon in the CO_2 given off during ignition (at 850° C) is measured using a non-dispersive infrared detector and results were expressed in μg C g^{-1} (equivalent to ppm). Depending on the sample size, this apparatus is capable of detecting carbon values as low as 1 ppm. The Carbon Analyser was calibrated using a potassium hydrogen phthalate standard, and a blank and a dextrose standard were used as a quality control after every tenth sample. As a control, a series of test samples that had not undergone nitric acid treatment was also analysed as above.

2.3.7 Nitric Acid/Total Carbon Analysis of Christina Lake Sediment

A known volume of sediment from each 1 cm interval of the core was oven-dried and treated in nitric acid for 2 hours as above and oven-dried. Sub-samples were then analysed in the Total Carbon Analyser as above. The carbon analyser portion of the analysis required several days to complete and the machine was calibrated anew each day. As a test of the precision of this method, a small set of duplicate samples was analysed on separate days and was found to be satisfactory (Figure 2-2). Because each day's calibration might vary slightly, a small selection of samples from each day's run was processed again on a single day so that the results from all samples could be standardized to a single calibration.

2.4 Results and Discussion

2.4.1 Experimental Results

The results of the nitric acid digestion timed trials and loss on ignition of a variety of organic materials are given in Table 2-1. A one hour treatment in hot nitric acid did not appear to be sufficient to remove all digestible material. Increasing the digestion period to two hours, however, provided good results as it removed about the same amount of material as loss on ignition. There was no significant improvement with four or eight hours of treatment. Thus a two hour digestion period was chosen as satisfactory and was used in the remaining analyses.

Two hour nitric acid and ignition treatments of charcoal, clay, sand, and various sediments showed some expected and unexpected results (Table 2-2). The biggest surprise was that charcoal actually gained over 10% of its oven-dry weight with nitric acid treatment. The fine fragments of charcoal used in the experiment may have behaved as an activated charcoal filter and adsorbed nitric acid. The strong acrid smell of the samples even after six distilled water rinses and vigorous stirring tends to support this hypothesis. Why this should have occurred in our tests but not in Winkler's (1985) tests in unclear. Clay may also adsorb a small amount of nitric acid as the samples treated in nitric acid showed slightly higher losses on ignition than did untreated samples (Table 2-2). The problems caused by clay water losses on ignition, on the other hand, came as no surprise. Treated samples of pure clay showed a 6.35% loss on ignition which would be counted as "charcoal" in Winkler's method (1985). The importance of this can be seen by comparing the results of synthetic sediment samples 1 and 2. Although the percentage of charcoal added to both of these samples was exactly the same, the "charcoal" results of Synthetic 2 (which contained 10% more clay than Synthetic 1) were 0.5% higher. This small change would be quite significant in sediments containing only 1 or 2% charcoal but with large changes in clay content as the increase in clay water losses would result in an erroneous "charcoal" peak.

Overall, however, if the digestion time is increased to 2 hours, Winkler's method worked very well on charcoal-rich materials. Although the resulting number given as "charcoal" was

inaccurate due to clay water losses (and perhaps unknown matrix effects as well (Novakov et al., 1997)), as long as the sediment type and the proportion of clay remained consistent, Winkler's method accurately tracked changes in charcoal abundance. For example, the loss on ignition result for the Amisk Lake sediment sample to which 4% of charcoal was added was almost exactly 4% higher than the result for the unadulterated Amisk Lake sample (Table 2-2).

The Total Carbon Analyser results for treated and untreated samples are shown in Table 2-3. The results for the treated synthetic sediments were particularly good with the calculated charcoal values matching predicted values. Treated sand and clay samples also showed results very close to predicted values. The only disturbing results were the ones for the lake sediment samples to which charcoal had been added. One would expect the result for the charcoal-enhanced Christina Lake sample to be ~ 7.69% (1.69 + 6) and the Amisk Lake sample to be ~ 5.74% (1.74 + 4), but results obtained were 2.14% and 0.87% higher. A possible explanation for this discrepancy is that the charcoal added to the sample again acted as an activated carbon filter and adsorbed some of the dissolved carbon during the nitric acid treatment. The fact that the greater error occurred in the sample with the greater amount of added charcoal tends to support this view. It might be wondered, however, why the same effect did not occur in the synthetic sediment samples, but perhaps the charcoal preferentially reacted with particular carbon compounds found in the lake sediment but not in the synthetic samples. Despite this rather puzzling phenomenon, the TCA results were considered promising enough to warrant pursuing this method on the entire Christina Lake core.

2.4.2 Christina Lake Results

A map of documented recent fire activity in the Christina Lake region since 1940 and the fire scar collection sites is shown in Figure 2-3. A summary of fire scar information for fires prior to 1940 is given in Table 2-4. Known fire activity since 1900 is compared with both the sieved charcoal curve and the TCA carbon curve in Figure 2-4. The greatest area burned by documented fires in the Christina Lake watershed occurred in the1940s. Fire-scar evidence suggests other pulses of near-shore fire activity from 1901-1905, 1913-1916, and 1928-31, although the sizes of these fires cannot be determined. The close timing of several of the known fires prevented their isolation as separate events in the charcoal curves given the sampling interval of the study (each 1 cm sample contained 1.5 to 5 years of sediment, avg. 3.5 years) and the fact that charcoal from a single fire event may be deposited over several years (Whitlock and Millspaugh, 1996). However, in spite of these limitations, a comparison of the known fire activity with each of the charcoal curves yielded some interesting results.

Peaks in the sieved charcoal curve corresponded well with known fire activity within 100 m of the shore (Figure 2-4 and Table 2-4). The larger shore fires of 1942 and 1949 produced a much stronger response than the smaller 1988 shore fire. The response of this curve to fires that

are not known to have burned to the shore was less consistent. The 1941 fire which came to within 3.2 km of the east shore showed clearly (although this peak may correspond to the 1942 shore fire if the chronology established by the varve count is in error by 0.5 years). Response to the 1980 fire 1.7 km west of the lake is weak as is the response to the 1990 fire (which may be indistinguishable from continued influx from the 1988 fire). The 1971 fire went totally undetected in the sieved charcoal curve despite the fact that it burned to within 3.8 km of the shore, straddled one of the inflowing streams, and was much larger in area than either the 1980, 1988, or 1990 fires. The sieved charcoal curve thus shows a very local signal most strongly representing near-shore fire activity.

The known large fires of 1941, 1942 and 1949 are also evident on the TCA carbon curve (Figure 2-4) but the peak from the 1949 fire is delayed by at least one year. The peak from the 1980 fire was also delayed by at least 4.5 years. This suggests that it takes several seasons to transport the bulk of the charcoal from the burned watershed to the final deposition site in the lake. This is consistent with the results of Whitlock and Millspaugh's (1996) research on the fires in Yellowstone National Park which showed that the peak in charcoal deposition in the sediment may occur several years after the fire. The delay in response also suggests that charcoal transport by runoff and stream inputs into the lake are very important to this signal. This hypothesis is further supported by the very high correlation between the TCA carbon curve and the sediment influx curve for the core (r= .92, p=.01). Limited evidence suggests that the TCA carbon curve is more responsive than the sieved charcoal curve to watershed fires that do not burn near the shore. The 1971 fire which went undetected in the sieved charcoal curve is reflected in a broad weak peak over several samples in the TCA carbon curve. The TCA curve also had a stronger response to the 1903 fires than did the sieved charcoal curve. This suggests that the TCA curve may have responded to not only the near shore fire but also to another fire in the same year burning near Birch Creek (Figure 2-3 and Table 2-4).

There is no evidence for a "regional" charcoal signal in the results obtained by either the sieving or the TCA method. In 1980, a fire consuming 137, 313 ha occurred just 17 km east of the lake shore and just 2.5 km outside the drainage basin (Figure 2-3). Several other large fires in the region also occurred in 1981, 1982, and 1990. Despite their magnitude and proximity, none of these fires elicited any noticeable response in either the charcoal curve or the TCA carbon curve.

The fact that both palaeofire signals are so strongly local is somewhat surprising. Aerial dispersal models for charcoal (Clark, 1988; Clark and Patterson, 1997; Garstang et al., 1997) and pollen dispersal theories (Jacobson and Bradshaw, 1981; Sugita, 1994) suggest that such a large open lake should serve as a catchment for aerially transported charcoal from outside the drainage basin. Perhaps the east-west orientation of this narrow lake limits its exposure to airborne charcoal transported on prevailing westerly winds. Alternatively, the pattern of

deposition of airborne charcoal is such that while some fine charcoal does travel long distances, its importance as a component of the signal is minor compared to the influx of charcoal from a local fire.

2.5 Conclusions

Modifications to Winkler's chemical assay method of char-coal quantification (Winkler, 1985) by increasing the duration of the nitric acid treatment and u-sing a Total Carbon Analyser (TCA) rather than loss on ignition removed some of the problematic aspects of this method of charcoal quantification. The sieved charcoal curve most strongly reflected large fires reaching the shore. The TCA carbon curve detected shore fires as well as fires within the drainage basin that did not burn to the lake edge. Very large fires occurring just outside the drainage basin were not detected by either method suggesting that stream transport may be critical for the representation of fires that do not reach the shoreline at this site.

The sieving method proved to be useful for detecting a local fire signal. The TCA method is somewhat less strongly local and it's greater sensitivity to non-shore fires made it useful for assessing the extent of fire disturbance in the watershed as a whole. Because the TCA method is able to detect very low levels of carbon, it may be useful in determining a regional airborne charcoal signal in small closed lakes or hollows where stream inputs will not swamp the regional signal.

Table 2-1: Effects of nitric acid treatments of various durations on different types of organic materials.

	Average weight	loss on ignition			
Sample Type	1 hour	2 hours	4 hours	8 hours	(% oven-dry wt.)
alfalfa sprouts	88.01 ± 0.92 n=3	95.99 ± 0.87 n=3	95.21 ± 0.56 n=3	98.54 ± 0.09 n=3	95.30
spruce needles	92.17 ± 1.63 n=3	95.93 ± 0.69 n=3	95.08 ± 0.64 n=3	97.86 ± 0.17 n=3	95.82
aspen leaves	91.25 ± 0.69 n=3	94.16 ± 0.14 n=3	95.58 ± 0.67 n=3	94.83 ± 0.59 n=3	95.09
grass	91.56 ± 0.32 n=3	92.90 ± 0.19 n=2	95.85 ± 0.82 n=3	95.85 ± 0.06 n=2	91.04
sawdust	88.55 ± 1.85 n=3	96.52 ± 0.27 n=3	97.01 ± 0.57 n=3	97.50 ± 0.79 n=3	97.95
peat	74.21 ± 1.98 n=3	86.39 ± 0.19 n=3	85.19 ± 0.30 n=3	85.77 ± 0.58 n=3	83.68
insects	64.76 ± 12.76 n=3	97.39 ± 0.68 n=3	95.38 ±0.51 n=2		
algae		98.17 ± 0.23 n=2		98.28 ± 0.10 n=2	92.49
overall average	84.36	94.68	94.19	95.52	93.05

Table 2-2: Results of nitric acid and ignition treatments on clastics and sediments.

Weight Loss (% oven-dry weight)

		• • •	
Sample Type	Nitric Acid Treatment "Organics and Carbonates"	Loss on Ignition at 550° C "Charcoal"	Predicted Charcoal (% oven-dry weight)
clay	3.96 ± 0.23 n=3	6.35 ± 0.03 n=3	0
clay (untreated)		5.55 ± 0.084 n=3	
sand	20.76 ± 0.18 n=3	0.67 ± 0.11 n=3	~0
sand (untreated)		0.79 ± 0.073 n=3	
charcoal	-10.83 ± 0.32 n=3	109.09 ± 0.20 n=3	100
charcoal (untreated)		96.54 ± 0.097 n=3	
Christina Lake	35.40 ± 0.28 n=4	5.63 ± 0.07 n=4	?
Christina Lake (untreated)		25.32 ± 0.151 n=3	
Amisk Lake	38.96 ± 0.22 n=4	$5.04 \pm 0.12 \text{ n=4}$?
Amisk Lake (untreated)		28.48 ± 0.159 n=3	
peat	86.08 ± 1.20 n=4	2.92 ± 0.12 n=4	?
peat (untreated)		83.68 ± 0.761 n=3	
Synthetic 1 ^a (45-20-30-5)	39.24 ± 0.19 n=4	7.57 ± 0.13 n=4	~5
Synthetic 2 (45-30-20-5)	30.35 ±0.35 n=4	$8.08 \pm 0.12 \text{ n=4}$	~5
Synthetic 3 (47-21-32-0)	41.54 ± 0.43 n=4	2.37 ± 0.13 n=4	-0
Synthetic 4 ^b (45-20-30-5)	39.27 ± 0.49 n=4	7.62 ± 0.24 n=4	~5
Synthetic 4 ^b (untreated)		34.35 ± 0.737 n=3	
Christina Lake + 6% charcoal	33.29 ± 0.55 n=4	11.53 ±0.35 n=4	? + 6
Amisk Lake + 4% charcoal	37.41 ± 0.49 n=4	9.12 ± 0.20 n=4	? + 4
peat + 10% charcoal	78.57 ± .043 n=4	13.90 ± 0.43 n=4	? + 10

^a Numbers refer to the proportions of sand, clay, organic material, and charcoal respectively (expressed as % of oven-dry weight). Exact proportions were added to each individual sample.

^b Proportions were mixed into one large sample which was later divided into smaller samples.

Table 2-3: Total Carbon Analyser results for treated and untreated samples.

Sample Type	TCA Carbon (% oven-dry weight)	Charcoal ^c (% oven-dry weight)	Predicted Charcoal (% oven-dry weight)
clay	0.16 ± 0.015 n=5	0.18	0
clay (untreated)	0.07 ± 0.006 n=4		
sand	0.26 ± 0.014 n=5	0.30	~0
sand (untreated)	2.78 ± 0.243 n=3		
charcoal	79.66 ± 1.742 n=7	92.63	100
charcoal (untreated)	85.97 ± 3.399 n=6		
Christina Lake	1.46 ± 0.097 n=4	1.69	?
Christina Lake (untreated)	11.29 ± 0.127 n=4		
Amisk Lake	1.49 ± 0.089 n=7	1.74	?
Amisk Lake (untreated)	14.30 ± 0.375 n=4		
peat	0.71 n=1	0.83	?
peat (untreated)	47.40 ± 0.742 n=2		
Synthetic 1* (45-20-30-5)	4.33 ± 0.320 n=13	5.03	~5
Synthetic 2 (45-30-20-5)	4.50 ± 0.363 n=10	5.23	~5
Synthetic 3 (47-21-32-0)	0.76 ± 0.111 n=11	0.88	~0
Synthetic 4** (45-20-30-5)	4.40 ± 0.291 n=9	5.11	~5
Christina Lake + 6% charcoal	8.45 ± 0.490 n=6	9.83	? + 6
Amisk Lake + 4% charcoal	5.69 ± 0.126 n=6	6.61	? + 4

^a Numbers refer to the proportions of sand, clay, organic material, and charcoal respectively (expressed as % of oven-dry weight). Exact proportions were added to each individual sample.

^b Proportions were mixed into one large sample which was later divided into smaller samples.

^c Calculated by dividing the carbon result by 0.86 (untreated charcoal contains an average of %85.97 carbon as indicated).

Table 2-4: Fire activity in the Christina Lake region between 1900 and 1940 as determined by fire scars.

Year	Distance from shore	Comments
1939	5.5 km	outside watershed
1936	900 m	
1933	5.5 km	outside watershed
1931	1 km	
1929	< 100 m	near Sunday Creek
1928	300 m	
1919	3 km	400 m from Birch Creek
1916	< 100 m	
1915	< 100 m	near Sunday Creek
1913	< 100 m	
1911	3 km	400 m from Birch Creek
1905	< 100 m	
1903	< 100 m	
1903	3 km	400 m from Birch Creek
1901	< 100 m	




Figure 2-1: Location of Christina Lake in the boreal forest of Alberta, Canada. The location of the coring site is marked with an "x".





Figure 2-2: Total Carbon Analyzer (TCA) results for a duplicate series of samples analysed on different days.

Figure 2-3: Fire activity since 1940 in the Christina Lake region. Fires > 200 ha are mapped (Delisle and Hall, 1987; Rick Strickland, pers.comm.; Peter Englefield, pers. comm.) and fire scar collection sites are marked.






Figure 2-4: Known fire activity since 1900 compared with the charcoal curve extracted by the sieving method and the carbon curve extracted by the TCA method.

2.6 References

- Alberta Environmental Protection, 1994. Natural regions and subregions of Alberta: summary. Alberta Environmental Protection, Edmonton.
- Arno, S.F., Sneck, K.M., 1977. A method for determining fire history in coniferous forests of the mountain west. USDA Forest Service General Technical Report INT-42.
- Bradford, M.E., 1990. Athabasca River Basin: Christina Lake. In: Mitchell, P., Prepas, E. (Eds.), Atlas of Alberta lakes. University of Alberta Press, Edmonton, pp. 136-139.
- Campbell, I.D., and Flannigan, M.D. 2000. Long-term perspectives on fire-climate-vegetation relationships in the North American boreal forest. In: Kasischke, E.S., Stocks, B.J. (Eds.), Fire, climate change, and carbon cycling in the boreal forest. Springer, New York, pp. 151-172.
- Clark, J.S., 1988. Particle motion and the theory of charcoal analysis: source area, transport, deposition, and sampling. Quaternary Research, 30: 67-80.
- Clark, J.S., Patterson, W.A., III, 1997. Background and local charcoal in sediments: Scales of fire evidence in the paleorecord. In: Clark, J.S., Cachier, H., Goldammer, J.G., Stocks, B.J. (Eds.), Sediment records of biomass burning and global change. NATO ASI Series. Series I: Global Environmental Change. Springer-Verlag, Berlin, pp. 23-48.
- Clark, J.S., Robinson, J., 1993. Paleoecology of Fire. In: Crutzen, P.J., Goldammer, J.G. (Eds.), Fire in the environment: the ecological, atmospheric, and climatic importance of vegetation fires. John Wiley and Sons, Ltd., New York, pp. 193-214.
- Delisle, G.P., Hall, R.J., 1987. Forest fire history maps of Alberta, 1931-1983. Canadian Forestry Service, Northern Forestry Centre, Edmonton, Alta.
- Garstang, M., Tyson, P.D., Radke, L., 1997. Atmospheric transports of particulate and gaseous products by fires. In: Clark, J.S., Cachier, H., Goldammer, J.G., Stocks, B.J. (Eds.), Sediment records of biomass burning and global change. NATO ASI Series. Series I: Global Environmental Change. Springer-Verlag, Berlin, pp. 207-250.
- Jacobson, G.L., Jr., Bradshaw, R.H.W., 1981. The selection of sites for paleovegetational studies. Quaternary Research, 16: 80-96.
- MacDonald, G.M., Larsen, C.P.S., Szeicz, J.M., Moser, K.A., 1991. The reconstruction of boreal forest fire history from lake sediments: a comparison of charcoal, pollen, sedimentological, and geochemical indices. Quaternary Science Reviews, 10: 53-71.
- Millspaugh, S., Whitlock, C., 1997. The Oregon Sieving Method. Unpublished material given out to participants of a charcoal workshop held in June, 1997, University of Oregon.
- Novakov, T., Cachier, H., Clark, J.S., Gaudichet, A., Macko, S., Masclet, P., 1997.
 Characterization of particulate products of biomass combustion. In: Clark, J.S., Cachier, H., Goldammer, J.G., Stocks, B. (Eds.), Sediment Records of Biomass Burning. NATO ASI Series I: Global Environmental Change. Springer-Verlag, Berlin, pp. 117-143.
- Patterson, W.A., III, Edwards, K.J., Maguire, D.J., 1987. Microscopic charcoal as a fossil indicator of fire. Quaternary Science Reviews, 6: 3-23.

- Payette, S., 1992. Fire as a controlling process in the North American boreal forest. In: Shugart, H., Leemans, R., Bonan, G.B. (Eds.), A systems analysis of the global boreal forest. Cambridge University Press, pp. 144-169.
- Petterson, G., 1996. Varved sediments in Sweden: a brief review. In: Kemp, A.E.S. (Ed.), Palaeoclimatology and palaeoceanography from laminated sediments. Geological Society Special Publication No. 116. The Geological Society, London, pp. 73-77.
- Rhodes, A.N., 1998. A method for the preparation and quantification of microscopic charcoal from terrestrial and lacustrine sediment cores. The Holocene, 8(1): 113-117.
- Rowe, J.S., Scotter, G.W., 1973. Fire in the boreal forest. Quaternary Research, 3: 444-464.
- Singh, G., Kershaw, A.P., Clark, R., 1981. Quaternary vegetation and fire history in Australia. In: Gill, A.M., Groves, R.H., Noble, I.R. (Eds.), Fire and the Australian Biota. Australian Academy of Science, Canberra, pp. 23-54.
- Sugita, S., 1994. Pollen representation of vegetation in Quaternary sediments: theory and method in patchy vegetation. Journal of Ecology, 82: 881-897.
- Swain, A.M., 1973. A history of fire and vegetation in northeastern Minnesota as recorded in lake sediments. Quaternary Research, 3(3): 383-396.
- Tolonen, K., 1986. Charred particle analysis. In: Berglund, B.E. (Ed.), Handbook of Holocene palaeoecology and palaeohydrology. John Wiley and Sons, New York, pp. 485-496.
- Varem-Sanders, T.M.L., Campbell, I.D., 1996. DendroScan: a tree-ring width and density measurement system, Canadian Forest Service, Northern Forestry Centre.
- Walling, D.E., He, Q., 1993. Towards Improved Interpretation of 137Cs profiles in lake sediments. In: McManus, J., Duck, R.W. (Eds.), Geomorphology and sedimentology of lakes and reservoirs. John Wiley & Sons Ltd., Toronto, pp. 31-53.
- Weber, M.G., Flannigan, M.D., 1997. Canadian boreal forest ecosystem structure and function in a changing climate: impact on fire regimes. Environmental Reviews, 5: 145-166.
- Wein, R.W., de Groot, W.J., 1996. Fire climate change hypotheses for the Tiaga. In: Goldammer, J.G., Furyaev, V.V. (Eds.), Fire in ecosystems of boreal Eurasia. Kluwer Academic Press, The Netherlands, pp. 505-512.
- Wein, R.W., MacLean, D.A. (Eds.), 1983. The role of fire in northern circumpolar ecosystems. John Wiley and Sons, New York.
- Whitlock, C., Millspaugh, S.H., 1996. Testing the assumptions of fire-history studies: an examination of modern charcoal accumulation in Yellowstone National Park, USA. The Holocene, 6(1): 7-15.
- Winkler, M.G., 1985. Charcoal analysis for paleoenvironmental interpretation: a chemical assay. Quaternary Research, 23: 313-326.

CHAPTER 3

~940-year fire history from Christina Lake, Alberta¹

3.1 Introduction

Canada's boreal forest is a fire-dependent biome (Johnson 1992; Payette 1992; Rowe and Scotter 1973; Wein and MacLean 1983) and understanding the interactions among fire, vegetation and climate is integral to understanding the boreal ecosystem. Palaeofire studies can provide information about past fire regimes which is important to forest managers and park personnel who wish to implement policies and practices which emulate natural disturbances in their efforts to manage the forest in a sustainable manner or to conserve the forest in a "natural" condition. Palaeofire studies can also indicate fire and vegetation responses to past climate changes (Campbell and Flannigan 2000; Clark and Robinson 1993). This information is increasingly important as concern over future global climate change escalates. Current climate change models suggest that global warming may dramatically alter the fire regime of the boreal forest (Bergeron and Flannigan 1995; Weber and Flannigan 1997; Wotton and Flannigan 1993). If so, the changed fire regime is expected to have a much greater impact on the boreal forest than will the direct effects of climate warming alone (Weber and Flannigan 1997; Wein and de Groot 1996).

Proxy indicators of palaeofire include fire-scarred trees, stand origin dates, and charcoal deposits in lake sediments, peats, or soils. Dendrochronological fire studies based on stand origin dates and fire-scars provide excellent temporal and spatial resolution but are limited by the longevity of trees. In the western boreal, for example, most fire scars are found on jack pine (*Pinus banksiana* Lamb.) trees which have a maximum life span of ~150 years (Farrar 1995). A much longer time span (100s to 1000s of years) is required to study the response of fire regimes to past climate changes. For such long-term studies, annually-laminated (varved) lake sediments provide ideal study sites for palaeofire histories based on stratigraphic charcoal (Clark 1990; Cwynar 1978; Patterson et al. 1987; Swain 1973,1978; Tolonen 1986). These sites not only provide a chronology for the study, but the lack of sediment mixing allows good temporal resolution in the charcoal signal from which fire events can be determined.

To date, very few high-resolution palaeofire studies spanning long time scales have been done in the boreal forest of Canada (eg., Bergeron et al. 1998; Larsen and MacDonald 1998a, 1998b). In the western boreal, a number of studies spanning most or all of the Holocene have been done on lake sediments or peat and several of these also included charcoal analysis (Earle et al. 1996; Hickman et al. 1990; Hu et al. 1993, 1996; Kuhry 1994; MacDonald 1987; Nicholson and Vitt 1990). The temporal resolution of these studies, however, is too low to illuminate changes in fire regimes over the last millennium. Several high-resolution shorter-term fire history studies have also been completed in the western boreal forest (Campbell and

Flannigan 2000; Carroll and Bliss 1982; Larsen 1997; Weir and Johnson 1998) and adjacent biomes (Johnson and Fryer 1987; Johnson and Larsen 1991; Johnson and Wowchuk 1993; Masters 1990). These studies, however, only illuminate the fire regimes of the last few hundred years. The only high-resolution palaeofire studies in the western boreal forest which extend more than 500 years into the past are those done by Larsen and MacDonald (1998a, 1998b) in and near Wood Buffalo National Park and Campbell and Campbell (In Press) in Elk Island National Park, which lies in the transition zone from Aspen Parkland to Boreal Forest. A multi-proxy study from Pine Lake, Alberta (in the Aspen Parkland) has also recently been completed (Campbell et al. In Press), and a charcoal-based study is currently underway by Zutter, Schindler and Campbell in the subalpine forest of Jasper National Park.

The past millennium included fluctuations in regional climate which may have impacted the fire regime of the western boreal forest. A generally cool period (with intervals of warmer climate) often called the "Little Ice Age" occurred from approximately 1550-1850 (Bradley and Jones 1992; Lamb 1977). Regional evidence based on tree-ring studies from the Rocky Mountains (Luckman et al. 1997) and the northern tree-line (Jacoby and D'Arrigo 1989; Overpeck et al. 1997) shows that, in Canada, the coldest phase of this period occurred during the early to mid-1800s which coincides with maximum glacier advances in the Rocky Mountains (Luckman 1997). Sedimentological evidence also suggests wetter conditions in Alberta during the Little Ice Age (Campbell 1998; Vance et al. 1992). There is also regional evidence for a warmer drier period often called the "Medieval Warm Period" or the Little Climatic Optimum (Hughes and Diaz 1994) which preceded the Little Ice Age from ~900-1300 AD. Campbell (1998) found evidence for relatively dry conditions from ~800-1300 AD in Pine Lake, Alberta. Further to the south, Vance et al.(1992) found evidence for prolonged periods of severe drought alternating with wetter intervals from 1000 to 600 years B.P at Chappice Lake, Alberta. Luckman (1994; 1997) also reports evidence for a higher treeline in the Rocky Mountains from the 14th to 17th centuries and ~1000 AD and warmer temperatures 1073-1110 AD and 1350-1440 AD.

Here, we present a 937-year palaeofire study based on charcoal extracted from the annually laminated sediment of Christina Lake in the boreal forest of Alberta. The palaeofire signal is compared with pollen results and to basic geochemical analysis of the sediment. The objectives of the study were: 1) to determine fire return intervals over the last millennium; 2) to ascertain whether the climatic shifts of the last millennium were sufficient to impact the fire regime; 3) to determine whether vegetation changed significantly over the last millennium; and 4) to determine whether a proxy climate signal could be extracted from basic geochemical characteristics of the sediment.

3.2 Study Site

Christina Lake (55° 37' N, 110° 57' W) is located in northern Alberta, Canada (Figure 3-1). The lake is large (2130 ha) with six permanent inflowing streams and a drainage basin of 1250 km². The morphology of the lake is long and narrow reaching a maximum length and width of approximately 13 km and 2 km respectively. The eastern and western basins are joined by a narrow (~97 m) shallow (< 2 m) constriction. The western basin is the deepest reaching a maximum depth of ~33 m and here the sediments are laminated. Most of the lake basin has steeply sloping sides and there are only isolated pockets of littoral areas (Bradford 1990) which may potentially trap charcoal before it reaches the profundal sediments.

The lake lies within the Central Mixedwood Subregion of the Boreal Forest Natural Region (Alberta Environmental Protection 1994). This subregion is characterized by a mosaic of deciduous and coniferous trees (occurring in pure or mixed stands) and extensive peatlands. Dominant soils are Gray Luvisols and Eutric Brunisols on upland sites and Organic and Gleysolic soils in poorly drained areas. The climate is subhumid continental with short cool summers (average May-September temperature is 12 °C) and long cold winters. Average annual precipitation is 380 mm. Most precipitation occurs in June and July and winters are relatively dry (Alberta Environmental Protection 1994).

The drainage basin of the lake consists of level to gently rolling terrain overlying a thick mantle (up to 150 m) of glacial till and channel fill materials. The underlying bedrock consists of deltaic to marine sandstone, siltstone and mudstone of the Mannville Group to a depth of ~400 m. Paleozoic carbonates occur below ~400 m (Van Horne, 1998). Vegetation in the watershed is largely dominated by peatlands with black spruce (*Picea mariana* (Mill.) BSP) and larch (*Larix laricina* (Du Roi) Koch) as the dominant trees. Vegetation on upland sites includes trembling aspen (*Populus tremuloides* Michx.), white spruce (*Picea glauca* (Moench) Voss), jack pine (*Pinus banksiana* Lamb.), birch (*Betula papyrifera* Marsh) and balsam poplar (*Populus balsamifera* L.).

Human impact on the area was minimal until oil and gas exploration began in the region in the mid-1980s. The hamlet of Conklin (population 205) is located immediately west of the lake but other than a recreational lodge and campground on the north shore at the western end of the lake, there is no other shoreline development (Bradford 1990). The lake has been accessible by an all-weather road only since 1986. The nearest large population centres are Fort McMurray 125 km to the north and Lac La Biche 110 km to the south.

3.3 Methodology

3.3.1 Core Retrieval and Sampling

Two cores of laminated sediment were retrieved using a box-type freeze-corer (Swain 1973) at a water depth of approximately 30 m. One core included the water/sediment interface

and penetrated to a depth of ~100 cm while the other core was buried below the water/sediment interface and retrieved sediment from ~57 cm to ~174 cm depth. The two cores were correlated using several distinct marker horizons consisting of unusually thick white diatomaceous laminae. Judged on the basis of crust thickness and regularity of laminations, the best faces of each core were selected for sampling. Two faces of core 1 were sampled (the upper 79 cm of face "A" and the lower 21 cm of face "B") and a single face of core 2. The sediment was cut into contiguous 1 cm strips parallel to the plane of deposition and stored in a freezer in airtight plastic bags. Before sub-sampling for various analyses, the sediment was thawed and homogenized by gently stirring with a glass rod.

3.3.2 Core Dating

The laminations were examined under a stereoscope at 50x magnification and were found to be similar to those described from other varved lake sediments (O'Sullivan 1983; Petterson 1996) and consistent with an annual deposition cycle. Typically, a thicker (1-1.5 mm) light-coloured layer consisting of a mixture of silt, diatoms, and organic material (representing spring to autumn) alternated with a thinner (< 1 mm) dark layer consisting of very fine organic material (deposited while the lake was frozen over in winter). The light layer sometimes included a white band of pure diatoms representing an algae "bloom" in the spring or autumn. Each couplet of a light layer (with or without a diatom bloom) and a dark layer was assumed to be a true varve (i.e. to represent one year of deposition) and the cores were dated by varve counting. The number of varves in each 1 cm interval ranged from 1 to 10 with an average of ~4.5.

Independent confirmation of the annual nature of the laminations was given by ¹³⁷Cs dating (Laird and Campbell In Press)(see Appendix 1). Contiguous 1 cm samples from the upper 20 cm of core 1 were analysed for radioactive cesium content. The greatest cesium activity occurred in the sample containing sediment deposited in the years 1963 to 1967 as determined by the varve count. This is consistent with the peak in ¹³⁷Cs fallout in the northern hemisphere (due to the atmospheric testing of nuclear weapons) in 1963 (Walling and He 1993).

3.3.3 Basic Geochemical Analyses

3.3.3.1 Sediment Influx

Samples of known volume were oven-dried overnight at 105 °C in tared crucibles. These were removed to a dessicator, cooled to room temperature and reweighed. The oven-dry weight for each sample was divided by the number of varves counted in the 1 cm interval from which the sample was taken to obtain the total sediment influx in g cm⁻² yr⁻¹.

3.3.3.2 Organics, Carbonates, and Ash

Following the procedure described by Dean (1974), oven-dry samples of known volume were weighed then ignited at 550 °C in a muffle furnace for 1 hour, removed to a dessicator, cooled and reweighed. The difference between oven-dry weight and post-ignition weight represents the organic matter in the sediment. The same samples were ignited again at 1000 °C for 1 hour, cooled in a dessicator and reweighed. The difference between the post-550 °C weight and the post-1000 °C weight represents mainly the CO₂ evolved from carbonates, which when divided by .44 (the fraction of CO₂ in calcium carbonate) represents the amount of carbonate in the sediment (assuming all carbonate is calcium carbonate). The remaining ash is dominantly silicates, including non-carbonate clastic materials and diatom frustules.

3.3.4 Determination of Near Shore Fire Activity

Recent fire activity near the lake was determined mainly from Delisle and Hall's (1987) study of fires > 200 ha occurring between 1931 and 1983 in Alberta. The first fire reported in this study for the Christina Lake region occurred in 1940 but the authors caution that fires occurring in more remote areas were under-reported in the early years of their study period. For this study, the information obtained from Delisle and Hall was assumed to be accurate in the Christina Lake area only from 1940 to 1983. These data were supplemented by fire records (1961- 1995) from the Conklin Fire Tower located 8 km immediately west of Christina Lake to obtain information on fires > 200 ha since 1983 (Rick Strickland, pers. comm.; Peter Englefield, pers. comm.).

To obtain information on older fires, fire scars were collected from jack pine trees in accessible stands within 5.5 km of the lake shore. Disks, wedges or cores were collected from scarred trees at 30 cm above the ground (Arno and Sneck 1977). A total of 30 fire scars were obtained from fourteen different sites. Fire scars were dated using DendroScan software (Varem-Sanders and Campbell 1996) to count and, where necessary, cross date the annual tree rings. Samples too fragile to survive processing for DendroScan were planed with a razor blade and the rings were counted under a stereo microscope at 50x magnification.

3.3.5 Charcoal Extraction

A wet sieving method (Millspaugh and Whitlock 1995; Whitlock et al. 1997; Whitlock and Millspaugh 1996) was used to extract the charcoal from the sediment as previously described by Laird and Campbell (In Press). Known volumes of sediment (in most cases 2 ml) were soaked in a sodium polyphosphate-based water softening agent (i.e., Calgon) for several days to deflocculate the sediment. Each sample was then very gently washed through nested sieves with mesh openings of 125 μ m and 250 μ m. The material retained on each screen was washed onto filter paper and examined under a stereo microscope at 25x to 50x magnification. All

charcoal particles were tallied. Although separating the sediment into two size fractions facilitated counting, very few charcoal particles > 250 μ m were found. Totals from both size fractions were added together and expressed in terms of number of fragments > 125 μ m per cc of sediment. The results were then divided by the number of varves in each 1 cm segment of the core to obtain the influx (number of charcoal fragments cm⁻² yr⁻¹). Although areal estimates are often done to give larger (and presumably more local) particles more weight when counting charcoal on pollen slides (Patterson et al. 1987), areal estimates were deemed unnecessary in this study since only the larger particles were retained.

In a previous study (Laird and Campbell In Press), the charcoal signal obtained by the sieving method was compared to the carbon signal obtained using an acid digestion and ignition method modified from Winkler (1985) and to known fire activity near Christina Lake since 1900. The results showed that the carbon signal was slightly more sensitive than was the sieved charcoal signal for detecting fires in the watershed that did not burn to shore. Neither signal detected fires burning outside the watershed (including a 137 313 ha fire 17 km east of the lakeshore). The carbon curve, however, was highly correlated ($r^2 = .86$) with sediment influx suggesting that this signal is dominated by streamborne charcoal and thus is highly dependent on precipitation. Because some of the charcoal included in the carbon signal may be reworked older material brought in during periods of high stream flow, it is not presented here. The sieved charcoal curve is not correlated with sediment influx ($r^2 = .04$).

3.3.6 Determination of "Significant" Fire Periods

Distinguishing "significant" fire periods from "background" levels of charcoal influx was done using threshold values (Clark 1990; Millspaugh and Whitlock 1995). Two thresholds were chosen by comparing the charcoal curve with known fire activity near the lake (see below). One threshold was low enough to include all peaks corresponding to known fires (> 200 ha) near the lake. A second higher threshold was chosen to include only those peaks corresponding to known fires in which a large proportion of the charcoal catchment was burned. In other studies, large peaks in charcoal influx have been shown to represent fire periods in which large areas were burned (Earle et al. 1996; Millspaugh and Whitlock 1995) although factors other than fire size, such as fire intensity, distance to shore, wind speed and wind direction may also play a role (Earle et al. 1996).

When calculating fire return intervals, fire periods prior to 1940 were dated by assuming the fire occurred in the first (oldest) year of the sample in which the charcoal peak occurred. From 1940 onward, the fire period was dated using the year of the oldest known fire (based on fire tower records and Delisle and Hall, 1987) included in the sample in which the charcoal peak occurred. The assignment of charcoal peaks to the oldest dates rather than the median dates for each sample is to account for possible lags in charcoal transport/deposition in the profundal

sediments following a fire (Bradbury 1996; Whitlock et al. 1997; Whitlock and Millspaugh 1996)

3.3.7 Pollen Analyses

A total of 28 samples were chosen for pollen analysis. Samples were chosen from various intervals of the core to ensure that the vegetation from each climatic period was represented. The average time interval between pollen samples was 29 years (maximum 68.5 years). The pollen samples included a small subset of samples chosen from before and after 4 large fire periods to determine if post-fire vegetation changes could be detected in the pollen signal from this large lake.

Samples of known volume were processed using standard techniques as given in Faegri et al. (1989). A *Lycopodium* spike was used and samples were mounted in glycerine or glycerine jelly. A minimum of 300 upland grains were counted per sample on a stereo microscope at 200x magnification.

For pre- and post-fire sample sets, spruce:sprouter ratios were calculated modified after the conifer:sprouter method described by Swain (1973). Sprouter species were considered to be *Populus* spp., *Betula* spp., *Salix* spp., *Alnus* spp., *Corylus cornuta* Marsh., and Gramineae. The post-fire samples were selected to be ~5-15 years after the fire to allow sprouter species to mature enough to produce pollen while ensuring that regenerated spruce would not yet be producing pollen (abundant pollen production in both black and white spruce does not occur until at least 30 years of age (Nienstaedt and Zasada 1990; Viereck and Johnston 1990)). Pine:spruce ratios were also calculated for all pollen samples.

3.4 Results

3.4.1 Basic Geochemical Analyses

The sediment influx curve is shown in Figure 3-2 along with concentrations of organic matter, ash (dominantly non-carbonate clastics), and carbonates. The sediment influx curve shows three broad phases. A long period of generally low influx (with spikes of higher influx) occurred from 1044 to ~1580 AD (especially ~1150 to ~1400). This was followed by a long period of relatively high influx from ~1580 to ~1850 AD (especially ~1700 to ~1850). After ~1850, the influx again dropped to generally low values (although with a few large spikes). The sediment influx is dominated by non-carbonate clastic material ($r^2 = .98$). This makes it useful as an indirect proxy indicator for precipitation since clastic inputs to the lake increase with increased stream discharge and velocity which are in turn dependent on precipitation. Wave action, however, also plays a role in the deposition and resuspension of material in the lake basin (Håkanson and Jansson 1983). Some increase in sediment influx due to erosion after certain fire events is also possible, although most of the area has very low relief with low erosive potential.

During the first phase of generally low sediment influx (and therefore probably relatively dry climate) from 1044 to approximately 1580, diatom blooms were relatively frequent and the varves were regular and distinct (Laird and Campbell In Prep) suggesting very stable thermal stratification, an indication of relatively warm and/or long summers. Relatively high carbonate values over this interval can also suggest warmer and/or longer summers since carbonate precipitation in the water column increases with increasing water temperature and with greater lake productivity (Håkanson and Jansson 1983; Kelts and Hsu 1978). While the amount of carbonates finally buried in the sediment can be affected by other factors, such as pH and decomposition rate (Dean 1998; Håkanson and Jansson 1983), the relatively high values over this interval suggest relatively warm summer temperatures if all other factors remained fairly constant (Håkanson and Jansson 1983; Kelts and Hsu 1978).

The second phase from ~1580 to ~1850 AD (Little Ice Age) showed much higher sediment influx values suggesting this interval was much wetter than the preceding one. This agrees with other regional proxy climate signals (Campbell 1998; Vance et al. 1992) which also indicated that this time period was relatively wet. The decreasing carbonate values suggest this time interval was cooler as well culminating in very low values in the early 1800s coincident with the coldest phase of the Little Ice Age. From ~1700 to ~1850, diatom blooms were infrequent, many of the varves were less distinct and some sections showed evidence of increased turbulence (such as shell hash and disturbed laminations) suggesting less stable meromixis which may be indicative of cooler and/or shorter summers, increased turbulence due to increased stream inflow, or less stable anoxia due to decreased lake productivity (Laird and Campbell In Prep).

The most recent interval from 1850 to 1996 AD appears to be a return to warmer drier conditions as sediment influx decreased while carbonate values increased. A return to drier conditions after 1850 is also shown in the proxy climate signals from Alberta (Campbell 1998; Vance et al. 1992) and a warming trend over this interval has been shown in other studies (eg., Luckman et al. 1997; Overpeck et al. 1997).

Organic influx (not shown) to the lake was highly correlated with sediment influx ($r^2 = .81$) although not as highly correlated as was ash influx (not shown, $r^2 = .98$). This suggests that the majority of organic material deposited in the lake is allochthonous (i.e. not produced within the lake itself) which makes it difficult to use organic concentration (Figure 3-2) to gauge changes in lake productivity over time which may be linked to climate. There was, however, a noticeable drop in the concentration of organics in the early to mid-1800s. This drop may be partially due to decreased lake productivity, but increased clastic inputs due to increased erosion over this wet interval would have reduced the proportion of organic matter in the sediment as well. The increase in organic concentration from the late 1800's to 1996 may be due to a combination of several factors: 1) incomplete decomposition of recently deposited organic

material; 2) anthropogenic inputs; and 3) decreased clastic inputs due to drier conditions (and resulting in corresponding increases in organic concentration due to universal closure of percentages).

3.4.2 Paleofire Signal and Fire Return Intervals

A map of fires > 200 ha since 1940 is shown in Figure 3-3 along with fire scar results (inset). A comparison of the sieved charcoal curve (Figure 3-4) with the known fire history has been discussed in a previous study (Laird and Campbell In Press). The results showed that large fires reaching the shore (eg. 1949) were represented by high charcoal influx values while smaller shore fires (eg. 1988) were represented by only small increases in charcoal influx. Fires that did not burn to shore were less consistently represented in the charcoal curve. The 1980 fire resulted in only a minor charcoal peak and the 1971 fire did not show at all. Due to the sampling interval, continued influx from the 1930's fires and the close timing of the 1940, 1941 and 1942 fires, it was difficult to determine how the 1940 and 1941 non-shore fires influenced the charcoal curve. The charcoal influx for the 1 cm sample containing the years 1940 and 1941 was very high but this sample also contained part of the sediment influx from the 1942 shore fire. To try to resolve these fires, sediment peels of the varves spanning this interval were examined and they showed that while several charcoal fragments were present in the 1940 varve, they were much more abundant in the 1941 and 1942 varves. This suggests that both the 1941 and 1942 fires resulted in significant charcoal influx to the lake (assuming that the varve count is correct) while the impact if the 1940 fire was less.

The charcoal curve is thus assumed to represent a minimum estimate of the local fire activity (large fires only) for the Christina Lake watershed out to ~4 km from the lake shore (a total area of ~22 000 ha excluding the lake itself) while best representing large fires which burn right to the shore. Fires occurring within a few years of each other are indistinguishable in the charcoal record due to the combination of the sampling interval (avg. ~4.5 years) and the possibility of charcoal from a single fire being deposited over several years (Bradbury 1996; Whitlock et al. 1997; Whitlock and Millspaugh 1996). Since peaks in the charcoal record may represent more than one fire, they will be referred to henceforth as corresponding to fire periods rather than fire events.

The mean charcoal influx was 4.25 particles cm⁻² yr⁻¹ with a standard deviation of 3.25 particles cm⁻² yr⁻¹. Charcoal maxima above a threshold of 1.5 particles cm⁻² yr⁻¹ were considered to represent fire periods within the charcoal catchment. Based on this criterion, 48 fire periods occurred from 1057 to 1994 (Figure 3-4). The average fire return interval from the first fire period in 1083 to the last fire period in 1988 was ~19 years (min. = 7.5 max. = 44). Charcoal maxima above a threshold of 7 particles cm⁻² yr⁻¹ were considered to represent large fire periods in which a significant proportion of the charcoal catchment was burned. There were

22 large fire periods from the first large fire period in 1083 to the last large fire period in 1949 with an average return interval of \sim 41 years (min. = 7.5 max. = 130).

The average fire return interval fluctuated somewhat over time and the trends were similar whether all fire periods or only large fire periods were considered. From 1083 to 1490 AD the average return interval for large fire periods was ~68 years (min. = 44 max. = 91.5). The return interval shortened to 29 years (min. = 13 max. = 77) between 1490 and 1723 (which includes the first half of the Little Ice Age). There were no large fire periods between 1723 and 1853 (130 years). From 1853 to the last large fire period in 1949, the return interval averaged ~16 years (min. = 7.5, max. = 50.5) but this was due to pulses of fire events spaced only a few years apart. Some of these fires could have been caused by human activity (for example, the 1941 and 1949 fires were human-caused: Delisle and Hall, 1987). No large fire periods have occurred in the Christina lake area from 1950 to the present.

3.4.3 Pollen

Pollen percentage results (Figure 3-5) indicate that the floristic composition of the surrounding vegetation remained fairly constant over the time period studied. There were, however, some shifts in the relative abundances of several species over certain time intervals. The most significant change occurred in the relative abundance of pine pollen in the 1797 and 1853 samples. In all other samples, the average pine to spruce ratio is 2.18 (standard deviation .52) but in the 1797 sample, the pine:spruce ratio dropped to 0.7 and recovered somewhat to 1.07 by 1853. An anomalously low pine influx over a similar time interval was also noted by Larsen and MacDonald (1998b). *Populus* spp. and *Corylus cornuta* Marsh. pollen were also consistently slightly more abundant prior to 1250 suggesting a higher deciduous component in the mixedwood forest at that time.

Pollen influx is shown in Figure 3-6. Analysis of the 4 pre- and post-fire sets of samples for large fire periods showed that the total pollen influx after the fire was significantly lower than the pre-fire influx (paired t-tests, p=.04). This suggests that these fires were of sufficient size to significantly affect the pollen influx into the lake. The pollen dispersal model developed by Sugita et al. (1997) suggests that a fire (or other disturbance) must be at least 8 times larger than the lake and burn to within a few hundred meters of shore before the pollen rain was significantly affected. Applying these findings to Christina Lake (2130 ha) means that only near shore fires > ~17 000 ha will produce any noticeable changes in pollen inputs.

Comparison of the spruce:sprouter ratios before and after the 4 large fire periods showed that while the post-fire ratio was lower for 3 of the 4 cases, the changes were insignificant (paired t-tests, p=.35). These results are consistent with the findings of the model developed by Sugita et al. (1997) which showed that changes in post-fire pollen percentages were extremely subtle, especially for large lakes. The largest lake in their model was 400 ha

and a 2500 ha fire (8 times larger than the lake) right on the lake shore procluced changes in post-fire pollen percentages of only 5-10% from pre-fire levels. Christina Læke is 5 times larger and its pollen inputs should therefore be dominated by regional pollen sources to an even greater extent (Jacobson and Bradshaw 1981), so it is not surprising that no significant changes in post-fire pollen percentages were found.

3.5 Discussion

Comparison of the prehistoric paleofire signal from Christina Lake t⊷ the general proxy climate signal inferred from sedimentological analyses of Christina Lake anıd other regional studies (Campbell 1998; Vance et al. 1992) indicates that generally warm/d ry or cool/wet conditions do not always lead to greater or lesser fire activity respectively. The shortest average return interval between large fire periods in the prehistoric period occurred between ~1490 and 1723 (~29 years) which included the moister climate of the early Little Ice Age, while the drier period prior to 1490 experienced longer average fire return intervals (~68 years). It must be borne in mind, however, that the general proxy climate signals for Christina Lake and other Alberta lakes do not yield information on the frequency or seasonal timing of the precipitation. Flannigan and Harrington (1988) analysed the relationship of precipitation to area burned by wildfire in Canada and found that months in which large areas were burned were dependent on the frequency of precipitation rather than the total precipitation amount. It may be, then, that although the total precipitation was higher during the early Little Ice Age, most precipitation could have occurred outside the fire season, or alternatively, the precipitation pattern during the fire season could have been characterized by infrequent high intensity rainfall e-vents with intervening dry spells.

The shorter average fire return intervals in the early part of the Little Ice Age observed in this study have also been found in other regional fire history studies. Larsem and MacDonald's (1998a) 840-year paleofire study in Wood Buffalo National Park showed shorter fire return intervals between ~1550 and 1700 and longer return intervals before and after this time period. Similarly, the average fire return intervals from Fariya Lake just outside Wood Buffalo National Park were shorter between 1552 and 1680 and longer before and afterward! (Larsen and MacDonald 1998b). Several studies in the Canadian Rocky Mountains also• found shorter fire cycles from ~1500 to the mid-1700s and longer fire cycles afterwards (Johnson et al. 1990; Johnson and Larsen 1991; Johnson and Wowchuk 1993; Masters 1990). The dendrochronological studies from the mountains do not go back further tham ~1500 so the fire cycles before the onset of the Little Ice Age are not known.

Johnson and Wowchuk (1993) noted the general synchroneity in the timing of the fire cycle changes in the mountain sites cited above and reasoned that such comsistency over such a large region must be due to large-scale climatic factors. They showed that recent large fires

in the mountains were related to persistent upper level ridges in the mid-troposphere which were in turn related to mid-tropospheric troughs over the northern Pacific Ocean. They suggest that the shift in the mid-1700's from shorter fire cycles to longer fire cycles may have been due to altered Northern Hemisphere atmospheric circulation patterns during the latter phase of the Little Ice Age which may have reduced the frequency of persistent upper ridges over the mountains. Large fires have often been linked to blocking upper level ridges in the mid-troposphere (50 kPa) (Flannigan and Harrington 1988; Johnson 1992; Newark 1975; Nimchuk 1983). These blocking ridges create high pressure systems at the surface which contain dry subsiding air which dries out forest fuels. When the ridge finally breaks down into a trough, a storm front is created which generates lightning (which may ignite the previously dried fuels), and high winds (which may enhance fire spread).

Lamb (1982) stated that, in Europe, the period from ~1550 to the 1700s was characterized by a "remarkable frequency" of blocking highs in more northerly latitudes resulting in severe storms and extremely variable weather. It seems reasonable to assume that the anomalies in the circulation pattern of the Northern Hemisphere that affected Europe during this time period may have created great variability and extremes in the Canadian climate as well.

It is perhaps not too surprising that the expression of these broad climatic patterns in the early Little Ice Age was similar in both the mountains and Christina Lake due to their reasonable proximity. The specific position of the lake relative to the mountains may also play a role. Mesoscale (100 to 1000 km) convective complexes move eastward from the Rocky Mountains creating bands of high lightning activity at ~100 km and ~200 km east due to leewave cyclogenesis. (Hudson 1997; Nash and Johnson 1996). Christina Lake lies within the second (smaller and weaker) band of high lightning occurrence (Nash and Johnson 1996) and thus some of the storms affecting the mountains may affect Christina Lake as well.

When compared to the average return intervals for large fires between 1853 and 1949 (~16 years) and 1490 to 1723 (~29 years), the average return interval for the period from 1083 to 1490 seems rather long at ~68 years. This may be a false impression, however. It may be that the longer fire return intervals over this period are more "normal" and that the shorter fire cycles during the first half of the Little Ice Age and between 1853 and 1949 were unusually short due to climatic anomalies (as discussed above) and anthropogenic factors respectively. In Wood Buffalo National Park, Larsen (1997) reported average fire cycles of 39 years for aspen stands and jack pine stands, 78 years for black spruce, and 96 years for white spruce stands for the period of 1750 to 1989. Since actual fire size is unknown for the older portion of the Christina Lake record, a true fire cycle cannot be calculated (Romme 1980). However, considering Larsen's data, an average return interval of ~68 years for large fires may not be unreasonably long given the mixture of forest types near the lake.

Even so, considering that the period between 1057 and 1490 appears to be dominated by warm and dry conditions including, perhaps, prolonged periods of severe drought prior to ~1300 (Vance et al. 1992), one may wonder why the average return interval for large fire periods wasn't a little shorter here. It may be that although total precipitation was very low, frequent lowintensity rainfall events occurred during the fire season. Alternatively, if prolonged droughts frequently occurred during this period as suggested by Vance et al.(1992), there may have been very little moisture in the atmosphere and so less convective activity, less lightning and fewer opportunities for ignition (Kerry Anderson, pers. comm.). Another alternative is that warmer and drier conditions may have promoted an increase in the proportion of deciduous species on upland sites which may have reduced the risk of fire spread (Forestry Canada Fire Danger Group 1992). The pollen results from Christina Lake showed small but consistent increases in Populus and Corylus pollen prior to ~1250 AD. As Populus pollen is preserved very poorly in lake sediments (Hadden 1978; Lichti-Federovich 1970), a small increase in pollen could represent a substantial increase in the number of trees on the landscape. Larson and MacDonald (1998a) also noted greater Populus pollen abundance between ~1250 and ~1550 and suggested it may have been caused by warmer drier conditions allowing aspen to increase at the expense of white spruce. Drier conditions, however, would have also lead to lower water tables in the peatland areas near Christina Lake and increased the risk of fire ignition and spread in those areas, so it is difficult to predict what the net effect on fire activity would have been.

Sedimentological evidence from Christina Lake and other regional studies (Campbell 1998; Vance et al. 1992) show that the latter phase of the Little Ice Age (~1700 - 1850) was very wet. The charcoal curve showed only "small" charcoal peaks between 1723 and 1853 suggesting that relatively small areas of the charcoal catchment were burned during this time period. Smaller fires would be consistent with the wetter climate as rising water tables would create ample fire breaks in the poorly drained peatland areas near the lake, increase paludification, and limit most fires to well-drained upland areas. Larsen and MacDonald's (1998a) results from Wood Buffalo National Park also indicate no fires between 1700 and 1805.

The decline in pine pollen from 1797 to 1853 in the Christina Lake record may also be due to the cold wet Little Ice Age climate. Larsen and MacDonald (1998a; 1998b) also found an unusual decline in pine pollen between 1790 and 1850 in Rainbow Lakes in Wood Buffalo National Park and between 1816 and 1861 at Fariya Lake (near Wood Buffalo National Park) so a climate-related cause seems most likely. It is not known whether there were actually fewer pine trees on the landscape at that time or whether pollen production per tree merely declined. A recent study on modern pollen rain in the boreal forest (Lee et al. 1996) showed that pine pollen production severely declined during cool humid weather so it may be that the climate at the end of the Little Ice Age was not conducive to pine pollen production. Alternatively, the

climate may have been so wet during this time that the mortality of pine (which prefers well-drained sites) increased. Increased paludification may have also reduced the number of sites suitable for jack pine regeneration.

Another alternative is that a decline in fire disturbance may have adversely affected the number of pine regenerating in the landscape. The charcoal curve suggests that no large fire periods occurred between 1723 and 1853 — a time span of 130 years which is close to the ~150 year maximum lifespan of jack pine (Farrar 1995). Pine has serotinous cones which require fire (or another heat source) to open the cone scales and release the seeds (Farrar 1995). With less fire disturbance, it is possible that the number of jack pine senescing and dying in the landscape was greater than the number of new jack pine regenerating after fire. The possibility of disease can also not be discounted.

If smaller fires and greater tree mortality occurred during the latter phase of the Little Ice Age, this would have lead to increased fuel buildup in the landscape. The frequent and apparently very large fires occurring in the late 1800's may therefore have been a result of the combination of a return to warmer, drier conditions and above average fuel loads which created a high fire hazard similar to the situation surrounding the 1988 fire in Yellowstone National Park (Millspaugh and Whitlock 1995).

Although climate appears to have been the dominant influence on fire activity near Christina Lake prior to 1900, it is possible that fires intentionally set by Aboriginal peoples played a role. Lewis (1982) states that the Cree people of northern Alberta frequently set fires to maintain meadows, enhance berry production and animal habitat, and keep traplines and travel routes open. These fires, however, were small (often <1 ha) and usually set in early spring when there were still snow patches in the forest to minimize the possibility of escape. The charcoal produced by these small fires would probably not be sufficient to significantly impact the charcoal curve for Christina Lake which is only sensitive to very large fires (> 200 ha).

The recent fire history (since 1900) is more difficult to interpret as some of these fires could have been human-caused. The 1941 and 1949 fires are known to have been caused by human activity (Delisle and Hall 1987). It is also possible that some of the fires in the early 1900s were related to railroad building in the area which began ca. 1915. The charcoal curve shows no large fire periods in the charcoal catchment from 1950 to 1994 (44 years) which is only slightly longer than the average for the entire period (~41 years) so it is not yet clear whether or not active fire suppression in the area is having a significant effect.

3.5 Summary and Conclusions

Basic geochemical analysis of the sediment from Christina Lake yielded a general proxy climate signal that was similar to those obtained from other regional sites. Sediment influx suggested wetter conditions between ~1580 to ~1850 AD (especially ~1700 to ~1850) and drier

conditions before and after this interval while carbonate concentrations and other sediment characteristics suggested cooler conditions ~1580 to ~1850 AD and warmer conditions before and afterwards. While the pollen record shows the vegetation was relatively stable over the last millennium, declines in *Pinus* pollen and increases in *Populus* and *Corylus* occurred during cool/wet and warm/dry periods respectively. Charcoal evidence showed that fire return intervals varied over time apparently in response to climatic factors as the patterns were similar to those of other regional studies.




Figure 3-1: Location of Christina Lake. The coring site is marked with an "x".





Figure 3-2: Results for sediment influx and concentrations of ash, organics and carbonates.

Figure 3-3: Known fire activity near Christina Lake. Fires (> 200 ha) since 1940 are mapped (Delisle and Hall 1987; Peter Englefield, pers. comm.; Rick Strickland, pers. comm.) and firescar results a re shown in inset. The estimated charcoal catchment area for the charcoal results is also shown.






Figure 3-4: Charcoal results for Christina Lake. Results represent all charcoal fragments $> 125~\mu m$ in diameter. Both thresholds are shown with dotted lines. The lower threshold includes all fire periods within the charcoal catchment while the higher threshold includes only "large" fire periods in which a significant proportion of the charcoal catchment was burned.

Christina Lake Pollen Percentage Diagram




Figure 3-5: Christina Lake pollen percentage diagram. Each taxon is expressed as a percentage of the total upland pollen sum (*Carex*, spores, wetland species and charcoal are not included in the upland pollen sum). Pre- and post-fire sample sets are marked with an *. Black bars show the percentage abundance of each taxon while gray bars represent an 10x exaggeration.

Christina Lake Pollen Influx Diagram




Figure 3-6: Christina Lake pollen influx diagram. Results are represented as the number of grains cm⁻² yr⁻¹ divided by 10000. Pre- and post-fire sample sets are marked with an *. Black bars represent the influx of each taxon while gray bars represent a 10x exaggeration.

3.6 References

- Alberta Environmental Protection. 1994. Natural regions and subregions of Alberta: summary. Alberta Environmental Protection, Edmonton.
- Arno, S.F., and Sneck, K.M. 1977. A method for determining fire history in coniferous forests of the mountain west. USDA Forest Service General Technical Report INT-42.
- Bergeron, Y., and Flannigan, M.D. 1995. Predicting the effects of climate change on fire frequency in the southeastern Canadian boreal forest. Wat. Air Soil Pollut. 82: 437-444.
- Bergeron, Y., Richard, P.J.H., Carcaillet, C., Gauthier, S., Flannigan, M., and Prairie, Y.T. 1998. Variability in fire frequency and forest composition in Canada's southeastern boreal forest: a challenge for sustainable forest management. Conservation Ecology [online] 2: 6.
- Bradbury, J.P. 1996. Charcoal deposition and redeposition in Elk Lake, Minnesota, USA. Holocene **6**: 339-344.
- Bradford, M.E. 1990. Athabasca River Basin: Christina Lake. *In* Atlas of Alberta lakes. *Edited by* P. Mitchell, and E. Prepas. University of Alberta Press, Edmonton. pp. 136-139.
- Bradley, R.S., and Jones, P.D. 1992. When was the "Little Ice Age"? *In* Proceedings of the International Symposium on the Little Ice Age Climate (1992). *Edited by* T. Mikami .Metropolitan University, Tokyo. pp. 1-4.
- Campbell, C. 1998. Late Holocene lake sedimentology and climate change in southern Alberta, Canada. Quat. Res. **49**: 96-101.
- Campbell, I.D., and Campbell, C. In Press. Late Holocene vegetation and fire history at the southern boreal forest margin in Alberta, Canada. Palaeogeogr. Palaeoclim. Palaeoecol.
- Campbell, I.D., and Flannigan, M.D. 2000. Long-term perspectives on fire-climate-vegetation relationships in the North American boreal forest. *In* Fire, climate change, and carbon cycling in the boreal forest. *Edited by* E.S. Kasischke and B.J. Stocks. Springer, New York. pp. 151-172.
- Campbell, I.D., Last, W.M., Campbell, C., Clare, S., and McAndrews, J.H. In Press. The late-Holocene paleohydrology of Pine lake, Alberta: a multiproxy investigation. J. Paleolim.
- Carroll, S.B., and Bliss, L.C. 1982. Jack pine lichen woodland on sandy soils in northern Saskatchewan and northeastern Alberta. Can. J. Bot. **60**: 2270-2282.
- Clark, J.S. 1990. Fire and climate change during the last 750 yr in northwestern Minnesota. Ecol. Monogr. **60**: 135-159.
- Clark, J.S., and Robinson, J. 1993. Paleoecology of Fire. *In* Fire in the environment: the ecological, atmospheric, and climatic importance of vegetation fires. *Edited by* P.J. Crutzen, and J.G. Goldammer. John Wiley and Sons, Ltd., New York. pp. 193-214.
- Cwynar, L.C. 1978. Recent history of fire and vegetation from laminated sediment of Greenleaf Lake, Algonquin Park, Ontario. Can. J. Bot. **56**: 10-21.

- Dean, W.E., Jr. 1974. Determination of carbonate and organic matter in calcareous sediments and sedimentary rocks by loss on ignition: comparison with other methods. J. Sed. Petrol. 44: 242-248.
- Dean, W.E. 1998. The carbon cycle and bigeochemical dynamics in lake sediments. J. Paleolim. **21**: 375-394.
- Delisle, G.P., and Hall, R.J. 1987. Forest fire history maps of Alberta, 1931-1983. Canadian Forestry Service, Northern Forestry Centre, Edmonton, Alta.
- Earle, C.J., Brubaker, L.B., and Anderson, P.M. 1996. Charcoal in northcentral Alaskan lake sediments: relationships to fire and late-Quaternary vegetation history. Rev. Palaeobot. Palynol. 92: 83-95.
- Faegri, K., Kaland, P.E., and Kryzwinski, K. 1989. Textbook of pollen analysis, by Knut Faegri and Johs. Iverson. John Wiley and Sons, Chichester, U.K.
- Farrar, J.L. 1995. Trees in Canada. Fitzhenry & Whiteside Limited and Canadian Forest Service, Natural Resources Canada, Markham, Ontario.
- Flannigan, M.D., and Harrington, J.B. 1988. A study of the relation of meteorological variables to monthly provincial area burned by wildfire in Canada. J. Appl. Meteorol. **27**: 441-452.
- Forestry Canada Fire Danger Group. 1992. Development and structure of the Canadian Forest Fire Behavior Prediction System. Forestry Canada Information Report ST-X-3.
- Hadden, K. 1978. Investigation of the registration of poplar pollen in lake sediments. Master of Science thesis, University of Toronto, Toronto.
- Håkanson, L., and Jansson, M. 1983. Principles of Lake Sedimentology. Springer-Verlag, New York.
- Hickman, M., Schweger, C.E., and Klarer, D.M. 1990. Baptiste Lake, Alberta a late Holocene history of changes in a lake and its catchment in the southern boreal forest. J. Paleolim. 4: 253-267.
- Hu, F.S., Brubaker, L.B., and Anderson, P.M. 1993. A 12 000 year record of vegetation change and soil development from Wein Lake, central Alaska. Can. J. Bot. 71: 1133-1142.
- Hu, F.S., Brubaker, L.B., and Anderson, P.M. 1996. Boreal ecosystem development in the northwestern Alaska Range since 11.000 yr B.P. Quat. Res. **45**: 188-201.
- Hudson, E. 1997. The climate of the Peace, Athabasca and Slave river basins. Northern River Basins Study Project Report No. 124.
- Hughes, M.K., and Diaz, H.F. 1994. Was there a 'Medieval Warm Period', and if so, where and when? Clim. Change **26**: 109-142.
- Jacobson, G.L., Jr., and Bradshaw, R.H.W. 1981. The selection of sites for paleovegetational studies. Quat. Res. 16: 80-96.
- Jacoby, G.C., Jr., and D'Arrigo, R. 1989. Reconstructed northern hemisphere annual temperature since 1671 based on high-latitude tree-ring data from North America. Clim. Change 14: 39-59.

- Johnson, E.A. 1992. Fire and vegetation dynamics: studies from the North American boreal forest. Cambridge University Press, Cambridge, UK.
- Johnson, E.A., and Fryer, G.I. 1987. Historical vegetation change in the Kananaskis Valley, Canadian Rockies. Can. J. Bot. **65**: 853-858.
- Johnson, E.A., Fryer, G.I., and Heathcott, M.J. 1990. The influence of man and climate on frequency of fire in the interior wet belt forest, British Columbia. J. Ecol. **78**: 403-412.
- Johnson, E.A., and Larsen, C.P.S. 1991. Climatically induced change in fire frequency in the southern Canadian Rockies. Ecology **72**: 194-201.
- Johnson, E.A., and Wowchuk, D.R. 1993. Wildfires in the southern Canadian Rocky Mountains and their relationship to mid-tropospheric anomalies. Can. J. For. Res. 23: 1213-1222.
- Kelts, K., and Hsu, K.J. 1978. Freshwater carbonate sedimentation. *In* Lakes: chemistry, geology, physics. *Edited by A.* Lerman. Springer-Verlag, New York. pp. 295-323.
- Kuhry, P. 1994. The role of fire in the development of Sphagnum-dominated peatlands in western boreal Canada. J. Ecol. **82**: 899-910.
- Laird, L.D., and Campbell, I.D. In Prep. Vivianite in the laminated sediments of Christina Lake, Alberta, Canada and its potential as a paleoenvironmental indicator.
- Laird, L.D., and Campbell, I.D. In Press. High resolution palaeofire signals from Christina Lake, Alberta: a comparison of the charcoal signals extracted by two different methods. Palaeogeogr. Palaeoclim. Palaeoecol.
- Lamb, H.H. 1977. Climate, present, past and future. Methuen, London
- Lamb, H.H. 1982. Climate, history and the modern world. Methuen, London.
- Larsen, C.P.S. 1997. Spatial and temporal variations in boreal forest fire frequency in northern Alberta. J. Biogeogr. **24**: 663-673.
- Larsen, C.P.S., and MacDonald, G.M. 1998a. An 840-year record of fire and succession in a boreal white spruce forest. Ecology **79**: 106-118.
- Larsen, C.P.S., and MacDonald, G.M. 1998b. Fire and vegetation dynamics in a jack pine and black spruce forest reconstructed using fossil pollen and charcoal. J. Ecol. **86**: 815-828.
- Lee, E.J., Kenkel, N.C., and Booth, T. 1996. Pollen deposition in the boreal forest of west-central Canada. Can. J. Bot. **74**: 1265-1272.
- Lewis, H.T. 1982. A time for burning. Boreal Institute for Northern Studies, University of Alberta, Occasional Publication No. 17.
- Lichti-Federovich, S. 1970. The pollen stratigraphy of a dated sectoin of Late Pleistocene lake sediment from central Alberta. Can. J. Earth Sci. 7: 938-945.
- Luckman, B.H. 1994. Evidence for climatic conditions between ca. 900-1300 A.D. in the southern Canadian Rockies. Clim. Change **26**: 171-182.

- Luckman, B.H. 1997. Developing a proxy climate record for the last 300 years in the Canadian Rockies -- some problems and opportunities. Clim. Change **36**: 455-476.
- Luckman, B.H., Briffa, K.R., Jones, P.D., and Schweingruber, F.H. 1997. Tree-ring based reconstruction of summer temperatures at the Columbia Icefield, Alberta, Canada, AD 1073-1983. Holocene **7**: 375-389.
- MacDonald, G.M. 1987. Postglacial development of the subalpine-boreal transition forest of western Canada. J. Ecol. **75**: 303-320.
- Masters, A.M. 1990. Changes in forest fire frequency in Kootenay National Park, Canadian Rockies. Can. J. Bot. **68**: 1763-1767.
- Millspaugh, S.H., and Whitlock, C. 1995. A 750-year fire history based on lake sediment records in central Yellowstone National Park, USA. Holocene 5: 283-292.
- Nash, C.H., and Johnson, E.A. 1996. Synoptic climatology of lightning-caused forest fires in subalpine and boreal forests. Can. J. For. Res. **26**: 1859-1874.
- Newark, M.J. 1975. The relationship between forest fire occurrence and 500 mb longwave ridging. Atmosphere **13**: 26-33.
- Nicholson, B.J., and Vitt, D.H. 1990. The paleoecology of a peatland complex in continental western Canada. Can. J. Bot. **68**: 121-138.
- Nienstaedt, H., and Zasada, J.C. 1990. White Spruce. *In* Silvics of North America: Vol.1, Conifers. *Edited by* R.M. Burns, and B.H. Honkala. USDA Agriculture Handbook 654. pp. 204-226.
- Nimchuk, N. 1983. Wildfire behavior associated with upper ridge breakdown. Alberta Energy and Natural Resources, Forest Service ENR Technical Report T/50.
- O'Sullivan, P.E. 1983. Annually-laminated lake sediments and the study of Quaternary environmental changes -- a review, Quat. Sci. Rev. 1: 245-313.
- Overpeck, J., Hughen, K., Hardy, D., Bradley, R., Case, R., Douglas, M., Finney, B., Gajewski, K., Jacoby, G., Jennings, A., Lamoureux, S., Lasca, A., MacDonald, G., Moore, J., Retelle, M., Smith, S., Wolfe, A., and Zielinski, G. 1997. Arctic environmental change of the last four centuries. Science **278**: 1251-1256.
- Patterson, W.A., III, Edwards, K.J., and Maguire, D.J. 1987. Microscopic charcoal as a fossil indicator of fire, Quat. Sci. Rev. 6: 3-23.
- Payette, S. 1992. Fire as a controlling process in the North American boreal forest. *In* A systems analysis of the global boreal forest. *Edited by* H. Shugart, R. Leemans, and G.B. Bonan. Cambridge University Press. pp. 144-169.
- Petterson, G. 1996. Varved sediments in Sweden: a brief review. *In Palaeoclimatology* and palaeoceanography from laminated sediments. *Edited by A.E.S.* Kemp. The Geological Society, London. pp. 73-77.

- Romme, W. 1980. Fire history terminology: report of the ad hoc committee. *In Proceedings of the fire history workshop*, October 20-24, 1980, Tuscon, Arizona. USDA Forest Service, Rocky Mountain Forest and Range Experimental Station, General Technical Report RM-81. pp. 135-137.
- Rowe, J.S., and Scotter, G.W. 1973. Fire in the boreal forest. Quat. Res. 3: 444-464.
- Sugita, S., MacDonald, G.M., and Larsen, C.P.S. 1997. Reconstruction of fire disturbance and forest succession from fossil pollen in lake sediments: potential and limitations. *In* Sediment records of biomass burning and global change. *Edited by* J.S. Clark, H. Cachier, J.G. Goldammer, and B.J. Stocks. Springer-Verlag, Berlin. pp. 387-412.
- Swain, A.M. 1973. A history of fire and vegetation in northeastern Minnesota as recorded in lake sediments. Quat. Res. 3: 383-396.
- Swain, A.M. 1978. Environmental changes during the past 2000 years in north-central Wisconsin; analysis of pollen, charcoal, and seeds from varved lake sediments. Quat. Res. 10: 55-68.
- Tolonen, K. 1986. Charred particle analysis. *In* Handbook of Holocene palaeoecology and palaeohydrology. *Edited by* B.E. Berglund. John Wiley and Sons, New York. pp. 485-496.
- Van Horne 1998. Christina Lake Thermal Project. Application to Alberta Energy and Utilities Board and to Alberta Environmental Protection. Volume 1 - Joint Submission. Report available at Alberta Environmental Protection library, Edmonton, Alberta.
- Vance, R.E., Mathewes, R.W., and Clague, J.J. 1992. 7000 year record of lake-level change on the northern Great Plains: a high-resolution proxy of past climate. Geology **20**: 879-882.
- Varem-Sanders, T.M.L., and Campbell, I.D. 1996. DendroScan: a tree-ring width and density measurement system. Canadian Forest Service, Northern Forestry Centre.
- Viereck, L.A., and Johnston, W.F. 1990. Black Spruce. *In* Silvics of North America: 1, Conifers. Agriculture Handbook 654. *Edited by* R.M. Burns, and B.H. Honkala. United States Department of Agriculture., Washington, D.C.
- Walling, D.E., and He, Q. 1993. Towards Improved Interpretation of ¹³⁷Cs profiles in lake sediments. *In* Geomorphology and sedimentology of lakes and reservoirs. *Edited by* J. McManus, and R.W. Duck. John Wiley & Sons Ltd., Toronto. pp. 31-53.
- Weber, M.G., and Flannigan, M.D. 1997. Canadian boreal forest ecosystem structure and function in a changing climate: impact on fire regimes. Environ. Rev. 5: 145-166.
- Wein, R.W., and de Groot, W.J. 1996. Fire climate change hypotheses for the Tiaga. *In* Fire in ecosystems of boreal Eurasia. *Edited by* J.G. Goldammer, and V.V. Furyaev. Kluwer Academic Press, The Netherlands. pp. 505-512.
- Wein, R.W., and MacLean, D.A. (*Eds.*). 1983. The role of fire in northern circumpolar ecosystems. John Wiley and Sons, New York.
- Weir, J.M.H., and Johnson, E.A. 1998. Effects of escaped settlement fires and logging on forest composition in the mixedwood boreal forest. Can. J. For. Res. 28: 459-467.

- Whitlock, C., Bradbury, J.P., and Millspaugh, S.H. 1997. Controls on charcoal distribution in lake sediments: case studies from Yellowstone National Park and northwestern Minnesota. *In* Sediment records of biomass burning and global change. *Edited by* J.S. Clark, H. Cachier, J.G. Goldammer, and B.J. Stocks. Springer-Verlag, Berlin. pp. 367-386.
- Whitlock, C., and Millspaugh, S.H. 1996. Testing the assumptions of fire-history studies: an examination of modern charcoal accumulation in Yellowstone National Park, USA. Holocene 6: 7-15.
- Winkler, M.G. 1985. Charcoal analysis for paleoenvironmental interpretation: a chemical assay. Quat. Res. 23: 313-326.
- Wotton, B.M., and Flannigan, M.D. 1993. Length of the fire season in a changing climate. For. Chron. **69**: 187-192.

CHAPTER 4

Vivianite in the Laminated Sediments of Christina Lake, Alberta, Canada and its Potential as a Paleoenvironmental Indicator²

4.1 Introduction

Vivianite, Fe₃(PO₄)₂· 8H₂O, is a fairly common authigenic mineral in anoxic soils and sediments and its peculiar characteristic of turning bright blue upon exposure to oxygen makes it easily recognized. Nriagu (1972) describes vivianite as the most stable solid phase ferrous orthophosphate found in sedimentary environments. In order to precipitate and remain stable, vivianite requires that a particular set of geochemical conditions be met and maintained. While vivianite formation is often related to microsite conditions within the soil or sediment, these microsite conditions can be related to the general geochemistry within the sediment or soil, and sometimes to larger scale environmental factors as well. Thus, in certain situations, the presence of vivianite may provide important clues to paleoenvironmental conditions. This is especially so because vivianite is a phosphate mineral and phosphorus is a limiting nutrient in many ecosystems.

Bright blue vivianite concretions were found to be especially abundant in certain sections of the annually-laminated sediment retrieved from Christina Læke, Alberta. Because its presence or absence might be linked in some way to the paleoenvironment in and around the lake, an effort was made to quantify the amount of vivianite in the Christina Lake core and to relate the changes in its abundance to other geochemical and physical analyses to determine its potential value as a paleoenvironmental indicator for this site. Before the Christina Lake vivianite results are presented and discussed below, some background information is given including a summary of the basic geochemistry involved in vivianite pre-cipitation followed by a brief literature review of its occurrence in a variety of sedimentary environments. This review will focus on those studies in which the presence of vivianite was shown to reflect and/or influence larger-scale environmental parameters (especially in freshwatter lakes).

4.2 Study Site

Christina Lake (55° 37' N, 110° 56' W) is located in the Central Mixedwood subregion of the Boreal Forest Natural Region in northern Alberta, Canada (Figure 4--1)(Alberta Environmental Protection, 1994). The lake is large (2130 ha) with six permanent inflowing streams and a drainage basin of 1250 km² (Bradford, 1990). The morphology of the lake is long and narrow reaching a maximum length and width of approximately 13 km and 2 km

² A version of this chapter will be submitted to *Journal of Paleolimnology*.

respectively. The deepest basin reaches a maximum depth of 33 m and here the sediments are laminated. This portion of the lake is presumed to be meromictic, or at least to be sufficiently depleted in oxygen that bottom fauna are excluded. Most of the lake basin has steeply sloping sides and there are only isolated pockets of littoral areas. The trophic status of the lake is not known but based on the limited data available (see Table 4-1), the lake is considered to be quite unproductive (Bradford, 1990).

The surrounding landscape is level to gently rolling terrain largely dominated by peatlands. Vegetation on upland areas is a mixed forest of trembling aspen (*Populus tremuloides* Michx.), white spruce (*Picea glauca* (Moench) Voss), jack pine (*Pinus banksiana* Lamb.), and birch (*Betula papyrifera* Marsh). Black spruce (*Picea mariana* (Mill.) BSP) and larch (*Larix laricina* (Du Roi) Koch) are the dominant trees in low lying areas. The underlying substrate consists of a thick (up to 150 m) mantle of glacial till, glaciofluvial, and glaciolacustrine materials (Van Horne, 1998).

Human impact on the area was minimal until oil and gas exploration began in the region in the mid 1980s. The lake has been accessible by an all weather road only since 1986. The hamlet of Conklin (population 205 in 1995) is located immediately west of the lake but other than a recreational lodge and campground on the north shore at the western end of the lake, there is no other shoreline development (Bradford, 1990). The nearest large population centre is Fort McMurray 125 km to the north.

4.3 Methodology

4.3.1 Core Retrieval and Sampling

Two cores of laminated sediment were retrieved using a box type freeze-corer (Swain, 1973) at a water depth of approximately 30 m. One core included the water/sediment interface and penetrated to a depth of ~100 cm while the other was buried below the sediment-water interface and retrieved material from approximately 57 cm to 174 cm depth. The best faces (i.e. those faces which showed the least disturbance in the laminations) of each core were selected for sampling and correlated by means of several white diatomaceous marker horizons. These faces were cleaned using a plane and left uncovered in a freezer for several days to allow the outermost surface to freeze dry to a depth of approximately 1 mm. Sediment peels were then taken by spreading a very thin even film of Histoprep (an embedding medium suitable for frozen material) over a microscope slide using a razor blade and then gently pressing the slide onto the core for approximately 30 seconds before removing it. Bulk sediment samples were retrieved by cutting the core face into contiguous 1 cm strips parallel to the plane of deposition using a scalpel. These samples were then stored in a cold room (2°C) until analysed.

4.3.2 Geochronology

The laminations were examined under a stereoscope at 50x magnification and were found to be similar to those described from other varved lakes (O'Sullivan, 1983; Petterson, 1996) and consistent with the successional deposition of material over one year. Typically, a thicker (1-1.5 mm) light-coloured layer consisting of a mixture of silt, diatoms, and organic material (representing spring to autumn) alternated with a thinner (< 1 mm) dark layer consisting of very fine organic material (deposited while the lake was frozen over in winter). The light layer sometimes included a white band of pure diatoms representing an algae "bloom" in the spring or autumn. Each couplet of a light layer (with or without a diatom bloom) and a dark layer was assumed to be a true varve (i.e. to represent one year of deposition) and the cores were dated by varve counting.

Independent confirmation of the annual nature of the laminations was given by ¹³⁷Cs analysis of the upper 20 cm of core 1 (see Appendix 1). The greatest cesium activity occurred in the 1 cm sample containing sediment deposited in the years 1963 to 1967 as determined by the varve count (Laird and Campbell, In Press). This is consistent with the peak in ¹³⁷Cs fallout in the northern hemisphere (due to the atmospheric testing of nuclear weapons) in 1963 (Walling & He, 1993).

4.3.3 Vivianite Quantification via Image Analysis

The sediment peels were photographed at identical resolution in natural daylight using Fuji Reala film and a Pentax MZ-10 camera with a 50 mm macro lens. Photographs were then scanned into Adobe Photoshop 4.0 using a AGFA Duoscan scanner at 400 dpi optical resolution. In Photoshop, the images were joined and cropped to form a contiguous image of a longitudinal strip of sediment of equal width (equivalent to .9 cm of sediment) and colour adjusted by enhancing the blue content by 50 units in RGB to allow the vivianite to stand out more sharply. A specially written computer program was then used to quantify the proportion of "blue" pixels in each interval (equivalent to 1 cm of sediment depth) of the image where "blue" was defined using the formula: (blue) > (green) > (red+20) in RGB (Thierry Varem-Sanders, pers. comm.). The results were compared with the photographs to ensure that no significant vivianite concretions were missed and nothing other than vivianite was included. While the image analysis program somewhat underestimated the amount of visible vivianite, the relative abundances from one interval to another were fairly represented. X-ray diffraction analysis of several samples confirmed that the blue material was vivianite.

4.3.4 Geochemical Analyses

Organic matter, carbonate, and ash content were determined by loss on ignition following Dean (1974). The geochemistry of the authigenic fraction of the sediment was

determined by leaching with .25 N HCl and analysing the leachate with ICP-AES using the method described by Malo (1977). Two aspects of our methodology differed from that described by Malo: 1) organic matter was not removed from the sediment prior to leaching with HCl because we were interested in all components of the sediment, including the organic fraction; 2) the sediment was soaked in HCl for 90 minutes at 90°C rather than the minimum 30 minutes suggested by Malo.

4.4 Basic Geochemistry of Vivianite Precipitation

In order to precipitate and remain stable, vivianite typically requires reducing conditions (Eh<0), high ferrous (rather than ferric) iron concentrations, low sulfide activity, moderate to high phosphorus concentrations, and near neutral pH (Nriagu, 1972; Nriagu & Dell, 1974; Virtanen, 1994). All of these factors are interrelated in complex ways.

Reducing conditions are necessary to transform iron from the ferric form (Fe³+), which is the most common phase found in surface environments, into the ferrous form (Fe²+). Iron reduction begins at a redox potential (Eh) < 200 mV at neutral pH (Håkanson & Jansson, 1983) and reduction is usually facilitated by microbial organisms during the decomposition of organic matter. Reducing conditions must be persistent, rather than merely seasonal, in order for vivianite to remain stable (Virtanen, 1994). Such conditions can occur in a variety of aqueous and water-logged environments including groundwater, the hypolimnion of lakes, gleyed and pseudo gleyed soils, lake and swamp sediments, and peatlands. As soon as oxygen is introduced, ferrous iron immediately reoxidizes to the ferric form and vivianite begins to break down. Because decomposing organic matter consumes oxygen and thereby promotes reducing conditions, vivianite is often found associated with organic material such as bone, wood, roots, diatoms, etc. (Henderson et al., 1983).

Sources of iron which may potentially undergo reduction include a variety of iron oxides which are ubiquitous in surface environments. These oxides form as the weathering products of primary silicate and sulfide minerals and may be especially abundant in temperate glaciated landscapes which contain an abundance of mechanically ground material available for weathering (Jones & Bowser, 1978; Schwertmann & Fitzpatrick, 1992). Sources of phosphorus which may potentially bond with reduced iron include weathered phosphate minerals (mainly apatite), naturally occurring organic matter, drainage water from agricultural land, and municipal and industrial waste (Håkanson & Jansson, 1983).

Once reduced, Fe²⁺ can combine with a variety of anions including hydroxyl, carbonate, phosphate, and sulfide ions. It combines with sulfides preferentially, however, and high concentrations of these ions may use up all the available Fe²⁺ in the formation of iron monosulfides and preclude the formation of other ferrous iron minerals. These iron monosulfides may be subsequently transformed into pyrite (FeS₂) if sufficient sulfur is available

(Berner, 1981). Low concentrations of sulfide ions are therefore usually necessary to ensure sufficiently high concentrations of Fe²⁺ are available to combine with phosphate ions to form vivianite.

Sulfide ion concentration is related to both redox potential and type of environment, and was used by Berner (1981) in his geochemical classification of sediments. Iron reduction occurs before the reduction of sulfate which begins at an Eh < 100 mV (Håkanson & Jansson, 1983). Thus, under mildly reducing conditions, iron will be reduced to the necessary Fe²⁺ but sulfate will not be reduced. Such conditions are termed "anoxic non-sulfidic post oxic" by Berner and they occur where the amount of available organic matter is very low, such as in oligotrophic lake sediments. The paucity of organic matter means that decomposition can be completed before anaerobic microbes begin to utilize lower-yielding forms of energy such as sulfates. It also means, however, that the amount of phosphorus released from organic matter will also be low and consequently, only a small amount of vivianite (if any) will be precipitated if organic matter is the main phosphorus source.

Strongly reducing conditions and very high concentrations of ferrous iron can also produce the requisite low levels of sulfides. In this scenario, called "anoxic non-sulfidic methanic" by Berner, there is an abundance of organic matter to be decomposed and all sulfates are eventually reduced to sulfides. The sulfides immediately bond with ferrous iron to form iron monosulfides but ferrous iron concentrations are sufficiently high (or initial sulfate concentrations were sufficiently low) that even after all available sulfides have satisfied their ferrous iron needs, there is still enough Fe²⁺ left over to form vivianite. Such situations are common in freshwater environments which are usually low in sulfates to begin with, resulting in minimal ferrous iron loss to sulfide scavenging. In contrast, marine and brackish water usually contains high sulfate concentrations and so extremely high levels of ferrous iron would have to be present in order to have enough leftover for vivianite precipitation once sulfate reduction is completed (or, alternatively, these sediments would have to be so poor in organic matter that the available sulfate is never reduced to sulfide).

Even in the absence of sulfide ions, other ions such as Ca⁺ and CO₃²⁻ compete for phosphate and ferrous iron ions. High concentrations of Ca⁺ (i.e. a Ca/Fe ratio greater than 10) will lead to the precipitation of hydroxyl apatite, while high concentrations of CO₃²⁻ will facilitate siderite precipitation (Rosenquist, 1970; Jakobsen, 1988). Siderite has almost the same geochemical requirements as vivianite in terms of pH, redox potential, ferrous iron requirements and sulfide intolerance and is often found in association with vivianite (Jakobsen, 1988).

Phosphate ions not only bond with ferrous iron but are also readily adsorbed by ferric oxides. A common method of vivianite formation often involves both forms of iron as follows. Ferric oxides precipitate under aerobic conditions and adsorb phosphate ions. Subsequent burial in anoxic conditions causes reduction whereby phosphate is released and ferric iron

transformed into the ferrous form. Phosphate and ferrous iron ions are then free to bond to form vivianite. In mildly reducing conditions, it may take some time to reduce ferric oxides to ferrous iron however, and so even after burial, ferric oxides may compete with ferrous iron for phosphate ions.

Another important variable in vivianite formation is pH. At low pH, higher concentrations of both phosphate and ferrous iron are required for vivianite to precipitate (Nriagu & Dell, 1974). At high pH, the sensitivity of ferrous iron to sulfide ions goes up (Kjensmo, 1967). Thus, the "ideal" pH for vivianite precipitation given average conditions is around 7.

Under anoxic conditions, fresh vivianite is colourless or white and occurs as spherical nodules or concretions. On exposure to oxygen, some of the ferrous iron is oxidized to the ferric form triggering a colour change to bright blue (McCammon & Burns, 1980). This partially oxidized form of vivianite is sometimes referred to as kertschenite (Nriagu, 1972). With continued exposure to oxidizing conditions, more and more ferrous iron is oxidized and vivianite eventually breaks down into a buff or yellowish friable mass which may be composed of several minerals including lipscombite, rockbridgite and strengite (Nriagu, 1972). Because of this intolerance to oxygen, vivianite is not preserved well in the geologic record and most known occurrences are Quaternary in age (Nriagu, 1972; Henderson et al., 1984). In this paper, vivianite and its oxidation products will be collectively referred to as vivianite.

4.5 Vivianite as a Paleoenvironmental Indicator

In several studies, the presence of vivianite was shown to be linked to, and therefore a potentially useful indicator of, a variety of paleoenvironmental factors including ground water source and ground water levels. It has also been shown to both reflect and influence productivity in certain freshwater lakes, and has been linked to stable meromixis and slow sedimentation rates in others.

4.5.1 Groundwater Source

Several studies have shown that vivianite may be useful as an indicator of fresh, sulfate poor groundwater conditions. Rosenqvist (1970), for example, found evidence of three different facies in the bottom sediments of Lake Asrum, (Norway) ranging from marine at the base through lagunal in the middle and freshwater lacustrine in the upper four metres. Vivianite was abundant in the lacustrine sediments but totally absent in the underlying lagunal and marine sediments.

Jakobsen (1988) studied a lowland moor in Denmark that was influenced by two different sources of groundwater. One source was rich in iron and sulfur while the other was low in sulfur and rich in carbonate. Pyrite was formed in the sediments influenced by the sulfur-rich groundwater while siderite and vivianite precipitated in the sediments influenced by low sulfur

groundwater inflow. In the latter case, vivianite was more common in the upper more peaty part of the sediment whereas siderite was more abundant in the lower gyttja. Jakobsen explained this by the high amounts of CO_3^{2-} in the groundwater which out-competed phosphate ions for available ferrous ions in the lower part of the sediment column. As groundwater percolated up through the mineral soil and gyttja, CO_3^{2-} and any sulfide ions combined with ferrous ions to form siderite and iron monosulfides, respectively. By the time the groundwater reached the upper peaty part of the sediment, phosphate ions could bond with ferrous iron to form vivianite with relatively little competition.

Similarly, Postma (1982) studied a deltaic swamp near the coast of Denmark which was subject to both brackish and freshwater inflows. Sediments influenced by brackish water contained pyrite while sediments with freshwater inflow contained siderite and vivianite. He cautioned against using siderite/vivianite occurrence as an indicator of freshwater conditions however, because providing sufficiently high levels of ferrous iron were present, it would be theoretically possible for vivianite and siderite to form in brackish water sediments after the complete reduction of the sulfate and precipitation of iron sulfides.

4.5.2 Groundwater Level

Because of vivianite's sensitivity to oxygen and the dramatic colour changes it goes through with continued exposure to oxidizing conditions, vivianite can be a useful indicator of changing water table levels. Landuydt (1990) examined bogs along small rivers in the Belgian Campine area, which were rich in organic matter with very high iron and high phosphorus contents. The water table was near the surface in the winter but dropped 1 to 1.5 metres in the summer. Vivianite was found in the permanently reduced sediment below the level of seasonal fluctuation. An artificially low water table level due to pumping of groundwater was marked by a thick 10 cm layer of vivianite which had oxidized to a yellowish isotropic material. Similarly, Leavens (1972) found vivianite nodules below the current water table in a stream bed in New Jersey. Above the current water table level, a layer of dull brown partly oxidized vivianite was found indicating that former groundwater levels were higher.

4.5.3 Lake Productivity, Stratification, and Sedimentation

Sedimentary vivianite is more often associated with low to moderately productive lakes since eutrophic conditions often result in sulfate reduction and precipitation of iron sulfides rather than vivianite unless iron levels are very high and sufficient to precipitate both minerals. Also, vivianite itself can limit lake productivity by sequestering phosphorus and thus limiting its availability in the water column (see below). Vivianite has been found in the sediments of ultra-oligotrophic to eutrophic lakes, however, and so associating vivianite with any particular level of lake productivity should be done with caution.

The sudden appearance or disappeærance of vivianite can, however, sometimes be associated with changes in lake productivity. In Baptiste Lake, Alberta, for example, Manning et al. (1999) found that the sudden absence of wivianite in the upper 25 cm of sediment coincided with the period of land clearance in this area.. This alteration of the watershed increased nutrient runoff into the lake and may have altered gro-undwater flow patterns resulting in eutrophication of the formerly mesotrophic lake. The upper 255 cm of sediment were high in pyrite whereas below this level, vivianite was present and pyrite was absent. Since redox potentials within the vivianite rich sediments were not low enough: to generate sulfide ions, organic matter deposition must have been much less than at present, and perhaps the bottom waters were better oxygenated as well. Prior to the land clearance, high concentrations of Fe²⁺ and phosphate ions in the groundwater percolated upward through the sediment and were precipitated at the sediment-water interface (similar to Narrow Lake, below). Now the lake water is depleted in iron due to precipitation of iron sulfides, there is n ot enough iron left over to bind with increased levels of phosphates, and the lake has become eutrophic.

As long as it remains stable, vivianite can act as a phosphate sink in freshwater systems and thus has the potential to not only reflect lake productivity as above, but to influence it as well. In the case of Narrow Lake, Alberta, Manning et al. (1991) suggest that the precipitation of vivianite in the sediments is the only reason this lake has remained mesotrophic while other prairie lakes in similar settings have become eutrophic due to nutrient rich runoff from surrounding agricultural land. In this lake, groundwater rich in ferrous iron percolates up through the bottom sediments and then oxidizes to ferric oxides at the mud water interface. The ferric oxides adsorb phosphate ions from the bottom waters. Upon burial, the ferric iron is reduced to ferrous iron which recombines with the released phosphate ions to form vivianite. During summer stratification, the bottom waters are anoxic and upwelling Fe²⁺ can bond directly with phosphate ions and form vivianite at the sediment surface. Thus, both ferric oxides and vivianite effectively remove phosphate ions from the orverlying water before they can stimulate algal growth and eutrophication is prevented.

Similarly, Cornwall (1987) implicated ferric oxides and vivianite in the suppression of the productivity in ultraoligotrophic Toolik Lake, Alaska. This lake is oxic year round and the top 8 cm of sediment are oxidized and contain an abundance of ferric oxides. Below 8 cm, reducing conditions release Fe²⁺ and phosphate ions and some of these bond to form vivianite. The rest of the ions diffuse upward to the oxidizing zorne again (due to the redox gradient) where ferrous iron is reoxidized and phosphate is adsorbed to ferric oxides again. The retention of most of this upward flux of phosphate via adsorption limits the recycling of phosphorus, thus limiting lake productivity. Phosphate inputs are low to begiin with, and most of it is lost to the sediment. Cornwall concluded that as long as the ferric •oxide "trap" remained intact, an increase in lake productivity would be unlikely.

While vivianite is usually associated with moderate or low lake productivity, it has occasionally been found in eutrophic lakes with very high levels of iron. Lake Greifensee, Switzerland (Emerson, 1976), for example, is eutrophic and the abundance of organic debris deposited results in the production of sulfides and dissolved phosphates among other ions. This lake is sufficiently iron rich, however, that all ferrous iron is not used up in the formation of iron monosulfides. Below the level of sulfate reduction, Fe²⁺ builds up resulting in a diffusion gradient which causes Fe²⁺ to move up towards the surface again. With all sulfides now otherwise bonded, Fe²⁺ is free to bond with phosphate ions to form vivianite and pore waters in the top 15 cm become supersaturated with this mineral. The kinetics of vivianite precipitation are so slow however, that only about 15% of the available phosphate is tied up and the rest is lost to the overlying water. This reinforces the eutrophy of the lake when phosphorus is mixed into the epilimnion during the next overturn period. Although vivianite precipitation in the sediments of this lake is not sufficient to prevent eutrophy, the lake is not as eutrophic as it would have been without the influence of vivianite.

In addition to its association with and influence on different levels of lake productivity, vivianite has been associated with lake stratification and sedimentation as well. In iron rich Lake of the Clouds, for example, Anthony (1977) reported that vivianite nodules were especially large where the annual laminations were particularly wide and distinct. The most distinct laminations were formed during periods of very stable meromixis and also contained very high amounts of iron in the light (summer) layers. Nembrini et al. (1983) found a high concentration of large vivianite nodules between 7-8 cm of the sediment of Lago Maggiore in Italy. During this interval, the sedimentation rate was very slow (as indicated by Pb²¹⁰ dating) and thus the large size was attributed to a long period of diffusion wherein Fe²⁺ and phosphate ions continued to move up to and precipitate at the surface before this horizon was finally buried.

4.6 Christina Lake Vivianite - Results and Discussion

The Christina Lake vivianite curve based on image analysis is shown in Figure 4-2 along with sediment influx, organic matter concentration (based on loss on ignition), and the phosphorus, iron and sulfur results (from ICP-AES analysis of the .25N HCI leachate). Pearson correlation results for vivianite, number of varves per cm depth,sediment influx, organic matter, ash, and carbonate concentrations, and the concentrations of the 15 elements analysed by ICP-AES are given in Table 4-2. Vivianite abundance showed no strong correlation with any of the other elements analysed including iron and phosphorus. Such weak correlations emphasize the importance of microsite conditions (rather than average conditions) for the formation of diagenetic minerals such as vivianite. They may also reflect the difference in sensitivity of the analytical methods used since ICP-AES analysis can detect minute fluctuations measured in

ppm while vivianite quantification based on image analysis was measured in ppt and is limited to only those nodules that were large enough to be visually detected.

Despite the poor correlation results, however, the trends in the graphed results (Figure 4-2) indicate some general associations. Below ~25 cm, vivianite was most abundant where both phosphorus and organic matter concentrations were relatively high and sediment influx was relatively low. The highest concentrations of vivianite occurred between ~80 and 148 cm and the varves over this interval were very regular and distinct suggesting stable thermal stratification (and therefore probably stable anoxia). The frequency of diatomaceous bands was also greater here (Laird, personal observation) indicating greater lake productivity. Greater diatom abundance combined with low sediment influx values, suggest that a greater proportion of the organic inputs to the sediment over this interval were authigenic rather than partially decomposed allogenic materials from which phosphorus may have already been stripped. A greater proportion of authigenic organic matter would mean that more phosphorus would be available in the sediment. Some of the dissolved phosphorus in the sediment porewaters would have moved up into the overlying water until equilibrium between the sediment porewater and the water immediately overlying the sediment was reached. After equilibrium was attained, however, stable thermal stratification would minimize further loss of dissolved phosphorus; with no current activity to dilute the phosphorus concentrations at the sediment/water interface. equilibrium could be maintained with minimal diffusion from the sediment.

The concentrations of organic matter and phosphorus were lowest, and sediment influx was highest between ~25 cm and 63 cm and vivianite values are low here as well. This interval coincides with the end phase of the Little Ice Age (~1750 to 1850) when conditions in Alberta were possibly colder and wetter than at any other time in the Holocene (Vance et al., 1992; Campbell, 1998). This interval of the sediment column contained fewer diatomaceous bands (Laird, personal observation) indicating lower lake productivity. Many of the varves were also less distinct and some sections showed evidence of greater turbulence in the overlying water (including shell hash and irregular laminations) suggesting less stable thermal stratification during this period and possibly less stable anoxia. With lower lake productivity and higher sediment influx, the proportion of authigenic organic matter in the sediment would be low and so less phosphorus would be available in the sediments for vivianite precipitation. In addition, with greater turbulence in the overlying water, the phosphorus concentrations near the sediment/water interface may have been frequently diluted creating a diffusion gradient along which more dissolved phosphorus moved out of the sediment and into the overlying water (Håkanson & Jansson, 1983).

Above ~25 cm, phosphorus and organic concentrations increase while vivianite abundance remains low and the image analysis results suggest there is no vivianite at all in the upper 10 cm of the core. X-ray diffraction results also showed no vivianite in samples from the

upper 10 cm. Careful examination of the sediment peels, however, revealed that a few small vivianite nodules were indeed present. Apparently, the crystals were not yet large enough to be detected using the image analysis technique (which tended to underestimate vivianite abundance), or by x-ray diffraction. The scarcity and small size of the vivianite nodules in the upper sediments might be due to the very slow kinetics of vivianite precipitation and crystal growth (Mackereth, 1965; Emerson, 1976). Unlike Baptiste Lake, Alberta (Manning et al., 1999), Christina Lake has not become eutrophic (Bradford, 1990) and no pyrite was observed in the sediments nor is any evident in the x-ray diffraction results (Diane Caird, pers. comm.). It is therefore unlikely that the low amount of vivianite in recent sediments is due to sulfate reduction and the scavenging of ferrous iron by sulfide ions.

Anomalously low iron levels occur between 5-10 cm depth suggesting that low iron levels might be at least partially responsible for the scarcity of vivianite over that interval. Stereoscopic examination of the sediment peels, however, showed that small vivianite concretions occurred with the same frequency as they did immediately above and below this interval where iron concentrations were much higher. It is unlikely, then, that the scarcity of vivianite is entirely due to low iron abundance. Why these low levels of iron occurred here and in two other samples further down core is unknown. Perhaps the iron was bound in minerals which were not leachable by dilute HCI, or, perhaps much of the iron from this interval diffused upward or downward a few centimeters (the iron levels for samples on either side of the anomalous trough are quite high). Alternatively, recent road building activity and oil and gas exploration may have interfered with one of the iron sources to the lake.

Deleting the upper 25 cm (which may not have had time to equilibrate and precipitate vivianite nodules of sufficient size) does not significantly improve the Pearson correlation results (Table 4-2) which remain very weak. It is interesting to note, however, that the only significant (p = .05) positive correlations occur between vivianite and the number of varves per cm depth (indicating a slow sedimentation rate), and organic matter and phosphorus concentrations (which may be indicative of greater lake productivity).

4.7 Conclusion

In Christina Lake, vivianite abundance in the sedimentary column (excluding the upper 25 cm) appears to be associated with stable thermal stratification (and therefore, probably stable anoxia and minimal dilution of Fe and P in the bottom waters of the hypolimnion), relatively slow sedimentation rate, and somewhat greater lake productivity (as indicated by organic matter and phosphorus concentrations, and the frequency of diatom blooms). Changes in vivianite abundance did not provide any paleoenvironmental information for Christina Lake that could not be provided by other physical or chemical analyses of the laminations and thus its value as a paleoenvironmental indicator at this site is limited. Nevertheless, knowing how vivianite

abundance changed in response to various paleoenvironmental factors in Christina Lake might prove useful for studying massive sediments of other lakes in which bright blue concretions of vivianite might be easily seen while changes in lake stratification, sedimentation rate, and productivity are not as readily discernable as they are in laminated lake sediments.

Table 4-1: Characteristics of Christina Lake. Water chemistry is based on a composite sample collected from the euphotic zone August 29, 1983 (modified from Bradford, 1990).

elevation	~554 m
surface area	21.3 km ²
volume	369 x 10 ⁶
maximum depth	32.9 m
mean depth	17.9 m
рН	8.2
total alkalinity (CaCO ₃)	115 mg L ⁻¹
total dissolved solids (calculated)	117 mg L ⁻¹
specific conductivity	220 μ S cm ⁻¹
total hardness (CaCO ₃)	98 mg L ⁻¹
HCO₃	140 mg L ⁻¹
CO ₃	0 mg L ⁻¹
Mg	8 mg L ⁻¹
Na	7 mg L ⁻¹
К	1 mg L ⁻¹
CI	< 1 mg L ⁻¹
SO ₄	< 5 mg L ⁻¹
Ca	26 mg L ⁻¹
total phosphorus	16 μg L ⁻¹
total Kjeldahl nitrogen	540 μ g L ⁻¹
NH₄ - nitrogen	18 μ g L ⁻¹
iron	$<$ 20 μ g L ⁻¹
Secchi depth	5.0 m

Table 4-2: Pearson correlation results (two-tailed) between vivianite and other physical and chemical factors. Column A shows correlation results for the entire sediment column (n = 167-168). Column B shows results with the top 25 cm excluded from the correlation analysis (n = 141-143).

	A	В
varves (# cm ⁻¹)	.288**	.241**
sediment influx (g cm ⁻² yr ⁻¹)	-0.115	219**
organic matter	-0.031	.198*
carbonates	.153*	0.134
ash	-0.064	195*
Fe	0.117	0.129
Р	0.128	.208*
S	186*	-0.107
Al	-0.012	-0.072
As	-0.123	0.041
Ca	217**	192*
Cu	242**	273**
К	162*	-0.097
Mg	266**	236**
Mn	181*	-0.102
Na	-0.152	-0.052
Ni	171*	-0.087
Pb	177*	0.006
Ti	-0.064	0.151
Zn	-0.042	0.114

^{*} Correlation is significant at the 0.05 level

^{**} Correlation is significant at the 0.01 level





Figure 4-1: Location of Christina Lake. The coring site is marked with an "x"

Figure 4-2: Vivianite abundance in Christina Lake (based on image analysis) shown with sediment influx, organic matter concentration (loss on ignition), and phosphorus, iron, and sulfur concentrations.



4.8 References

- Alberta Environmental Protection, 1994. Natural regions and subregions of Alberta: summary.

 Alberta Environmental Protection, Edmonton.
- Anthony, R.S., 1977. Iron-rich rhythmically laminated sediments in Lake of the Clouds, northeastern Minnesota. Limnol. Oceanogr. 22: 45-54.
- Berner, R.A., 1981. A new geochemical classification of sedimentary environments. J. Sed. Petrol. 51: 359-365.
- Bradford, M.E., 1990. Athabasca River Basin: Christina Lake. *In P. Mitchell & E. Prepas (eds.)*, Atlas of Alberta lakes. University of Alberta Press, Edmonton: 136-139.
- Campbell, C., 1998. Late Holocene lake sedimentology and climate change in southern Alberta, Canada. Quat. Res. 49: 96-101.
- Cornwell, J.A., 1987. Phosphorus cycling in arctic lake sediment: adsorption and authigenic minerals. Arch. Hydrobiol. 109: 161-179.
- Dean, W.E., Jr., 1974. Determination of carbonate and organic matter in calcareous sediments and sedimentary rocks by loss on ignition: comparison with other methods. J. Sed. Petrol. 44: 242-248.
- Emerson, S., 1976. Early diagenesis in anaerobic lake sediments: chemical equilibria in interstitial waters. Geoch. Cosmosch. Acta. 40: 925-934.
- Håkanson, L. & M. Jansson, 1983. Principles of Lake Sedimentology. Springer-Verlag, New York, 316 pp.
- Henderson, G., K. Rodgers & V. Cassie, 1983. Diatoms accompanying vivianite from Auckland Province. N. Z. J. Geol. Geophys. 26: 309-310.
- Henderson, G.S., P.M. Black, K.A. Rodgers & P.C. Rankin, 1984. New data on New Zealand vivianite and metavivianite. N. Z. J. Geol. Geophys. 27: 367-378.
- Jakobsen, B.H., 1988. Accumulation of pyrite and Fe-rich carbonate and phosphate minerals in a lowland moor area. J. Soil Sci. 39: 447-455.
- Jones, B.F. & C.J. Bowser, 1978. The Mineralogy and Related Chemistry of Lake Sediments. In A. Lerman (ed.), Lakes: Chemistry, Geology, Physics. Springer-Verlag, New York: 179-235.
- Kjensmo, J., 1967. The development and some main features of "iron-meromictic" soft-water lakes. Arch. Hydrobiol. Suppl. 32: 137-312.
- Laird, L.D. & I.D. Campbell, In Press. High resolution palaeofire signals from Christina Lake, Alberta: a comparison of the charcoal signals extracted by two different methods. Palaeogeogr. Palaeoclim. Palaeoecol.
- Landuydt, C.J., 1990. Micromorphology of iron minerals from bog ores of the Belgian Campine area. Dev. Soil Sci. 19: 289-294.
- Leavens, P.B., 1972. Oxidation of vivianite in New Jersey Cretaceous greensands. Abstracts, 24th International Geological Congress, Montreal, 423.

- Mackereth, F.J.H., 1965. Some chemical observations on post-glacial lake sediments. Phil. Trans. Roy. Soc. London 250: 165-213.
- Malo, B.A., 1977. Partial extraction of metals from aquatic sediments. Env. Sci. Technol. 11: 277-282.
- Manning, P.G., T.P. Murphy & E.E. Prepas, 1991. Intensive formation of vivianite in the bottom sediments of mesotrophic Narrow Lake, Alberta. Can. Mineral. 29: 77-85.
- Manning, P.G., E.E. Prepas & M.S. Serediak, 1999. Pyrite and vivianite intervals in the bottom sediments of eutrophic Baptiste Lake, Alberta. Can. Mineral. 37: 593-601.
- McCammon, C.A. & R.G. Burns, 1980. The oxidation mechanism of vivianite as studied by Mossbauer spectroscopy. Am. Mineral. 65: 361-366.
- Nembrini, G.P., J.A. Capobianco, M. Viel & A.F. Williams, 1983. A Mossbauer and chemical study of the formation of vivianite in sediments of Lago Maggiore (Italy). Geoch. Cosmosch. Acta. 47: 1459-1464.
- Nriagu, J.O., 1972. Stability of vivianite and ion-pair formation in the system $Fe_3(PO_4)_2$ H_3PO_4 H_2O . Geoch. Cosmosch. Acta. 36: 459-470.
- Nriagu, J.O. & C.I. Dell, 1974. Diagenetic formation of iron phosphates in recent lake sediments. Am. Mineral. 59: 934-946.
- O'Sullivan, P.E., 1983. Annually-laminated lake sediments and the study of Quaternary environmental changes -- a review. Quat. Sci. Rev. 1: 245-313.
- Petterson, G., 1996. Varved sediments in Sweden: a brief review. *In A.E.S.* Kemp (ed.), Palaeoclimatology and palaeoceanography from laminated sediments. Geological Society Special Publication No. 116. The Geological Society, London: 73-77.
- Postma, D., 1982. Pyrite and siderite formation in brackish and freshwater swamp sediments. Am. J. Sci. 282: 1151-1183.
- Rosenquist, I.T., 1970. Formation of vivianite in Holocene clay sediment. Lithos 3: 327-334.
- Schwertmann, U. & R.W. Fitzpatrick, 1992. Iron minerals in surface environments. Catena Suppl. 21: 7-30.
- Swain, A.M., 1973. A history of fire and vegetation in northeastern Minnesota as recorded in lake sediments. Quat. Res. 3: 383-396.
- Van Horne, 1998. Christina Lake Thermal Project. Application to Alberta Energy and Utilities Board and to Alberta Environmental Protection. Volume 1 - Joint Submission. Report available at Alberta Environmental Protection library, Edmonton, Alta.
- Vance, R.E., R.W. Mathewes & J.J. Clague, 1992. 7000 year record of lake-level change on the northern Great Plains: a high-resolution proxy of past climate. Geology 20: 879-882.
- Virtanen, K., 1994. Geological control of iron and phosphorus precipitates in mires of the Ruukki-Vihanti area, central Finland. Geological Survey of Finland, Bulletin 375, 69 pp.

Walling, D.E. & Q. He, 1993. Towards Improved Interpretation of ¹³⁷Cs profiles in lake sediments. *In J. McManus & R.W. Duck (eds.)*, Geomorphology and sedimentology of lakes and reservoirs. John Wiley & Sons Ltd., Toronto: 31-53.

CHAPTER 5

Summary, Discussion, Conclusion, and Suggestions for Further Research

5.1 Summary

The boreal forest of Canada is a fire-dependent biome (Johnson 1992; Rowe and Scotter 1973; Wein and MacLean 1983). Climate change models suggest that the fire regime of the boreal forest will be altered in a 2X CO₂ world (Bergeron and Flannigan 1995; Weber and Flannigan 1997; Wotton and Flannigan 1993) and the changed fire regime may impact the forest to a greater extent than will the direct effects of the climate change itself (Bergeron and Flannigan 1995; Weber and Flannigan 1997; Wein and de Groot 1996). While the rate of change in the future is likely to be greater than at any time in the past, studying the responses of fire and vegetation to past climate changes may yield information that will be useful in predicting and preparing for changes in the future (Weber and Flannigan 1997). Concern over future climate change along with the need of park managers and forest managers to understand the "natural" fire regime of the forest in order to develop appropriate fire management or harvesting policies, has prompted an increased demand for high-resolution paleofire research.

At the time this project was initiated, there were no long-term high-resolution paleofire studies completed for the western boreal forest. The objective of this study was, therefore, to begin to fill in some of the knowledge gaps concerning the response of the fire regime and vegetation of the western boreal to climatic fluctuations over the last millennium. To this end, charcoal, pollen, and sedimentological characteristics of the annually-laminated sediments deposited over the last ~940 years in Christina Lake, Alberta were studied. Christina Lake is large and open (which is generally thought to be a disadvantage for extracting a local fire history) and located in the mid-boreal (far from any ecotones which are assumed to be more sensitive to climatic fluctuations). It was thought, however, that by choosing a method of charcoal analysis which focussed on large charcoal fragments, a local paleofire signal could be extracted, and that if pollen analysis was done at sufficiently high resolution, subtle vegetational changes in response to climate might be detected.

This study thus attempted to disprove the following null hypothesis:

The mid-boreal forest is sufficiently stable in the face of minor climate changes that none of the known climate changes over the last 1000 years will be detectable in the pollen, charcoal, or sedimentological records of a moderately large lake in the mid boreal forest.

The results of this study suggest that the pollen, charcoal, and sedimentological records of Christina Lake were indeed impacted by climatic fluctuations over the last millennium, as indicated in the summary and discussion below, and, therefore, the null hypothesis can be rejected.

5.1.1 Pollen

While the pollen results showed that the overall vegetation remained relatively stable over the past ~900 years, there was some evidence to suggest that the relative proportion of several species changed over time in response to climate. Consistent small increases in the concentrations of *Populus* and *Corylus* pollen prior to ~1250 AD suggested a greater deciduous component in the mixedwood forest surrounding Christina Lake, perhaps caused by the generally warmer climate of the Medieval Warm Period ca. 900-1300 AD (Hughes and Diaz 1994). As poplar pollen preserves extremely poorly in lake sediments (Hadden 1978; Lichti-Federovich 1970), the small increases in poplar pollen abundance could represent a much greater increase in the number of trees in the landscape. Other evidence for climate-induced vegetation change came from a strong decline in pine pollen in the samples from 1797 and 1853. A similar decline over a similar time frame was noted in other studies from the Wood Buffalo National Park area (Larsen and MacDonald 1998a; 1998b) and could be directly related to the cold, wet Little Ice Age climate or to climate-induced changes in fire disturbance.

The changes in vegetation observed in the Christina Lake data were not as dramatic as those observed in some ecotonal sites. For example, a mass die-off of white spruce between 1800 and 1860 was noted at an alpine treeline site in the Northwest Territories (Szeicz and MacDonald 1995); fire and climate-induced deforestation occurred in many forest-tundra sites in Quebec during the Little Ice Age (Arseneault and Payette 1992); and evidence for higher treelines ~1000 AD was found in the southern Canadian Rocky Mountains (Luckman 1994). The results do suggest, however, that climate fluctuations over the last 1000 years were sufficient to cause vegetational changes even in a non-ecotonal site. As Gajewski (1993) points out, while changes away from the ecotone may be less noticeable, they may still be significant as the sum of a small change in abundance over the entire range of a species is likely to be much greater than the sum of the larger change along a small ecotone.

The evidence for climate-induced vegetation change at Christina Lake suggests that the resolution of the study may be more important than its location for detecting changes over shorter time-scales. A further illustration comes from Vance et al. (1983) and Mott (1973) who did palynological studies in the ecotone between the boreal forest and the Aspen Parkland. Due to the coarse resolution of their studies (5 to 10 samples per 1000 years), they concluded that little vegetational change had occurred over the last 3000 years. By contrast, Campbell and Campbell (In Press) noted changes in both vegetation and fire in their high-resolution study spanning the last ~1400 years in the same ecotone (as reviewed in Chapter 1).

While climate-induced changes in vegetation were noted in Christina Lake, fire-induced changes in vegetation were difficult to detect as the pollen signal in large open lakes is dominated by regional rather than local pollen rain (Jacobson and Bradshaw 1981; Sugita et al. 1997) and thus the pollen catchment was much larger than the charcoal catchment for this site.

Small lakes, such as those studied by Larsen and MacDonald (1998a; 1998b) in the Wood Buffalo National Park area, would, therefore, be a better study site choice for determining vegetation responses to fire activity.

5.1.2 Charcoal

By choosing a method of charcoal extraction which focussed on large charcoal fragments (> $125 \mu m$), a local fire signal (which emphasized large fires burning right to shore) was obtained despite the large size of the lake and its many inflowing streams. The paleofire signal obtained by the nitric acid digestion - Total Carbon Analyser ignition method proved to be too correlated with sediment influx (and thus variable stream inflow and erosion), to be useful in this study. The results from this method were important, however, in that they showed that even in a large, open lake, the "total" charcoal influx is relatively local (i.e. confined to the watershed) and that aerial transport of charcoal from fires (even very large fires) outside the watershed is relatively unimportant at this site.

General patterns in fire activity for the prehistoric portion of the Christina Lake charcoal curve (extracted by the sieving method) were similar to those found in the Wood Buffalo National Park area and several mountain sites in Alberta and British Columbia with greater fire activity from the 16th century to the early-to-middle 18th century and less fire activity before and after this interval (Johnson et al. 1990; Johnson and Larsen 1991; Johnson and Wowchuk 1993; Larsen and MacDonald 1998a, 1998b; Masters 1990). The consistency in fire activity patterns over a broad geographic area suggests that the shifts in the fire regimes were related to large-scale climatic factors (Johnson and Wowchuk 1993). The specific nature of the climatic variables to which fire activity near Christina Lake was responding was not always clear, however, as only general climate trends could be inferred from the sedimentological data (see below) whereas fires often occur during short-term extremes in weather (Flannigan and Harrington 1988). This problem was most evident in the short average fire return intervals for large fires during the first part of the Little Ice Age despite the general moistening trend indicated by the proxy climate data.

The very long return interval for large fires during the latter half of the Little Ice Age was, however, consistent with the cold, wet conditions inferred from the sedimentological data. The situation near Christina Lake during this time interval may have been similar to that described by Foster (1983) in southeastern Labrador wherein the preponderance of wetlands and paludified sites in the landscape prevented the spread of large fires and resulted in the exclusion of fire-dependent species. Less fire activity near Christina Lake may have lead to greater mortality of fire-dependent jack pine and greater fuel buildup in the landscape. These factors may have contributed to the frequent large fires of the mid- to late-1800s. Current research suggests,

however, that coarse woody debris decomposes within 20-40 years (R. Wein, pers. comm.) so any increase in fuel buildup would have been limited to trees dying after ~1825.

5.1.3 Sedimentology

Sediment influx (g cm⁻² yr⁻¹) and carbonate concentration results yielded proxy climate information concerning general trends in precipitation and temperature respectively. The results showed a cooler wetter Little Ice Age interval preceded and followed by warmer, drier conditions which is consistent with other regional proxy climate information (Campbell 1998; Vance et al. 1992). Visible physical features of the sediment core such as varve regularity and distinctiveness, diatom blooms, sedimentation rate (varves cm⁻¹), and vivianite abundance also helped to give a general picture of lake productivity and thermal stratification that was consistent with the proxy climate information.

The presence of inflowing streams in Christina Lake was both an advantage and a disadvantage for extracting sedimentological information which may be related to climate. Variations in sediment influx (which was dominantly stream-borne clastic material) allowed a general precipitation trend to be inferred (although with no information on the seasonality or frequency of precipitation). The organic concentration of the sediment was also dominated by allochthonous (i.e. stream-borne) material, however, which precluded its use as an indicator of lake productivity (from which summer climate may have been inferred).

The changes in sedimentology in response to climate were not as pronounced in Christina Lake as they were in Chappice Lake near Medicine Hat, Alberta (Vance et al. 1992). The sediments of Chappice Lake fluctuated between annually-laminated sequences during dry periods and massive sediments during wet periods. By contrast, the sediments of Christina Lake remained varved throughout, although the laminations were generally much less distinct during the latter phase of the Little Ice Age.

5.2 Discussion - Potential Impact of Future Climate Change on Christina Lake

The sensitivity of the fire regime of the Christina Lake area to the climatic fluctuations over the last millennium suggests that the fire regime will be very sensitive to climate change of the future which is expected to be of greater magnitude. The exact nature of the change in fire regime is, however, difficult to predict. Flannigan et al. (1998) modelled changes in the Fire Weather Index (FWI) (a measure of fire danger) for Canada under 2 X CO₂ conditions. Their results show that the average FWI will be slightly lower in the Christina Lake region while extreme FWI values will remain about the same as it is now because increases in precipitation will offset temperature increases. The resolution of the GCM is coarse, however, aerosols are not incorporated, and land surface paramaterization in the model needs improvement (Flannigan et al. 1998).

Other modelling research suggests the fire season will lengthen by ~24 days in Alberta (Wotton and Flannigan 1993), and lightning frequency will increase by 30-40% between latitudes 50° N and 70° N (Fosberg et al. 1996; Price and Rind 1994). The impact of the latter on the Christina Lake area may be especially profound since it is located within a zone of higher-than-average lightning activity due to its position relative to the mountains (Nash and Johnson 1996). The climate of a 2 X CO₂ world is also expected to be much more variable with more extreme events (Flannigan et al. 1998). A period of greater climatic variability occurred from ~1550 -1700 in Europe (Lamb 1982) and perhaps in western Canada as well (Johnson and Wowchuk 1993). This period was characterized by a much greater frequency in the occurrence of blocking highs in high latitudes. Large fires have been shown to be related to blocking high pressure systems (Flannigan and Harrington 1988; Johnson and Wowchuk 1993; Newark 1975; Nimchuk 1983) so if the greater climate variability in a 2 X CO₂ environment is also characterized by a greater frequency of blocking highs, an increase in fire activity seems likely, especially when combined with longer fire seasons and greater lightning frequency.

The impact on the vegetation of the Christina Lake area of an increase in fire activity coupled with the stresses induced by the climate change itself is difficult to predict, but the following brief speculations are offered (a much more comprehensive review of this topic is given by Weber and Flannigan, 1997). If fire activity increases, species that can adapt to very short fire cycles (such as jack pine, black spruce, and aspen) will be favoured over species that cannot (such as white spruce and balsam fir). An increase in fire activity may also accelerate the eventual climate-induced vegetational change from the present mixedwood forest to the predicted aspen/grassland mosaic (Flannigan et al. 1998) as fire removes species poorly adapted to the new climate and provides an opportunity for better-adapted species to move in (Wein and de Groot 1996). During the transition to the new vegetation type, tree mortality due to climate stress and disease is likely to be very high and this may lead to larger or more severe fires due to an excess of dead and downed fuels (Weber and Flannigan 1997).

5.3 Conclusion

The completion of this project and recent work by Larsen and MacDonald in the Wood Buffalo National Park are important steps towards a greater understanding of the relationships among fire, vegetation, and climate in the western boreal forest. The results of this study are valuable in that they showed that both the fire regime and the vegetation of the mid-boreal forest were sensitive to climate changes over the last 1000 years, despite the relatively small magnitude of the climatic fluctuations and the location of the study site far from an ecotone. The similarity of the pollen and fire results from Christina Lake to those of other studies in western Canada highlighted the great influence large-scale climatic patterns have on vegetation and fire regimes. It is hoped that some of the results of this study will be useful in determining the

potential sensitivity of the fire regime and vegetation of the mid-boreal forest to cilimate changes in the future.

5.4 Suggestions for Further Research

- 1. Testing the nitric acid digestion-Total Carbon Analyser ignition method of carbon quantification on sediments from a closed varved lake would help to determine the utility of this method for paleofire studies in lakes which are not confounded by variable stream inflow.
- 2. High-resolution pollen studies from elsewhere in the western boreal forest woruld be useful in determining the spatial extent of the decline in pine pollen during the early to midi-1800s.
- 3. The analysis of additional pollen samples from Christina Lake spanning ~175€0 to ~1875 would be useful in determining the consistency and temporal limits of the decline in pine pollen at this site.
- 4. High-resolution charcoal studies from elsewhere in the western boreal forest would be useful in determining the spatial limits to the apparent general synchronicity in the paleofire patterns found in Christina Lake, Wood Buffalo National Park, and several sites in the Rocky Mountains.
- 5. High-resolution charcoal-based studies in the mountains would extend the paleofire record back beyond the limits of the current dendrochronological studies. It would be interesting to determine if fire cycles lengthen again prior to 1500 as they do in the Christina Lake record and the records from the Wood Buffalo National Park area.
- 6. A high-resolution study from Christina Lake spanning several thousands of years (ideally right through the Hypsithermal) would help to place this study in a broader temporal context.
- 7. A detailed multi-proxy varve by varve analysis of lake sediments (from Christin Lake or elsewhere) might yield more specific paleoenvironmental information. Coupling such a study with a detailed analysis of a long dendrochronological record from the same site might be especially useful.

5.5 References

- Arseneault, D., and Payette, S. 1992. A postfire shift from lichen-spruce to lichen-tundra vegetation at tree line. Ecology **73**: 1067-1081.
- Bergeron, Y., and Flannigan, M.D. 1995. Predicting the effects of climate change on fire frequency in the southeastern Canadian boreal forest. Wat. Air Soil Pollut. 82: 437-444.
- Campbell, C. 1998. Late Holocene lake sedimentology and climate change in southern Alberta, Canada. Quat. Res. 49: 96-101.
- Campbell, I.D., and Campbell, C. In Press. Late Holocene vegetation and fire history at the southern boreal forest margin in Alberta, Canada. Palaeogeogr. Palaeoclim. Palaeoecol.
- Flannigan, M.D., Bergeron, Y., Engelmark, O., and Wotton, B.M. 1998. Future wildfire in circumboreal forests in relation to global warming. J. Veg. Sci. 9: 469-476.
- Flannigan, M.D., and Harrington, J.B. 1988. A study of the relation of meteorological variables to monthly provincial area burned by wildfire in Canada. J. Appl. Meteorol. **27**: 441-452.
- Fosberg, M.A., Stocks, B.J., and Lynham, T.J. 1996. Risk analysis in strategic planning: fire and climate change in the Boreal forest. *In* Fire in Ecosystems of Boreal Eurasia. *Edited by* J.G. Goldammer, and V.V. Furyaev. Kluwer Academic Publishers, The Netherlands. pp. 495-505.
- Foster, D.R. 1983. The history and pattern of fire in the boreal forest of southeastern Labrador. Can. J. Bot. **61**: 2459-2471.
- Gajewski, K. 1993. The role of paleoecology in the study of global climatic change. Rev. Palaeobot. Palynol. **79**: 141-151.
- Hadden, K. 1978. Investigation of the registration of poplar pollen in lake sediments. Master of Science, University of Toronto, Toronto.
- Hughes, M.K., and Diaz, H.F. 1994. Was there a 'Medieval Warm Period', and if so, where and when? Clim. Change **26**: 109-142.
- Jacobson, G.L., Jr., and Bradshaw, R.H.W. 1981. The selection of sites for paleovegetational studies. Quat. Res. 16: 80-96.
- Johnson, E.A. 1992. Fire and vegetation dynamics: studies from the North American boreal forest. Cambridge University Press, Cambridge, UK.
- Johnson, E.A., Fryer, G.I., and Heathcott, M.J. 1990. The influence of man and climate on frequency of fire in the interior wet belt forest, British Columbia. J. Ecol. **78**: 403-412.
- Johnson, E.A., and Larsen, C.P.S. 1991. Climatically induced change in fire frequency in the southern Canadian Rockies. Ecology **72**: 194-201.
- Johnson, E.A., and Wowchuk, D.R. 1993. Wildfires in the southern Canadian Rocky Mountains and their relationship to mid-tropospheric anomalies. Can. J. For. Res. 23: 1213-1222.
- Lamb, H.H. 1982. Climate, history and the modern world. Methuen, London.

- Larsen, C.P.S., and MacDonald, G.M. 1998a. An 840-year record of fire and succession in a boreal white spruce forest. Ecology **79**: 106-118.
- Larsen, C.P.S., and MacDonald, G.M. 1998b. Fire and vegetation dynamics in a jack pine and black spruce forest reconstructed using fossil pollen and charcoal. J. Ecol. **86**: 815-828.
- Lichti-Federovich, S. 1970. The pollen stratigraphy of a dated section of Late Pleistocene lake sediment from central Alberta. Can. J. Earth Sci. 7: 938-945.
- Luckman, B.H. 1994. Evidence for climatic conditions between ca. 900-1300 A.D. in the southern Canadian Rockies. Clim. Change **26**: 171-182.
- Masters, A.M. 1990. Changes in forest fire frequency in Kootenay National Park, Canadian Rockies. Can. J. Bot. **68**: 1763-1767.
- Mott, R.J. 1973. Palynological studies in central Saskatchewan: pollen stratigraphy from lake sediment sequences. Geological Survey of Canada Paper 72-49.
- Nash, C.H., and Johnson, E.A. 1996. Synoptic climatology of lightning-caused forest fires in subalpine and boreal forests. Can. J. For. Res. **26**: 1859-1874.
- Newark, M.J. 1975. The relationship between forest fire occurrence and 500 mb longwave ridging. Atmosphere **13**: 26-33.
- Nimchuk, N. 1983. Wildfire behavior associated with upper ridge breakdown. Alberta Energy and Natural Resources, Forest Service ENR Technical Report T/50.
- Price, C., and Rind, D. 1994. The impact of a 2 X CO2 climate on lightning-caused fires. J. of Climate 7: 1484-1494.
- Rowe, J.S., and Scotter, G.W. 1973. Fire in the boreal forest. Quat. Res. 3: 444-464.
- Sugita, S., MacDonald, G.M., and Larsen, C.P.S. 1997. Reconstruction of fire disturbance and forest succession from fossil pollen in lake sediments: potential and limitations. *In* Sediment records of biomass burning and global change. *Edited by J.S. Clark, H. Cachier, J.G. Goldammer, and B.J. Stocks. Springer-Verlag, Berlin. pp. 387-4-12.*
- Szeicz, J.M., and MacDonald, G.M. 1995. Recent white spruce dynamics at the subarctic alpine treeline of north-western Canada. J. Ecol. **83**: 873-885.
- Vance, R.E., Emerson, D., and Habgood, T. 1983. A mid-Holocene record of vegetative change in central Alberta. Can. J. Earth Sci. 20: 364-376.
- Vance, R.E., Mathewes, R.W., and Clague, J.J. 1992. 7000 year record of lake-level change on the northern Great Plains: a high-resolution proxy of past climate. Geology **20**: 879-882.
- Weber, M.G., and Flannigan, M.D. 1997. Canadian boreal forest ecosystem structure and function in a changing climate: impact on fire regimes. Environ. Rev. 5: 145-166.
- Wein, R.W., and de Groot, W.J. 1996. Fire climate change hypotheses for the Tiaga. *In* Fire in ecosystems of boreal Eurasia. *Edited by* J.G. Goldammer, and V.V. Furyaev. Kluwer Academic Press, The Netherlands. pp. 505-512.

- Wein, R.W., and MacLean, D.A. (*Eds.*). 1983. The role of fire in northern circumpolar ecosystems. John Wiley and Sons, New York.
- Wotton, B.M., and Flannigan, M.D. 1993. Length of the fire season in a changing climate. For. Chron. **69**: 187-192.

Appendix 1: Description of ¹³⁷Cs determination

Samples of the dried Christina Lake sediment, weighing *ca.* 0.5-0.6 g each, were weighed into polyethylene counting vials. Each sample was counted at the University of Alberta SLOWPOKE Facility using a 22% hyperpure Ge detector housed in a 10 cm Pb cave. Sample counting times varied, but were never less than 80,000 s (*ca.* 22 hrs). The counting system was efficiency calibrated using certified CANMET radioactive reference standards DL-1a (116 ug/g U) and DH-1 (2673 ug/g U). The results of the analyses are listed in Table A-1 below. For sample LL 18-19 the ¹³⁷Cs activity was below the detection limit of the system. (M.J.M. Duke, pers. comm.)

iD.	Varve Date	137Cs Bq/g
LL 7-9	1976.5-1983	0.177
LL 9-10	1974-1976.5	0.232
LL 10-11	1970-1974	0.134
LL 11-12	1967-1970	0.259_
LL 12-13	1963-1967	0.304
LL 13-14	1960.5-1963	0.265
LL 14-15	1958-1960.5	0.209
LL 16-17	1952.5-1955	0.106
LL 17-18	1949-1952.5	0.031
LL 18-19	1945-1949	<0.01

Table A-1. 137Cs gamma-ray spectrometry results.

Appendix 2 - Basic pollen preparation procedure

- 1) dry and weigh sample
- 2) add Lycopodium spike
- 3) soak in 10% KOH in a hot water bath centrifuge and decant (C+D)(removes humics and disaggregates sample)
- 4) rinse with distilled water C+D
- 5) add 5% HCI C+D (removes carbonates and acidifies for HF)
- 6) add HF in hot water bath (removes fine silicates)
- 7) add 5% HCI C+D (removes HF in acid medium to prevent formation of hydrofluorosilicates)
- 8) add Glacial Acetic Acid C+D (dehydrates sample to prepare for acetolysis)
- 9) add Acetolysis mixture in hot water bath C+D (removes fine cellulose)
- 10) add Glacial Acetic Acid C+D (removes acetolytic solution in acid dehydrated medium)
- 11) add distilled water C+D
- 12) add 50% glycol C+D
- 13) mount in glycerine or glycerine jelly

Appendix 3 - Full pollen diagrams




Figure A-1: Full pollen percentage diagram for Christina Lake.




Figure A-2: Full pollen influx diagram for Christina Lake. Expressed in terms of number of grains divided by 10000.

Appendix 4: Results from geochemical analyses. (ICP-AES analysis of .25N HCl leachate).




Figure A-3: Concentrations of aluminum, arsenic, calcium, copper, iron, and lead.




Figure A-4: Concentrations of magnesium, manganese, nickel, phosphorus, potassium and sodium.




Figure A-5: Concentrations of sulfur, titanium, and zinc.

Appendix 5: Digestion-TCA ignition results compared to sieved charcoal and sediment influx.




Figure A-6: TCA carbon concentration, TCA carbon influx, sieved charcoal influx, and sediment influx.

Appendix 6: Pearson correlation results for sedimentological characteristics, sieved charcoal, TCA carbon, vivianite, and geochemistry results.

		SEDinflux	ASHcon	ASHinflux	ORGcon	ORGInflux	CARBcon	CARBinflux	CHARA	CHARINILIX	ODWT/cc VAR	VARVES/cm
Pearson	SEDinflux	1,000	. 659.	.686	.299	.868	-417.	.510	.101	.861	.486*	.504
Correlation	ASHcon	.659.	1.000	.756*	825	.354	667	049	107	880.	-609	.112
	ASHinflux	.989.	.756*	1.000	631	.839*	496*	.415	116	-771.	.505.	
	ORGcon	563*	.825	631	1.000	.171*	.129	.356	.119	.031	.799*	
	ORGinflux	.898	.354*	.839*	.171.	1.000	.392-	.470	025	.258*	.207	.669
	CARBcon	.417	.667	496*	.129	.392*	1.000	.539	.034	-,107	144	
	CARBinflux	.510*	.049	.415*	356	.470*	.689.	1,000	150	160.	.551*	.010
-	CHAR/g	-101	107	-:116	.119	-,025	.034	051	000:1	.931•	060:-	.025
	CHARINIIux	.198•	.088	.177	-:031	.258	.107	160.	.931	1.000	710.	.183
	ODWT/cc	.486	.509	.502*	.789	.207	144	.551	060'-	.017	1.000	.466
	VARVES/cm	504	-112	476	-,258*	669*	.537	.010	.025	. 183	.466	1.000
	VIVIANITE	-115	064	-,119	.031	124	.153*	.023	.043	.005	.152	.288
	TCAcon	.155*	.154	137	.407	.045	.254	.417	.084	.085	.694	.514
	TCAInflux	.928	.598*	•	594	.823	272-	.610	061	.211**	.647	.295
	ALcon	.499•	.682	.267	.484	.319*	561	81	017	.143	.278*	.227
	ALinflux	.868	.765	.928	.297	.738*	-,554	.262*	980'-	.183	.438*	450
	AScon	555	655	563*	.728*	-279-	.193	266*	.210**	.051	.755.	281
	ASinflux	.635*	119	.929.	40.	.751**	-210-	.385	.125	.322*	960:-	.677
	CAcon	.277	503.	.305.	.717.	040	.061	-,320*	.120	090	772	544
	CAInflux	.750*	.305	.716*	.057	.835	.447	.266	.012	.274**	.075	B10°
	CUcon	.005	231	·.007	.308.	.063	8	910	.280	.272*	.213	288
	CUINITINX	.941*	.587	.926.	.484	.860*	.392*	.486	005	.272.	.397*	527
	FEcon	990:-	102	•:094	005	014	.185	760.	8.	.103	900	.145
	FEinflux	.791.	.459*	.757.	.398.	.168.	.230*	.496•	40	.253	.356*	-:383-
_	Kcon	.091	990:	.125	.238**	141	.430	.371	121.	.189*	- 450	-,564
	Kinflux	.685	.554	.402.	291	.634	583*	.042	.033	.260	.035	.613
	MGcon	.179*	.126	.213*	070.	137	.313*	.169	8.00.	.011	250	490
	MGinflux	904	.099	.912*	.510	.682.	.484.	.351*	.109	.165	.332*	.561
	MNcon	.296	521	.325	.636•	103	720.	.216	.185*	980.	649 _*	.413
	MNinilux	.051	279*	110.	.423	.231	090:-	028	.205.	.239*	507	555
	NAcon	- 286	.450	.306.	.632	990:-	.041	.349*	180.	.027	.781	.496
	NAInflux	.594	.193	.267.	780.	.708	.445	.118	,024	.260	260*	844
	Nicon	.299	531	.330	.683	.081	.032	260	.143	.062	.727.	463*
	Nimiux	.418	600:	.376.	.217.	.572	.263	.123	560.	.271-	.360	.746
	PBcon	.390	522*	.378	.720	144	.031	.374"	÷034	.127	801	.472
	PBinflux	.791	.365	.765	145	.833*	449	.290	-101	.146	900	.769
	Pcon	.475	646	529*	.277	.272.	.374	062	.142	900	298	.124
	Pinflux	.730	.526	.999	.204	.962.	.129	.552*	.034	.263**	.305	.387
	Scon	.119	125	-,118	.481	.082	.414"	450	.383	.380	.616	.467
	Sinflux	.490	.294	.482	.050	.869.	570	062	.310*	.498*	20B	.649
	TIcon	.478	546	.503.	.763*	.215	045	.,453*	.155*	.049	.824	.363
	Tlinflux	.502.	141.	.460	128	.672*	-:405.	660.	.130	.328*	.261	.722
	ZNcon	.337	469*	.362.	.665	1.071	052	411	.229	.160*	.1691	-,352
	ZNinflux	.907*	.511•	.883*	.316.	.921*	.477	.362	.021	.308.	.228	•.633

Correlation

	VIVIANITE	TCAcon	TCAinflux	ALcon	ALinflux	AScon	ASinflux	CAcon	CAInflux	CUcon	CUinflux
-	.115	.155*	.928	.499*	.868	525*	.635	.277	.750•	l	l
Correlation ASHcon	·.064	.154	.598	.682*	.765	655*	.119	503.	.302		
ASHinflux	.119	137	.904	.567	.928	563*	.576	-305-	.716	.007	.926
ORGcon	.031	407	594	484	.597	.728	8.	717.	290.	.308	.484
ORGInflux	-,124	.045	.823*	.319*	.738*	-279-	.751**	040	.835	.063	.860
CARBcon	.153	.254	-272	561	-,554	.193*	210	061	.447	000	.392
CARBinflux	.023	.417	.610*	-100	.262	.266	.385	.320	.266	016	.486
CHAR/g	.043	.084	.061	017	980	.210	.125	.120	.012	.280*	005
CHARInflux	.005	980.	.211	.143	.183*	.051	.322*	090	.274**	.272	.272
ODWT/cc	.152	.694	.647*	.278*	438	755*	960'-	.772	075	-213	.397
VARVES/cm	.288*	.514	295.	.227	-,450*	281	677	.,544	.810*	.288*	.527
VIVIANITE	1.000	160'	.073	012	088	.123	.200.	.217	252*	.242	.190
TCAcon	.091	1.000	.491	040	.049	.463	.158	.992	.277	.063	.136
TCAInflux	.073	.491*	1,000	.409*	.794	.802	.510*	434	.583	900.	.872*
Alcon	012	040	.409	1.000	.807	-,323	.173*	.225.	.296*	.012	.467
ALInflux	•:088	.049	.794*	.807	1.000	514	.515*	.270	.655*	.012	.849
AScon	.123	.463*	602	-,323	.514	1.000	.286*	.783*	110.	.675*	358
ASInflux	-200	.158	.510*	.173*	.515	.286*	1.000	.254	.812	.371*	.723*
CAcon	.217	.999	-,434	225	270-	.783	.254*	2.000	.401	.571	.144
CAInflux	-252-	.277	.583	.296*	.655	110.	.812*	.401	1,000	.301	797.
CUcon	-242	_	900:	012	.012	.675	.371*	.175.	.301	1.000	.333
CUInflux	.190		.872*	.467	.849*	.358	.723.	-,144	.787.	.333*	1.000
FEcon	711.	F.:	660:-	085	093	960	.058	017	.025	.159	•:056
FEinflux	-,035	.058	.117.	.352*	.682	.354	.636•	.166	.663	610.	.763*
Kcon	.162	-,552*	-,102	.604	.392	.411	.289*	.520	.377	.404	.153
Kinflux	.151	.248	.511	.801	.871*	.178	.597	.058	.702	141	.693
MGcon	-366	.349	950.	.557*	.434	.369.	.295*	.519*	.452*	.508	.278
MGInflux	.185		.789*	.687	.948*	.383	.644	860'-	.792.	137	.897
MNcon	.181		.438	.312	310	.695*	.219**	.884	.289*	.418	.184
MNinflux	.220	540	122	.169	.011	.570*	.519*	.167.	.588	.373	.159
NAcon	.152	711	.463	057	203.	.810*	.182	.864	.299*	.099	.185
NAinflux	.231		.385	.388.	.604	.120	.729.	.478	.887	.265	.638
NICOU	-,171	.693.	.475	.282.	.297	.719*	.260•	.922	.331	.441	.172
Ninilux	-228	520	.203	.082	.346	.355.	.797.	.644	.857	.381	.516
PBcon	-171.	641	.516	.188	.304.	.871.	.259*	.867	.213	.572	-228
PBinflux	-210	233*	.619	.383•	.729*	.012	.862*	.556	.913	.256*	.825
Pcon	.128	-,036	.,423	447	.539*	.569.	620	.272.	-,353*	.252*	.446
Pintlux	600	71.	.705	.158	.546*	.230	.654	226	.547	012	.687
Scon	.186	460*	244	005	.073	.326.	.220	.563	.337	.254	.8
Sinflux	-200	243	.320.	.295	.462	.024	.574	.299*	.708	.299*	.562
Tlcon	•:064	.532	574	065	340	.685	.062	.626	•,049	.317	.398
Tlinflux	.117	.275	368	.438*	.545*	101.	.692	.197	.646	.140	.518
ZNcon	042	495	.447	.020	.188	.8118.	.216*	.189	114	.622*	.223
ZNinflux	.110	.024	792.	.554	.874*	.279.	.767.	.073	.832*1	.120	.891

Correlations

		FEcon	FEinflux	Kcon	Kinflux	MGcon	MGinflux	MNcon	MNinflux	NAcon	NAInflux	Nicon
Pearson	SEDinflux	890:-	.161.	160.	.685	.179	.904	.296.		.286	ı	299*
Correlation	ASHcon	-102	.429*	990'	.554	.126	.099	.521	•	450*		.,531
	ASHinflux	•:094	.757.	.125	.709*	.213*	.912	-,325	110.	.306.	.567*	.330
	ORGcon	-002	.398.·	.238*	.291	070.	510	.969.	.423*	.632	780.	.683
	ORGinflux	014	.768•	141	.634	.137	.789*	.103	.231	990:-	.708•	081
	CARBcon	.185*	230*	430	.583.	313*	.484.	720.	090:-	041	445	.032
	CARBinflux	760.	.496*	371	.042	169*	.351*	-216	•:028	.349*	.118	260
	CHAR/g	001.	.004	.121	.033	8.00.	.109	.185	.205	.081	.024	.143
	CHARInflux	.103	.253*	.189*	.260	.01	.165	980.	.239*	.027	.260	.062
	ODWT/cc	900.	.356.	.450	.035	250	.332*	649*	.507	781	.260	.727
	VARVES/cm	.145	393*	.,564	613*	.490	561	413*	-,555	.496	844	463
	VIVIANITE	711.	035	.162	.151	266*	185	•.181•	220*	-,152	231	.171
	TCAcon	11.	.058	552"	.248	.349	200.	.600	540*	7117-	-,454	.693
	TCAInflux	660'-	.7117.	.102	.511*	.058	.199*	438*	122	463	.385	-,475
	ALcon	085	,352*	.604	.801	.557	.687	312*	.169	057	.388	.282
	ALinflux	093	.682	.392*	.871•	.434	.948	-,310*	110.	203*	.604	.297
	AScon	860·	354	.411*	.178	.369	.383	.695	.929	.810*	120	.719
	ASinflux	950'	.989.	.289*	.597*	.295	.644	.219*	.519*	.182*	.729*	.260
	CAcon	-017	. 166	.520	.058	.519*	860	.884	.167.	.864	.478	.922
	CAInflux	,025	.663	.377	.702.	.452*	.792*	.289*	.588*	.299*	.887	.331
	CUcon	•159	.019	.40 4 .	141	.508.	137	.418*	.373**	.099	.265	.441
	CUinflux	-:056	.763.	.153	.693.	.278*	.897	184	.159*	.185	.638	.172
	FEcon	1.000	.535	620	028	.,165	980:-	970.	.109	\$1.	.028	.063
	FEinflux	.532**	1.000	760'	.999:	960:	.1001.	.185	.135	191	.533	.153
	Kcon	620:-	.092	1,000	.752*	.841	.410*	.371*	.342*	.652*	.629	.450
	Kinflux	028	.566*	.752*	1.000	.679.	.876*	026	.234	.167	.781	960.
	MGcon	.165	960:	.841	.629.	1.000	.561	.370*	.365	.589.	.564	.423
	MGinflux	980.	.700*.	.410	.928.	.561*	1.000	156	.167	084	.117.	.130
	MNcon	.026	185	.371*	•:026	.370-	.156	1.000	.912	.725*	.391	.686
	MNinflux	109	.135	.342	.234	.365*	.167	.912*	1.000	.869.	.619.	.842
	NAcon	2	.191.	.652	.167	.589.	084	.725	.698	1,000	.569	758
	NAInflux	.028	.533	.629.	.781	.564	.711	.391	.619	.569*	1.000	.450
	Nicon	.063	153	.450	.038	.453	.130	.626	.845	.758.	.450*	1.000
	Ninflux	.127	.468	.451	.551	.473	.526	.621	.834	.566*	.845*	.203.
	PBcon	.137	284	.504	600:	.486*	.178	.773*	.649	.816*	.340•	.810
	PBinflux	036	.677	.357*	.732*	.412*	.819*	.158	.472**	.182*	.831	198
	Pcon	.151	209*	.005	.402	.178	551*	,215*	023	.364	272-	.222
	Pinflux	.137	.729*	042	.423	.131	.549*	239*	960'	.228	.437	235
	Scon	004	790'-	.406	.192	.219*	023	.434	.429*	.381	.405	505
	Sinflux	900	.452*	.402	.565	.268*	.499	.137	,352*	.245	.657	.208
	Ticon	037	343	.639.	980.	.390*	287	.513*	.321	.665	.233	.565
	Tlinflux	.035	.493*	.654	.176.	.439.	.297	.084	.310**	.312*	.765	.150
	ZNcon	028	147	.605	.154*	.494	143	.487	.364	.022	.239*	.550
	ZNinflux	.016	.191	.326•	.811.	.330.	.868.	.151	.198•	-089	.726.	.112

Correlations

		Ninflux	PBcon	PBinflux	Pcon	Pinflux	Scon	Sinflux	TIcon	Tlinflux		ZNinflux
Pearson	SEDinflux	.418*	.360.	.191.	.475	.730•	.119	.490	.479	.502	.337	Ĺ
Correlation	ASHcon	600	522*	.365	646	.226	-,125	.294*	546*	141.		
-	ASHinflux	.376.	376-	.765	529*	.999	118	.482*	503-	.460*		.883
	ORGcon	.217"	.720*	142	.577.	204	.481	.050	.763	.128		-,316
	ORGinflux	.572"	144	.833*	-272-	.962	.082	.598•	-215	.672*		.921
	CARBcon	263*	1:031	449	.374*	129	414	.570*	045	405		.477
	CARBinflux	.123	-,374"	.290	062	.552*	-,450	062	453	660'		362
	CHAR/g	960.	-,034	101.	.142	.034	.383	.310	.155	.130		.021
	CHARInflux	.271*	.127	146	900.	.263*	.380	.498	.049	.328*		.308.
-	ODWT/cc	-,360-	.801	800:-	298*	.305	.616	208-	824	261		.228
	VARVES/cm	746*	.472	.769.	124	.387	.467	649*	.363	.722		.633
	VIVIANITE	.228*	.177	.210	.128	600:	.186	200	064	-1117		.110
	TCAcon	520*	641	.233	036	.177	.460	.243	532*	.275		024
-	TCAInflux	.203.	.516.	.619	423	.705	244	.350	.574	.368*		.792
	ALcon	.082	.188*	.383	447	.158	005	.295*	•:065	.438		.554*
	ALinflux	.346*	.304	.729*	.539*	.546*	.073	.462*	340	.545*		.874
	AScon	.355*	.871**	.012	.569*	.230	.326*	.024	.685	701.		-,279*
	ASinflux	.797.	.259*	.862	620'-	.654	.220	.574*	.062	.692*		.767.
	CAcon	.644	.867*	.226	.272*	.226	.563	.299*	.626	.197*		073
	CAInflux	.857*	.213*	.913.	353*	.547*	.337	.708	.049	.646*		832
	CUcon	.381	.572*	.256	.252*	-,012	.254	.299•	.317	.140		120
	CUinflux	.516	.228	.825	446	.687	.00	.562*	.398	.518		.891
	FEcon	.127	.137	036	.151	137	.00.	900.	.037	.035		016
	FEinflux	.468*	284*	.677	209	.729*	290	.452*	.343	.493*		*167.
	Kcon	.451**	.504	.357	.005	045	.406	.402	.639	.654		326
	Kinflux	.551	600	.732*	402	.423*	.192	.565*	980.	.922		.811
	MGcon	.473	.486	.412	-178	.131	.219*	.268*	.390	.439*		330
	MGinflux	.256	178	.819	551	.549*	023	.499*	.287	.597*		.898.
	MNcon	.621.	.773	.158	.215	.239*	.434	137	.513	.084		-,151
	MNinflux	.834*	.649.	.472	023	960'	.459*	.352	.321	.310		.198•
	NAcon	.2995.	.816*	.182*	.364	.228	.381•	.245	.665	.312*		•:080
	NAInflux	.845	.340•	.831	.272	.437	.405	.657	.233*	.765*		.726
	Nicon	.703•	.810*	.198	.222.	.235	.505.	.208	.595.	.150		-,112
	Ninflux	1.000	.493	.077.	.184	.319*	.427*	.165.	.181.	.557*		.572*
	PBcon	.493	1.000	.257	.333•	-275	.400*	011.	.002.	.182		142
	PBinflux	.770	.257	1.00	.348	.591**	.163*	.585.	063	.665		.861
	Pcon	.184	.333*	.348*	1.000	.229*	.073	-194	.518*	.016		345
	Pinflux	.319*	.275	.591	.229*	1.000	990	.400	.172	.589*		.729*
	Scon	.427	.400	.163	6.00	068	1.00	.775	.462	.305		920.
	Sinflux	.591*	011.	.585	-,194	.400	.377.	1.000	360'	.999:		.615
	Tlcon	.181.	.002:	-,063	.518	.172	.462	960.	1.000	.468		.205
	Tlinflux	.557*	.182	.665	.016	.589*	.305	.999:	468	1.000		.711.
	ZNcon	.308.	.732*	980	.501	-,115	.357*	.215*	.689.	.354	1.000	1.70.
	ZNinflux	.572*	142	.861	345*	.729*	920.	.615	.205	.711*	ļ	1.000

.. Correlation is significant at the 0.01 level (2-tailed).

Appendix 7: Data spreadsheet

Dept. Visit					-				- P. O	usneet		_		
1995 WCGB 1 2 27 27 20 20 20 30 30 30 30 30				varves/cm	%water	sed. influx	ODwt/cc	viviante	charinitus	chargram	TCA con	TCAinflux	%Org	%Carb
3				111									35.95	10.33
1915 WCB14 2 9708 0.000 0.0007 0.0008 0 2.55 1915 9717 196 2.55 1915 9717 971					97.42	0.0130	0.0259	0	L	0.007504334	4025	51	35.00	11.36
S	3	1993.5	WC2B 3	1.5	97.22	_0.0187	0.0280	0			4161	76	35.41	11.18
1. 1997. WCD19. 2	4	1991.5	WC2B 4	2	97.06	0.0149	0.0297	0	1.25	84.17	6043	87	35.13	9.01
1		1989.5	WC2B 5	. 2	96.59	0.0171	0.0342	0	2.25	131.58	5711	96	32.99	8.79
1984.5	6	1987.5	WC2B 6	2	95.71	0.0220	0.0439	0	2.25	102.51	8869	191	32.46	7.43
8 1990. WCD18 4.5 M46 Ontil Onti	7	1984.5	WC2B 7	3	95.46	0.0155	0.0464	0	1.50	96.98	9346	142	30.68	
1978.5		1980	WC2B 8	4.5	94.96	0.0114	0.0514	0	1.89	165.37	8381			
1972 WCGB 19	9	1976.5	WC2B 9	3.5	94.44	0.0163	0.0572	0	0.71		8234			
11 1988	10	1972	WC2B 10	4.5	93.76	0.0143		0	0.89					
121 1960	11	1968	WC2B 11	4		0.0157	0.0626	0	0.88	55.91				
13 1989	12	1963			94.26									
14 1985	13	1959												
15 1952.5 WC28 15 2.5 0.039 0.0072 0.0079 0.03 2.00 0.571 7862 7705 5.16 7770 1.16			WC2B 14											
15 1980														
17 1945.5 WC281 1 4 91.00 0.0776 0.28 6.44 469.00 700 77.00														
18														
19 1959 WC281 1 2 5 145														
27 1984 WC28 20 S 1109 0.0177 0.0656 1.69 275.04 1409 1409 277.00 6.34 121 121 123 123 124 125														
21 1929.5 WC28.21 3.5 4.96 0.0004 0.0850 0.8 0.77 2021 192.20 123.20 224 235.20 224 235.20 225.														
22 1926. 5 WCGB 22 4 91.92 0.0011 0.0685 0.4 2.33 175.0 190 196 78.96 4.1 7.0 7.1 7.0														
28 1992 WCGB 26 4 5 90.00 0.0005 0.4 2.33 115.00 0.007 146 26.44 7.07 24.47 25.54 1912 WCGB 25 5 90.00 0.0000 0.0000 0.0000 0.0000 0.14 4.50 7.15.22 9.772 171 25.53 6.00 0.0000 0.0000 0.0000 0.14 4.50 7.15.22 9.772 171 25.53 6.00 0.0000 0.0000 0.0000 0.14 4.50 7.15.22 9.772 171 25.75 5.10 0.0000 0.0000 0.0000 0.14 4.50 7.15.22 9.772 171 25.75 5.10 0.0000 0.0000 0.0000 0.14 4.50 7.0000 0.00000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000														
24 1917 WC28 24 5 91 89 0.0172 0.0085 0.4 2.00 116.01 18.02 17.3 2.00 2.														
28 1912 WC28 25 5 90.99 0.0000 0.0000 0.1 4.30 215.22 272 171 25.51 5.50 277 1905.5 WC28 27 3 89.22 0.0425 0.1272 0.3 5.67 193.23 99.22 373 22.88 4.87 23.88														
28 1907 5 WC28 96 4 S 99.01 O.0284 O.1276 O.3 371 24.07 S.19 27 1905 WC28 27 3 89.22 O.985 O.1276 O.3 5.677 13.31 1907 O.42 340 21.05 43.07 22.88 43.07 23.08 0.0282 O.1276 O.3 5.679 13.32 0.9922 34.5 34.5 0.0292 O.1276 O.3 5.679 O.3														
27 1904.5. WC28 27 3 88.92 0.045 0.127 0.1 5.14 0.077 0.047 346 21.50 4.81 28 1910														
28														
20														
30 1892 WC28 30 4.5 89.40 0.0003 0.1184 1.2 4.00 152.00 1912 233 23.22 5.75		$\overline{}$												
31 1897 WC28 31 S 90.51 0.0003 0.1016 O 9.50 172.24 780.71 184 22.24 5.84 6.55			·											5.17
23 1883.5 WC28 32 3.5 91.01 0.0277 0.027 0.2 6.14 221.42 7060 2177 2.4 61 6.55 23 1890 WC28 33 3.5 90.06 0.0264 0.0000 0.2 0.029 362.54 8020 231 224.60 5.94 24 1878 WC28 34 4 0.041 0.0268 0.1033 0.1 0.13 363.34 8652 211 24.40 5.94 25 1872.5 WC28 35 6.5 88.67 0.0000 0.1004 0.0004 0.0004 0.0004 26 1896 WC28 38 6.5 88.67 0.0004 0.1004 0.0004 0.0004 0.0004 27 28 1896 WC28 38 6.5 88.67 0.0100 0.1202 0 9.54 500.35 5.846 1.56 2.2 11 6.27 28 1896 WC28 38 6.5 88.67 0.0100 0.1202 0 9.54 500.35 5.846 1.56 2.2 11 6.27 29 1893 WC28 39 3.5 86.61 0.0033 0.113 0.1201 0.1 0.1 0.1 0.1 0.1 40 1894 WC28 40 5 8.67 0.0033 0.1137 0.1 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 41 184.5 WC28 41 4.5 85.53 0.0039 0.1617 0.6 0.33 0.276 8802 880 1.7 0.0 1.7 0.5 0.0 0.											9012	233	23.23	5.76
20 1880 WC28 31 4 0041 0.0284 0.0284 0.0285 0.02													23.62	6.49
34 1876 WCC29 3 4 4 0041 0.0098 0.1033 0.1 0.13 353.4 8652 1210 34.40 594 595 151 1715 5 WC29 35 3.5 8087 0.0004 0.1064 0.2 18.14 596.0 810 242 231 5.77 3 34.51 1715 231 5.77 3 34.51 1715 24.51 1715												217		6.55
35 1872.5 1872.5 1872.6 1872.5 1872.6 1882.6 10.010 10.122 10.010 10.01					$\overline{}$						8302	231	25.18	6.18
96 1986 WCER 36										353.34	8652	219	24.49	5.94
37 1862 WC28 37 4 8853 0.0315 0.1261 1 1 16.25 515.66 3261 999 22.24 6 5.12 38 1858.5 WC28 38 5.5 88.78 0.0222 0.1227 0.1 9.20 39 1853 WC28 39 5.5 88.78 0.0252 0.1227 0.1 9.20 39 1853 WC28 39 5.5 88.78 0.0252 0.1227 0.1 9.20 40 1864 WC28 40 5 8.74 4 0.0250 0.1277 0.3 7.00 2.47.70 32.55 1.00 41 1843.5 WC28 41 4.5 85.51 0.0250 0.1617 0.3 7.00 2.47.70 891 254 291 15.57 6.43 41 1843.5 WC28 41 4.5 85.51 0.0250 0.1617 0.3 3.00 83.02 2.76 8902 2.299 17.93 5.20 42 1858.5 WC28 42 5 8.27 1 0.0270 0.1877 0.3 3.10 83.02 9.78 8902 17.93 5.20 43 1854 WC28 43 4.5 83.42 0.0414 0.1861 1 4.22 102.10 8480 336 18.22 4.88 44 1859 WC28 44 4 85.30 0.0450 0.1624 3.3 5.75 140.76 8021 336 18.72 4.88 45 1824.5 WC28 45 5.5 86.61 0.0277 0.1525 0.4 0.00 14.15 1.0 12.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1												242	23.21	5.77
38 1855.5 WC28 39 5.5 88.76 0.0222 0.1223 3 7.73 347.51 6454 192 22.40 6.22 39 1855. WC28 39 5.5 88.61 0.0350 0.1237 0.1 9.22 826.723 234 539 16.577 6.42 40 1948 WC28 40 5 0.742 0.0280 0.1417 0.3 7.00 247.00 8831 254 2911 5.57 41 1945.5 WC28 41 4.5 85.53 0.0350 0.1417 0.6 3.30 20.76 8802 239 17.90 17.90 5.50 42 1839.5 WC28 42 5 8.571 0.0372 0.1897 0.3 10 88.00 9108 310 17.94 5.11 43 1834 WC28 43 4 5 83.42 0.0414 0.1861 11 42.2 102.10 88.00 9108 1310 17.94 5.11 44 1830 WC28 44 4 85.20 0.0400 0.1634 3.3 5.75 140.76 621 336 18.77 4.45 45 1824.5 WC28 45 5 86.15 0.0270 0.1635 0.5 5.5 5.6 102.18 978 222 19.76 4.47 46 1819 WC28 45 5.5 86.16 0.0270 0.1635 0.5 5.5 5.6 102.18 978 222 19.76 4.47 47 1814 WC28 46 5.5 86.15 0.0270 0.1485 0 4.00 148.15 9290 220 19.60 4.59 48 1802.5 WC28 48 5 86.00 0.0000 0.1500 0.1500 0.1 2.00 16.5 970 273 19.89 5.40 49 1802.5 WC28 48 5 8 86.30 0.0000 0.1500 0.1 2.00 16.5 970 273 19.89 5.40 40 1802.5 WC28 46 5.5 86.31 0.0220 0.1500 0.1 2.00 16.5 970 273 19.89 5.40 40 1802.5 WC28 40 6.5 86.34 0.0000 0.1500 0.1 2.00 16.5 970 273 19.44 5.50 50 1797 WC28 50 5 5 86.57 0.0000 0.1500 0.1 2.00 16.5 970 273 19.40 5.50 51 1792 WC28 50 5 5 86.57 0.0000 0.1500 0.1 2.00 16.5 1.6 970 200 200 200 200 200 200 200 200 200 2												155	22.81	6.27
30 1853 WC28 39 3.5 88.61 O.0253 O.1277 O.1 9.20 26.773 62.74 5281 55.5 54.14 40 1848 WC28 40 5 67.42 O.0253 O.1617 O.3 3.70 O.247.00 247.00 247.00 41 1843.5 WC28 41 4.5 85.31 O.0359 O.1617 O.3 3.00 83.02 27.6 8902 27.9 17.93 5.20 42 1838.5 WC28 42 4.5 83.71 O.0370 O.1807 O.3 3.10 83.02 27.6 8902 27.9 17.93 5.20 44 1830 WC28 43 4.5 83.42 O.0414 O.1861 1 4.22 102.10 0.490 53.6 18.70 4.45 45 1830 WC28 44 4 65.03 O.0460 O.1624 3.3 5.75 140.76 2021 3.06 18.70 4.45 45 1824.5 WC28 45 5.5 86.61 O.0270 O.1525 O.5 5.36 192.10 8978 232 19.60 4.49 46 1819 WC28 45 5 86.61 O.0270 O.1455 O.400 0.461 15.70 27.7 18.80 5.46 46 1819 WC28 47 5 86.61 O.0200 O.1408 O.400 0.420 140.10 9970 273 18.80 5.46 46 1809 WC28 41 5 86.61 O.0200 O.1408 O.400 0.420 140.10 9970 273 18.80 5.46 46 1809 WC28 40 6.5 86.34 O.0220 O.1463 O.2 1.69 74.71 9880 2.06 20.06 7.20 59 1777 WC28 50 5 86.72 O.0264 O.1550 O.1 2.0 1.69 74.71 9880 2.00 2.00 7.20 51 1789 WC28 51 4 80.36 0.0270 O.1511 O.1 3.25 88.64 9809 3.00 22.11 6.77 52 1788 5 WC28 53 4 86.57 0.0271 O.1485 1.2 2.88 77.55 98.52 3.26 2.00 7.70 59 1778 WC28 53 4 86.57 0.0271 O.1485 1.2 2.88 77.55 98.52 3.26 2.00 7.70 59 1778 WC28 53 4 86.57 0.0271 O.1485 1.2 2.88 77.55 98.52 3.26 2.00 7.70 59 1778 WC28 53 4 86.57 0.0271 O.1485 1.2 2.88 77.55 98.52 3.26 2.00 7.75 59 1789 WC28 53 4 86.57 0.0271 O.1485 1.2 2.88 77.55 98.52 3.26 2.00 7.75 59 1789 WC28 53 4 86.57 0.0271 O.1485 0.2 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1								1		515.46	9361	269	23.24	6.13
40 1846 WC28 40 5 97.42 0.028 0.1417 0.3 7.00 22.47 00 8811 254 20.11 5.54 41 1840.5 WC28 41 4.5 85.53 0.0350 0.01717 0.6 3.30 2.47 00 8811 254 20.11 5.54 42 1859.5 WC28 42 5 83.71 0.0370 0.1867 0 3.10 3.03 92.70 980.0 310 17.94 5.11 14.0 1850 WC28 42 4.5 83.42 0.0414 0.1867 1 4.22 102.10 1.0 80.02 1908 310 17.94 5.11 14.0 1850 WC28 44 4 8 85.30 0.0404 0.1654 3.33 5.75 140.76 9021 336 115.79 4.45 4.5 1812 0 WC28 45 5.5 86.61 0.0270 0.1555 0.5 5.5 5.80 180 8872 22 19.74 4.74 4.5 1819 WC28 45 5.5 86.61 0.0270 0.1555 0.5 5.5 5.80 180 8872 22 19.74 4.74 4.5 1819 WC28 45 5.5 86.61 0.0270 0.1485 0 0 4.00 14.0 15.15 259 228 19.60 4.59 4.54 1819 0 WC28 46 5.5 86.61 0.0270 0.1485 0 0 4.00 14.0 15.15 2590 228 19.60 4.59 4.4 1819 0 WC28 46 5.5 86.61 0.0200 0.1689 0 4.20 14.0 19.0 9070 273 18.89 5.46 4.0 1809.5 WC28 46 5.5 86.40 0.0000 0.1550 0.1 2.00 6.5.36 1977 273 18.89 5.46 4.0 1809.5 WC28 46 5.5 86.40 0.0000 0.1550 0.1 2.00 6.5.36 1977 273 18.89 5.46 4.0 1809.5 WC28 46 5.5 86.40 0.0000 0.1550 0.1 2.00 6.5.36 1977 273 18.89 5.46 5.5 80.0 1978 2 WC28 45 5.5 86.72 0.0026 0.1485 0 0 1.0 12.00 6.5.36 1977 273 18.89 5.46 5.5 80.0 1978 2 WC28 50 5.5 80.72 0.0026 0.1550 0.1 2.00 6.5.36 1971 20 800 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2												192	22,40	6.32
41 194.5													16.57	6.43
42 1839.5 WC28 42 5 68.71 0.0973 0.1867 0 3.10 3.10 17.94 5.11 43 1814 WC28 44 4 68.30 0.040 0.184 3.3 5.75 140.76 6021 336 18.72 4.88 44 1830 WC28 44 4 68.30 0.040 0.184 3.3 5.75 140.76 6021 336 18.72 4.88 45 1824.5 WC28 45 5.5 88.61 0.0270 0.1855 0.5 5.56 192.10 6021 336 18.72 4.74 46 1819 WC28 46 5.5 88.63 0.0270 0.1455 0 4.00 140.15 2006 228 19.60 4.59 47 1814 WC28 46 5.5 88.63 0.0270 0.1485 0 4.00 140.15 2006 228 19.60 4.59 48 1800 WC28 48 5 88.40 0.0000 0.1500 0.1 2.00 65.36 9775 273 18.80 5.46 49 1800.5 WC28 49 5 8.840 0.0220 0.1485 0.2 1.60 74.17 6081 20.08 20.38 7.20 50 1707 WC28 50 5.5 86.72 0.0284 0.1451 0 1.36 74.17 6081 20.08 20.38 7.20 51 1703 WC28 51 4 69.36 0.0279 0.1511 0.1 3.25 80.04 9099 3.01 2.11,16 7.07 52 1786.5 WC28 52 3.5 89.36 0.0279 0.1518 1.2 3.25 80.04 9099 3.00 2.11,16 7.75 54 1772 WC28 55 4 69.36 0.0079 0.1548 1.2 2.88 77.55 6025 32.6 20.97 7.05 55 1773 WC28 55 4 65.36 0.0000 0.1520 0.1 2.80 7.55 6025 32.6 20.97 7.05 55 1778 WC28 55 4 65.36 0.0000 0.1528 0.08 0.70 2.291 10.001 2.00						0.0283	0.1417		7.00	247.00	9831	254	20.11	5.45
43 1834 WC28 43 4.5 83.42 0.044 0.1861 1 4.22 102.10 8400 359 18.22 4.88 44 1830 WC28 44 4 85.0 0.0408 0.0544 3.3 5.75 140.76 8221 336 1879 4.45 6.5 1824.5 WC28 45 5.5 86.16 0.0279 0.1535 0.5 5.36 182.18 878 252 19.74 4.74 1811 1811 WC28 47 5 86.15 0.0200 0.1465 0 0 4.00 14.019 870 223 19.00 4.59 4.74 1814 WC28 47 5 86.15 0.0200 0.1469 0 4.20 14.019 870 223 19.00 4.59 14.019 1810 WC28 47 5 86.15 0.0200 0.1469 0 4.20 15.00 15.00 17 20 15.00 15.00 17 20 15.00 15.00 17 20 15.00 17 20 15.00 15.00 17 20 15.00						0.0359	0.1617			92.76	8802	289	17.93	5.20
44 1830 WC28 44 4 85.00 0.000 0.1534 3.3 5.75 140.76 8021 336 18.79 4.45 45 1824.5 WC28 45 5.5 86.16 0.0279 0.1485 0 4.00 140.15 6269 229 19.60 4.50 4.60 180.15 6269 229 19.60 4.50 4.60 180.15 6269 229 19.60 4.50 4.60 180.15 6269 229 19.60 4.50 4.60 180.15 6269 229 19.60 4.50 4.60 180.15 6269 229 19.60 4.50 4.60 180.15 6269 229 19.60 4.50 4.60 180.15 6269 229 19.60 4.50 4.60 180.15 6269 229 19.60 4.50 4.50 180.15 6269 229 19.60 4.50 4.50 180.15 6269 229 19.60 4.50 4.50 180.15 6269 229 19.60 4.50 4.50 180.15 6269 229 19.60 4.50 4.50 180.15 6269 229 19.60 4.50 4.50 180.15 6269 229 19.60 4.50 4.50 180.15 6269 229 19.60 4.50 180.15 6269 229 19.60 4.50 180.15 6269 229 19.60 4.50 180.15 6269 229 19.60 4.50 180.15 6269 229 19.60 18.15 6269 229 19.60 18.15 6269 229 19.60 18.15 6269 229 19.60 18.15 6269 229 19.60 18.15 6269 229 19.60 18.15 6269 229 19.60 18.15 6269 229 19.60 18.15 6269 229 19.60 18.15 6269 229 19.60 18.15 6269 229 19.60 18.15 6269 229 19.60 18.15 6269 229 19.60 18.15 6269 229 19.60 18.15 6269 229 19.60 18.15 6269 229 19.60 18.15 6269 229 19.60 18.15 6269					83.71	0.0373		0		83.02	9108	310	17.94	5.11
45 1824.5 WC28 45 5.5 86.16 0.0279 0.1525 0.5 5.36 192.18 878 252 19.74 4.74 46 1819 WC28 47 5.5 86.15 0.0270 0.1465 0 0 400 140.15 3260 228 19.06 4.59 47 1814 WC28 47 5 86.15 0.0200 0.1468 0 4.20 140.19 970 273 18.89 5.46 48 1809 WC28 49 5 86.40 0.0006 0.1500 0.1 2.00 65.36 977.5 273 19.48 5.56 5.6 40 1802.5 WC28 49 6.5 86.40 0.0006 0.1500 0.1 2.00 65.36 977.5 273 19.48 5.56 5.6 5.5 86.72 0.0006 0.1500 0.1 2.00 65.36 977.5 273 19.48 5.56 5.6 5.5 86.72 0.0006 0.1500 0.1 2.00 15.00 174.17 983 200 200 20.36 7.20 1797 WC28 50 5.5 86.72 0.0006 0.1510 0.1 3.6 51.69 10116 244 21.16 7.00 5.5 11.793 WC28 51 4 86.30 0.0020 0.1451 0.0 1.36 51.69 10116 244 21.16 7.00 5.5 11.793 WC28 51 4 86.30 0.0020 0.1511 0.1 12.5 80.04 9890 340 21.18 6.77 179.5 WC28 52 1.5 86.00 0.0020 0.1501 3.7 3.7 11 86.61 9520 372 2022 6.81 15.5 1789.5 WC28 52 3 4 86.57 0.0071 0.1483 1.2 2.88 77.55 8025 236 2027 7.0025 4.1 1793 WC28 54 1.78 5.5 86.50 0.0072 0.1462 1.4 4.14 10.1013 1.0475 3.00 2.27 2.0026 4.1 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1				4.5	83.42		0.1861		4.22	102.10	9480	358	18.22	4.89
46 1819 WC28 46 5.5 88.63 0.0270 0.1485 0 4.00 148.15 2296 228 19.00 4.59 47 1814 WC28 47 5 88.15 0.0000 0.1498 0 4.20 0.650 273 18.99 5.56 48 1800 WC28 48 5 88.40 0.0006 0.1500 0.11 2.00 65.38 9775 273 19.46 5.50 49 1802.5 WC28 40 6.5 88.34 0.0229 0.1483 0.2 1.99 74.17 9882 208 20.25 7.20 50 1797 WC28 50 5.5 88.72 0.0264 0.1651 0.1 1.95 5.160 10.16 244 21.16 7.05 51 1793 WC28 51 4 86.36 0.0429 0.1511 0.1 1.325 86.04 9809 3.34 21.18 6.77 52 1789.5 WC28 52 3.5 86.36 0.0429 0.1511 0.1 3.25 86.04 9809 3.72 20.12 6.81 53 1785.5 WC28 53 4 86.57 0.0371 0.1483 1.2 2.88 77.55 9625 3.26 20.17 7.05 54 1782 WC28 54 3.5 86.57 0.0371 0.1424 1.4 4.14 1.18 10.175 389 21.49 8.14 55 1778 WC28 55 4 85.03 0.0409 0.1620 1.6 1.8 46.01 10.264 3.12 2.28 56 1773 WC28 55 5 85.88 0.0300 0.1520 0.8 0.70 2.91 10.031 2.20 21.27 7.32 57 1789 WC28 57 4 85.97 0.0366 0.1544 0.2 1.25 32.38 9416 3.2 21.05 7.54 58 1776.5 WC28 59 3 86.30 0.0474 0.1422 0.1 4.67 98.38 9865 4.11 22.21 7.8 59 1762.5 WC28 59 3 86.30 0.0074 0.1423 0.1 4.67 98.38 9865 4.11 22.21 7.8 60 1778 WC28 64 4 5 6.00 0.0000 0.1500 0.1 1.57 98.39 9865 4.11 22.21 7.8 60 1778 WC28 65 5 5 85.88 0.0000 0.1500 0.1 1.57 98.39 9865 4.11 22.21 7.8 60 1778 WC28 65 5 5 6.0000 0.0000 0.1500 0.1 1.57 98.00 3.9 9.00 3.9 21.70 7.54 60 1778 WC28 64 5 5 5 6.0000 0.0000 0.1500 0.1 1.57 9.55 9.000 3.9 21.70 7.54 60 1778 WC28 65 5 5 6.0000 0.0000 0.1500 0.1 1.57 9.55 9.000 3.9 21.70 7.54 60 1778 WC28 65 5 5 6.0000 0.0000 0.1500 0.1 1.57 9.55 9.0000 3.9 2.17 7.54											9021	336	18,79	4.45
47 1914 WC2B 47 5 88.15 0.0000 0.1489 0 4.20 140.10 9970 273 19.99 5.46 48 18000 WC2B 48 5 88.00 0.0000 0.1500 0.1 200 65.58 9775 273 19.98 5.46 48 18000 WC2B 48 6 5 86.34 0.0028 0.1500 0.1 200 65.58 9775 273 19.98 5.56 49 1802.5 WC2B 49 6.5 86.72 0.0004 0.1403 0.2 1.89 74.17 9803 206 20.36 7.20 50 1797 WC2B 50 5.5 86.72 0.0004 0.1403 0.2 1.89 74.17 9803 206 20.36 7.20 51 1793 WC2B 51 4 86.30 0.0078 0.1511 0.1 3.25 86.00 9899 340 21.18 6.77 52 1789.5 WC2B 52 3.5 86.30 0.0078 0.1511 0.1 3.25 86.00 9899 340 21.18 6.77 53 1778.5 WC2B 53 4 86.57 0.0071 0.1483 1.2 2.88 77.55 9625 326 20.97 7.00 54 1782. WC2B 54 3.5 86.96 0.0079 0.1483 1.2 2.88 77.55 9625 326 20.97 7.00 54 1782. WC2B 54 4 85.00 0.0040 0.1600 1.6 1.8 8 40 11 10264 382 20.97 7.00 55 1778 WC2B 55 4 55.00 0.0040 0.1600 1.6 1.8 8 40 11 10264 382 20.97 7.75 57 1789 WC2B 55 5 85.98 0.0005 0.1528 0.8 0.70 22.91 10031 280 21.77 7.29 58 1765.5 WC2B 53 3.5 86.15 0.0041 0.1507 0.1 1.57 86.50 9400 369 21.10 7.54 59 1762.5 WC2B 59 3 8.50 0.0040 0.1544 0.1 1.57 36.50 9400 369 21.10 7.54 59 1762.5 WC2B 59 3 8.50 0.0041 0.1600 1.1 1.57 36.50 9400 369 21.10 7.54 59 1762.5 WC2B 59 3 8.50 0.0041 0.1507 0.1 1.57 36.50 9400 369 21.10 7.54 60 1758 WC2B 50 4.5 86.51 0.0028 0.1528 0.8 0.00 61 1758 WC2B 50 4.5 86.51 0.0028 0.1528 0.8 0.00 61 1754 WC2B 51 4.5 86.51 0.0028 0.1549 0.6 0.0 182.68 10422 312 21.70 8.00 61 1754 WC2B 65 5 8.58 0.0028 0.1549 0.1522 0.5 4.75 11779 302 22.06 7.88 65 1773 WC2B 65 5 8.58 0.0028 0.1549 0.1522 0.5 4.75 11779 302 22.06 7.88 66 1772.5 WC2B 60 4.5 86.51 0.0029 0.1619 0.1629 1.0 1.577 1.0 1.57 30.9 3.9 1.1 1.1 1.1 1.1 1.1 1.1 1.1 1.1 1.1 1													19.74	4.74
48 1800												228	19.60	4.59
49 1802.5 WC28 49 6.5 86.34 0.0228 0.1483 0.2 1.69 74.17 6933 208 20.36 7.20											9970	273	18.89	5.46
50 1787 WC28 50 5.5 86.72 0.0264 0.1451 0 1.36 51.69 10116 244 21.16 7.05 51 1783 WC28 51 4 89.38 0.0078 0.1511 0.1 3.25 86.04 8880 340 21.18 6.77 52 1788.5 WC28 52 3.5 88.36 0.0429 0.1501 3.7 3.71 85.61 8502 372 20.92 6.81 53 1785.5 WC28 53 4 86.57 0.0071 0.1483 1.2 2.88 77.55 625 326 20.97 7.05 54 1782 WC28 54 3.5 86.55 0.0070 0.1424 1.4 4.11 0.1631 101.63 10.157 389 21.49 8.14 55 1778 WC28 55 4 85.03 0.0408 0.1528 0.8 0.70 22.91 10.031 280 20.37 7.81 56 1773 WC28 55 5 85.88 0.0006 0.1528 0.8 0.70 22.91 10.031 280 21.27 7.29 57 1789 WC28 57 4 85.07 0.0386 0.1528 0.8 0.70 22.91 10.031 280 21.27 7.29 57 1789 WC28 59 3.5 86.15 0.0041 0.1507 0.1 1.57 3.85 0.000 21.25 10.05 2.05 10.05													19.48	5.50
51 1789 WC28 51 4 86.36 0.0078 0.1511 0.1 3.25 88.04 9898 340 21.18 6.77 52 1789.5 WC28 52 3.5 86.35 0.0429 0.1501 3.7 3.71 86.61 8502 372 20.92 6.81 53 1785.5 WC28 53 4 88.57 0.0071 0.1483 1.2 2.88 77.55 9625 326 20.97 7.05 54 1782 WC28 54 3.5 86.95 0.0407 0.1424 1.4 4.14 101.83 10475 388 21.49 81.44 55 1778 WC28 55 4 85.03 0.0408 0.1630 1.6 1.88 6.601 10264 382 20.37 7.81 56 1773 WC28 55 5 8.98 0.0306 0.1528 0.8 0.70 22.91 10031 280 21.27 7.29 57 1789 WC28 57 4 85.97 0.0308 0.1544 0.2 1.25 23.8 9416 332 21.07 7.29 58 1765.5 WC28 58 3.5 86.15 0.0431 0.1507 0.1 1.57 38.50 9400 360 21.70 7.54 59 1762.5 WC28 59 3 86.53 0.0308 0.1544 0.2 1.57 98.38 9965 431 22.21 7.83 60 1758 WC28 60 4.5 86.33 0.0328 0.1478 0. 6.00 182.68 10.922 312 21.70 8.00 61 1754 WC28 61 4 86.66 0.0381 0.1522 0.5 4.75 11.24 10.944 388 20.96 8.06 62 1748.5 WC28 63 4.5 86.30 0.0306 0.1542 0.0 1.0 4.67 99.38 9655 431 22.21 7.83 60 1758 WC28 63 4.5 86.50 0.0308 0.1544 0.1 2.2 1.2 8.00 10.04 10.00 10											9983	208	20.36	7.20
\$2 1789.5 WC28 52 3.5 86.36 0.0429 0.1501 3.7 3.71 88.61 8522 372 20.92 6.81 \$31 1785.5 WC28 53 4 86.57 0.0271 0.1483 1.2 2.88 77.55 8625 326 20.97 7.05 \$41 1782 WC28 54 3.5 86.95 0.0407 0.1424 1.4 4.14 101.83 10475 388 21.49 8.14 \$55 1778 WC28 55 4 85.03 0.0408 0.1630 1.6 1.88 46.01 10264 382 20.97 7.29 \$57 1789 WC28 55 5 85.98 0.0030 0.1528 0.8 0.77 22.91 10231 230 21.27 7.29 \$57 1789 WC28 57 4 85.97 0.0386 0.1524 0.2 1.25 22.38 9416 332 21.06 7.51 \$59 1785.5 WC28 59 3.5 86.15 0.0431 0.1507 0.1 1.57 36.50 9400 368 21.70 7.54 \$59 1782.5 WC28 59 3 86.93 0.0074 0.1423 0.1 4.67 89.38 9865 4.31 22.21 7.8 \$60 1758 WC28 59 4.5 86.53 0.0328 0.1478 0.0 6.00 128.88 10422 312 21.70 8.00 \$61 1754 WC28 61 4 86.06 0.0381 0.1522 0.5 4.75 124.84 10594 368 2.096 8.06 \$62 1748.5 WC28 63 4.5 86.57 0.0236 0.1514 0.2 2.30 190.51 10469 368 2.096 8.06 \$61 1774 WC28 63 4.5 86.39 0.0226 0.1514 0.2 2.33 69.35 10508 322 22.06 7.81 \$64 1729 WC28 65 5 86.62 0.0236 0.1514 0.2 2.33 69.35 10508 322 22.06 7.81 \$65 1723 WC28 66 5 86.62 0.0236 0.1514 0.2 2.33 69.35 10508 322 22.06 7.81 \$66 17727.5 WC28 66 5 86.62 0.0236 0.1516 0.2 2.33 69.35 10508 322 22.06 7.81 \$67 1723 WC28 65 5 86.61 0.0270 0.1619 0.1657 1.77 1055 252 2.110 7.86 \$68 1718 WC28 64 5 86.62 0.0236 0.1516 0.2 2.33 69.35 10508 322 22.06 7.81 \$69 1712 WC28 66 5 86.61 0.0270 0.1619 0.1657 1.77 1055 252 2.110 7.86 \$60 17727 WC28 66 5 86.61 0.0270 0.1619 0.1657 1.77 1055 252 2.110 7.86 \$61 1773 WC28 67 4 86.69 0.0306 0.1516 0.2 2.55 1.50 4.0 0.1017 1.505 2.55 2.55 1.55 4.0														
\$\frac{53}{1785}\$ \times \frac{1782}{\times \times \times \text{C28} \times 4} \times \frac{35}{368}\$ \times \frac{66.95}{0.007}\$ \times \frac{0.1424}{0.1424}\$ \times \frac{1.4}{1.4}\$ \times \frac{1.4}{1.16}\$ \times \frac{1.4}{1.0163}\$ \times \frac{1075}{368}\$ \times \frac{20.97}{2.077}\$ \times \frac{7.05}{7.6163}\$ \times \frac{1.6}{1.0764}\$ \times \frac{1.6}{368}\$ \times \frac{1.6}{0.0005}\$ \times \frac{1.620}{0.1528}\$ \times \frac{0.8}{0.8}\$ \times \frac{0.7}{0.08}\$ \times \frac{1.2}{0.8}\$ \times \frac{1.6}{0.8}\$ \times \frac{0.7}{0.8}\$ \times \frac{1.2}{0.8}\$ \times \frac{0.7}{0.1163}\$ \times \frac{0.7}{0.222}\$ \times \frac{1.6}{0.1526}\$ \times \frac{0.8}{0.8}\$ \times \frac{0.7}{0.0005}\$ \times \frac{0.7}{0.223}\$ \times \frac{0.8}{0.1526}\$ \times \frac{0.8}{0.8}\$ \times \frac{0.7}{0.0005}\$ \times \frac{0.1526}{0.1526}\$ \times \frac{0.8}{0.8}\$ \times \frac{0.7}{0.0005}\$ \times \frac{0.1526}{0.0005}\$ \times \frac{0.1526}{0.1526}\$ \times \frac{0.8}{0.0005}\$ \times \frac{0.1526}{0.0005}\$ \times \frac{0.8}{0.1526}\$ \times \frac{0.8}{0.0005}\$ \times \frac{0.0005}{0.0005}\$ \times \frac{0.0005}{0.0005													21.18	6.77
54 1782 WC28 55 3.5 86.95 0.0407 0.1424 1.4 4.14 1.01.63 10775 388 21.49 8.14 55 1778 WC28 55 4 85.03 0.0408 0.1630 1.6 1.88 46.01 12054 332 20.37 781 56 1773 WC28 55 5 85.98 0.0305 0.1528 0.8 0.70 22.91 10301 280 21.27 7.29 57 1769 WC28 57 4 85.97 0.0386 0.1544 0.2 1.25 32.38 9416 332 21.05 7.55 59 1762.5 WC28 69 3 86.93 0.0474 0.1423 0.1 4.67 98.38 9965 441 22.21 7.53 50 1752 WC28 69 4 5 86.53 0.0278 0.1479 0 0.0 182.28 98.096 441 22.21 7.83 18.04 18.22 17.83 18.22													20.92	6.81
SS 1778 WC28 SS 4 85.03 0.0408 0.1530 1.6 1.88 46.01 10264 382 20.07 7.51									2.88	77.55	9625	326	20.97	7.05
56 1773 WC2B 55 5 BS.98 0.0306 0.1528 0.8 0.70 22.91 10031 280 21.27 7.29 57 1769 WC2B 57 4 85.97 0.0386 0.1544 0.2 1.25 3.28 9416 332 21.05 7.51 59 1762.5 WC2B 59 3 86.30 0.0474 0.1425 0.1 4.67 98.38 9965 431 22.21 7.83 60 1758 WC2B 69 4 36.00 0.0283 0.1478 0.60 0.0268 4.178 0.60 0.0286 4.0142 312 21.78 8.0 60 1754 WC2B 61 4 86.06 0.0381 0.1522 0.5 4.75 124.84 10594 388 20.96 8.06 62 1748.5 WC2B 63 4.5 86.30 0.0330 0.1514 0.2 2.33 69.35 10506 323 22.06 7.81 <											10475	389	21.49	8.14
57 1769 WC2B 57 4 85.97 0.0395 0.1544 0.2 1.25 32.38 9416 332 21.05 7.51 58 1765.5 WC2B 59 3 86.91 0.0431 0.1507 0.1 1.57 36.50 3400 368 21.70 7.54 59 1778.8 WC2B 60 4.5 86.53 0.0028 0.1478 0 6.00 182.68 10422 312 21.79 8.00 61 1758 WC2B 61 4 86.65 0.0028 0.1478 0 6.00 182.68 10422 312 21.79 8.00 62 1748.5 WC2B 62 5.5 86.07 0.0282 0.1551 0.2 3.09 109.81 10469 22.06 7.81 64 1739 WC2B 64 5 86.29 0.0296 0.1541 0.2 2.33 69.35 10508 322 22.64 7.68 65 1733 WC2B 63 </td <td>55</td> <td>1778</td> <td>WC2B 55</td> <td>4</td> <td>85.03</td> <td>0.0408</td> <td></td> <td>1.6</td> <td>1.88</td> <td>45 01</td> <td>10264</td> <td>382</td> <td>20.37</td> <td>7.81</td>	55	1778	WC2B 55	4	85.03	0.0408		1.6	1.88	45 01	10264	382	20.37	7.81
58 1765.5 WC28 59 3.5 86.15 0.0431 0.1507 0.1 1.57 36.50 9400 369 21.70 7.54 59 1762.5 WC28 59 3 86.53 0.0474 0.1425 0.1 4.67 98.38 995 431 22.21 7.83 60 1754 WC28 61 4 86.06 0.0381 0.1522 0.5 4.75 124.84 10544 368 20.96 8.06 62 1748.5 WC28 62 5.5 86.07 0.0282 0.1551 0.2 3.09 109.61 10469 269 21.41 7.91 63 1744 WC28 63 4.5 86.37 0.0282 0.1514 0.2 2.33 69.35 10508 222.26 7.81 64 1739 WC28 64 5 86.62 0.0290 0.1400 8.4 2.00 67.57 11179 302 22.66 7.81 65 1733 WC28	56		WC2B 56	5	85.98	0.0306	0.1528	0.8	0.70	22.91	10031	280	21.27	7.29
59 1762.5 WC28 59 3 86.93 0.0474 0.1423 0.1 4.67 98.38 9965 431 22.21 7.83 60 1758 WC28 60 4.5 86.53 0.0228 0.1522 0.5 4.75 124.84 10594 368 209 6 806 62 1748.5 WC28 62 5.5 86.07 0.0282 0.1551 0.2 3.09 109.61 10469 269 21.41 7.91 63 1744 WC28 63 4.5 86.99 0.0336 0.1514 0.2 2.33 69.35 10506 22.21 7.91 64 1739 WC28 64 5 86.82 0.0296 0.1480 6.4 2.00 67.57 11179 302 22.64 7.88 65 1733 WC28 65 5.5 86.11 0.0271 0.1492 0 3.55 130.70 12179 302 22.59 8.23 67 1723 WC28					85.97					32.38	9416	332	21.05	7.51
59 1762.5 WC28 59 3 86.53 0.0474 0.1423 0.1 4.67 98.38 9865 411 22.21 7.83 60 1758 WC28 60 4.5 86.53 0.0328 0.1478 0 6.00 182.68 10422 312 21.79 8.00 61 1754 WC28 61 4 86.06 0.0381 0.1552 0.5 4.75 124.84 10594 368 20.96 8.06 62 1748.5 WC28 63 4.5 86.90 0.0336 0.1514 0.2 2.30 109.61 10469 299 21.41 7.91 64 1739 WC28 64 5 86.62 0.0296 0.1480 6.4 2.00 67.57 11179 302 22.64 7.68 65 1733 WC28 65 5 86.11 0.0271 0.1492 0 3.55 130.70 10219 253 225.9 823 67 1723				3.5	86.15	0.0431	0.1507	0.1	1.57	36.50	9400	369	21.70	7.54
60 1758 WC28 60 4.5 86.53 0.0328 0.1478 0 6.00 182.68 10422 312 21.79 8.00 61 1754 WC28 61 4 86.00 0.0381 0.1522 0.5 4.75 124.84 10594 368 20.96 8.00 62 1748.5 WC28 62 5.5 86.07 0.0282 0.1551 0.2 3.09 100.61 10469 369 221.41 7.91 63 1744 WC28 63 4.5 86.39 0.0336 0.1514 0.2 2.33 69.35 10508 323 22.06 7.81 64 1739 WC28 64 5 86.82 0.0296 0.1480 6.4 2.00 67.57 11173 302 22.64 7.68 65 1733 WC28 65 6 85.38 0.0270 0.1619 0 1.67 61.77 10250 252 12.19 7.86 66 1727.5 WC28 68 5.5 86.11 0.0271 0.1492 0 3.55 130.70 10219 253 22.59 823 67 1723 WC28 67 4.5 86.21 0.0333 0.1499 0.2 8.56 255.84 10248 312 22.75 9.25 88 1718 WC28 68 5 85.64 0.0017 0.1585 0.4 5.50 173.50 11336 328 23.91 8.32 69 1712 WC28 69 6 86.64 0.0240 0.1442 0.2 3.55 130.70 10219 253 22.59 823 70 170.0	59	1762.5	WC2B 59	3	86.93	0.0474	0.1423	0.1	4.67	98.38	9965	431	22.21	7.83
61 1754 WC28 61 4 86.06 0.0381 0.1522 0.5 4.75 124.84 10594 368 20.96 8.06 62 1748.5 WC28 62 5.5 86.07 0.0282 0.1551 0.2 3.09 109.61 10469 269 21.41 7.91 631 1744 WC28 63 4.5 86.39 0.0336 0.1514 0.2 2.33 69.35 10508 323 22.06 7.81 64 1739 WC28 64 5 86.62 0.0296 0.1480 6.4 2.00 67.57 11179 302 22.64 7.88 65 1733 WC28 65 6 85.38 0.0270 0.1619 0 1.67 61.77 10250 252 21.19 7.86 66 1727.5 WC28 66 5.5 86.11 0.0271 0.1492 0 3.55 130.70 10219 253 22.59 823 67 1723 WC28 67 4.5 86.21 0.0333 0.1499 0.2 8.56 258.84 10248 312 22.75 9.25 88 1718 WC28 68 5 85.64 0.0240 0.1499 0.2 8.56 258.84 10248 312 22.75 9.25 88 1718 WC28 68 5 86.64 0.0240 0.1442 0.2 3.83 159.50 11219 246 24.83 8.35 70 1708 WC28 70 4 86.69 0.0360 0.1441 1.1 4.75 131.85 10594 348 24.36 8.52 71 1704 WC28 71 4 86.92 0.0360 0.1441 1.1 4.75 131.85 10594 348 24.36 8.52 71 1704 WC28 71 4 86.92 0.0360 0.1441 1.1 4.75 131.85 10594 348 24.36 8.52 71 1704 WC28 71 4 86.92 0.0360 0.1441 1.1 4.75 131.85 10594 348 24.36 8.52 71 1688 WC28 72 6 86.75 0.0240 0.1493 0.1 3.38 86.22 8678 3116 24.23 9.07 72 1688 WC28 73 6 86.75 0.0240 0.1493 0.1 3.38 133.67 8830 207 23.99 10.87 74 1688 WC28 73 6 86.75 0.0240 0.1493 0.1 3.08 133.67 8830 207 23.99 10.87 74 1688 WC28 73 6 87.39 0.0231 0.1394 1 3.08 133.67 8830 207 23.99 10.87 74 1688 WC28 75 6 86.75 0.0240 0.1493 0.1 7.00 208.80 10767 391 22.71 10.00 76 1678 WC28 76 6 86.75 0.0240 0.1361 0.1 7.00 208.80 10767 391 23.71 10.00 76 1678 WC28 77 6 87.47 0.0391 0.1313 1.1 8.58 392.23 10799 228 25.51 10.39 78 16655 WC28 77 6 87.47 0.0391 0.1313 1.1 8.58 392.23 10799 228 25.51 10.54 80 1659 WC28 77 6 87.47 0.0191 0.1357 1.1 6.71 351.55 10073 302 226 24.04 37.55 10.54 80 1659 WC28 78 6 86.57 0.0240 0.1560 0.15				4.5	86.53	0.0328	0.1478	0	6.00	182.68	10422	312	21.79	8.00
62 1748.5 WC28 62 5.5 86.07 0.0282 0.1551 0.2 3.09 109.61 10469 260 21.41 7.91 63 1744 WC28 63 4.5 86.30 0.0336 0.1514 0.2 2.33 69.35 10508 323 22.06 7.81 64 1739 WC28 64 5 86.62 0.0296 0.1480 6.4 2.00 67.57 11179 302 22.64 7.68 65 1727.5 WC28 65 6 85.38 0.0270 0.1619 0 1.67 61.77 10250 252 21.19 7.86 65 1727.5 WC28 66 5.5 86.11 0.0271 0.1492 0 3.55 130.70 10219 253 22.59 8.23 67 1723 WC28 67 4.5 86.21 0.0333 0.1490 0.2 8.56 255.64 10248 312 22.75 9.25 68 1718 WC28 68 5 85.64 0.0317 0.1585 0.4 5.50 173.50 11336 328 22.91 8.32 69 1712 WC28 69 6 86.64 0.0240 0.1442 0.2 3.83 159.50 11219 246 24.83 8.35 70 1708 WC28 70 4 86.69 0.0380 0.1441 1.1 4.75 1318.5 10594 3.48 24.36 8.55 71 1704 WC28 71 4 86.69 0.0351 0.1403 0.1 3.38 96.22 9878 316 24.23 9.07 72 1698 WC28 72 6 86.75 0.0240 0.1442 0.1 3.38 96.22 9878 316 24.23 9.07 72 1698 WC28 72 6 87.39 0.0231 0.1384 1 3.08 133.67 9830 207 23.99 10.67 74 1688 WC28 73 6 87.39 0.0231 0.1384 1 3.08 133.67 9830 207 23.99 10.67 74 1688 WC28 75 4 87.40 0.0340 0.1361 0 7.50 220.43 10977 341 24.03 10.19 75 1684 WC28 75 4 87.40 0.0340 0.1361 0 7.50 220.43 10977 341 24.03 10.19 75 1684 WC28 75 4 87.40 0.0340 0.1361 0 7.50 220.43 10977 341 24.03 10.19 75 1684 WC28 75 4 87.50 0.0355 0.1341 0.1 7.00 208.80 10767 329 23.71 10.00 76 1678 WC28 75 4 87.40 0.0340 0.1361 0 7.50 220.43 10977 341 24.03 10.19 75 1684 WC28 75 4 87.50 0.0355 0.1341 0.1 7.00 208.80 10767 329 22.55 110.39 77 1672 WC28 77 6 87.74 0.0191 0.1337 1.1 8.58 392.23 10099 228 25.55 110.39 78 1655 WC28 78 7 87.47 0.0191 0.1337 1.1 8.59 392.23 10099 228 25.55 110.39 81 1648 WC20 87 7 85.60 0.0350 0.1445 0.1570 0.150 0.8 87.92 20.44 10092 228 25.55 110.39 81 1648 WC20 87 5 86.01 0.0301 0.1550 8.8 7.92 20.45 10974 20.354 10.44 20.35 20.68 81 1651 WC20 87 5 85.80 0.0314 0.1570 0.55 8.8 7.92 20.45 10974 22.24 22.45 7.39 81 1655 WC20 87 5 85.80 0.0314 0.1570 0.5 4.10 130.57 10078 332 23.12 7.88 85 1626 WC20 87 5 85.80 0.0314 0.1570 0.5 4.10 130.57 10078 332 23.12 7.88 85 1626 WC20 85 5 85.50 0.0324 0.1690 0.8 4.10 121.30 11444 373											10594	368	20.96	8.06
64 1739 WC2B 64 5 86.62 0.0296 0.1480 6.4 2.00 67.57 11179 302 22.64 7.68 65 1733 WC2B 65 6 85.38 0.0270 0.1619 0 1.677 61.77 10250 252 21.19 7.86 65 1727.5 WC2B 65 5.5 86.11 0.0271 0.1492 0 3.55 130.70 10219 253 22.59 8.23 67 1723 WC2B 67 4.5 86.21 0.0333 0.1499 0.2 8.56 255.84 10248 312 22.75 9.25 88.21 0.0335 0.1499 0.2 8.56 255.84 10248 312 22.75 9.25 88.21 0.0335 0.1499 0.2 8.56 255.84 10248 312 22.75 9.25 89.21 89.21 1718 WC2B 68 5 85.64 0.0317 0.1585 0.4 5.50 173.50 1133.6 328 23.91 8.32 89.21 1712 WC2B 69 6 86.64 0.0240 0.1442 0.2 3.83 159.50 11219 246 24.83 8.35 70 1708 WC2B 70 4 86.69 0.0360 0.1441 1.1 4.75 131.85 10594 348 24.36 8.52 71 1704 WC2B 71 4 86.92 0.0351 0.1403 0.1 3.38 96.22 9878 316 24.23 9.07 72 1698 WC2B 72 6 86.75 0.0240 0.1439 0.2 2.50 104.24 10332 226 24.04 9.32 73 1692 WC2B 73 6 87.39 0.0241 0.1494 1 3.08 133.67 9830 207 23.99 10.87 74 1688 WC2B 74 4 87.64 0.0340 0.1361 0 7.50 220.43 10977 341 24.03 10.19 75 1684 WC2B 75 4 87.69 0.0335 0.1341 0.1 7.00 208.80 10767 329 23.71 10.00 76 1672 WC2B 77 6 87.94 0.0214 0.1282 0.8 8.33 390.02 10031 206 23.95 9.93 77 1672 WC2B 77 6 87.94 0.0214 0.1282 0.8 8.33 390.22 10031 206 23.95 9.93 77 1672 WC2B 77 6 87.94 0.0214 0.1337 1.1 8.58 392.23 10799 228 25.51 10.39 78 1665 WC2B 78 7 87.47 0.0191 0.1337 1.1 8.58 392.23 10799 228 25.51 10.39 78 1665 WC2B 79 6 85.55 0.0242 0.1453 1.3 14.67 605.64 10611 247 23.54 10.64 80 1653 WC2D 80 6 85.84 0.0258 0.1550 8.8 7.92 306.45 10498 304 23.59 7.10 82 1641 WC2D 82 7 85.07 0.0228 0.1550 8.8 7.92 306.45 10498 304 23.59 7.10 82 1641 WC2D 82 7 85.07 0.0228 0.1550 8.8 7.92 306.45 10498 304 23.59 7.10 82 1641 WC2D 84 5 85.60 0.0338 0.1690 0.8 4.10 130.57 10078 332 23.12 7.80 85 1626 WC2D 83 5 84.63 0.0338 0.1690 0.8 4.10 130.57 10078 332 23.12 7.80 85 1626 WC2D 83 5 84.63 0.0338 0.1690 0.8 4.10 130.57 10078 332 23.12 7.80 85 1626 WC2D 85 5 85.53 0.0300 0.1662 1.6 4.50 140.45 10078 311 22.78 7.80 85 1626 WC2D 85 5 85.53 0.0300 0.1662 1.6 4.50 140.45 10078 311 22.78 7.80 85 1626 WC2D 87 5 86.54 0.0292 0.1458 4.5 8						0.02.02	000.		- 0.00	1,00.07	10469	269	21.41	7.91
65 1733 WC2B 65 6 85.38 0.0270 0.1619 0 1.67 61.77 10250 252 21.19 7.86 65 1727.5 WC2B 68 5.5 86.11 0.0271 0.1492 0 3.55 130.70 10219 253 22.59 8.23 67 1723 WC2B 67 4.5 86.21 0.0233 0.1499 0.2 8.56 256.84 10248 312 22.75 9.25 68 1718 WC2B 68 5 85.64 0.0317 0.1585 0.4 5.50 173.50 11336 328 23.91 8.32 69 1712 WC2B 69 6 86.64 0.0240 0.1442 0.2 3.83 159.50 11219 246 24.83 8.35 70 1708 WC2B 70 4 86.69 0.0360 0.1441 1.1 4.75 131.85 10594 348 24.36 8.52 71 1704 WC2B 71 4 86.92 0.0351 0.1403 0.1 3.38 96.22 9878 316 24.23 9.07 72 1698 WC2B 71 4 86.92 0.0351 0.1403 0.1 3.38 96.22 9878 316 24.23 9.07 72 1698 WC2B 72 6 86.75 0.0240 0.1439 0.2 2.50 104.24 10332 226 24.04 9.32 73 1692 WC2B 73 6 87.39 0.0231 0.1384 1 3.08 133.67 9830 207 23.99 10.67 74 1688 WC2B 74 4 87.44 0.0340 0.1361 0 7.50 220.43 10977 341 24.03 10.19 75 1684 WC2B 75 4 87.60 0.0335 0.1341 0.1 7.00 208.80 10767 329 23.71 10.00 76 1678 WC2B 76 6 87.94 0.0214 0.1282 0.8 8.33 300.02 10331 206 23.95 9.93 77 1672 WC2B 77 6 87.79 0.0219 0.1313 1.1 8.58 392.23 10799 228 25.51 10.39 78 1665 WC2B 77 6 87.79 0.0219 0.1313 1.1 8.58 392.23 10799 228 25.51 10.39 78 1665 WC2B 78 6 85.54 0.0219 0.1333 1.1 8.58 392.23 10799 228 25.51 10.39 78 1665 WC2B 79 6 85.54 0.029 0.1505 2.4 5.00 166.11 10498 304 23.59 7.10 82 1641 WC2D 82 7 85.60 0.0335 0.1505 0.8 7.92 306.45 10.99 32 24.05 10.54 24.05 31 10.99 32 24.05 10.54 24.05 31 10.99 32 24.05 10.54 24.05 31 10.99 32 24.05 10.54 24.05 31 10.99 32 24.05 10.54 24.05 31 10.99 32 24.05 10.54 24.05 31 10.99 32 24.05 25.51 10.39 31 10.40 32 24.05 31 10.99 32 24.05 25.51 10.39 32 24.05 31 10.40 32 24.05 31 10.40 32 24.05 31 10.40 32 24.05 31 10.40 32 24.05 31 10.40 32 24.05 31 10.40 32 24.05 31 10.40 32 24.05 31 10.40 32 24.05 31 10.40 32 24.05 31 10.40 32 24.05 31 10.40 32 24.05 31 10.40 32 24.05 31 10.40 32 24.05 31 10.40 32 24.05 31 10.40 32 24.05 31 10.40 32 24.05 31 10.40 32 24.05 31 10.40 32 24.05 31 31 10.40 32 31 31 31 31 31 31 31 31 32 31 31 31 31 31 31 31 31 31 31 31 31 31											10508	323	22.06	7.81
66 1727.5 WCZB 66 5.5 86.11 0.0271 0.1492 0 3.55 130.70 10219 253 22.59 8.23 67 1723 WCZB 67 4.5 86.21 0.0333 0.1490 0.2 8.56 256.84 10248 312 22.75 9.25 68 1718 WCZB 68 5 85.64 0.0317 0.1585 0.4 5.50 173.50 11336 328 23.91 8.32 69 1712 WCZB 69 6 86.64 0.0240 0.1442 0.2 3.83 159.50 11219 246 24.83 8.35 70 1708 WCZB 70 4 96.69 0.0360 0.1441 1.1 4.75 131.85 10594 348 24.36 8.52 71 1704 WCZB 71 4 86.92 0.0351 0.1403 0.1 3.38 96.22 9878 316 24.23 9.07 72 1698 WCZB 72 6 86.75 0.0240 0.1439 0.2 2.50 104.24 10332 226 24.04 9.32 73 1692 WCZB 73 6 87.39 0.0231 0.1384 1 3.08 133.67 9830 207 23.99 10.87 74 1688 WCZB 74 4 87.44 0.0340 0.1361 0 7.50 220.43 10977 341 24.03 10.19 75 1684 WCZB 75 6 87.50 0.0335 0.1341 0.1 7.00 208.80 10767 329 23.71 10.00 76 1678 WCZB 77 6 87.90 0.0214 0.1282 0.6 8.33 390.02 10031 206 23.95 9.33 77 1672 WCZB 77 6 87.90 0.0219 0.1313 1.1 8.58 392.23 10799 228 25.51 10.39 78 1665 WCZB 77 6 86.55 0.0242 0.1337 1.1 8.58 392.23 10799 228 25.51 10.39 78 1665 WCZB 78 7 87.47 0.0191 0.1307 1.1 8.58 392.23 10799 228 25.51 10.39 78 1665 WCZB 79 6 86.55 0.0242 0.1537 1.1 6.71 351.53 10973 202 26.55 10.54 80 1653 WCZB 79 6 86.55 0.0242 0.1537 1.1 6.71 351.53 10973 202 26.55 10.54 80 1653 WCZB 79 6 86.55 0.0242 0.1537 1.1 6.71 351.53 10973 202 26.55 10.54 80 1653 WCZB 79 6 86.55 0.0242 0.1537 1.1 6.71 351.53 10973 202 26.55 10.54 80 1653 WCZB 79 6 86.55 0.0242 0.1537 1.1 6.71 351.53 10973 202 26.55 10.54 80 1653 WCZB 79 6 86.55 0.0242 0.1530 0.1500 1.1 1.1 6.71 351.53 10973 202 26.55 10.54 80 1653 WCZB 79 6 86.55 0.0242 0.1500 0.1500 0.1500 0.1 1.1 1.1 1.1 1.1 1.1 1.1 1.1 1.1 1												302	22.64	7.68
67 1723 WC28 67 4.5 86.21 0.0333 0.1499 0.2 8.56 256.84 10248 312 22.75 9.25 68 1718 WC28 68 5 85.64 0.0317 0.1585 0.4 5.50 173.50 11336 328 23.91 8.32 70 1708 WC28 70 4 86.64 0.0240 0.1441 1.1 4.75 131.85 10594 348 24.36 8.52 71 1704 WC28 70 4 86.69 0.0360 0.1441 1.1 4.75 131.85 10594 348 24.36 8.52 71 1704 WC28 71 4 86.92 0.0361 0.1403 0.1 3.38 96.22 9878 316 24.23 9.07 72 1698 WC28 72 6 86.75 0.0240 0.1439 0.2 2.50 104.24 10332 226 240.4 9.32 73 1692 WC28 73 6 87.39 0.0231 0.1384 1 3.08 133.67 9830 207 23.99 10.87 74 1688 WC28 74 4 87.64 0.0340 0.1361 0 7.50 220.43 10977 341 24.03 10.19 75 1684 WC28 75 4 87.60 0.0355 0.1341 0.1 7.00 208.80 10767 329 23.71 10.00 76 1678 WC28 76 8 87.79 0.0214 0.1322 0.6 8.33 390.02 10031 206 23.95 9.33 77 1672 WC28 77 6 87.79 0.0214 0.1322 0.6 8.33 390.02 10031 206 23.95 9.93 77 1672 WC28 78 7 87.47 0.0191 0.1337 1.1 8.58 392.23 10799 228 25.51 10.39 78 1665 WC28 78 7 87.47 0.0191 0.1337 1.1 8.59 392.23 10799 228 25.51 10.39 78 1665 WC28 78 7 87.47 0.0191 0.1337 1.1 8.71 351.53 10973 202 26.55 10.54 80 1653 WC28 79 6 86.55 0.0242 0.1453 1.3 14.67 605.64 10611 247 23.54 10.64 80 1653 WC28 89 6 85.84 0.0258 0.1550 8.8 7.92 305.64 10611 247 23.54 10.64 80 1653 WC28 89 6 85.84 0.0258 0.1550 8.8 7.92 305.64 10611 247 23.54 10.64 80 1653 WC28 89 6 85.84 0.0258 0.1550 8.8 7.92 305.64 10611 247 23.54 10.64 80 1653 WC28 89 5 85.67 0.0224 0.1505 2.4 5.00 166.11 10498 304 23.59 7.10 82 1641 WC20 82 7 85.07 0.0228 0.1590 0.9 2.50 109.44 10922 240 22.45 7.39 84 1631 WC20 84 5 85.60 0.0340 0.1570 0.5 4.10 130.57 10078 332 23.12 7.80 86 1626 WC20 85 5 85.50 0.0340 0.1602 1.6 62 1.6 64 50 1073 31 22.78 7.80 86 1626 WC20 85 5 85.54 0.0292 0.1689 4.5 8.40 288.07 10149 285 23.32 84.42 828.87 1616 WC20 87 5 86.54 0.0292 0.1648 4.5 8.40 288.07 10149 285 23.32 84.42 828.87 10149 825 23.32 84.42 828.87 10149 825 23.32 84.42 828.87 10149 825 23.32 84.42 828.87 10149 825 23.32 84.42 828.87 10149 825 23.32 84.42 828.87 10149 825 23.32 84.42 828.87 10149 825 23.32 84.42 828.87 10149 825 23.32 84.42 828													21.19	7.86
68 1718 WC2B 68 5 85.64 0.0317 0.1585 0.4 5.50 173.50 11336 328 23.91 8.32 69 1712 WC2B 69 6 36.64 0.0240 0.1442 0.2 3.83 159.50 11219 246 24.83 8.35 70 1708 WC2B 70 4 86.69 0.0350 0.1411 1.1 4.75 131.85 10594 348 24.36 8.52 71 1704 WC2B 71 4 86.92 0.0351 0.1403 0.1 3.38 96.22 9678 316 24.23 9.07 72 1698 WC2B 72 6 86.75 0.0240 0.1439 0.2 2.50 104.24 10332 226 24.04 9.32 73 1692 WC2B 73 6 87.39 0.0231 0.1381 0 7.50 104.24 10332 226 24.04 9.32 74 1688												253	22.59	8.23
69 1712 WC28 69 6 86.64 0.0240 0.1442 0.2 3.83 159.50 11219 246 24.83 8.35 70 1708 WC28 70 4 86.69 0.0360 0.1441 1.1 4.75 131.85 10594 348 24.36 8.52 71 1704 WC28 71 4 86.69 0.0361 0.1403 0.1 3.38 96.22 9878 316 24.23 9.07 72 1698 WC28 72 6 86.75 0.0240 0.1439 0.2 2.50 104.24 10332 226 24.04 9.32 73 1692 WC28 73 6 87.39 0.0231 0.1384 1 3.08 133.67 9830 207 23.99 10.87 74 1688 WC28 74 4 87.44 0.0340 0.1381 0 7.50 220.43 10977 341 24.03 10.19 75 1684 WC28 75 4 87.60 0.0335 0.1341 0.1 7.00 206.80 10767 329 23.71 10.00 76 1678 WC28 76 6 87.94 0.0214 0.1282 0.6 8.33 390.02 10331 206 23.95 9.93 77 1672 WC28 77 6 87.79 0.0219 0.1313 1.1 8.58 392.23 10799 228 25.51 10.39 78 1665 WC28 78 7 87.47 0.0191 0.1337 1.1 6.71 351.53 10973 202 26.55 10.54 80 1655 WC28 78 6 85.54 0.0228 0.1453 1.3 14.67 605.64 10811 247 23.54 10.64 80 1653 WC2D 80 6 85.54 0.0228 0.1550 8.8 7.92 306.45 10914 247 23.54 10.64 80 1653 WC2D 80 6 85.54 0.0228 0.1550 8.8 7.92 306.45 10914 247 23.55 10.64 80 1653 WC2D 80 6 85.54 0.0228 0.1550 8.8 7.92 306.45 10914 261 23.55 6.89 81 1648 WC2D 81 5 86.01 0.0301 0.1550 2.4 5.00 166.11 10.98 304 23.59 7.10 82 1641 WC2D 82 7 85.07 0.0228 0.1550 8.8 7.92 306.45 10.91 1219 224 20 22.45 7.39 81 1656 WC2D 81 5 86.60 0.0338 0.1690 0.9 2.50 109.44 10022 240 22.45 7.39 81 1656 WC2D 81 5 86.60 0.0314 0.1570 0.5 4.10 130.57 10078 332 23.12 7.80 86 1621 WC2D 84 5 85.54 0.0228 0.1550 0.8 4.10 121.30 1144 373 23.20 7.26 86 1626 WC2D 84 5 85.54 0.0228 0.1550 0.03 4.10 121.30 1144 373 23.20 7.26 86 1626 WC2D 84 5 85.54 0.0228 0.1550 0.8 4.10 120.57 10078 332 23.12 7.80 86 1626 WC2D 85 5 85.54 0.0228 0.1560 0.8 4.10 120.57 10078 332 23.12 7.80 86 1626 WC2D 85 5 85.54 0.0228 0.1560 0.8 4.50 10078 311 22.78 7.80 86 1626 WC2D 87 5 85.64 0.0292 0.1458 4.5 8.40 286.07 10149 285 23.32 8.42											10248	312	22.75	9.25
70 1708 WC28 70 4 86.69 0.0360 0.1441 1.1 4.75 131.85 10594 348 24.36 8.52 71 1704 WC28 71 4 86.92 0.0351 0.1403 0.1 3.38 96.22 9878 316 24.23 9.07 72 1698 WC28 72 6 86.75 0.0240 0.1439 0.2 2.50 104.24 10332 226 24.04 9.32 73 1692 WC28 73 6 87.39 0.0231 0.1384 1 3.08 133.67 9830 207 23.99 10.87 74 1688 WC28 74 4 87.44 0.0340 0.1361 0 7.50 220.43 10977 341 24.03 10.19 75 1684 WC28 75 4 87.60 0.0335 0.1341 0.1 7.00 208.80 10767 329 23.71 10.00 76 1678 WC28 76 6 87.94 0.0214 0.1282 0.6 8.33 390.02 10031 206 23.95 9.33 177 1672 WC28 77 6 87.79 0.0219 0.1313 1.1 8.58 392.23 10799 228 25.51 10.39 78 1665 WC28 78 7 87.47 0.0191 0.1307 1.1 6.71 351.53 10973 202 26.55 10.54 80 1653 WC2D 79 6 86.55 0.0224 0.1283 1.3 1.4 6.77 605.64 10611 247 23.54 10.64 80 1653 WC2D 80 6 85.84 0.0258 0.1550 8.8 7.92 306.45 1094 261 23.55 9.71 10.82 81 1648 WC2D 81 5 86.01 0.0301 0.1505 2.4 5.00 166.11 10498 304 23.59 7.10 82 1641 WC2D 82 7 85.07 0.0228 0.1590 0.9 2.50 109.44 10922 240 22.45 7.39 83 1636 WC2D 83 5 84.63 0.0338 0.1690 0.8 4.10 121.30 11444 373 23.02 7.26 85 1626 WC2D 83 5 85.50 0.0314 0.1570 0.5 4.10 130.57 10078 332 23.12 7.82 85 1626 WC2D 83 5 85.60 0.0314 0.1570 0.5 4.10 130.57 10078 332 23.12 7.82 85 1626 WC2D 83 5 85.64 0.0298 0.1690 0.8 4.10 121.30 10793 285 27.32 84.42 85 1626 WC2D 85 5 85.53 0.0320 0.1602 1.6 4.50 140.45 10078 311 22.78 7.80 86 1621 WC2D 85 5 85.54 0.0298 0.1690 0.8 4.10 121.30 10798 332 23.12 7.80 86 1621 WC2D 85 5 85.54 0.0298 0.1602 1.6 4.50 140.45 10078 311 22.78 7.80 86 1626 WC2D 85 5 85.53 0.0320 0.1602 1.6 4.50 140.45 10078 311 22.78 7.80 86 1626 WC2D 85 5 85.54 0.0298 0.1491 0 3.0 30 107.91 4468 272 22.74 82.3												328	23.91	8.32
71 1704 WC2B 71 4 86.92 0.0351 0.1403 0.1 3.38 96.22 9878 316 24.23 9.07 72 1698 WC2B 72 6 86.75 0.0240 0.1439 0.2 2.50 104.24 10332 226 24.04 9.32 73 1692 WC2B 73 6 87.39 0.0231 0.1394 1 3.08 133.67 9830 207 23.99 10.87 74 1688 WC2B 74 4 87.44 0.0340 0.1361 0 7.50 220.43 10977 341 24.03 10.19 75 1694 WC2B 75 4 87.60 0.0335 0.1341 0.1 7.00 208.80 10767 329 23.71 10.00 76 1678 WC2B 76 6 87.94 0.0214 0.1282 0.8 8.33 300.02 10031 206 23.95 9.93 77 1672 WC2B 77 6 87.79 0.0219 0.1313 1.1 8.58 392.23 10799 228 25.51 10.39 78 1665 WC2B 78 7 87.47 0.0191 0.1337 1.1 6.71 351.53 10973 202 26.55 10.54 79 1659 WC2B 79 6 86.55 0.0242 0.1453 1.3 14.67 605.64 10611 247 23.54 10.64 80 1653 WC2D 80 6 85.94 0.0258 0.1550 8.8 7.92 306.45 10494 261 23.55 6.89 81 1648 WC2D 81 5 86.01 0.0301 0.1505 2.4 5.00 166.11 10498 304 23.59 7.10 82 1641 WC2D 82 7 85.07 0.0228 0.1559 0.9 250 109.44 10922 240 22.45 7.39 83 1636 WC2D 84 5 85.80 0.0314 0.1570 0.5 4.10 130.57 10078 332 23.12 7.82 84 1631 WC2D 84 5 85.80 0.0314 0.1570 0.5 4.10 130.57 10078 332 23.12 7.82 85 1626 WC2D 85 5 85.53 0.0229 0.1458 4.5 8.40 288.07 10149 285 23.32 8.42												246	24.83	8.35
72 1698 WC28 72 6 86.75 0.0240 0.1439 0.2 2.50 104.24 10332 226 24.04 9.32 73 1692 WC28 73 6 87.39 0.0231 0.1384 1 3.08 133.67 9830 207 23.99 10.87 74 1688 WC28 74 4 87.44 0.0340 0.1384 1 3.08 133.67 9830 207 23.99 10.87 75 1684 WC28 75 4 87.60 0.0335 0.1341 0.1 7.00 206.80 10767 329 23.71 10.00 76 1678 WC28 76 6 87.94 0.0214 0.1282 0.6 8.33 390.02 10331 206 23.95 9.93 77 1672 WC28 77 6 87.79 0.0219 0.1313 1.1 8.58 392.23 10799 228 25.51 10.39 78 1665 WC28 78 7 87.47 0.0191 0.1337 1.1 6.71 351.53 10973 202 26.55 10.54 79 1659 WC28 79 6 86.55 0.0242 0.1453 1.3 14.67 605.64 10811 247 23.54 10.64 80 1653 WC2D 80 6 85.54 0.0258 0.1550 8.8 7.92 306.45 10994 261 23.55 6.89 81 1648 WC2D 81 5 86.01 0.0301 0.1505 2.4 5.00 166.11 10.498 304 23.55 7.10 82 1641 WC2D 82 7 85.07 0.0228 0.1503 1.500 166.11 10.498 304 23.55 7.10 82 1641 WC2D 82 7 85.07 0.0228 0.1500 0.9 2.50 109.44 10.022 240 22.45 7.39 83 1636 WC2D 83 5 85.50 0.0314 0.1570 0.5 4.10 130.57 10.78 332 23.12 7.82 84 1631 WC2D 84 5 85.50 0.0314 0.1570 0.5 4.10 130.57 10.78 332 23.12 7.82 85 1626 WC2D 85 5 85.50 0.0328 0.1600 0.8 4.10 121.30 11.44 7373 23.20 7.26 86 1626 WC2D 85 5 85.50 0.0328 0.1600 0.8 4.10 121.30 11.44 7373 23.22 7.26 86 1626 WC2D 85 5 85.54 0.0292 0.1602 1.6 4.50 140.45 10.078 311 22.78 7.80 86 1621 WC2D 85 5 86.64 0.0298 0.1602 1.6 4.50 140.45 10.078 311 22.78 7.80 86 1621 WC2D 85 5 86.64 0.0298 0.1602 1.6 4.50 140.45 10.078 311 22.78 7.80 86 1621 WC2D 85 5 86.64 0.0298 0.1602 1.6 4.50 140.45 10.078 311 22.78 7.80 86 1621 WC2D 85 5 86.64 0.0298 0.1608 4.5 8.40 286.07 10.149 285 23.32 8.42					86.69	0.0360	0.1441		4.75	131.85	10594	348	24.36	8.52
73 1692 WC2B 73 6 87.39 0.0231 0.1384 1 3.06 133.67 9830 207 23.99 10.87 74 1688 WC2B 74 4 87.44 0.0340 0.1361 0 7.50 220.43 10977 341 24.03 10.19 75 1684 WC2B 75 4 87.60 0.0335 0.1341 0.1 7.00 208.80 10767 329 23.71 10.00 76 1678 WC2B 76 6 87.94 0.0214 0.1282 0.6 8.33 390.02 10031 206 23.95 9.93 77 1672 WC2B 77 6 87.79 0.0219 0.1313 1.1 8.58 392.23 10799 228 25.51 10.39 78 1665 WC2B 78 7 87.47 0.0191 0.1357 1.1 6.71 351.53 10973 202 26.55 10.54 80 1653 WC2B 79 6 86.55 0.0242 0.1453 1.3 14.67 605.64 10611 247 23.54 10.64 80 1653 WC2D 80 6 85.84 0.0258 0.1550 8.8 7.92 306.45 10494 261 23.55 6.89 81 1648 WC2D 81 5 86.01 0.0301 0.1505 2.4 5.00 166.11 10498 304 23.59 7.10 82 1641 WC2D 82 7 85.07 0.0228 0.1590 0.9 2.50 109.44 10922 240 22.45 7.39 83 1636 WC2D 83 5 84.63 0.0338 0.1660 0.8 4.10 121.30 11444 373 23.02 7.26 84 1631 WC2D 84 5 85.80 0.0314 0.1570 0.5 4.10 130.57 10078 332 23.12 7.82 85 1626 WC2D 85 5 85.53 0.0320 0.1602 1.6 4.50 140.45 10078 311 22.78 7.80 86 1621 WC2D 85 5 86.40 0.0298 0.1690 1.6 4.50 140.45 10078 311 22.78 7.80 86 1621 WC2D 85 5 86.40 0.0298 0.1459 4.5 8.40 288.07 10149 285 23.32 8.42										96.22	9878	316	24.23	9.07
74 1688 WC28 74 4 87.44 0.0340 0.1361 0 7.50 220.43 10977 341 24.03 10.19 75 1684 WC28 75 4 87.60 0.0335 0.1341 0.1 7.00 208.80 10767 329 23.71 10.00 76 1678 WC28 76 6 87.94 0.0214 0.1282 0.8 8.33 300.02 10031 206 23.95 9.93 77 1672 WC28 77 6 87.79 0.0219 0.1313 1.1 8.58 392.23 10799 228 25.51 10.39 78 1665 WC28 78 7 87.47 0.0191 0.1337 1.1 6.71 351.53 10973 202 26.55 10.54 79 1659 WC28 79 6 86.55 0.0242 0.1453 1.3 14.67 605.64 10611 247 23.54 10.64 80 1653 WC20 80 6 85.54 0.0258 0.1550 8.8 7.92 306.45 10494 261 23.55 6.89 81 1548 WC2D 81 5 86.01 0.0301 0.1505 2.4 5.00 166.11 10498 304 23.59 7.10 82 1641 WC2D 82 7 85.07 0.0228 0.1559 0.9 2.50 109.44 10922 240 22.45 7.39 83 1636 WC2D 84 5 85.60 0.0314 0.1570 0.5 4.10 130.57 10078 332 23.12 7.82 84 1631 WC2D 84 5 85.60 0.0314 0.1570 0.5 4.10 130.57 10078 332 23.12 7.82 85 1626 WC2D 85 5 85.53 0.0329 0.1602 1.6 4.50 140.45 10078 311 22.78 7.80 86 1626 WC2D 85 5 85.54 0.0298 0.1691 0.30 3.44 10022 240 22.45 7.89 86 1626 WC2D 85 5 85.50 0.0314 0.1570 0.5 4.10 130.57 10078 332 23.12 7.82 87 1616 WC2D 87 5 86.64 0.0298 0.1691 0.30 320 107.31 9468 272 22.74 8.23 87 1616 WC2D 87 5 86.54 0.0298 0.1458 4.5 8.40 288.07 10149 285 23.32 8.42								0.2	2.50		10332	226		9.32
75 1684 WC2B 75 4 87.60 0.0335 0.1341 0.1 7.00 208.80 10767 329 23.71 10.00 76 1678 WC2B 76 6 87.94 0.0214 0.1282 0.6 8.33 300.02 10031 206 23.95 9.93 77 1672 WC2B 77 6 87.79 0.0219 0.1313 1.1 8.58 392.23 10799 228 25.51 10.39 78 1665 WC2B 78 7 87.47 0.0191 0.1337 1.1 6.71 351.53 10793 202 26.55 10.54 79 1659 WC2B 79 6 86.55 0.0242 0.1453 1.3 14.67 605.64 10611 247 23.54 10.64 80 1653 WC2B 80 6 85.54 0.0228 0.1550 1.3 14.67 605.64 10611 247 23.54 10.64 80 1653 WC2B 80 6 85.54 0.0228 0.1550 8.8 7.92 306.45 10494 261 23.55 6.89 81 1648 WC2D 81 5 86.01 0.0301 0.1505 2.4 5.00 166.11 10498 304 23.59 7.10 82 1641 WC2D 82 7 85.07 0.0228 0.1509 0.9 2.50 109.44 10922 240 22.45 7.39 83 1636 WC2D 83 5 84.63 0.0338 0.1690 0.8 4.10 121.30 11444 373 23.02 7.26 84 1631 WC2D 84 5 85.80 0.0314 0.1570 0.5 4.10 130.57 10078 332 23.12 7.82 85 1626 WC2D 85 5 85.53 0.0320 0.1602 1.6 4.50 140.45 10078 311 22.78 7.80 86 1621 WC2D 85 5 85.64 0.0292 0.1602 1.6 4.50 140.45 10078 311 22.78 7.80 86 1621 WC2D 85 5 86.64 0.0298 0.1602 1.6 4.50 140.45 10078 311 22.78 7.80 86 1621 WC2D 85 5 86.64 0.0298 0.1602 1.6 4.50 140.45 10078 311 22.78 7.80 86 1621 WC2D 87 5 86.54 0.0298 0.1489 0.30 286.07 10149 285 23.32 8.42 87 1616 WC2D 87 5 86.54 0.0292 0.1488 4.5 8.40 288.07 10149 285 23.32 8.42												207	23.99	10.67
76 1678 WC28 76 6 87.94 0.0214 0.1282 0.6 8.33 390.02 10031 206 23.95 9.93 77 1672 WC28 77 6 87.79 0.0219 0.1313 1.1 8.58 392.23 10799 228 25.51 10.39 78 1665 WC28 78 7 87.47 0.0191 0.1337 1.1 6.71 351.53 10973 202 26.55 10.54 10.64 10.65 WC28 79 6 86.55 0.0242 0.1453 1.3 14.67 605.64 10611 247 23.54 10.64 80 1653 WC20 80 6 85.84 0.0258 0.1550 8.8 7.92 306.45 10494 261 23.55 6.89 81 1548 WC20 81 5 86.01 0.0301 0.1505 2.4 5.00 166.11 10498 304 23.59 7.10 82 1641 WC20 82 7 85.07 0.0228 0.1550 9.0 0.9 2.50 109.44 10922 240 22.45 7.39 83 1636 WC20 83 5 84.63 0.0338 0.1690 0.8 4.10 121.30 11444 373 23.02 7.26 84 1831 WC20 84 5 85.60 0.0314 0.1570 0.5 4.10 130.57 10078 332 23.12 7.82 85 1626 WC20 85 5 85.53 0.0320 0.1602 1.6 4.50 140.45 10078 311 22.78 7.80 86 1621 WC20 86 5 86.40 0.0298 0.1602 1.6 4.50 140.45 10078 311 22.78 7.80 86 1621 WC20 87 5 86.54 0.0298 0.1491 0 3.20 107.31 9468 272 22.74 8.23 87 1616 WC20 87 5 86.54 0.0298 0.1491 0 3.20 107.31 9468 272 22.74 8.23 87 1616 WC20 87 5 86.54 0.0298 0.1491 0 3.20 107.31 9468 272 22.74 8.23 87 1616 WC20 87 5 86.54 0.0298 0.1491 0 3.20 107.31 9468 272 22.74 8.23 87 1616 WC20 87 5 86.54 0.0298 0.1491 0 3.20 107.31 9468 272 22.74 8.23										220.43	10977	341	24.03	10.19
77 1672 WC28 77 6 87.79 0.0219 0.1313 1.1 8.58 392.23 10799 228 25.51 10.39 78 1665 WC28 78 7 87.47 0.0191 0.1337 1.1 6.71 351.53 10973 202 26.55 10.54 79 1659 WC29 79 6 86.55 0.0242 0.1453 1.3 14.67 605.64 10611 247 23.54 10.64 80 1653 WC20 80 6 85.84 0.0258 0.1550 8.8 7.92 306.45 10494 261 23.55 6.89 81 1548 WC20 81 5 86.01 0.0301 0.1505 2.4 5.00 166.11 10498 304 23.59 7.10 82 1641 WC20 82 7 85.07 0.0228 0.1599 0.9 2.50 109.44 10922 240 22.45 7.39 83 1636 WC20 83 5 84.63 0.0338 0.1690 0.8 4.10 121.30 11444 373 23.02 7.26 84 1631 WC20 84 5 85.80 0.0314 0.1570 0.5 4.10 130.57 10078 332 23.12 7.82 85 1626 WC20 85 5 85.53 0.0320 0.1602 1.6 4.50 140.45 10078 311 22.78 7.80 86 1621 WC20 86 5 86.40 0.0298 0.1591 0 320 107.31 9468 272 22.74 8.23 87 1616 WC20 87 5 86.54 0.0292 0.1458 4.5 8.40 288.07 10149 285 23.32 8.42							0.1341			208.80	10767	329	23.71	10.00
78 1665 WC28 78 7 87.47 0.0191 0.1337 1.1 6.71 351.53 10973 202 26.55 10.54 79 1659 WC28 79 6 86.55 0.0242 0.1453 1.3 14.67 605.64 10611 247 23.54 10.64 80 1653 WC20 80 6 85.54 0.0258 0.1550 8.8 7.92 306.45 10494 261 23.55 6.89 81 1648 WC20 81 5 86.01 0.0301 0.1505 2.4 5.00 166.11 10498 304 23.59 7.10 82 1641 WC20 82 7 85.07 0.0228 0.1599 0.9 2.50 109.44 10922 240 22.45 7.39 83 1636 WC20 83 5 84.65 0.0338 0.1690 0.8 4.10 121.30 11444 373 23.02 7.26 84 1631 WC20 84 5 85.80 0.0314 0.1570 0.5 4.10 130.57 10078 332 23.12 7.82 85 1626 WC20 85 5 85.53 0.0320 0.1602 1.6 4.50 140.45 10078 311 22.78 7.80 86 1621 WC20 85 5 86.40 0.0298 0.1591 0 3.20 107.31 9468 272 22.74 8.23 87 1616 WC20 87 5 86.54 0.0292 0.1458 4.5 8.40 288.07 10149 285 23.32 8.42					87.94	0.0214	0.1282			390.02	10031	206	23.95	9.93
79 1659 WC2B 79 6 96.55 0.0242 0.1453 1.3 14.67 605.64 10611 247 23.54 10.64 80 1653 WC2D 80 6 85.84 0.0258 0.1550 8.8 7.92 306.45 10494 261 23.55 6.89 81 1648 WC2D 81 5 86.01 0.02001 0.1505 2.4 5.00 166.11 10498 304 23.59 7.10 82 1641 WC2D 82 7 85.07 0.0228 0.1599 0.9 2.50 109.44 10492 240 22.45 7.39 83 1636 WC2D 83 5 84.63 0.0338 0.1690 0.8 4.10 121.30 11444 373 23.02 7.26 84 1631 WC2D 84 5 85.80 0.0314 0.1570 0.5 4.10 130.57 10078 332 23.12 7.82 85 1628 WC2D 85 5 85.53 0.0320 0.1602 1.6 4.50 140.45 10078 311 22.78 7.80 86 1621 WC2D 86 5 86.40 0.0298 0.1491 0 3.20 107.31 9468 272 22.74 8.23 87 1616 WC2D 87 5 86.54 0.0292 0.1458 4.5 8.40 288.07 10149 285 23.32 8.42												228	25.51	10.39
80 1653 WC2D 80 6 85.84 0.0258 0.1550 8.8 7.92 306.45 10494 261 23.55 6.89 81 1648 WC2D 81 5 86.01 0.0301 0.1505 2.4 5.00 166.11 10498 304 23.59 7.10 82 1641 WC2D 82 7 85.07 0.0228 0.1599 0.9 2.50 10944 10922 240 22.45 7.39 83 1636 WC2D 83 5 84.63 0.0338 0.1690 0.8 4.10 121.30 11444 373 23.02 7.26 84 1631 WC2D 84 5 85.80 0.0314 0.1570 0.5 4.10 130.57 10078 332 23.12 7.82 85 1626 WC2D 85 5 85.53 0.0320 0.1602 1.6 4.50 140.45 10078 311 22.78 7.80 86 1621														
81 1648 WC2D 81 5 86.01 0.0301 0.1505 2.4 5.00 166.11 10498 304 23.59 7,10 82 1641 WC2D 82 7 85.07 0.0228 0.1569 0.9 2.50 109.44 10922 240 22.45 7.39 83 1636 WC2D 83 5 84.63 0.0338 0.1690 0.8 4.10 121.30 11444 373 23.02 7.26 84 1831 WC2D 84 5 85.80 0.0314 0.1570 0.5 4.10 130.57 10078 332 23.12 7.82 85 1626 WC2D 85 5 85.53 0.0320 0.1602 1.6 4.50 140.45 10078 311 22.78 7.80 86 1621 WC2D 86 5 86.40 0.0298 0.1491 0 3.20 107.31 9458 272 22.74 8.23 87 1616												247		10.64
82 1641 WC2D 82 7 85.07 0.0228 0.1599 0.9 2.50 109.44 10922 240 22.45 7.38 83 1636 WC2D 83 5 84.65 0.0338 0.1690 0.8 4.10 121.30 11444 373 23.02 7.26 84 1631 WC2D 84 5 85.80 0.0314 0.1570 0.5 4.10 130.57 10078 332 23.12 7.80 85 1626 WC2D 85 5 85.53 0.0320 0.1602 1.6 4.50 140.45 10078 311 22.78 7.80 86 1621 WC2D 86 5 86.40 0.0298 0.1491 0 3.20 107.31 9468 272 22.74 8.23 87 1616 WC2D 87 5 86.54 0.0292 0.1458 4.5 8.40 288.07 10149 285 23.32 8.42														6.89
83 1636 WC2D 83 5 84.63 0.0338 0.1690 0.8 4.10 121.30 11444 373 23.02 7.26 84 1631 WC2D 84 5 85.80 0.0314 0.1570 0.5 4.10 130.57 10078 332 23.12 7.82 85 1626 WC2D 85 5 85.53 0.0320 0.1602 1.6 4.50 140.45 10078 311 22.78 7.80 86 1621 WC2D 86 5 86.40 0.0298 0.1491 0 3.20 107.31 9468 272 22.74 8.23 87 1616 WC2D 87 5 86.54 0.0292 0.1458 4.5 8.40 288.07 10149 285 23.32 8.42														
84 1631 WC2D 84 5 85.80 0.0314 0.1570 0.5 4.10 130.57 10078 332 23.12 7.82 85 1626 WC2D 85 5 85.53 0.0320 0.1602 1.6 4.50 140.45 10078 311 22.78 7.80 86 1621 WC2D 85 5 86.40 0.0298 0.1491 0 3.20 107.31 9468 272 22.74 8.23 87 1616 WC2D 87 5 86.54 0.0292 0.1458 4.5 8.40 288.07 10149 285 23.32 8.42									_					
85 1626 WC2D 85 5 85.53 0.0320 0.1602 1.6 4.50 140.45 10078 311 22.78 7.80 86 1621 WC2D 86 5 86.40 0.0298 0.1491 0 3.20 107.31 9468 272 22.74 8.23 87 1616 WC2D 87 5 86.54 0.0292 0.1458 4.5 8.40 288.07 10149 285 23.32 8.42													23.02	7.26
86 1621 WC2D 86 5 86.40 0.0298 0.1491 0 3.20 107.31 9468 272 22.74 8.23 87 1616 WC2D 87 5 86.54 0.0292 0.1458 4.5 8.40 288.07 10149 285 23.32 8.42														
87 1616 WC2D 87 5 86.54 0.0292 0.1458 4.5 8.40 288.07 10149 285 23.32 8.42														
88 1611 WCZD 88 5 86.24 0.0298 0.1488 0.8 5.20 174.73 11297 324 23.92 8.55														
	88[1611	WC2D 88	5	86.24	0.0298	0.1488	0.8	5.20	174.73	11297	324	23.92	8.55

		T .											
Depth	Year	Sample #	varves/cm		sed. influx	ODwt/cc	vivianite	charinttux	chargram	TCA con		%Org	%Carb
89 90	1605 1599	WC2D 89	6 -	85.55	0.0259	0.1556	0.4	4.17	160.67	11180	279	24,61	8.47
90	1593	WC2D 90 WC2D 91	6	85.71 85.97	0.0260	0.1562 0.1525	0.4	9.58 5.17	368.12	10789	271	24.26	8.29
92	1587	WC2D 92	6	86.66	0.0234	0.1453	0.5	6.42	203.28 264.97	10657	272	23.93 25.88	8.35 8.45
93	1582	WC2D 93	5	87.55	0.0270	0.1349	2	3.70	137.14	11370	295	26.91	7.92
94	1575	WC2D 94	7	88.46	0.0178	0.1244	2.2	2.29	128.62	11674	200	27.33	7.67
95	1569	WC2D 95	6	89.11	0.0191	0.1145	4.1	2.92	152.84	11589	213	26.90	7.94
96	1564	WC2D 96	5	88.77	0.0240	0.1199	0.7	3.60	150.13	11426	264	25.44	7.96
97	1558	WC2D 97	6	88.38	0.0204	0.1226	0.5	4.92	240.62	11157	220	25.45	8.53
98	1551	WC2D 98	7	68.27	0.0178	0,1245	3.1	3.29	184.74	10499	180	25.62	8.21
99	1544	WC2D 99	7	88.03	0.0181	0.1270	0	3.07	169.29	9822	172	24.72	7.70
100	1537	WC2D 100	7	87.51	0.0189	0.1323		2.43	128.50	10742	196	24.94	7.04
101	1532	WC18 47	5		0.0266	0.1329		3.93	147.75	9859	247	24.68	9.07
102	1527	WC1B 48	5		0.0266	0.1329		3.58	134.79	10359	259	24.13	9.65
103	1522	WC1B 49	5		0.0266	0.1329		10.44	392.68	10124	253	24.40	9.56
104	1516	WC1B 50	6		0.0222	0.1329		4.12	185.95	9986	208	23.32	9.64
105	1509	WC1B 51	7		0.0190	0.1329	0	1.94	102.36	10419	186	24.33	12.72
106	1503	WC1B 52	6		0.0222	0.1329	0.4	8.31	375.21	9792	204	25.86	13.45
107	1495	WC1B 53	8		0.0166	0.1329	2.2	4.22	254.01	9871	154	25.69	12.91
108	1490	WC1B 54	5		0.0266	0.1329	8.0	9.82	369.31	10192	255	26.26	12.09
109	1483	WC1B 55	7		0.0190	0.1329	0.6	4.49	236.64	8943	160	25.84	12.93
110	1477	WC1B 58	6		0.0222	0.1329	0.2	3.42	154.35	8748	182	23.73	12.45
111	1470	WC1B 57	7		0.0190	0.1329	7	2.41	127.06	9286	166	23.05	12.13
112	1464	WC1B 58	6		0.0222	0.1329	4.9	1.67	75.53	9014	188	22.48	12.62
113	1457	WC1B 59	7		0.0190	0.1329	2.5	2.56	135.08	9521	170	20.33	10.31
114	1451	WC1B 60	6	 	0.0222	0.1329	0.9	1.89	85.13	8402	175	23.13	12.15
115	1444	WC18 61	7		0.0190	0.1329	13	5.44	286.42	8262	148	22.91	12.52
116	1437	WC18 62	7	 	0.0190	0.1329	1	3.20	168.40	9384	168	21.60	11.41
117	1432	WC18 63	6		0.0266	0.1329		0.99	37.06	9064	227	22.09	11.17
118	1426	WC18 64 WC1B 65	5		0.0222	0.1329 0.1329	10,6	3.08 2.35	139.16	9082 9027	168	22.61	13.12
120	1416	WC1B 66	5	86.97	0.0285	0.1329	1.5	8.98	88.45 314.51	10493	226 282	25.41	13.15 12.36
121	1410	WC18 67	6	84.98	0.0265	0.1427	1.5	7.19	271.30	10313	282	27.35 26.11	12.36
122	1401	WC18 68	9	87.34	0.0153	0.1380	4.6	1.30	84.56	9352	135	25.47	12.78
123	1392	WC1B 69	9	87.15	0.0155	0.1394	1.2	1.81	116.97	9759	142	28.24	12.50
124	1385	WC18 70	7	89.30	0.0158	0.1107	0.6	2.25	141.98	8609	128	26.29	13.72
125	1378	WC1B 71	7	86.66	0.0200	0.1397	1.1	3.87	193.73	9362	176	23.44	12.07
126	1372	WC1B 72	6	86.49	0.0235	0.1410	7.1	8.43	358.80	11589	256	26.43	11.95
127	1364.5	WC1B 73	7.5	86.25	0.0189	0.1419	7.9	1.05	55.28	11079	197	26.80	11.14
128	1358	WC1B 74	6.5	87.46	0.0198	0.1284	6.7	0.91	45.86	9137	170	26.21	12.67
129	1351	WC1B 75	7	88.55	0.0170	0.1191	0.2	4.50	264.12	11124	178	30.26	13.29
130	1344	WC1B 76	7	88.70	0.0168	0.1176	1	4.50	267.77	9946	157	27.57	13.77
131	1337	WC1B 77	7	_88,14	0.0180	0.1260	0.1	1.18	65.72	10108	171	26.93	12.55
132	1327	WC1B 78	10	87.96	0.0129	0.1288	0.8	2.27	176.05	10143	123	27.36	12.09
133	1320	WC1B 79	7	87.57	0.0189	0.1324	1.7	2.08	109.97	10313	184	26.44	11.64
134	1312	WC18 80	8	87.61	0.0165	0.1323	1.1	2.08	125.52	9434	153	24.89	12.93
135	1305	WC18 81	7	87.85	0.0182	0.1272	3.4	7.08	389.47	11071	198	23.46	10.63
136	1296	WC18 82	9		0.0138	0.1245	2.2	1.95	141.22	10229	139	23.82	10.92
137	1290	WC1B.83	7	86.06	0.0242	0.1455	1	1.78	73.28	11285	269	24.87	9.98
138	1283	WC18 84		86.91	0.0194	0.1355	6.8	1.70 0.84	88.00	10911	207	25.90	9.48
139	1275	WC1B 85	8	87.24	0.0166	0.1328	8.1		50.36	10745	175	24.03	9.87
140	1269	WC1B 86	7	86.95	0.0236	0.1417	4.3	2.85	120.86	10034	233	24.46	9.87
141	1262 1255	WC1B 87 WC1B 88	7	85.86	0.01791	0.1252	5.9 4.4	5.37 2.75	300.32 128.71	10338	182 232	24.25 24.76	10.06 9.17
143	1247	WC1B 89	В	85.81	0.0214	0.1467	2.5	3.47	189.36	10091	174	23.06	9.17
144	1240	WC1B 90	7	86.48	0.0199	0.1393	3.4	2.39	119.88	10222	192	24.22	9.74
145	1234.5	WC1B 91	5.5	86.97	0.0248	0.1352	1.5	9.80	398.67	9934	230	22.86	10.12
146	1226	WC1B 92	8.5	85.92	0.0174	0.1478	3.4	1.91	110.06	11075	182	24.39	9.53
147	1220	WC1B 93	6	86.25	0.0239	0.1433	0	2.82	117.96	10864	245	22.47	10.09
148	1214	WC1B 94	6	86.77	0.0230	0.1382	0.2	1.69	73.43	9351	203	21.27	10.55
149	1208	WC1B 95	- 6	87.53	0.0218	0.1307	0.1	1.05	48.22	9261	190	22.45	11.36
150	1201.5	WC1B 96	6.5	86.34	0.0222	0.1443	0,1	1.81	81.41	11129	233	22.97	9.79
151	1195	WC1B 97	6.5	87.60	0.0202	0.1313	0	3.56	176.35	11645	222	23.58	10.42
152	1186.5	WC18 98	8.5	87.42	0.0152	0.1295	0.2	5.22	342.86	11235	161	23.92	11.26
153	1178.5	WC1B 99	8	85.76	0.0188	0.1501	0	0.59	31.62	11292	200	22.18	11.58
154	1172	WC1B 100	6.5	87.00	0,0207	0,1345	0	1.05	50.62	10089	197	22.29	13.01
155	1166	WC18 101	- 6	87.47	0.0214	0.1284	. 0	1.05	48.99	10236	206	21.20	12.72
156	1159.5	WC1B 102	6.5	85.49	0.0238	0.1550	1.6	0.87	36.50	10207	229	21.42	12.70
157	1153	WC1B 103	6.5	86.61	0.0221	0.1436	0.2	2.17	98.20	10798	225	20.66	12.23
158	1148	WC1B 104	5	86.21	0.0295	0.1474	0.8	3.34	113.40	11093	308	20.88	12.71
159	1143	WC1B 105	5	86.61	0.0281	0.1403	0.3	10.01	356.69	12620	334	21.76	13.37
160	1136	WC1B 106	7	86.64	0.0207	0.1450	0	5.06	244.08	13196	258	23.58	11.95
161	1129	WC1B 107 WC1B 108	5	84.56	0.0236	0.1650	0 2	1.38	58.63	11976	266	23.53	12.94
162	1124	WC18 108	7	86.22 87.62	0.0292	0.1460	0.3	4.23 2.20	144.78 117.11	11350 11364	312 202	22.47	12.41
163	1110	WC18 110	7	86.57	0.0205	_ 0.1318	0	2.19	106.54	10603	202	22.53 23.52	14.08
165	1105	WC18 111	5	84.75	0.02051	0.1653	0.6	3.63	105.54	10974	342	23.52	13.14
166	1098	WC18 112	7	85.62	0.0218	0.1529	0.8	1.92	87.88	10435	215	18.32	12.78
167	1090	WC18 113	a	83.01	0.0233	0.1860		4.06	174.57	11659	256	21.74	12.68
	1082.5	WC1B 114	7.5	85.33	0.0205	0.1535	0.2	19.54	954.59	12289	237	23.93	14.74
168		WC1B 115	6.5	85.22	0.0246	0.1598	0.6	5.00	203.32	11954	277	23.85	13.24
	1076				0,0363	0.1816	0.9	1.84	50.74	11981	410	20.73	10.77
168	1076	WC18 116	5	83.42	0.0363	0.1010							
168 169		WC1B 116 WC1B 117	5 7	83.42 82.98	0.0265	0.1852	3.7	1.49	56.28	12010	300	22.72	11.93
168 169 170	1071				0.0265								
168 169 170 171	1071 1064	WC1B 117	7	82.98	0.0265	0.1852	3.7	1.49	56.28	12010	300	22.72	11.93

Depth	%Ash	Orginilux	Carbinflux	Ashinflux	Al con	As con	Ca con	Cricon	Fe con	K.con_	Mg con	Mn con	Na con
11	53.72				2053	141,4	18054	28.02	21361	775.1	2613	53168	897.9
2	53.64	0.45	0.15	0.69	1680	71.92	18307	14.28	92103	569.9	1962	87429	496.7
3	53.41	0.66	0.21	1.00	1216	60.75	16866	14.98	99573	417.7	1694	79873	442.1
4	55.86	0.52	0.13	0.83	1201	58.29	14034	11.26	99618	352.6	1557	59253	343.7
5	58.22	0.56	0.15	1.00	1225	66.68	11489	11.99	6359	298.2	1462	59332	285_2
6	60.11	0.71	0.16	1.32	1739	60.97	9446	13,33	4552	373.1	1647	30131	260.6
7	61.33	0.47	0.12	0.95	1892	63.05	9018	12.43	10322	366.9	1662	27400	240,1
8	60.88	0.35	0.09	0.70	1850	62.36	9185	14.92	14064	348.9	1567	29892	225.6
9	61.27	0.50	0.13	1.00	1787	65.9	8920	12.26	8433	318	1507	25527	206
10	62.69	0,43	0.11	0.90	2184	59.74	8804	12.73	5044	369.8	1673	20876	199.1
11	62.12	0.47	0.12	0.97	2012	50.55	9327	12.28	96517	351.8	1597	19366	185.3
12	63.52	0.34	0.09	0.76	1840	53.9	9296	14.43	91513	337.4	1526	16462	252.9
13	63.71	0.50	0.14	1,12	1994	50.21	10140	10.07	83042	335.3	1502	15683	187.9
14	62.93	0.54	0.13	1.14	1458	56.76	9165	11.16	98006	280	1351	21725	181.1
- 15	62.13	0.82	0.21	1.69	1369	55.11	9959	11.8	97886	272.4	1330	22647	186.4
16	62.39	0.87	0.22	1.81	1522	53.41	10730	12.79	94845	308.2	1394	22144	183.8
17	62.67	0.51	0.13	1.08	1586	61.62	9956	13.46	324.8	322.1	1356	17883	181.1
18	64.92	0.60	0.15	1.40	2060	41.4	7578	12.51	70965	358.2	1411	11485	163.5
19	64.91	0.95	0.24	2.19	2202	43.25	7588	11.28	71815	379.6	1491	13178	162.6
20	66.07	0.46	0.12	1.13	2015	42.01	7421	11.51	83002	347.7	1443	16493	164.9
21	64.96	0.69	0.16		2054	48.21	7066	12.33	87736	366.5	1429	16540	165.3
22	66.95	0.57	0.13	1.41	2297	40.75	6660	11.19	81313	416.4	1504	12642	189.8
23	66.50 66.40	0.49 0.45	0.13	1.24	2135	36,73	6617 6719	10.93	76660 73013	368.5 360.3	1452	10823	166.1
24	66,40		0.13		2128	39.85	6718	11.1				10127	172.8
25	67.88 70.03	0.51	0.13	1.36	2198 2587	40.55	6611	12.07	72308	365 447.2	1494	11080	156.9 152.8
26	72.31	0.60	0.13	3.08	3131	38.39 33.4	6211 6189	11,69	70873 64817	524.5	1575 1836	10672 9431	
28	73.53	0.97	0.19	2.88	2747	34.15	5984	10.26	65366	375.4	1616	9431	154.2 134.2
28	73.53	0.61	0.19	2.88	2624	32.99	5984 6091	10.12	64126	375.4	1649		
30	71.02	0.61	0.15	1.87	2624	32.99	6962	11.13	75246	419.9	1745	11385	132.6 147.9
31	69.89	0.61	0.13	1.42	2688	39.9	7364	12.63	81323	474.6	1818	17102	180.1
32	68.83	0.68	0.13	1.42	2088	39.9	7255	12.63	81323	415.6	1670	17786	174.4
33	68.64	0.58	0.18	1.91	2373	40.76	7714	13.28	80847	398.2	1699	16283	166.1
34	69.57	0.63	0.18	1.95	2691	40.76	7938	14.25	73570	398.2 477.1	1845	15452	171.6
35	71.02	0.63	0.18	2.16	3168	37.91	7938 8467	14.72	69107	582.4	2023	15452	194.2
36	70.92	0.43	0.12	1.34	2217	38.9	8301	13.47	60252	342.3	1532	19249	144.3
37	70.64	0.73	0.19	2.23	2367	39.73	7298	13.73	66036	340.1	1455	14922	141
38	71.28	0.50	0.14	1.58	2541	40.03	6999	13.62	68271	372.9	1516	12117	145.6
39	77.00	0.59	0.23	2.72	2669	41.1	6549	12.51	68369	432.9	1534	10502	158.7
40	74.43	0.57	0.15	2.11	2331	33.86	6103	12.6	62830	253.9	1308	8361	124.8
41	76.87	0.64	0.19	2.76	2550	25.72	5401	11.66	52701	307.6	1411	6935	119.5
42	76.94	0.67	0.19	2.87	2531	22.45	5503	11.24	46038	247.6	1433	6064	108.4
43	76.90	0.75	0.20	3.18	3251	23.01	5626	11.39	46757	429.6	1765	6048	120.3
44	76.76	0.77	0.18	3.14	3013	27.28	5724	11.22	54113	374.5	1669	6948	122.1
45	75.52	0.55	0.13	2.11	2672	33.61	5780	11.99	62218	319.5	1467	7334	123.4
46	75.81	0.53	0.12	2.05	2312	29.37	5616	10.9	58908	224.9	1300	6984	111.4
47	75.65	0.57	0.16	2.27	2399	28.51	5502	11.14	56868	229.2	1296	6533	110.1
48	75.03	0.60	0.17	2.30	2684	30.56	5537	11.51	58888	290.2	1447	6800	116.4
49	72.43	0.46	0.16	1.65	2629	29.5	5423	11.62	58354	311.9	1429	6749	116.9
50	71.79	0.56	0.19	1.89	2198	34.26	5670	12	66832	231.6	1276	8196	113.4
51	72.05	0.80	0.26	2.72	2138	32.45	5664	12.02	65648	223.5	1271	8245	111
52	72.27	0.90	0.29	3.10	2340	28.89	5476	11.64	62725	264.7	1361	7736	113.6
53	71.98	0.78	0.26	2.67	2688	35.64	6089	14.32	69296	354.5	1611	10217	131
54	70.37	0.87	0.33	2.86	2522	39.79	6277	12.96	78470	329.9	1510	10962	130.7
55	71.82	0.83	0.32	2.93	2809	32.89	5959	12.99	64930	338.6	1673	8052	124.7
56	71.44	0.65	0.22	2.18	2819	33.7	6046	12.89	67958	360.6	1655	10800	129.2
57	71.44	0.81	0.29	2.76	2930	34.92	6104	13.42	70830	388.1	1751	10873	137
58	70.76	0.93	0.32	3.05	2058	33.35	_ 5893	12.37	66244	212.7	1346	9723	114.2
59	69.97	1.05	0.37	3.32	1782	30.38	5988	11.77	61348	173.1	1242	10382	109.9
60	70.22	0.72	0.26	2,31	2118	30.26	6127	12.04	61513	232.4	1334	8796	118.3
61	70.98	0.80	0.31	2.70	2200	28.43	5933	11.63	60112	229.8	1355	7136	114.2
62	70.68	0.60	0.22	1.99	1920	25.53	5781	11.77	54396	180.4	1262	6314	107.7
63	70.13	0.74	0.26	2.36	1785	28.62	5643	12.04	55373	167	1200	6475	103.3
64	69.69	0.67	0.23	2.06	1787	28.42	5532	10.96	60154	158.9	1122	6629	102.5
65	70.95	0.57	0.21	1.91	2130	26.54	5571	11.06	56910	202.5	1272	6234	106.1
66	69.19	0.61	0.22	1.88	2143	31.77	5868	11.62	62303	211.9	1309	6813	112.2
67	68.00	0.76	0.31	2.27	1854	28.42	5685	11.06	61084	159.3	1127	6466	102.4
68	67.77	0.76	0.26	2.15	1902	25.71	5885	11.57	58320	160.9	1191	6284	99.74
69	66,82	0.60	0.20	1.61	1761	30.98	5793	11.86	66186	157.3	1128	7017	104
70	67.13	0.88	0.31	2.42	1905	32.08	5826	11.52	64316	184	1247	6849	110
71	66.69	0.85	0.32	2.34	1757	31.33	5656	11.03	68609	163.5	1148	7257	109.3
72	66.64	0.58	0.22	1.60	1895	32.65	5576	11.11	64161	210.9	1206	6560	110.5
73	65.34	0.55	0.25	1.51	1688	31.69	5896	11.65	67381	173	1157	7141	112.3
74	65.79	0.82	0.35	2.24	1818	32.6	5829	11.74	65302	202.2	1197	6910	114.4
75	66.29	0.79	0.34	2,22	2118	31.52	5974	11.9	64194	269	1361	6783	124.4
75	66.13	0.51	0.21	1.41	2064	32.96	6076	11.93	63621	255 6	1331	6841	126
77	64.10	0.56	0.23	1.40	1973	35.53	6094	12.4	63184	241.3	1269	6635	123.8
78	62.91	0.51	0.20	1.20	2056	42.89	6542	14.03	71783	264.8	1284	7224	126.4
79	65.83	0.57	0.26	1.59	2364	38.89	6364	13.61	70989	286.4	1401	7187	125.2
80	69.56	0.61	0.18	1.80	2507	29.41	6352	12.25	65145	281.4	1481	6772	134.1
81	69.31	0.71	0.21	2.09	2281	32.12	5868	12.37	66193	224.2	1295	6758	113.6
82	70.16	0.51	0.17	1.60	2434	25.25	5515	11.3	57708	231.9	1319	5890	108.9
83	69.72	0.78	0.25	2.36	2549	23.35	5787	11.86	53589	268.1	1476	5595	111.2
84	69.06	0.73	0.25	2.17	2115	23.9	5683	11.47	51716	196	1272	5876	105.3
85	69.41	0.73	0.25	2.22	1954 2012	23.38	5524	11.03	53177 60295	167.9 191.3	1190 1235	6017 6738	96.52
86	69.03	0.68	0.25			25.92	5640		62133	253	1235		105.3
87 88	68.26 67.52	0.68	0.25 0.25	1.99 2.01	2177 2163	29.79 27.56	5356 5582	10,99	62009	231.1	1236	6694 6468	111 122

Depth	%Ash	Orginitux	Carbinflux	Ashimitor	Al con	As con	Ca con	Cucon	Fe con	Kcon	Mg con	Mn con	Na con
89	66.91	0,64	0.22	1.74	2005	27.59	5845	10.93	62515	182.7		6780	112.7
90	67,44	0.63	0.22	1.76	1796	28.5	6003	11.02	65226	155.4	1	7518	108.2
92	67.72	0.61	0.21	1.72	2052	28.6	6188	10.38	68659	200.3		7376	122.5
93	65.68 65.17	0.63	0.20	1.59	1994	31.29	5832	9.841	70228	196.9		7386	120.8
94	65.00	0.49	0.14	1.16	2285 1738	30.82 29.66	5878 5903	10.34 10.3	64527 65321	257.6 184.6		7216	131
95	65.16	0.51	0.15	1.24	1688	32.13	5818	10.33	64704	200.9		7731 7606	127.5 138,4
96	66.60	0.61	0.19	1.60	1800	31.71	5511	10.66	58800	244.3		7002	139.6
97	66.02	0.52	0.17	1.35	1831	32.46	5377	10.31	64380	269.3		7702	140.3
98	66.16	0.46	0.15	1.18	1678	31.32	5314	10.66	67774	220.9		8235	132.5
99	67.58	0.45	0.14	1.23	1735	35.26	5433	11.01	72684	236.6		8915	141.7
100	68.01	0.47	0.13	1.29	2089	33.26	5500	10.63	65033	311.9		7582	142
101	66.24	0.66	0.24	1.76	2250	33.55	5144	11.58	60817	339.8		6603	115.1
102	66.22	0.64	0.26	1.76	2197	38.51	5352	13.65	70744	303.7	1353	7671	125
103	65.94	0.65	0.26	1.75	2385	33.46	5154	11.73	64435	349.3		6756	128.3
104	67.04	0.52	0.21	1.48	2926	32.27	5231	11.35	56665	472.8		6454	137.9
105	62.95	0.46	0.24	1.20	2386	35.11	5582	12.29	68530	351.5	1414	8109	140.2
106	60.69 61.40	0.57	0.30	1.34	2131	39.14	5483	12.3	78398	352	1302	9585	267.7
108	61.65	0.70	0.32	1.64	2108 1796	38.77 40.94	5506 6062	11.02	76238	318.5		9483	188.9
109	61.23	0.49	0.25	1.16	1730	51.62	6169	10.59	79621 97366	200.3 212.4		10660	127.2
110	63.82	0.53	0.28	1.41	2219	37.93	5829	9.466	79157	290.1	1163	13340	127.2
111	64.82	0.44	0.23	1.23	2212	37.01	5513	9.402	70966	313.6	1375	9432 8091	139.7 133.3
112	64.90	0.50	0.28	1.44	2123	39.37	5567	9.024	76660	309.2	1384	9602	123.9
113	69.35	0.39	0.20	1.32	1905	34.27	5510	10.18	68603	187.3	1307	8356	110.9
114	64.72	0.51	0.27	1.43	2037	38.02	5704	10.23	75638	222	1369	9846	124.3
115	64.58	0.43	0.24	1.23	2279	42.14	5469	10.87	74338	320.4	1331	8230	141.1
116	66.99	0.41	0.22	1.27	2609	30.65	5147	9.329	51765	346	1430	6049	124.7
117	66.74	0.59	0.30	1.77	2374	24.68	4999	8.315	47516	277.4	1312	5631	115.7
118	64.27	0.50	0.29	1.42	1863	33.23	5061	8.655	67319	189.9	1048	7623	121
119	61.44	0.68	0.35	1,63	1698	40.14	5538	9.205	76980	193.3	1106	9219	118.2
120	60.29 61.53	0.78	0.35	1.72	1741	46.1	<u>5636</u>	12.12	82685	229	1076	9267	120.6
122	61.75	0.39	0.33	0.95	1710	50.79 41.81	5768 5629	12.97 10.97	83025 75615	210 169.9		9524	119.1
123	59.26	0.44	0.19	0.92	1516	57.43	6131	11.77	87376	158.2	1092	9013 11240	116.4
124	59.99	0.42	0.22	0.95	1481	49.45	6103	11.66	92038	163.4	1023	11337	128.1
125	64.49	0.47	0.24	1.29	2124	36.47	5450	9.727	64104	288	1268	8262	127.4
126	61,61	0.62	0.28	1.45	1877	41.19	5833	11.53	79999	227.5	1117	10175	131,3
127	62.06	0.51	0.21	1.17	2098	40.81	6014	11.9	67519	273	1315	9633	135.1
128	61,12	0.52	0.25	1.21	1751	43.95	6667	10.75	85230	211.4	1228	15812	134.5
129	56.45	0.52	0,23	0.96	1214	53,74	7016	14,17	669.2	143.4	1009	11690	126
130	58.66	0.46	0.23	0.99	1372	44	6208	12.26	83977	152.6	1120	10091	110.5
131	60.52	0.48	0.23	1.09	1575	37.51	5804	11.4	73781	185.6	1212	9711	101.4
132	60,56	0.35	0.16	0.78	1557	40.09	5792	12.11	75317	185.3	1199	9178	99.69
133	61.93 62.18	0.50	0.22 0.21	1.17	1464	36.83	5703	13.26	72006	153.4	1150	9890	98.77
135	65.91	0.43	0.19	1.03	1537	38.71 36.64	5427 6837	11.98	66082 61448	179.8 192.2	1185	9061	93.51
136	65.26	0.33	0.15	0.90	1518	39.68	6138	10.62	81719	116.6	1248	8886 10588	101.9
137	65.15	0.60	0.24	1.58	2285	35.35	6508	13.14	69939	234.5	1555	8337	111.7
138	64.62	0.50	0.18	1.25	1856	37.38	5923	11.2	75938	159.2	1233	8586	101.6
139	66.11	0.40	0.16	1,10	1722	33.25	5555	11.22	59444	177.4	1162	7259	100.8
140	65.67	0.58	0.23	1.55	1367	34.49	5246	11.5	67245	107.9	1018	8196	91.12
141	65.69	0.43	0.18	1.17	1540	39.69	5219	10.84	66981	142.3	1067	8117	91.38
142	66.08	0.53	0.20	1.41	2040	35.45	5640	11.73	62720	225.3	1345	7591	102.4
143	67.22	0.42	0.18	1.23	2498	36.71	5850	11.74	61242	334.6	1619	7423	121.8
144	66.04	0.48	0.19	1.31	1842	42.1	6222	12,28	78688	180.7	1248	10908	102.2
145	67.03	0.56	0.25	1.65	1819	31.99	5690	11.03	69360	161.3	1264	11438	98.32
146	66.08	0.42	0,17 0.24	1.15	1881	43.16 34.46	6309 5331	12.52	71771	171.7	1333	11405	112.9
148	68.18	0.49	0.24	1.57	2221	34.46	5675	10.87	65305 63613	228.5 235.8	1466	7728	109.1
149	66.19	0.49	0.25	1.44	1940	42.88	5963	14.34	69245	235.6	1564	7959 8495	115.7 110
150	67.24	0.51	0.22	1.49	2193	39.27	5431	10.93	63163	277.5	1569	7790	113.3
151	66.00	0.48	0.21	1.33	2309	41.68	5572	11.63	67475	315.5	1643	8487	118.2
152	64.82	0.36	0.17	0.99	1392	44.1	6263	13.56	75627	149.8	1127	12533	112.6
153	66 24	0.42	0.22	1.24	1853	34.26	5771	12.87	62648	210.2	1521	8791	110
154	64.70	0.46	0.27	1.34	1643	36.64	5648	12.08	74212	184.2	1318	10055	111.8
155	66.08	0.45	0.27	1.41	1632	34.5	5832	11.59	63017	192.3	1373	9535	113.4
156	65.87	0.51	0.30	1.57	1330	32.79	5860	11.25	69570	123.5	1269	11344	108.8
157	67.10 66.41	0.46 0.62	0.27	1.48	1445	31.68	5955 6002	10.59	60011	148.8	1359	8631	106.5
158	64.87	0.62	0.38	1.96	1499	37.8 45.12	6002	16.86 12.25	61751 62732	168.8 203.7	1450	9695	111.8
160	64.47	0.49	0.25	1.34	1842	39.21	5899	12.71	66757	191.2	1407	9167 7217	112.1
161	63.53	0.55	0.31	1.50	1757	38.63	7382	13.6	72190	166 2	1546	9205	119.6
162	65.11	0.66	0.36	1.90	1555	44.31	6424	13.57	65465	164.7	1418	9070	114.4
163	63.39	0.42	0.27	1.19	1285	40.2	6304	11.57	70604	135.4	1271	12006	111
164	63.34	0.48	0.27	1.30	1399	44.75	7841	12.45	73130	158.6	1316	51078	120
165	66.08	0.71	0.41	2.19	2116	29.71	7251	11.95	59400	282	1713	12434	132.2
166	68.90	0.40	0.28	1.51	2111	31.1	5943	11.63	50250	287,7	1860	7609	119.9
167	65.57	0.51	0.29	1.52	1307	29.56	4905	8.909	45073	140	1173	10020	81.06
168	61.33	0.49	0.30	1.26	1427	65.87	7770	14.38	89876	149.4	1226	56224	124
169 170	62.91	0.59	0.33	1.55	1807	50.84	6770	13.98	82905	188	1254	9152	132.9
170	68.50 65.35	0.75 0.60	0.39	2.49 1.73	2747	31.53	6269 5638	12.35 11.52	55717 66753	351.7	2005	6305	131
172	64.89	0.65	0.32	1.73	2492	31.56	5591	11.52	62302	230.4 294.2	1466 1610	7572	119.9
173	63.14			1.01	2356	39.49	6246	12.53	76485	253.1	1473	7317 8286	124.4 165.6
174	67.82							,,,,,,		2.30.1	14/3	0200	105.6

Depth 1 2 3 4 4 5 6	NI con 149.3 233.7 215.2	P con 15307 9586	Pb con 70.58	S con 1425	Ti con 82.22	Zn con 165.1	Al Influx	As influx	Ca influx	Cu influx	Feinflux	K influor	Mg influx
3 4 5		9586	50.04			105.1		1			ľ	ı	Í
4 5	215.2		50.91	3552	76.89	86.31	21.76	0.93	237.08	0.18	1192.73	7.38	25.41
5		7735	53.67	3244	57.39	79.49	22.70		314.83	0.28	1858.70	7.80	
	166.9	5690	42.26	3129	54.43	76.15	17.84	0.87	208.43	0.17	1479.48	5.24	23.12
	168.9 91.79	5992 7327	47.85 43.31	2694 2420	52.11 71.27	70.72 80.27	20.95 38.17	1,14	196.46 207.34	0.21	108.74 99.92	5.10 8.19	25.00 36.15
7	84.85	8566	45.16	2319	72.04	80.83	29.26	0.98	139.48	0.19	159.65	5.67	25.71
8	95.11	8311	53.23	2588	66.54	78.45	21.13		104.91	0.17	160.64	3.99	17.90
9	81.85	7975	46.46	2363	58.36	78.97	29.20	1.08	145.78	0.20	137.82	5.20	24.63
10	70,11	7563	43.61	1876	71.17	85.74	31.21	0.85	125.80	0.18	72.07	5.28	23.91
11	66.28 58.84	7882 8343	46.18 39.02	2034 2552	67.31 65.75	85.12 78.51	31.49 21.90	0.79	145.97	0,19	1510.49	5.51 4.02	24.99
13	54.4	11580	34.66	2213	57.66	83.39	35.09	0.88	110.62 178.46	0.17 0.18	1461.54	5.90	18.16 26.44
14	91.02	10485	35.17	2174	54.07	77.27	26.50	1.03	166.57	0.20	1781.26	5.09	24.55
15	97.07	8693	37.63	2245	50.22	81.22	37.18	1.50	270.49	0.32	2658.58	7.40	36.12
16	95.85	8579	40.86	2728	53.25	81.38	44.26	1.55	312.03	0.37	2758.09	8.96	40.54
17	81.23 56.61	9018 7250	33.95 28.66	3409 2456	56.9 53.07	79.58 79.42	27.35 44.29	1.06	171.69	0.23	5.60 1525.75	5.55	23.38
19	62.63	7837	28.84	1970	55.26	89.02	74.43	1.46	162.93 256.47	0.27 0.38	2427.35	7.70 12.83	30.34 50.40
20	74.51	8892	31.36	1869	53.47	74.46	34.58	0.72	127.34	0.20	1424.31	5.97	24.76
21	75.16	8030	33.04	1859	53.83	76.36	49.88	1.17	171.60	0.30	2130.73	8.90	34.70
22	59.68	6482	32.41	1536	55.91	74.68	48.52	0.86	140.69	0.24	1717.74	8.80	31.77
23	53.29	6264	26.53	1448	54.14	71,44	39.66	0.68	122.93	0.20	1424.17	6.85	26.97
24	51.72 55.34	5772 6322	29.61 28.92	1779 2166	52.52 52.94	72.03 72.38	36.69 43.92	0.69	115.82	0.19 0.24	1258.74 1444.71	6.21 7.29	25.39 29.85
26	54	6599	26.93	1849	52.39	70.86	62.89	0.93	151.00	0.24	1723.00	10.87	38.29
27	49.59	5848	26.05	1414	45.12	76.44	133.17	1.42	263.24	0.49	2756.88	22,31	78.09
28	49.54	6165	24.21	1029	35.04	70.65	107.68	1.34	234.57	0.40	2562.35	14.72	63.35
29	54.79	6454	25.5	1035	36.73	68.3	74.40	0.94	172.71	0.29	1818.33	10.70	46.76
30	70.92 78.15	6290 6925	26.93 29.4	1299 1501	41.97 49.61	76.68 79.44	70.57 54.62	1.01	183.18	0.29	1979.81 1652.48	11.05 9.64	45.91 36.94
32	81.28	6377	29.4	1925	49.61	76.89	67.05	1,11	149.64 201.27	0.26 0.34	2254.30	11.53	46.33
33	78.05	5724	28.73	2558	46.28	80.95	67.33	1.16	218.86	0.38	2293.74	11.30	48.20
34	74.32	5933	25.4	3491	46	80.51	69.50	1.07	205.00	0.37	1899.95	12.32	47.65
35	80	6165	23.91	3744	52.14	80.73	96.31	1.15	257.40	0.45	2100.85	17.70	61.50
36	88.86 72.15	4727 6176	26.44 26.68	3612 3115	36.45 36.02	67.64 72.06	42.02 74.62	0.74 1.25	157.34	0.26	1142.01	6.49	29.04
38	61.75	6479	28.14	2965	37.49	70.76	56.50	0.89	230.07 155.63	0.43	2081.78 1518.10	10.72 8.29	45.87 33.71
39	55.97	6941	28.51	3003	43.65	65.89	94.33	1.45	231.46	0.44	2416.36	15.30	54.22
40	45.82	6107	26.14	1489	27.09	60.78	66.06	0.96	172.96	0.36	1780.60	7.20	37.07
41	40.47	6470	24.28	1063	29.96	57.94	91.63	0.92	194.08	0.42	1893.72	11.05	50.70
42	34.88	4924	21.09	904.7	20.72	54.49	94.51	0.84	205.48	0.42	1719.06	9.25	53.51
43	35.85 39.97	5221 5517	23.11	861.1 957.4	27.82 28.35	62.54 62.32	134.45 123.08	0.95 1.11	232.67 233.83	0.47	1933.66 2210.52	17.77 15.30	72.99 68.18
45	42.08	5209	27.12	1191	31.1	62.38	74.57	0.94	161.31	0.46	1736.45	8.92	40.94
46	39.61	5026	25.55	1230	24.07	55.16	62,42	0.79	151.63	0.29	1590.52	6.07	35.10
47	38.4	4244	23.48	1179	22.16	55.95	71.87	0.85	164.84	0.33	1703.77	6.87	38.83
48	40.7	4518	24.83	1276	24.37	57.88	82.13	0.94	169.43	0.35	1801.97	8.88	44.28
	40.24 45.11	4219 6252	25.15 25.32	1272 1500	25.84 26.96	58.47 58.44	59.98 57.99	0.67 0.90	123.73	0.27	1331.37	7.12 6.11	32.60
51	45.79	6325	26.19	1459	25.21	57.73	80.76	1.23	149.58 213.96	0.32	1763.15 2479.85	8.44	33.66 48.01
52	43.42	6252	25.33	1274	27.74	59.35	100.35	1.24	234.84	0.50	2690.01	11.35	58.37
53	55.18	6853	29.99	1290	33.06	o5.28	99.66	1.32	225.75	0.53	2569.15	13.14	59.73
54	57.85	6723	29.1	1774	33.35	63.75	102.61	1.62	255.38	0.53	3192.61	13.42	61.44
55 56	46.5	5187	27.9	1547	28.04	65.37	114.47	1.34	242.83	0.53	2645.90	13.80	68.17
57	56.2 56.96	5767 6230	29.01 28.32	1361 1397	29.86	65.89 67.19	86.15 113.10	1.03	184.77 235.61	0.39	2076.80	11.02 14.98	50.58 67.59
58	49.96	6250	23.97	1314	26.95	60.28	88.61	1.44	253.74	0.52	2852.28	9.16	57.95
50	52.76	6044	23.50	1666	22.33	58.15	84.53	1,44	284.03	0.56	2909.94	8.21	58.91
60	47.24	5935	23.45	1885	26.28	61.37	69.56	0.99	201.24	0.40	2020.36	7.63	43.81
61	40.08 35.89	5564 5218	22.68	1460	26.23	60.65 57.65	83.71 54.14	1.08	225.75	0.44	2287.26	8.74 5.00	51.56 35.50
62	35.89	5218 6332	22.45	1326	21.92	57.65 54.28	54.14 60.06	0.72	163.02 189.86	0.33	1533.97 1862.99	5.09 5.62	35.59 40.37
64	36.97	6659	21.46	1400	23.45	53.41	52.90	0.84	163.75	0.32	1780.56	4 70	33.21
65	35.84	5989	21.22	1345	23.71	56.7	57.47	0.72	150.32	0.30	1535.62	5.46	34.32
66	38.93	6148	22.37	1396	27.25	61.9	58.13	0.86	159.18	0.32	1690.11	5.75	35.51
67 68	36.88 36.53	5835	21.98	1267	23.42	57.6	61.76	0.95	189.37	0.37	2034.78	5.31	37.54
69	38.86	6373 7527	21.53 23.35	1420	24.49	59 59.42	60.29 42.32	0.82	186.55 139.23	0.37 0.29	1848.74 1590.67	5.10 3.78	37.75 27.11
70	38.66	7248	21.33	1514	28.06	61.66	68.63	1.16	209.88	0.42	2316.98	5.63	44.92
71	40.61	7978	22.72	1542	26.02	60.25	61.63	1.10	198.38	0.39	2406.46	5.73	40.27
72	36.84	7151	22.59	1755	34.03	61.82	45.45	0.78	133.73	0.27	1538.79	5.06	28.92
73	40.14 38.88	7939 8036	23.51	1829 1989	31,25 33,77	62.57 61.21	38.94	0.73	136.00	0.27	1554.26	3.99 6.88	26.69
75	39.17	7793	23.02	1989	37.25	63.08	71.01	1.11	198.33	0.40	2221.90	9.02	40.73 45.63
76	39.71	7293	21.68	2097	37.6	65.06	44.10	0.70	129.82	0.25	1359.37	5.46	28.44
77	39.55	6806	21.53	2713	37.33	66.35	43.18	0.78	133.36	0.27	1382.68	5.28	27.77
78	44,33	7476	24.68	3675	41.91	71.58	39.27	0.82	124.95	0.27	1371.06	5.06	24.52
79	43.46 39.83	7312 6607	24.7	2732 1872	35.38 32.4	69.6 65.89	57.25 64.76	0.94 0.76	154.11	0.33	1719.12	6.94 7.27	33.93
81	40.25	6543	25.36	1621	32.54	66.46	68.66	0.78	164.09 176.63	0.32	1992.41	6.75	38.26 38.98
82	35.71	5346	23.66	1202	26.93	64.45	55.60	0.58	125.98	0.26	1318.22	5.30	30.13
83	34.65	5034	24.04	1061	30.58	67.42	86.16	0.79	195.60	0.40	1811.31	9.06	49.89
84	35.51	5796	21.19	1367	29.71	61.15	66.41	0.75	178.45	0.36	1623.88	6.15	39.94
85	34.38 38.46	6107 7442	21.32	1130	27.3 34.15	58.36 61.4	62.61 60.00	0.75 0.77	176.99	0.35	1703.79	5.38 5.70	38.13
87	38.96	8441	24.15	1558	39.75	65.73	63.48	0.77	168.18 156.18	0.32	1811.80	7.38	36.83 36.04
88	37.11	6714	23.28	1330	34.37	63.36	64.37	0.82	166.12	0.33	1845.39	6.88	36.49

Pept Micor Pept Pept Pept Sep	Kintuc 4.74 4.05 5.09 4.77 6.95 3.28 3.28 3.83 5.96 5.50 3.93 4.29 5.89 9.03 8.07 9.28 10.47 6.67 8.02 5.29 5.32 6.43 5.95 6.85 3.56 4.92 6.08 6.57 7.37 4.21 5.14 6.54 5.56 5.54	My influx 31.02 31.33 33.35 29.25 21.22 22.02 24.64 19.87 25.21 35.14 25.21 35.14 36.13 26.83 21.88 21.18 30.66 24.81 30.66 24.81 30.67 25.27 27.15
90	4.05 5.09 4.77 6.95 3.28 3.83 5.86 5.50 3.93 4.29 5.89 9.03 8.07 9.28 10.47 6.67 8.02 5.29 4.03 6.43 5.95 6.85 3.56 6.85 3.56 6.85 3.56 6.85 3.56 6.85 3.56 6.85 3.56 6.85 3.56 6.85 3.56 6.85 3.56 6.85 3.56 6.85 3.85 6.85	29.31 33.35 33.35 31.32 29.25 29.25 29.04 24.64 21.43 25.21 35.96 35.40 36.13 26.85 28.84 21.83 30.73 22.08 30.66 28.94 21.43 30.73 22.08 30.66 28.94 28.94 30.73 30.95
91 38,71 8127 21.52 1591 37.14 82.96 52.15 0.73 157.28 0.26 174.00 99 97 38,85 8178 22.13 1530 37.68 612 40.59 0.76 154.22 0.24 1750.00 89 30 38,95 8133 21.21 1886 42.26 66.21 61.65 0.83 158,80 0.22 1740.94 94 90.68 840.55 21.66 2190 38.22 65.21 51.05 0.83 158,80 0.22 1740.94 94 90.68 840.55 21.66 2190 38.22 65.21 51.05 0.83 110.89 0.02 1740.94 94 90.68 840.55 21.66 21.00 38.22 65.21 0.05 0.03 110.89 0.02 1740.94 94 90.68 940.55 21.66 21.00 38.22 65.21 0.05 0.03 110.89 0.02 1740.94 95 95 39.11 8407 20.17 2346 41.91 61.39 122.15 0.61 111.00 0.02 1724.77 199 94 37.32 8314 199 77 21.05 44.66 58.68 93.41 0.06 199 77 0.11 1315.50 189 141.02 0.27 21.07 48.46 58.68 93.41 0.06 199 77 0.11 1315.50 189 141.02 0.27 21.17 2081 42.53 58.08 31.48 0.06 19.57 0.11 1315.50 189 143.23 197.55 10.21 12.17 2081 42.53 58.08 31.48 0.06 19.57 0.02 1318.70 199 43.95 10.211 20.17 2081 42.53 58.08 31.48 0.04 180.57 0.02 1318.70 199 43.95 10.211 20.17 2081 42.53 58.08 31.48 0.04 180.57 0.02 1318.70 101 39.34 7779 21.4 56.2 57 62.13 59.00 0.03 10.20 10.02 1	5.09 4.77 6.95 3.28 3.83 5.86 5.50 3.93 4.29 9.03 8.07 9.28 10.47 6.67 8.02 5.29 5.29 5.32 4.03 5.55 6.43 5.95 6.85 3.56 6.67 7.37 4.21 5.14	33.35 29.25 29.25 21.22 22.02 29.46 19.87 21.43 35.35 35.35 35.35 35.35 35.36 36.13 36.35
92 33.85 8178 22.13 1533 37.66 61.2 49.99 0.76 141.21 0.24 1700.09 93 33.59 8133 21.21 1986 42.26 65.21 0.09 0.15 155.89 0.29 1740.94 94 39.68 8405 21.46 2190 39.22 65.21 30.99 0.53 10.09 0.18 1150.85 95 95 39.11 8467 20.17 2340 44.91 61.39 12.21 0.06 111100 0.20 1724.77 140.94 141.01 1100 0.20 1724.77 140.94 141.01 1100 0.20 1724.77 140.95 141.01 1100 0.20 1724.77 140.95 141.01 1100 0.20 1724.77 140.95 141.01 1100 0.20 1724.77 140.95 140.33 0.314 19.67 21.15 140.24 140.55 140.43 140.65 0.76 142.15 0.26 1410.02 140.33 141 141.22 1975 121.1 140.44 156.65 154.4 37.4 1 0.66 16.57 0.20 17315.50 140.33 141 141.22 1975 121.1 2017 2018 143.4 56.65 37.8 10.65 0.45 145.7 0.10 1705.41 140.00 39.21 579.5 121.1 2017 2018 143.5 56.86 31.6.6 0.64 0.65 170.00 1705.4 140.00 39.21 579.5 20.3 2006 49.30 58.2 39.46 0.65 100.55 100.55 0.20 122.12 120 13.55 100.1 1707.2 140.00 1	4.77 6.95 3.28 3.83 5.86 5.50 3.93 4.29 9.03 8.07 9.28 10.47 6.67 8.02 5.29 5.32 4.03 6.43 5.55 6.85 3.56 6.85 4.92 6.08 6.57	29.25 35.53 29.04 19.87 21.43 25.21 35.40 35.40 35.40 36.43 36.43 30.73 22.06 30.73 22.06 31.39 26.11 30.66 30.32 26.11 30.32 26.11 30.32
93 33.59 8133 21.21 1896 42.26 66.21 61.65 0.83 155.59 0.26 174.0.94 94 99.68 8405 21.66 2190 39.27 65.21 0.99 0.53 104.90 0.18 119.65 95 39.11 8467 20.17 2348 41.91 61.39 32.21 0.61 111.00 0.20 1224.77 96 37.32 8314 19.67 2165 44.66 58.41 43.16 0.76 111.00 0.20 1224.77 97 40.33 8314 20.27 2107 48.46 58.41 43.16 0.76 10.68 10.68 7 0.21 1315.50 88 41.22 9755 21.1 2140 43.44 56.66 29.84 0.56 10.68 7 0.21 1315.50 199 4.395 10211 22.17 2081 4535 56.89 31.48 0.64 96.57 0.20 1316.70 100 39.81 8795 20.3 2096 49.30 50.2 39.48 0.63 10.09 5 0.20 1327.21 101 38.34 7.779 23.4 662 57 0.21 3 99.80 0.89 136.73 0.31 1616.52 102 41.35 2207 24.21 71.26 52.98 63 98.40 1.02 142.26 0.36 1880.39 103 38.61 7429 22.28 732.2 48.15 62.67 63.39 0.89 136.79 0.31 1616.52 104 38.83 7192 23 710.6 45.47 67.69 44.81 0.71 115.87 0.25 1255.13 105 44.45 62.28 24 786.4 55.75 65.71 45.30 0.87 115.87 0.25 1255.13 106 51.19 0.004 27.76 914.2 60.16 68.19 47.20 0.87 117.15 67 0.25 1255.13 108 57.28 8606 27 1191 36.79 65.51 47.40 1.90 116.13 0.22 116.55 109 67.07 11265 82.29 13.70 0.4 45.47 67.69 44.81 0.71 115.87 0.25 1255.13 109 67.07 11265 82.20 23 78.06 65.51 0.80 147.20 0.87 117.15 0.25 1255.13 109 67.07 11265 82.07 78.8 860 27 1191 36.79 65.51 47.40 1.09 116.13 0.22 21.65.50 109 67.07 11265 82.0 1.90 14.2 60.16 68.19 47.70 0.87 117.10 0.8 126.50 109 67.07 11265 82.1 1557 44.34 9.87 5.51 4.74 1.09 116.13 0.22 21.65.35 110 50.06 8015 82.2 1003 34.83 67.79 49.15 0.84 117.12 0.20 18.65 11.00 5.00 8015 82.2 1003 34.83 67.79 49.15 0.84 117.12 0.20 18.65 11.00 5.00 8015 82.2 1003 34.83 67.79 49.15 0.84 117.12 0.20 18.65 11.00 5.00 8015 82.2 1003 34.83 67.79 49.15 0.84 11.71 0.90 11.12 0.20 18.65 11.11 0.50 0.00 8015 82.2 1003 34.83 67.79 49.15 0.84 11.71 0.90 11.11 0.21 11.	6.95 3.28 3.83 5.86 5.50 3.93 4.29 5.89 9.03 8.07 9.28 10.47 6.67 8.02 5.29 5.32 4.03 6.43 5.95 6.85 3.56 6.57 4.92 6.08 6.57 7.37 4.21 5.14 6.54 6.54	35.53 21.22 22.02 29.04 24.64 21.43 25.21 35.96 35.40 36.13 26.85 28.84 21.88 30.73 22.08 30.66 26.11 30.66 26.11 30.66
94 386,88 8405 21.46 2190 3892 65.21 30.89 0.53 104.90 0.18 1190.8 95 95 30.11 8467 20.17 2348 41.91 61.39 32.21 0.66 1 111.00 0.20 1224.77 86 37.32 8314 19.67 2155 44.66 58.41 43.16 0.76 1321.5 0.26 1410.02 97 40.33 9314 20.27 2107 48.48 58.4 437.41 0.76 1321.5 0.26 1410.02 197 40.33 9314 20.27 2107 48.48 58.4 437.41 0.76 1321.5 0.26 1410.02 198 41.42 9755 21.1 2149 43.44 55.68 29.40 0.56 0.98 7.021 1315.59 98 41.22 9755 21.1 2149 43.44 55.68 29.40 0.56 0.98 7.021 1315.59 100 39.81 9796 20.3 2008 49.39 59.2 39.48 0.63 103.95 0.20 1322.17 2010 39.81 9796 20.3 2008 49.39 59.2 39.48 0.63 103.95 0.20 1322.17 2010 39.34 7770 23.4 6822 57 62.13 59.00 0.89 136.73 0.31 1616.52 102 41.35 9227 24.21 712.6 52.89 53 58.40 1.02 142.26 0.38 180.39 100 38.81 7792 22.40 772.6 52.89 53 58.40 1.02 142.26 0.38 180.39 100 38.81 7792 22.50 732.2 48.15 0.267 63.30 0.89 156.00 0.31 1712.68 180.39 100 38.81 749.2 22.50 732.2 48.15 0.267 63.30 0.89 156.00 0.31 1712.68 180.39 100 38.81 749.2 22.50 732.2 48.15 0.57 145.30 0.89 17.07 115.67 0.25 135.51 100 38.81 749.2 22.50 732.2 48.15 0.77 157.65 44.81 0.77 115.67 0.25 135.51 100 54.45 63.20 2.2 750.4 750.10 45.77 67.66 44.81 0.77 115.87 0.25 135.51 100 54.45 63.20 2.2 750.4 750.10 16.81 0.77 115.07 0.25 135.51 100 54.45 63.20 2.2 750.4 750.16 88.10 47.20 0.87 121.45 0.27 1376.52 100 57.2 8 900 5.27 1919 36.70 55.57 45.30 0.67 105.89 0.22 1301.00 100 57.20 800.5 27 1919 36.70 55.57 45.30 0.67 105.89 10.22 1301.00 100 57.20 100	3.28 3.83 5.86 5.50 3.93 4.29 5.89 9.03 8.07 9.28 10.47 6.67 8.02 5.29 4.03 6.43 5.95 6.85 3.56 6.97 7.37 4.21 5.14 6.54 6.54 6.54	21.22 22.02 29.04 24.64 19.87 21.43 35.14 35.54 36.13 26.85 21.18 30.73 22.06 31.39 26.11 30.32 25.21 27.18 30.33 27.22 28.44 21.48
95 33.11 8467 20.17 2248 44.91 61.30 122.1 0.61 111.03 0.20 1224.77 96 37.32 8314 19.67 2165 44.66 58.41 43.16 0.76 132.15 0.20 140.02 97 40.33 9314 20.27 2107 48.46 58.4 37.41 0.66 109.87 0.21 1315.50 88 41.22 9755 21.1 2149 48.46 58.4 37.41 0.66 109.87 0.21 1315.50 199 43.25 1001 22.17 2081 45.43 56.68 29.46 0.55 0.451 10.19 1205.41 100 39.81 6795 20.3 2006 49.30 56.83 31.46 0.64 08.57 0.20 1318.70 100 39.81 6795 20.3 2006 49.30 59.2 39.46 0.51 100.95 0.20 1229.12 101 38.54 7778 23.4 662 57 62.13 92.80 0.89 136.73 0.31 1616.52 102 41.35 9299 42.21 712.6 52.98 63 59.40 1.02 142.26 0.36 1880.39 100 38.61 7429 22.85 782.2 48.15 62.67 53.30 0.89 136.99 0.31 1712.68 100 38.83 7192 23 710.6 45.47 67.68 04.81 0.71 115.67 0.25 1255.13 105 54.45 8236 22 42 786.4 50.7 65.71 45.30 0.67 105.88 0.23 1301.00 15.19 1006 51.19 9000 27.08 194.2 60.16 88.19 47.20 0.67 105.88 0.23 1301.00 15.19 9000 27.08 194.2 60.16 88.19 47.20 0.67 105.88 0.23 1301.00 15.19 9000 27.08 194.2 60.16 88.19 47.20 0.67 105.88 0.23 1301.00 15.19 9000 27.08 194.2 60.16 88.19 47.20 0.67 105.88 0.23 1301.00 15.19 9000 27.08 194.2 60.16 88.19 47.20 0.67 105.88 0.23 1301.00 15.19 9000 27.08 194.2 60.16 88.19 47.20 0.67 105.88 0.23 1301.00 15.00 57.28 8606 27 1191 36.70 56.55 54.74 1.00 151.13 0.28 1216.53 100 57.28 8606 27 1191 36.70 56.55 54.74 1.00 151.13 0.28 1216.53 100 57.	3.83 5.86 5.50 3.93 4.29 5.89 9.03 8.07 9.28 10.47 6.67 8.02 5.29 5.32 4.03 5.95 6.85 3.56 6.85 3.56 4.92 6.08 6.57 7.37 4.21 5.14 6.54 5.56	22.02 29.04 19.87 21.43 25.54 35.94 35.94 36.13 26.85 28.85 21.18 30.73 22.09 30.73 22.09 30.73 22.09 30.73 22.09 30.73 22.09 30.73 22.09 30.73 22.09 30.73 22.09 30.73 22.09 30.73 22.09 30.73
96 37.32 8314 19.67 2165 44.66 58.41 43.16 0.76 132.15 0.26 1410.02 97 40.33 9314 20.27 2107 48.46 58.4 17.41 0.66 109.87 0.21 1315.50 98 41.22 9755 21.1 2149 43.44 56.68 29.84 0.56 0.451 0.19 1205.41 0.99 41.29 9755 21.1 2149 43.44 56.68 29.84 0.56 0.451 0.19 1205.41 0.99 41.29 9755 21.1 2149 43.44 56.68 29.84 0.56 0.451 0.09 1205.41 0.09 13.00 100 98.81 6777 20.0 100 98.81 6772 20.0 100 98.81 6772 20.0 100 98.81 6772 20.0 100 98.81 6772 20.0 100 9904 2770 9142 50.16 68.19 47.20 0.67 105.98 0.20 1301.00 100 9004 2770 9142 50.16 68.19 47.20 0.67 105.98 0.20 1301.00 100 97.0 100 9004 2770 9142 50.16 68.19 47.20 0.67 105.98 0.20 1301.00 100 97.0 1100 9004 270 9142 50.16 68.19 47.20 0.67 105.98 0.20 1301.00 100 97.0 1100 900 900 97.0 1100 90.7 48.55 65.21 35.00 0.69 11712 0.20 1848.56 110 50.06 8015 57.28 8006 27 1191 50.7 55.51 45.20 0.67 105.98 0.20 1301.00 97.0 11	5.86 5.50 3.83 4.29 5.89 9.03 8.07 9.28 10.47 6.67 8.02 5.29 5.32 4.03 6.43 5.95 6.85 3.56 6.85 3.56 6.57 7.37 4.21 5.14 6.54 6.54	29.04 24.64 21.43 25.21 35.96 35.40 36.13 26.85 28.84 21.18 30.73 22.08 30.73 22.08 30.73 22.08 30.93 22.08 30.93 22.18 30.93 22.18 30.93 22.18 30.93 22.18 30.93 22.18 30.93 22.18 30.93 22.18 30.93 22.18 30.93 22.18 30.93 22.18 30.93 22.18 30.93 22.18 30.93
97 40.33 S314 20.27 2107 44.46 58.4 37.41 6.66 109.97 0.21 1315.50 98 41.12 9755 21.1 2149 43.45 56.68 29.84 0.56 94.51 0.19 1205.41 99 43.95 10211 23.17 2081 45.33 56.68 131.48 0.64 08.57 0.20 1318.70 100 38.48 6795 20.3 2005 49.39 59.2 39.48 0.63 103.95 0.20 1229.12 101 38.34 7779 23.4 662 57 62.13 59.80 0.89 136.73 0.31 1616.52 102 41.35 2297 24.21 712.6 52.98 63 58.40 10.2 142.26 0.36 1880.38 103 38.61 7429 2.25 73.2 48.15 26.75 13.39 0.89 136.73 0.31 1616.52 102 41.35 2297 24.21 712.6 52.98 63 58.40 10.2 142.26 0.36 1880.38 104 38.83 7122 23 710.6 45.47 67.68 64.81 0.71 115.67 0.25 1255.13 105 44.45 8236 24 786.4 50.73 55.71 45.30 0.67 105.98 0.22 1301.09 106 51.19 0.004 27.08 194.2 60.16 88.19 47.20 0.87 121.45 0.27 1736.52 107 50.31 8277 26.37 0.00.7 48.55 55.52 1.55.02 0.64 191.47 0.18 1266.50 108 57.28 8605 27 1191 36.79 55.55 55.57 1.55.0 0.84 117.12 0.20 188.55 110 50.05 80.05 80.15 22 1033 34.85 77.9 44.15 0.94 117.12 0.20 188.55 110 50.05 80.05 80.15 22 1033 34.85 77.9 44.15 0.94 117.12 0.20 188.55 110 50.05 80.15 22 1033 34.85 77.9 44.15 0.94 117.12 0.20 188.55 111 48.56 7004 26.25 1023 44.55 63.11 42.00 0.70 10.46 7 0.18 1347.34 111 48.56 7004 26.25 1023 44.55 63.11 42.00 0.70 10.46 7 0.18 1347.34 111 48.51 70.04 26.25 1023 44.55 63.11 42.00 0.70 10.46 7 0.18 1347.34 111 48.64 7775 26.23 1071 50.01 64.64 43.27 0.80 10.55 10.46 10.19 1302.48 116 50.54 116 50.5	5.50 3.93 4.29 5.89 9.03 8.07 6.67 8.02 5.29 4.03 6.43 5.95 6.85 3.56 6.97 7.37 4.21 5.14 6.54 6.54 6.54	24.64 19.87 19.87 21.43 25.21 35.14 35.56 36.13 26.85 21.18 30.73 22.08 31.39 26.11 30.66 24.81 30.32 24.81 30.32 31.39 30.32 31.39 30.32 31.39 30.32 31.39 30.32 31.39 30.32
98	393 429 5.89 9.03 8.07 9.28 10.47 6.67 8.02 5.29 5.32 4.03 5.95 6.85 3.56 4.92 6.08 6.57 7.37 4.21 5.14	19.87 21.43 25.21 35.14 35.96 36.13 36.43 36.33 40.43 30.73 22.08 30.73 26.11 30.63 26.85 27.25 27.37 30.33 31.39 30.32 31.39 30.32 30.33 31.39 30.32 30.33 31.39 30.32 30.33
99	4.29 5.89 9.03 8.07 9.28 10.47 6.67 8.02 5.29 5.32 4.03 5.95 6.85 3.56 4.92 6.08 6.57 7.37 4.21 5.14 6.54 6.54	21.43 25.21 35.96 35.40 36.13 26.85 28.84 21.18 30.73 22.08 31.39 26.11 30.66 26.85 27.25
100 39.81 8795 20.3 2006 49.30 59.2 39.48 0.63 103.95 0.20 1229.12	5.89 9.03 8.07 9.28 10.47 6.67 8.02 5.29 4.03 6.43 5.95 6.85 3.56 6.97 7.37 4.21 5.14 6.54 6.54	25.21 35.14 35.39 35.40 36.13 26.85 21.18 30.73 22.08 31.39 26.11 30.66 24.81 30.32 25.27 25.27 34.87
101 38.34 7779 23.4 662 57 62.13 59.90 0.88 138.73 0.31 1616.52	9.03 8.07 9.28 10.47 6.67 8.02 5.29 5.32 4.03 5.95 6.85 3.56 4.92 6.08 6.57 7.37 4.21 5.14 6.54 5.56	35.14 35.96 36.13 26.85 28.84 21.18 30.77 22.06 31.39 26.11 30.32 24.81 30.32 25.27 27.15 34.67
102	8.07 9.28 10.47 6.67 8.02 5.29 5.32 4.03 6.43 5.95 6.85 3.56 4.92 6.08 6.57 7.37 4.21 5.14 6.54 5.56	35.96 35.40 36.13 26.85 28.84 21.18 30.73 22.06 31.39 26.11 30.66 24.81 30.32 25.27 27.15
103 38.61 7429 22.83 732.2 48.15 62.67 63.39 0.89 156.99 0.31 1712.68	9.28 10.47 6.67 8.02 5.29 5.32 4.03 6.43 5.95 6.85 3.56 4.92 6.08 6.57 7.37 4.21 5.14 6.54 5.56	35.40 36.13 26.85 28.84 21.18 30.73 22.08 31.39 26.11 30.66 24.81 30.32 25.27 27.15
106 38.83 7192 22 710.6 45.47 67.68 64.81 0.71 115.87 0.25 1255.13 105 44.45 8226 24 786.4 50.73 65.71 45.30 0.67 121.45 0.27 173.65 106.51.19 9004 27.06 914.2 60.16 88.19 47.20 0.87 121.45 0.27 173.65 107 50.31 8277 26.37 906.7 48.55 65.21 35.02 0.64 91.47 0.18 1266.50 108 572.8 8606 27 1191 36.79 65.65 47.74 10.0 1611.13 0.22 2116.23 109 67.07 11205 32.1 1557 44.34 69.87 32.85 0.98 117.12 0.20 1848.55 110 50.05 8015 28.2 1093 34.85 67.79 49.15 0.84 129.11 0.21 1753.33 111 44.56 7094 26.25 1023 44.55 63.71 47.00 0.98 129.11 0.21 1753.33 1112 49.82 8405 27.71 786.1 51.26 60.77 47.02 0.87 123.31 0.20 1988.02 113 45.18 7847 24.58 800.5 30.48 61.23 36.17 0.65 104.61 0.19 1302.48 114 50.11 5344 25.39 27.1 33.88 62.53 45.12 0.84 126.34 0.21 1675.34 115 46.64 7725 26.23 1071 50.01 64.64 43.27 0.80 102.83 0.21 1411.36 116 37.54 6802 21.78 880.3 38.89 64.8 43.27 0.80 102.83 0.21 1411.36 116 37.54 6802 21.78 880.3 38.89 64.8 43.27 0.80 132.87 0.22 1262.98 117 33.11 56.39 20.12 773.8 33.8 64.91 63.10 0.66 132.87 0.22 1262.98 118 40.69 6670 23.33 897.1 34.96 53.85 41.27 0.74 112.10 0.19 149.12 125.94 49.05 89.19 25.22 1176 33.8 69.8 25.78 0.64 86.31 0.17 147.20 0.24 246.13 120 49.7 100.96 24.31 105 46.96 76.21 49.60 1.32 160.84 0.35 27.79 1.82 39.6 20.44 24.40 0.79 10.79 0.79 1.	10.47 6.67 8.02 5.29 5.32 4.03 5.95 6.85 5.95 6.85 4.92 6.08 6.57 7.37 4.21 5.14 6.54 5.56	36.13 26.85 28.84 21.18 30.73 22.08 31.39 26.11 30.66 24.81 30.32 25.27 27.15
105	6.67 8.02 5.29 5.32 4.03 6.43 5.95 6.85 3.56 4.92 6.08 6.57 7.37 4.21 5.14 6.54 5.56	26.85 28.84 21.18 30.73 22.08 31.39 26.11 30.66 24.81 30.32 25.27 27.15
105	8.02 5.29 5.32 4.03 6.43 5.95 6.85 3.56 4.92 6.08 6.57 7.37 4.21 5.14 6.54 6.54	28.84 21.18 30.73 22.08 31.39 26.11 30.66 24.81 30.32 25.27 27.15
107 50.31 8277 26.37 906.7 48.55 65.21 35.02 0.64 91.47 0.18 1266.50	\$29 \$32 4.03 6.43 5.95 6.85 4.92 6.08 6.57 7.37 4.21 5.14 6.54 5.56	21.18 30.73 22.08 31.39 26.11 30.66 24.81 30.32 25.27 27.15
108 57.28 8606 27 1191 36.79 65.65 47.74 1.09 161.13 0.28 2115.33 109 67.07 11205 32.1 1557 44.34 69 87 32.55 0.88 117.12 0.20 1848.56 110 50.06 8015 28.2 1093 34.83 67.79 49.15 0.84 1129.11 0.21 1753.33 1111 44.56 7094 28.25 1023 44.55 63.13 42.00 0.70 104.67 0.18 1347.34 1112 49.82 8405 27.71 786.1 51.26 60.77 47.02 0.87 123.31 0.20 1898.02 1133 45.18 7847 24.58 800.5 30.49 61.23 36.17 0.65 104.61 0.19 1302.48 114 50.11 6340 26.39 1927.1 33.88 62.53 45.12 0.84 126.34 0.23 1675.38 1116 46.64 7725 26.23 1071 50.01 64.64 43.27 0.80 103.83 0.21 1411.36 116 37.54 6802 21.72 880.3 38.89 64.8 49.53 0.58 97.72 0.18 982.80 117 33.11 66.66 6670 23.33 937.1 34.96 63.85 41.27 0.74 112.10 0.19 1419.112 1119 48.66 6670 23.33 937.1 34.96 63.85 41.27 0.74 112.10 0.19 1491.12 1119 48.66 7850 24.59 1130 41.5 63.02 45.91 1130 41.5 63.02 44.9 7 10395 24.3 1105 46.96 76.21 49.60 132.67 0.22 126.98 122 49.05 8919 25.22 1176 33.8 69.8 75.21 49.60 1.32 160.84 0.35 2359.70 121 135.32 140.96 5670 23.33 937.1 34.96 63.85 41.27 0.74 112.10 0.19 1491.12 139 48.66 7850 24.59 1130 41.5 63.02 45.13 1.07 147.20 0.24 2046.13 120 49.7 10395 24.3 1105 46.96 76.21 49.60 1.32 160.84 0.35 2359.70 121 135.32 140.96 25.94 1255 46.46 60.25 45.29 1.35 152.77 0.34 2199.96 122 49.05 8919 25.22 1176 33.8 69.8 25.78 0.64 86.31 0.17 1159.43 120 61.79 10346 27.6 1558 37.27 75.04 23.40 0.89 94.95 0.18 1355.11 124 58.66 10372 27.99 1382 39.6 92.04 23.43 0.78 96.55 0.18 1456.08 125 45.00 55.71 1030 55.71 1030 57.71 159.43 129.90 137.00 137.00 10.90 10.90 1279.58 126 57.86 104.82 25.4 13.16 41.33 76.74 44.11 0.97 137.00 0.27 137.90 1279.58 126 57.86 104.82 25.4 1316 41.33 76.74 44.11 0.97 137.00 0.27 137.90 1.19 1279.58 126 57.86 104.82 25.4 1316 41.33 76.74 44.11 0.97 137.00 0.27 137.90 1.19 1279.58 126 57.86 104.82 25.4 1316 41.33 76.74 44.11 0.97 137.00 0.27 137.90 1.19 1279.58 126 57.86 104.82 25.4 1316 41.33 76.74 44.11 0.97 137.00 0.79 137.00 0.29 137.34 130 55.71 50.00 57.71 130.00 57.71 130.00 57.71 130.00 57.71 130.00 57.71 130.00 57.71 130.00 57.71 13	5.32 4.03 6.43 5.95 6.85 3.56 4.92 6.08 6.57 7.37 4.21 5.14 6.54 5.56	30.73 22.08 31.39 26.11 30.66 24.81 30.32 25.27 27.15
108	5.32 4.03 6.43 5.95 6.85 3.56 4.92 6.08 6.57 7.37 4.21 5.14 6.54 5.56	30.73 22.08 31.39 26.11 30.66 24.81 30.32 25.27 27.15
109 67.07 11205 32.1 1557 44.34 69.87 32.85 0.98 117.12 0.20 1848.56	4.03 6.43 5.95 6.85 3.56 4.92 6.08 6.57 7.37 4.21 5.14 6.54 5.56	22.08 31.39 26.11 30.66 24.81 30.32 25.27 27.15
110 50.06 8015 28.2 1093 34.83 67.79 49.15 0.84 129.11 0.21 1753.33 111 44.56 7094 26.25 1023 44.55 63.13 42.00 0.70 104.67 0.18 1347.34 112 49.82 8405 27.71 796.1 51.26 60.77 47.02 0.87 123.31 0.20 1596.02 113 45.18 7847 24.58 809.5 30.49 61.23 36.17 0.65 104.61 0.19 1302.48 114 50.11 6349 26.39 927.1 33.88 62.53 45.12 0.84 126.34 0.23 1675.38 115 46.64 7725 26.23 1071 50.01 64.44 43.27 0.80 103.83 0.21 1411.36 116 37.54 6802 21.78 690.3 38.89 64.8 49.53 0.58 97.72 0.18 982.80 118 40.69 6670 23.33 937.1 34.96 63.85 41.27 0.74 112.10 0.19 1491.12 119 48.66 7850 24.59 1130 41.5 63.92 45.13 1.07 147.20 0.24 2046.13 120 49.7 10395 24.3 1105 46.96 67.21 49.69 1.32 160.84 0.35 2359.70 121 53.92 11494 25.94 1255 46.46 60.25 45.29 1.35 152.77 0.34 219.96 122 49.05 8919 25.22 1176 33.8 69.8 25.78 0.64 86.31 0.17 1159.43 124 58.66 10972 27.99 1382 39.6 92.00 23.45 0.78 0.64 86.31 0.17 1159.43 124 58.66 10972 27.99 1382 39.6 92.00 23.45 0.78 0.67 10.87 0.18 1275.58 127 52.68 8560 25.21 1063 39.78 72.19 42.40 0.73 108.79 0.19 1275.58 127 52.68 8560 25.21 1363 39.64 76.59 20.66 0.91 119.42 0.24 119.96 119.42 125.54 46.01 95.25 22.71 1083 39.78 72.19 42.40 0.73 108.79 0.19 1275.58 127 52.68 8560 25.21 1363 39.64 76.59 20.66 0.91 119.42 0.24 11.39 1275.58 127 52.68 8560 25.21 1363 39.64 77.59 20.66 0.91 119.42 0.24 11.39 130.55,71 82.28 29.96 851.1 37.02 74.11 34.59 0.67 131.77 0.21 1683.80 130 55.71 82.88 29.96 851.1 37.02 74.11 34.59 0.67 131.77 0.21 1683.80 130 55.71 82.88 29.96 851.1 37.02 74.11 34.59 0	6.43 5.95 6.85 3.56 4.92 6.08 6.57 7.37 4.21 5.14 6.54 5.56	31,39 26,11 30,66 24,81 30,32 25,27 27,15 34,87
111	5.95 6.85 3.56 4.92 6.08 6.57 7.37 4.21 5.14 6.54	26.11 30.66 24.81 30.32 25.27 27.15 34.87
112	6.85 3.56 4.92 6.08 6.57 7.37 4.21 5.14 6.54 5.56	30.66 24.81 30.32 25.27 27.15 34.87
113 45.18 7847 24.58 809.5 30.49 61.23 36.17 0.65 104.61 0.19 1302.48 114 50.11 6349 26.39 927.1 33.88 62.53 45.12 0.84 126.34 0.23 1675.38 115 46.64 7725 26.23 1071 50.01 64.64 43.27 0.80 103.83 0.21 1411.36 116 37.54 6802 21.78 880.3 38.89 64.8 49.53 0.58 97.72 0.18 982.80 117 33.11 5639 20.12 773.8 33.8 64.91 63.10 0.66 132.87 0.22 1262.98 118 40.69 6670 23.33 937.1 34.96 63.85 41.27 0.74 112.10 0.19 1491.12 119 48.66 7850 24.59 1130 41.5 63.92 45.13 1.07 147.20 0.24 2046.13 120 49.7 103.95 24.3 1105 46.96 76.21 49.69 1.32 160.84 0.35 2359.70 121 53.92 11494 25.94 1255 46.46 69.25 45.29 1.35 152.77 0.34 2198.96 122 490.6 8919 25.22 1176 33.8 69.8 25.78 0.64 86.31 0.17 1159.43 122 49.05 8919 25.22 1176 33.8 39.6 92.04 23.43 0.78 96.55 0.18 1353.11 124 58.66 10372 27.99 1382 39.6 92.04 23.43 0.78 96.55 0.18 1353.11 124 58.66 10372 27.99 1382 39.6 92.04 23.43 0.78 96.55 0.18 1456.08 125 46.01 9525 22.71 1083 39.78 72.19 42.40 0.73 108.79 0.19 1279.58 126 57.86 10482 25.4 1316 41.33 76.74 44.11 0.97 137.08 0.27 1879.98 127 52.68 8560 25.32 1243 39.64 79.5 39.69 0.77 113.77 0.23 1277.34 128 72.15 6588 29.96 851.1 37.02 74.11 34.99 0.67 131.71 0.21 1683.80 139 55.71 8228 28.09 1281 36.72 79.55 20.06 0.91 119.42 0.24 11.39 130 55.71 8228 28.09 1281 36.72 79.55 20.06 0.91 119.42 0.24 11.39 130 55.71 8228 28.09 1281 36.72 79.55 20.06 0.91 119.42 0.24 11.39 130 55.71 8228 28.09 1281 36.72 79.55 20.06 0.91 119.42 0.24 11.39 130 55.71 8228 28.09 1281 36.72 79.55 20.05 0.74 104.28 0.21 1410.68 131 51.57 9979 24.84 1094 42.07 74.71 28.35 0.68 104.47 0.21 1328.06 133 55.27 10461 25.42 955.9 40.57 62.82 25.76 0.67 124.22 0.22 116.84 131 51.57 9979 24.84 1094 42.07 74.71 28.35 0.68 104.47 0.21 1328.06 133 55.27 10461 25.42 955.9 40.57 62.82 25.76 0.67 124.22 0.22 116.08 134 48.18 8672 25.23 22.14 42.87 62.26 25.42 0.64 89.75 0.20 1092.83 134 48.18 8672 25.23 26.14 1126 27.45 62.82 25.76 0.67 124.22 0.22 116.66 137 47.89 7522 26.02 1071 32.74 76.81 55.40 0.86 157.79 0.32 1695.67	3.56 4.92 6.08 6.57 7.37 4.21 5.14 6.54 5.56	24.81 30.32 25.27 27.15 34.87
114 50.11 6349 26.39 927.1 33.88 62.53 45.12 0.84 126.34 0.23 1675.38 115 46.64 7725 26.23 1071 50.01 64.64 43.27 0.80 103.83 0.21 1411.36 116 37.54 6802 21.78 880.3 38.89 64.8 49.53 0.58 97.72 0.18 982.80 117 33.11 5639 20.12 773.8 33.8 64.91 63.10 0.66 132.87 0.22 1262.98 118 40.69 6670 23.33 937.1 34.96 63.85 41.27 0.74 112.00 0.19 149.112.10 0.19 149.119.11 149.112.10 0.19 149.119.11 149.112.10 0.19 149.119.11 149.119.11 149.119.11 149.119.11 149.119.11 149.119.11 149.119.11 149.119.11 149.119.11 149.119.11 149.119.11 149.119.11 149.119.11 149.119.11 149.119.1	4.92 6.08 6.57 7.37 4.21 5.14 6.54 5.56	30.32 25.27 27.15 34.87
115 46.64 7725 26.23 1071 50.01 64.64 43.27 0.80 103.83 0.21 1411.36 116 37.54 6802 21.78 880.3 38.89 64.8 49.53 0.58 97.72 0.18 982.80 117 33.11 56.59 20.12 773.8 33.8 64.91 63.10 0.66 132.67 0.22 1262.98 118 40.69 6670 23.33 937.1 34.96 63.85 44.27 0.74 112.10 0.19 1491.12 119 48.66 7850 24.59 1130 41.5 63.92 45.13 107 147.20 0.24 2045.13 120 49.7 103.95 24.3 110.5 46.96 76.21 49.69 1.32 160.84 0.35 2359.70 121 53.92 114.94 25.94 125.5 46.46 60.25 45.29 1.35 152.77 0.34 21.89.96 122 49.05 8919 25.22 1176 33.8 69.8 25.78 0.64 86.31 0.17 1159.43 124 58.66 10372 27.99 1382 39.6 92.04 23.43 0.89 94.95 0.18 1353.11 124 58.66 10372 27.99 1382 39.6 92.04 23.43 0.78 96.55 0.18 1456.08 125 46.01 9525 22.71 1083 39.78 72.19 42.40 0.73 108.79 0.19 1279.58 127 52.68 8560 25.22 1243 39.64 79.5 30.69 0.77 113.77 0.21 1277.34 128 72.15 6588 29.96 851.1 37.02 74.11 34.99 0.87 131.71 0.21 1683.80 130 5.71 8228 28.99 121 30.95 11.94 29.06 0.97 113.77 0.22 1277.34 128 72.15 6588 29.96 851.1 37.02 74.11 34.59 0.87 131.71 0.21 1683.80 130 5.71 8228 28.09 1281 30.67 79.55 20.66 0.91 119.42 0.24 11.39 130 55.71 8228 28.09 1281 36.72 79.55 20.66 0.91 119.42 0.24 11.39 130 55.71 8228 28.09 1281 36.72 79.55 20.66 0.91 119.42 0.24 11.39 133 55.77 829 24.84 1094 42.07 74.71 28.35 0.68 104.47 0.21 1328.06 133 55.77 829 24.84 1094 42.07 74.71 28.35 0.68 104.47 0.21 1328.06 133 55.77 829 24.84 1094 42.07 74.71 28.35 0.68 104.47 0.21 1328.06 133 55.77 828 28.09 1281 36.72 79.55 20.06 0.91 119.42 0.24 11.39 133 55.57 8811 27.2 1032 43.29 79.55 20.66 0.91 119.42 0.24 11.39 133 55.57 8811 27.2 1032 43.29 79.55 20.66 0.91 109.28 0.21 1410.68 134 48.18 8672 25.23 921.4 42.87 62.26 25.42 0.64 89.75 0.20 1092.83 136 56.77 75.59 28.14 1126 27.45 62.62 20.71 10.55 8.94 0.15 1103.96 137 47.89 75.22 26.02 1071 32.74 76.81 55.40 0.86 157.79 0.32 1665.67	6.08 6.57 7.37 4.21 5.14 6.54 5.56	25.27 27.15 34.87
116 37.54 6802 21.78 890.3 38.89 64.8 49.53 0.58 97.72 0.18 982.80	6.57 7.37 4.21 5.14 6.54 5.56	27.15 34.87
117 33.11 5639 20.12 773.8 33.8 64.91 63.10 0.66 132.87 0.22 1262.98 118 40.66 6670 23.33 937.1 34.96 63.85 41.27 0.74 112.10 0.19 1491.12 119 48.66 7850 24.59 1130 41.5 63.85 41.27 0.74 112.10 0.19 1491.12 119 48.66 7850 24.59 1130 41.5 63.85 45.21 107 147.20 0.24 2046.13 120 49.7 10395 24.3 1105 46.96 76.21 49.69 1.32 160.84 0.35 2359.70 121 53.92 11494 25.94 1255 46.46 69.25 45.29 1.35 152.77 0.34 2198.96 122 49.05 8919 25.22 1176 33.8 69.8 25.78 0.64 86.31 0.17 1159.43 123 61.79 10346 27.6 1558 37.27 75.04 23.48 0.89 94.95 0.18 1353.11 124 58.66 10372 27.99 1382 39.6 92.04 23.43 0.78 96.55 0.18 1456.08 125 45.01 9525 22.71 1083 39.78 72.19 42.40 0.73 108.79 0.19 1279.58 126 57.86 10482 25.4 1316 41.33 76.74 44.11 0.97 137.06 0.27 1879.98 127 52.68 8560 25.32 1243 39.64 79.5 39.69 0.77 113.77 0.23 1277.34 128 72.15 6588 29.96 851.1 37.02 74.11 34.59 0.87 131.71 0.21 1683.80 129 63.01 9514 30.35 1126 34.87 76.99 20.66 0.91 119.42 0.24 11.39 130 55.71 8228 29.09 1281 36.72 79.95 20.66 0.91 119.42 0.24 11.39 130 55.71 8228 29.09 1281 36.72 79.55 20.05 0.74 104.28 0.21 1410.68 131 51.57 9979 24.84 1094 42.07 74.71 28.35 0.68 104.47 0.21 1228.06 132 50.57 8811 27.2 1002 43.29 71.93 20.05 0.52 74.59 0.16 96.92 133 55.22 10461 25.42 955.9 40.57 62.82 25.62 25.64 89.75 0.20 1092.83 134 48.18 8672 25.23 921.4 42.87 62.26 25.42 0.64 89.75 0.20 1092.83 134 48.18 8672 25.23 921.4 42.87 62.26 25.42 0.64 89.75 0.20 1092.83 134 48.18 8672 25.23 921.4 42.87 62.26 25.42 0.64 89.75 0.20 1092.83 135 48.38 8335 23.1 908.4 39.57 62.82 29.76 0.67 124.22 0.22 1116.47 136 56.77 75.59 28.14 1120 66.27 1071 32.74 76.81 55.40 0.86 157.79 0.32 1665.67	7.37 4.21 5.14 6.54 5.56	34.87
118	4.21 5.14 6.54 5.56	
119 48.66 7850 24.59 1130 41.5 63.92 45.13 1.07 147.20 0.24 2046.13 120 49.7 10395 24.3 1106 46.96 76.21 49.69 1.32 160.84 0.35 2259.70 121 53.92 11494 25.94 1255 46.46 69.25 45.29 1.35 152.77 0.34 2198.96 122 49.05 8919 25.22 1176 33.8 69.8 25.78 0.64 88.31 0.17 1159.43 123 61.79 10346 27.6 1558 37.27 75.04 23.48 0.89 94.95 0.18 1353.11 124 58.66 10372 27.99 1382 39.6 92.04 23.43 0.78 96.55 0.18 1456.08 125 46.01 9525 22.71 1083 39.78 72.19 42.40 0.73 108.79 0.19 1279.58 126 57.86 10482 25.4 1316 41.33 76.74 44.11 0.97 137.08 0.27 1879.98 127 52.68 8560 25.32 1243 39.64 79.5 39.69 0.77 113.77 0.23 1277.34 128 72.15 6588 29.96 851.1 37.02 74.11 34.59 0.87 131.71 0.21 1683.80 129 63.01 9514 30.36 1126 34.87 76.99 20.66 0.91 119.42 0.24 11.39 130 55.71 8228 28.09 1281 36.72 79.55 23.05 0.74 104.28 0.21 1410.68 131 51.57 9979 24.84 1094 42.07 74.71 28.35 0.68 104.47 0.21 1328.05 132 50.57 8811 272 10032 43.29 79.55 23.05 0.74 104.28 0.21 1410.68 131 51.57 9979 24.84 1094 42.07 74.71 28.35 0.68 104.47 0.21 1328.05 132 50.57 8811 272 10032 43.29 71.93 20.05 0.52 74.59 0.16 969.92 133 55.22 10461 25.42 955.9 40.57 62.82 27.69 0.70 107.97 0.25 1328.05 134 48.18 8672 25.23 921.4 42.97 62.26 25.21 101 0.55 84.94 0.15 1130.96 137 47.89 7522 26.02 1071 32.74 76.81 55.40 0.86 157.79 0.32 1695.67	5.14 6.54 5.56	21.21
120	6.54 5.56	29.40
121 53.92 11494 25.94 1255 46.46 60.25 45.29 1.35 152.77 0.34 2198.96 122 49.05 8919 25.22 1176 33.8 69.8 25.78 0.64 86.31 0.17 1159.43 123 61.79 10346 27.6 1558 37.27 75.04 23.48 0.89 94.95 0.18 1353.11 124 58.66 10372 27.99 1382 39.6 92.04 23.43 0.78 96.55 0.18 1456.08 125 46.01 9625 22.71 1083 39.78 72.19 42.40 0.73 108.79 0.19 1279.58 126 57.86 10482 25.4 1316 41.33 76.74 44.11 0.97 137.08 0.27 1879.98 127 52.68 8560 25.32 1243 39.64 79.5 30.69 0.77 113.77 0.23 1277.34 <	5.56	
122 49.05 8919 25.22 1176 33.8 69.8 25.78 0.64 86.31 0.17 1159.43 123 61.79 10346 27.6 1558 37.27 75.04 23.48 0.89 94.95 0.18 1353.11 124 58.66 10372 27.99 1382 39.6 92.04 23.43 0.78 96.55 0.18 1353.11 124 58.66 10372 27.99 1382 39.6 92.04 23.43 0.78 96.55 0.18 1456.08 125 46.01 9525 22.71 1083 39.78 72.19 42.40 0.73 108.79 0.19 1279.58 126 57.86 10482 25.4 1316 41.33 76.74 44.11 0.97 137.08 0.27 1879.98 127 52.68 8560 25.32 1243 39.64 79.5 39.69 0.77 113.77 0.23 1277.34 128 72.15 6588 29.96 851.1 37.02 74.11 34.59 0.87 131.71 0.21 1683.80 129 63.01 9514 30.36 1126 34.87 76.99 20.66 0.91 119.42 0.24 11.39 130 55.71 8228 28.09 1281 36.72 79.55 23.05 0.74 104.28 0.21 1410.68 131 51.57 9779 24.84 1094 42.07 74.71 23.35 0.68 104.47 0.21 328.05 132 50.57 8811 27.2 10002 43.29 77.91 20.05 0.52 74.59 0.16 969.92 133 55.22 10461 25.42 955.9 40.57 69.12 27.69 0.70 107.87 0.25 1361.98 134 48.18 8672 25.23 921.4 42.87 62.26 25.42 0.64 89.75 0.20 1092.83 135 48.38 8335 23.1 9084 39.57 62.82 29.76 0.67 124.22 0.22 1116.30 6.577 7529 28.14 1126 27.45 62.62 21.01 0.55 84.94 0.15 1130.86 137 47.89 7522 26.02 1071 32.74 76.81 55.40 0.86 157.79 0.32 1695.67		30.71 28.00
123 61.79 10346 27.6 1558 37.27 75.04 23.48 0.89 94.95 0.18 1353.11 124 58.66 10372 27.99 1382 39.6 92.04 23.43 0.78 96.55 0.18 1456.08 125 46.01 9525 22.71 1083 39.78 72.19 42.40 0.73 108.79 0.19 1279.58 126 57.86 10482 25.4 1316 41.33 76.74 44.11 0.97 137.06 0.27 1879.98 127 52.68 8560 25.32 1243 39.64 79.5 39.69 0.77 113.77 0.23 1277.34 129 63.01 9614 30.36 1126 34.87 76.99 20.66 0.91 119.42 0.24 11.39 130 55.71 8228 28.09 1281 36.72 79.55 23.05 0.74 104.28 0.21 1410.68 <	2.011	16.74
124 58.66 10372 27.99 1382 39.6 92.04 23.43 0.78 96.55 0.18 1456.08 125 46.01 9625 22.71 1083 39.78 72.19 42.40 0.73 108.79 0.19 1279.58 126 57.86 10482 25.4 1316 41.33 76.74 44.11 0.97 137.08 0.27 1879.98 127 52.68 8560 25.32 1243 39.64 79.5 39.69 0.77 113.77 0.23 1277.34 128 72.15 6598 29.96 851.1 37.02 74.11 34.59 0.87 131.71 0.21 1683.80 129 63.01 9514 30.36 1126 34.87 76.99 20.66 0.91 119.42 0.24 11.39 130 55.71 8228 28.09 1281 36.72 79.55 20.05 0.74 104.28 0.21 1410.68	0.45	
125 46.01 9525 22.71 1083 39.78 72.19 42.40 0.73 108.79 0.19 1279.58 126 57.86 10482 25.4 1316 41.33 76.74 44.11 0.97 137.08 0.27 1879.98 127 52.68 8560 25.32 1243 39.64 79.5 39.69 0.77 113.77 0.23 1277.34 128 72.15 6588 29.96 851.1 37.02 74.11 34.59 0.87 131.71 0.21 1683.80 129 63.01 9514 30.36 1126 34.87 76.99 20.68 0.91 119.42 0.24 11.39 130 55.71 8228 28.09 1281 36.72 79.55 23.05 0.74 104.28 0.21 1410.68 131 51.57 9979 24.84 1094 42.07 74.71 28.35 0.68 104.47 0.21 1328 <	2.45	16.17
126 57.86 10482 25.4 1316 41.33 76.74 44.11 0.97 137.08 0.27 1879.98 127 52.68 8560 25.22 1243 39.64 79.5 39.69 0.77 113.77 0.23 1277.34 128 72.15 6588 29.96 851.1 37.02 74.11 34.59 0.87 131.71 0.21 1683.80 129 63.01 9514 30.36 1126 34.87 76.99 20.66 0.91 119.42 0.24 11.39 130 55.71 8228 28.09 1281 36.72 79.55 23.05 0.74 104.28 0.21 1410.68 131 51.57 9979 24.84 1094 42.07 74.71 23.35 0.68 104.47 0.21 1328.06 132 50.57 8811 272 1002 43.29 71.93 20.05 0.52 74.59 0.16 969.92 <t< td=""><td>2.59</td><td>16.18</td></t<>	2.59	16.18
127 52.68 8560 25.32 1243 39.64 79.5 39.69 0.77 113.77 0.23 1277.34 128 72.15 6598 29.96 851.1 37.02 74.11 34.59 0.87 131.71 0.21 1683.80 129 63.01 9514 30.38 1126 34.87 76.99 20.66 0.91 119.42 0.24 11.39 130 55.71 8228 28.09 1281 36.72 79.55 23.05 0.74 104.28 0.21 1410.68 131 51.57 9979 24.84 1094 42.07 74.71 28.35 0.68 104.47 0.21 128.06 132 50.57 8811 27.2 1002 43.29 71.93 20.05 0.52 74.59 0.16 969.92 133 55.22 10461 25.42 955.9 40.57 69.12 27.69 0.70 107.87 0.25 1361.98 134 48.18 8672 25.23 921.4 42.87 62.26 25.42 0.64 89.75 0.20 1092.83 135 48.38 8335 23.1 908.4 39.57 62.82 29.76 0.67 124.22 0.22 1116.47 136 56.77 7529 28.14 1126 56.74 76.81 55.40 0.86 157.79 0.32 1695.67	5.75	25.31
128 72.15 6588 29.96 851.1 37.02 74.11 34.59 0.87 131.71 0.21 1683.80 129 63.01 9514 30.36 1126 34.87 76.99 20.66 0.91 119.42 0.24 11.39 130 55.71 8228 28.09 1281 36.72 79.55 23.05 0.74 104.28 0.21 1410.68 131 51.57 9979 24.84 1094 42.07 74.71 28.35 0.68 104.47 0.21 1328.06 132 50.57 8811 27.2 1002 43.29 71.93 20.05 0.52 74.59 0.16 969.92 133 55.22 10461 25.42 955.9 40.57 69.12 27.69 0.70 107.87 0.25 1361.98 134 48.18 8672 25.23 921.4 42.87 62.26 25.42 0.64 89.75 0.20 1092.83	5.35	26.25
129 63.01 9514 30.36 1126 34.87 76.99 20.68 0.91 119.42 0.24 11.39 130 55.71 8228 28.09 1281 36.72 79.55 23.05 0.74 104.28 0.21 1410.68 131 51.57 9979 24.84 1094 42.07 74.71 28.35 0.68 104.47 0.21 1328 132 50.57 8811 27.2 1032 43.29 71.93 20.05 0.52 74.59 0.16 969.92 133 55.22 10461 25.42 955.9 40.57 69.12 27.69 0.70 107.87 0.25 1361.98 134 48.18 8672 25.23 921.4 42.87 62.26 25.42 0.64 89.75 0.20 1092.83 135 48.38 8335 23.1 908.4 39.57 62.82 29.76 0.67 124.22 0.22 111.086 <t< td=""><td>5.16</td><td>24.88</td></t<>	5.16	24.88
130 55.71 8228 28.09 1281 36.72 79.55 23.05 0,74 104.28 0.21 1410.68 131 51.57 9979 24.84 1094 42.07 74.71 28.35 0.68 104.47 0.21 1328.06 132 50.57 8811 27.2 1002 43.29 71.93 20.05 0.52 74.59 0.16 989.92 133 55.22 10461 25.42 955.9 40.57 69.12 27.69 0.70 107.87 0.25 1361.98 134 48.18 8672 25.23 921.4 42.87 62.26 25.42 0.64 89.75 0.20 1092.83 135 48.38 8335 23.1 908.4 39.57 62.82 29.76 0.67 124.22 0.22 116.47 136 56.77 7529 28.14 1126 27.45 62.62 21.01 0.55 88.94 0.15 1130.98	4.18	24.26
131 51.57 9979 24.84 1094 42.07 74.71 28.35 0.68 104.47 0.21 1328.06 132 50.57 8811 27.2 1032 43.29 71.93 20.05 0.52 74.59 0.16 969.92 133 55.22 10461 55.42 955.9 40.57 69.12 27.69 0.70 107.87 0.25 1361.98 134 48.18 8672 25.23 921.4 42.87 62.26 25.42 0.64 89.75 0.20 1092.83 135 48.38 8335 23.1 908.4 39.57 62.82 29.76 0.67 124.22 0.22 1116.47 136 56.77 7529 28.14 1126 27.45 62.62 21.01 0.55 84.94 0.15 1130.86 137 47.89 7522 26.02 1071 32.74 76.81 55.40 0.86 157.79 0.32 1695.67	2.44	17.17
132 50.57 8811 27.2 1032 43.29 71.93 20.05 0.52 74.59 0.16 969.92 133 55.22 10461 25.42 95.59 40.57 69.12 27.69 0.70 107.97 0.25 1361.98 134 48.18 8672 25.23 921.4 42.87 62.26 25.42 0.64 89.75 0.20 1092.83 135 48.38 8335 23.1 908.4 39.57 62.82 29.76 0.67 124.22 0.22 1116.47 136 56.77 7529 28.14 1126 27.45 62.62 21.01 0.55 84.94 0.15 1130.86 137 47.89 7522 26.02 1071 32.74 76.81 55.40 0.86 157.79 0.32 1695.67	2.56	18.81
133 55.22 10461 25.42 955.9 40.57 69.12 27.69 0.70 107.87 0.25 1361.98 134 48.18 8672 25.23 921.4 42.87 62.26 25.42 0.64 89.75 0.20 1092.83 135 48.38 8335 23.1 908.4 39.57 62.82 29.76 0.67 124.22 0.22 1116.47 136 56.77 7529 28.14 1126 27.45 62.62 21.01 0.55 84.94 0.15 1130.86 137 47.89 7522 26.02 1071 32.74 76.81 55.40 0.86 157.79 0.32 1695.67	3.34	21.82
134 48.18 8672 25.23 921.4 42.87 62.26 25.42 0.64 89.75 0.20 1092.83 135 48.38 8335 23.1 906.4 39.57 62.82 29.76 0.67 124.22 0.22 1116.47 136 56.77 7529 28.14 1126 27.45 62.62 21.01 0.55 84.94 0.15 1130.86 137 47.89 7522 26.02 1071 32.74 76.81 55.40 0.86 157.79 0.32 1695.67	2.39	15.44
135 48.38 8335 23.1 908.4 39.57 62.82 29.76 0.67 124.22 0.22 1116.47 136 56.77 7529 28.14 1126 27.45 62.62 21.01 0.55 84.94 0.15 1130.86 137 47.89 7522 26.02 1071 32.74 76.81 55.40 0.86 157.79 0.32 1695.67	2.90	21.75
136 56.77 7529 28.14 1126 27.45 62.62 21.01 0.55 84.94 0.15 1130.86 137 47.89 7522 26.02 1071 32.74 76.81 55.40 0.86 157.79 0.32 1695.67	2.97	19.60
137 47.89 7522 26.02 1071 32.74 76.81 55.40 0.86 157.79 0.32 1695.67	3.49	22.68
	1.61	15.32
1 100 1000 7040 0741 1040 0400 1040 1440 14	5.69	37.70
138 48.08 7343 27.4 1212 31.89 67.84 35.93 0.72 114.66 0.22 1470.05	3.08	23.87
139 42.04 7485 21.44 1036 34.9 69.9 28.57 0.55 92.18 0.19 986.40	2.94	19.28
140 45.89 7264 22.92 844.2 28.74 60.19 32.29 0.81 123.91 0.27 1588.26	2.55	24.04
141 45.43 8355 24.41 865.1 34.46 62.3 27.54 0.71 93.33 0.19 1197.83	2.54	19.08
142 43.67 7753 23.32 913.3 36.94 65.76 43.59 0.76 120.52 0.25 1340.20	4.81	28.74
143 43.52 8156 24.78 958.1 39.6 77.53 45.81 0.67 107.28 0.22 1123.10	6.14	29.69
144 56.34 8857 27.86 1108 30.17 67 36.65 0.84 123.80 0.24 1565.69	3.60	24.83
145 57.96 6568 26.26 947.7 27.05 64.28 44.72 0.79 139.89 0.27 1705.28	3.97	31,08
146 62.48 7315 28.09 1212 26.92 66.71 32.71 0.75 109.70 0.22 1247.90	2.99	23,18
147 45.29 6800 25.83 1038 32.52 62.89 53.06 0.82 127.36 0.26 1560.19	5.46	35.02
148 45.42 6711 24.2 851.6 29.26 64.79 49.72 0.79 130.70 0.28 1465.03	5.43	36.02
149 48.18 7207 25.55 1051 37.43 65.7 42.26 0.93 129.89 0.31 1508.39	4.93	30.26
150 44.9 7466 24.4 976.2 38.22 70.1 48.68 0.87 120.57 0.24 1402.18	6.16	34.83
151 49.21 7681 26.57 1183 38.54 65.33 46.64 0.84 112.54 0.23 1362.85	6.37	33.18
152 61.36 8003 26.92 779.1 34.42 59.48 21.20 0.67 95.41 0.21 1152.05	2.28	17,17
153 46.68 7623 24 685.8 33.43 58.79 34.77 0.64 108.29 0.24 1175.54	3.94	28.54
154 51.09 7610 26.77 764 33.59 56.9 33.99 0.76 116.84 0.25 1535.18	3.81	27.26
155 48.9 7238 22.5 728.3 32.15 55.5 34.92 0.74 124.78 0.25 1348.27	4.11	29.38
156 54.61 7367 24.52 729.5 23.78 56.83 31.71 0.78 139.72 0.27 1658.75	2.94	30.26
157 44.44 6743 21.84 708.4 26.63 52.59 31.93 0.70 131.57 0.23 1325.91	3.29	30.03
158 49.98 6791 22.64 753.8 29.56 57.25 44.20 1.11 176.98 0.50 1820.89	4.98	42.76
159 50.88 7549 22.96 879.5 33.42 55.79 43.68 1.27 169.60 0.34 1760.36	5.72	39.48
160 42.73 4858 23.53 871.4 28.1 66.85 38.16 0.81 122.19 0.26 1382.82	3.96	29.52
161 51.45 5159 28.64 888.3 28.6 64.66 41.41 0.91 173.98 0.32 1701.37	3.92	36.44
162 51.34 8087 24.34 833.7 32.25 59.31 45.41 1.29 187.58 0.40 1911.58	4.81	41.41
163 59.71 7394 26.13 835.1 30.71 52.06 24.19 0.76 118.68 0.22 1329.15	2.55	23.93
164 77.59 77.99 28.62 1002 31.98 57.27 28.71 0.92 160.90 0.25 1500.67	3 25	27.01
165 61.15 4616 25.27 874.3 30.85 57.67 69.97 0.98 239.77 0.40 1964.16	9.32	56.64
166 43.21 4837 22.39 682.5 30.79 55.8 46.12 0.68 129.85 0.25 1097.94	6.29	40.64
167 49.82 5037 19.56 647.1 21.4 43.45 30.39 0.69 114.04 0.21 1047.95		27.27
168 79.46 8309 31.38 1254 32.86 76.32 29.21 1.35 159.03 0.29 1839.46		25.09
169 53.28 7209 28.86 1078 34.19 60.49 44.41 1.25 166.40 0.34 2037.74	3.26	30.82
170 42.19 5929 24.33 765.1 31.63 61.88 99.75 1.14 227.64 0.45 2023.22	3.26 3.06	72.81
171 43.96 7088 25.17 821.2 31.8 60.22 59.40 0.87 149.17 0.30 1766.09	3.26	38.79
172 43.6 6706 24.63 806.9 35.13 61.95 69.47 0.88 155.87 0.31 1736.99	3.26 3.06 4.62 12.77	
173 49.99 6346 27.69 1056 33.31 63.31	3.26 3.06 4.62 12.77 6.10	44 RA
174	3.26 3.06 4.62 12.77	44.88

D	A for least our	No belle and	AR 2-d	0.50	75	Class	712-4	7-1-6
Depth 1	Mn influx	Na influx	Ni instrux	Pinflux	Po influx	Sinflux	TI influor	Zn influx
2	1132.21	6.43	3.03	124.14	0.66	46.00	1.00	1.12
3	1490.96	8.25	4.02	144.39	1.00	60.55	1.07	1.48
5	880.00	5,10 4.88	2.48	84.50	0.63	46.47	0.81	1.13
6	1014.58	5.72	2,89	102.45	0.82 0.95	46.07 53.12	0.89	1.21
7	423.79	3.71	1.31	132.49	0.70	35.87	1.11	1.25
8	341.43	2.58	1.09	94.93	0.61	29.56	0.76	0.90
9	417.18	3.37	1.34	130.33	0.76	38.62	0.95	1.29
10 11	298.29 303.08	2.84 2.90	1.00	108.07	0.62 0.72	26.81 31.83	1.02	1,23
12	195.90	3.01	0.70	99.28	0.46	30.37	0.78	0.93
13	276.02	3.31	0.96	203.81	0.61	38.95	1.01	1.47
14	394.85	3.29	1.65	190.56	0.64	39.51	0.98	1.40
15	615.09	5.06 5.34	2.64	236.10	1.02	60.97	1.36	2.21
17	643.95 308.38	3.12	2.79 1.40	249.48 155.51	0.59	79.33 58.79	1.55 0.98	2.37 1.37
18	246.93	3.52	1.22	155.88	0.62	52.80	1.14	1.71
19	445.42	5.50	2.12	264.89	0.97	66.59	1.87	3.01
20	283.02	2.83	1.28	152.59	0.54	32.07	0.92	1.28
21	401.69	4.01	1.83	195.01	0.80	45.15	1.31	1.85
23	267.06 201.07	3.09	1.26 0.99	136.93 116.37	0.68	32,45 26.90	1.18	1.33
24	174.59	2.98	0.89	99.51	0.51	30.67	0.91	1.24
25	221.38	3.13	1.11	126.31	0.58	43.28	1.06	1.45
26	256,45	3.71	1.31	160.43	0.65	44.95	1.27	1,72
27	401.13 389.14	6.56 5.26	2.11 1.94	248.73 241.67	1.11 0.95	60.14 40.34	1.92	3.25 2.77
28	322.83	3.76	1.55	183.01	0.95	29.35	1.04	1.94
30	399.01	3.89	1.87	165.50	0.71	34.18	1.10	2.02
31	347.51	3.66	1.59	140.72	0.60	30.50	1.01	1.61
32	493.43 461.97	4.84	2.25	176.92	0.74 0.82	53,40	1.34	2.13
33	461.97 399.05	4.43	2.21 1.92	162.40 153.22	0.82	72.57 90.16	1.31	2.30
35	497.01	5.90	2.43	187.42	0.73	113.82	1.59	2.45
36	364.84	2.74	1.68	89.59	0.50	68.46	0,69	1.28
37	470.42	4.45	2.27	194.70	0.84	98.20	1.14	2.27
38	269.44 371.17	3.24 5.61	1.37	144.07 245.31	1.01	65.93 106.13	0.83 1.54	1.57 2.33
40	236.95	3.54	1.30	173.07	0.74	42.20	0.77	1,72
41	249.20	4.29	1.45	232.49	0.87	38.20	1.08	2.08
42	226.43	4.05	1.30	183.86	0.79	33.78	0.77	2.03
43	250.12	4.98	1.48	215.92	0.96	35.61	1.15	2.59
44	283.83 204.69	4.99 3.44	1.63	225.37 145.38	0.97 0.76	39.11 33.24	1.16 0.87	2.55 1.74
46	188.57	3.01	1.07	135.70	0.69	33.21	0.65	1.49
47	195.73	3.30	1.15	127.15	0.70	35.32	0.66	1.68
48	208.08	3.56	1.25	138.25	0.76	39.05	0.75	1.77
49 50	153.98 216.23	2.67 2.99	0.92 1.19	96.26 164.94	0.57 0.67	29.02 39.57	0.59 0.71	1.33
51	311.45	4.19	1.73	238.93	0.87	55.11	0.95	2.18
52	331.76	4.87	1.86	268.12	1.09	54.64	1.19	2.55
53	378.80	4.86	2.05	254.07	1.11	47.83	1.23	2.42
. 54	446.00	5.32	2.35	273.53	1.18	72.18	1.36	2.59
55 56	328.12 330.05	5.08 3.95	1.89	211.37 176.24	0.89	63.04 41.59	1.14 0.91	2.66 2.01
57	419.70	5.29	2.20	240.48	1.09	53.92	1.17	2.59
58	418.64	4.92	2.15	269.11	1.03	56.58	1.16	2.60
59	492.45	5.21	2.50	286.69	1.12	79.02	1.06	2.76
60	288.90 271.52	3.89	1.55	194.93	0.77	61.91	0.86	2.02
61 62	178.05	4.35 3.04	1.53	211.71 147.15	0.86	55.55 37.39	1.00 0.62	2.31 1.63
63	217.85	3.48	1.25	213.04	0.71	47.81	0.83	1.83
64	196.22	3.03	1.09	197.11	0.64	41.44	0.69	1.58
65	168.21	2.86	0.97	161.60	0 57	36.29	0.64	1,53
66 67	184.82 215.39	3.04	1.06	166.78 194.37	0.61	37.87 42.21	0.74 0.78	1.68
68	199.20	3,16	1.16	202.02	0.75	45.01	0.78	1.87
69	168.64	2.50	0.93	180.90	0.56	38.50	0.66	1.43
70	246.74	3.96	1.39	261.11	0.77	54.54	1.01	2.22
71	254.54 157.33	3.83 2.65	1.42 0.88	279.83 171.50	0.80	54.09 42.09	0.91	2.11 1.48
73	164.72	2.59	0.93	183.13	0.54	42.19	0.82	1.48
74	235.11	3.89	1.32	273.42	0.74	67.68	1.15	2.08
75	227.40	4.17	1.31	261.26	0.77	65.88	1.25	2.11
76	146.17	2.69	0.85	155.83	0.46	44.81	0.80	1.39
77	145.20 137.98	2.71 2.41	0.87	148.94 142.79	0.47	59.37 70.19	0.82	1.45
79	174.05	3.03	1.05	177.07	0.60	66.16	0.86	1.69
80	174.94	3.46	1.03	170.68	0.62	48.36	0.84	1.70
81	203.42	3.42	1.21	196.94	0.76	48.79	89.0	2.00
82	134.54	2.49	0.82	122,12	0.54	27.46	0.62	1.47
83 84	189.11 184.51	3.76 3.31	1.17	170.15 181.99	0.81	35.86 42.92	1.03	2.28 1.92
85	192.78	3.09	1.10	195.67	0.68	36.21	0.87	1.87
86	200.93	3.14	1.15	221.92	0.66	44.79	1.02	1.83
87	195.20	3.24	1.14	246.14	0.70	45.43	1.16	1.92
88	192,49	3.63	1.10	199.81	0.69	39.58	1.02	1.89

Depth	Min influer	Na influx	Ni influx	Pindux	Pb influx	Sinflux	Ti influx	Zn influx
89	175.83	2.92	0.95	187.34	0.59	39.65	0.84	1.71
90	195.72	2.82	1.05	235.26	0.60	39.99	0.85	1.62
91	187.47	3.11	89.0	206.56	0.55	40.18	0.94	1.60
92	178.86	2.93	0.94	198.04	0.54	37.12	0.91	1.48
93	194.69	3.53	1.04	219.43	0.57	51.15	1.14	1.79
94	137.39	2.27	0.71	149.37	0.38	38.92	0.69	1.16
95	145.15	2.64	0.75	161.58	0.38	44.81	0.80	1.17
96	167.91	3.35	0.89	199.37	0.47	51.92	1.07	1.40
97	157.38	2.87	0.82	190.32	0.41	43.05	0.99	1.19
98	146.47	2.36	0.73	173.50	0.38	38.22	0.77	1.01
99	161.74	2.57	0.80	185.26	0.42	37.76	0.83	1.03
100	143.30	2.68	0.75	166.23	0.38	39.61	0.93	1.12
101	175.51	3.06	1,02	206.77	0.62	17.60	1.52	1.65
102	203.90	3.32 3.41	1.10	247.11 197.46	0.64	18.94	1.41	1.67
104	179.57 142.96	3.05	0.86	159.30	0.61	19.46 15.74	1.28	1.67
105	153.96	2.66	0.84	156.37	0.46	14.93	0.96	1.50
106	212.31	5.93	1.13	199.44	0.60	20.25	1.33	1.51
107	157.54	3.14	0.84	137.50	0.44	15.06	0.81	1.08
108	283.34	3.38	1.52	228.75	0.72	31.66	0.98	1.74
109	253.27	2.41	1.27	212.73	0.61	29.56	0.84	1.33
110	208.92	3.09	3.11	177.53	0.62	24.21	0.77	1.50
111	153.61	2.53	0.85	134.68	0.50	19.42	0.85	1.20
112	212.68	2.74	1.10	186.17	0.61	17.41	1.14	1.35
113	158.64	2.11	0.86	148.98	0.47	15.37	0.58	1.16
114	218.09	2.75	1.11	140.63	0.58	20.54	0.75	1.39
115	156.25	2.68	0.89	146.66	0.50	20.33	0.95	1.23
116	114.84	2.37	0.71	129.14	0.41	16.90	0.74	1.23
117	149.67	3.08	0.88	149.88	0.53	20.57	0.90	1.73
118	168.85	2.68	0.90	147.74	0.52	20.76	0.77	1.41
119	245.04	3.14	1.29	208.65	0.65	30.04	1.10	1.70
120	264.47	3.44	1.42	296.66	0.69	31.54	1.34	2.17
121	252.25	3.15	1.43	304.42	0.69	33.24	1.23	1.83
122	138.20	1.78	0.75	136.76	0.39	18.03	0.52	1.07
123	174.06	1.95	0.96	160.22	0.43	24.13	0.58	1.16
124	179.36	2.03	0.93	164.09	0.44	21.86	0.63	1.46
125	164.92	2.54	0.92	190.13	0.45	21.62	0.79	1.44
126 127	239.11 182.24	3.09 2.56	1.36	246.33 161.94	0.60	30.93 23.52	0.97	1.80
128	312.38	2.56	1.43	130.15	0.48	16.81	0.75 0.73	1.50
129	198.97	2.14	1.07	161.93	0.52	19.16	0.73	1.46
130	169.51	1.86	0.94	138.22	0.47	21.52	0.62	1.34
131	174.80	1.83	0.93	179.62	0.45	19.69	0.76	1.34
132	118.19	1.28	0.65	113.47	0.35	13.29	0.56	0.93
133	187.07	1.87	1.04	197.87	0.48	18.08	0.77	1.31
134	149.85	1.55	0.80	143.41	0.42	15.24	0.71	1.03
135	161.45	1.85	88.0	151.44	0.42	16.51	0.72	1.14
136	146.52	1.40	0.79	104.19	0.39	15.58	0.38	0.87
137	202.13	2.71	1.16	182.37	0.63	25.97	0.79	1.86
138	166.21	1.97	0.93	142.15	0.53	23.46	0.62	1.31
139	120.45	1.67	0.70	124.20	0.36	17.19	0.58	1.16
140	193.58	2.15	1.08	171.57	0.54	19.94	0.68	1.42
141	145.16	1.63	0.81	149.41	0.44	15.47	0.62	1.11
142	162.20	2.19	0.93	165.67	0.50	19.52	0.79	1.41
143	136.13	2.23	0.80	149.57	0.45	17.57	0.73	1.42
144	217.04	2.03	1.12	176.23	0.55	22.05	0.60	1.33
145	281.21	2.42	1.42	161.48	0.65	23.30	0.67	1.58
146	198.30	1.96	1.09	127.19	0.49	21.07	0.47	1.16
147	184.63	2.61	1.08	162.46	0.62	24.80	0.78	1.50
148	183.30 185.05	2.66	1.05	154.56	0.56	19.61	0.67	1.49
150	172.93	2.40	1.05	156.99 165.74	0.56	22.89	0.82	1.43
150	171.42	2.39	0.99	155.14	0.54 0.54	21.67	0.85	1.56
152	190.92	1.72	0.93	121.91	0.54	11.87	0.78	0.91
153	164.96	2.06	0.88	143.04	0.45	12.87	0.52	1.10
154	208.00	2.31	1.06	157.42	0.55	15.90	0.69	1.18
155	204.00	2.43	1.05	154.86	0.48	15.58	0.69	1.19
156	270.47	2.59	1,30	175.65	0.58	17.39	0.57	1.35
157	190.70	2.35	0.98	148.98	0.48	15.65	0.59	1.16
158	285.88	3.30	1.47	200.25	0.67	22.23	0.87	1.69
159	257.24	3.15	1.43	211.84	0.64	24.68	0.94	1.57
160	149.49	2.48	0.89	100.63	0.49	18.05	0.58	1.38
161	216.94	2.92	1.21	121.59	0.67	20.94	0.67	1.52
162	264.84	3.34	1.50	236.14	0.71	24.34	0.94	1.73
163	226.02	2.09	1.12	139.19	0.49	15.72	0.58	0.98
164	1048.15	2.46	1.59	160 04	0.59	20.56	0.66	1 18
165	411.15	4.37	2.02	152.64	0.84	28.91	1.02	1.91
166	166.25	2.62	0.94	105.60	0.49	14.91	0.67	1.22
		1.88	1.16	117.11	0.45	15.05	0.50	1.01
167	232.97			170.06	0.64	25.67	0.67	1.56
167 168	1150.72	2.54	1.63					
167 168 169	1150.72 224.95	2.54 3.27	1.31	177.19	0.71	26.50	0.84	1.49
167 168 169 170	1150.72 224.95 228.95	2.54 3.27 4.76	1.31 1.53	177.19 211.67	0.71 0.88	26.50 27.78	0.84 1.15	2.25
167 168 169 170	1150.72 224.95 228.95 200.33	2.54 3.27 4.76 3.17	1.31 1.53 1.16	177.19 211.67 187.53	0.71 0.88 0.67	26.50 27.78 21.73	0.84 1.15 0.84	2.25 1.59
167 168 169 170 171	1150.72 224.95 228.95	2.54 3.27 4.76	1.31 1.53	177.19 211.67	0.71 0.88	26.50 27.78	0.84 1.15	2.25
167 168 169 170	1150.72 224.95 228.95 200.33	2.54 3.27 4.76 3.17	1.31 1.53 1.16	177.19 211.67 187.53	0.71 0.88 0.67	26.50 27.78 21.73	0.84 1.15 0.84	2.25 1.59