

Systematic Review and Research Gaps on Wildfire Evacuations: Infrastructure, Transportation Modes, Networks, and Planning

Working Paper (November 2023)

Syeda Narmeen Zehra^{a, b}
Graduate Student Researcher
szehra@ualberta.ca
(Corresponding Author)

Dr. Stephen D. Wong^{a, b}
Assistant Professor

^a Department of Civil and Environmental Engineering, University of Alberta, Edmonton, AB,
Canada

^b Resilient and Sustainable Mobility and Evacuation Group, University of Alberta, Edmonton,
AB, Canada



Abstract

Wildfires pose significant threats to communities, requiring robust pre-event planning for efficient evacuations. Transportation systems are crucial for these efforts, yet global research gaps persist, especially those related to transportation assets and transportation modes beyond vehicles. This study conducts a systematic review of four under-researched areas — infrastructure, modality, networks, and planning — to build a more comprehensive understanding of wildfire evacuations. Initial research is emerging in these domains, related to post-fire debris flows, air and transit evacuations, network analysis, and shelter planning. However, systematic analyses, evidence, and recommendations remain lacking. This includes wildfire's direct impact on transportation infrastructure, multi-modal evacuations, routing strategies, and community-driven evacuation plans. We underscore the need for empirical evacuation strategies to foster resilience and equity for wildfire-threatened communities, offering valuable context-specific insight, identifying key actions, and highlighting ongoing research gaps.

Keywords: wildfires; evacuations; multi-modal; transportation infrastructure; disasters; transportation networks; evacuation planning

1. Introduction

Wildfire disasters are recurrent seasonal events that have grown in prominence in recent years. Spreading quickly under high wind speeds and causing significant damage to life and property (Tonn et al. 2021), wildfires require prompt actions and resilient infrastructure to ensure minimal loss of life during a short or no-notice evacuation. Some of the most destructive wildfires have taken place this past decade, leading to substantial evacuations. For example in California, over one million people were ordered to evacuate between 2017 and 2019 (Wong et al., 2020a). In Australia, the 2020 January wildfires required the evacuation of tens of thousands of people from the seaside towns (Gralow and Paul, 2020). Canadian fires have also led to significant evacuations of major population centers (Woo et al., 2017), First Nations and Indigenous communities (McGee 2021; McGee, Christianson, and Partnership 2021), and small towns (Cecco 2021). Wildfire evacuations have also impacted many other countries in recent years including Portugal, Spain, France, Greece, South Africa, New Zealand, and Chile (Cambero and Miranda, 2023; Imbach et al., 2022; Rodrigues et al., 2022; Ronchi, Enrico et al., 2021; Roy and Jong, 2020; Sgqolana, 2021; Strickland, 2018; West, 2022). Mass evacuations, significant damage, and tragic fatalities from the Marshall Fire in Colorado (2021) and the Maui Wildfires in Hawaii (2023) underscore the particular challenges of rapid-spread fires.

Globally, these wildfire evacuations point toward transportation and logistics problems which are heavily dependent on 1) the existing state of infrastructure, 2) the multiple forms of modality available (or lack thereof) to evacuees, 3) the transportation network's performance (including identification and communication of egress routes, shelters, and network reliability), and finally, 4) evacuation planning that supports resource allocation, strategies, and policies. Despite the continued threat of wildfires, transportation systems and its associated infrastructure remain largely unprepared to cope with these evacuations. We set out to uncover key insights to describe and link these four under-researched areas and craft directions that can help devise and improve wildfire evacuation plans. This review addresses four research questions based on the limitations of the literature and practice:

1. How is transportation infrastructure impacted before, during, and after wildfire evacuations?
2. Which modes of transport other than private vehicles can be (or have been) used during wildfire evacuations?
3. What role do road networks play during wildfire evacuations?
4. What transportation planning actions have been taken and what needs still exist?

The above questions are designed to uncover a clearer picture of the role of transportation engineering in a wildfire, from a perspective beyond more established research in simulations (see for example, (Beloglazov et al., 2016; Grajdura et al., 2022; Intini et al., 2019; Pel et al., 2012; Wahlqvist et al., 2021; Zhao and Wong, 2021)) and human behavior (see for example, (Grajdura et al., 2021; E. Kuligowski, 2021; E. D. Kuligowski et al., 2022; Lovreglio et al., 2019; McCaffrey et al., 2018; McLennan et al., 2019; Wong et al., 2020b; Wong et al., 2022b)). While this research

is valuable to evacuation planning, we chose to focus our attention on other aspects of the transportation system to develop key takeaways and find critical gaps in the field.

This paper is organized as follows. First, we present the current research on the resilience of infrastructure to wildfires, modality, transportation networks, and planning. Next, we present an analysis of the four modules by identifying the interdependencies of various factors. Finally, we conclude the paper with future research directions and policy recommendations.

2. Methodology

We conducted a systematic review of the literature between 2000 and 2022 using a combination of keywords in four indexed and peer-reviewed databases – Scopus, Taylor Francis, Web of Science, and TRID (Transportation Research Index). The keyword search used the following logic to capture English language articles: “bushfire” OR “forest fire” OR “vegetation fire” OR “wildfire” OR “wildland fire” AND “evacuation engineering” OR “evacuation infrastructure” OR “evacuation planning” OR “evacuation resilience” OR “evacuation transportation” OR “multimodal transport” OR “infrastructure damage.” Initially, the search query returned a total of 7040 documents, which were screened for relevance based on their titles and abstracts. We found that the greatest number of results were generated for keyword searches that were a combination of a -fire (e.g. bush fire, vegetation fire, etc.), and “infrastructure damage” and “evacuation planning.” Cited references within the articles were also checked for relevance and included if necessary.

Multiple synonyms for wildfire were included due to the non-standardization of the term associated with wildland-urban interface (WUI) fires and the need to incorporate as many relevant searches as possible. For instance, most of the literature produced by Australian researchers refers to the hazard as bushfires whereas most American literature cites them as wildfires. Studies were eliminated if they were written in a language other than English, published before 2000, or largely concerned with other disasters (e.g., earthquakes, tsunamis). We supplemented the review by conducting a similar keyword search in Google Scholar to capture reports and other literature with DOIs. We also included news sources and relevant websites to further help describe recent events. We found 91 relevant literature resources as part of the systematic review, which was supplemented by 116 other resources (Figure 1).

The primary limitation of the review is that our keywords are focused on transportation infrastructure, networks, modality, and planning in wildfire evacuations. Other key areas within the wildfire evacuation field were not considered due to recent reviews on simulations and evacuation behavior. Some related literature was eliminated from the final review as it focused on elements outside the scope of the research questions. This included smoke, air quality, animals (including pets, livestock, and captive wildlife) wellbeing, meteorological studies, studies on watersheds and agriculture, unmanned aerial vehicle surveillance, fire detection strategies, and building fire evacuations. Another limitation is that we likely did not capture all relevant literature, including all wildfires and their relation to our topics of inquiry. Specific case studies of large

outdoor fires can be found in Ronchi et al. (2021), though more global and regular tracking will be needed to capture all relevant and large outdoor fires.




Figure 1: Breakdown of the systematic review and additional resources

3. Literature Review

We organized our literature review by general area of inquiry – infrastructure, modality, networks, and planning. As a note, the lack of literature in many of these areas prevented us from establishing a strong narrative in some sub-sections.

3.1. Infrastructure

Transportation infrastructure can be directly and indirectly affected by wildfires, both during and after a wildfire event. Aging transportation infrastructure in a wildfire-prone area is especially susceptible to damage. This damage can be caused by a variety of reasons including extreme heat, flooding (due to burned/reduced vegetative cover), fallen vegetation, and other circumstances. Even if the wildfire hazard of a community is lower, limited road networks coupled with the above-mentioned damages increase the overall evacuation vulnerability during a nearby wildfire event.

A robust transportation infrastructure is essential for efficient wildfire evacuations. Kurowski and Bradley (2022) provide a comprehensive listing of vulnerable road infrastructure and the expected types of wildfire impacts. It also includes industrial infrastructure such as utility towers, poles, and transmission lines, and nearby road infrastructure such as livestock fencing and road signage and light standards (Kurowski and Bradley, 2022). However, the research did not provide documentation of the fire vulnerability of the infrastructure. To partially address this, some work has been done on inventory databases of structures and their fire vulnerability parameters in WUI communities (Abo El Ezz et al. 2022; Maranghides et al. 2014). For resilient functionality, a study

focusing on transport infrastructure's recovery time to a flooding event (caused by vegetation loss from a wildfire) indicated a plateauing of recovery time around the 40-day mark (Mojtahedi et al. 2017). With long infrastructure recovery times, research has found that jurisdictions should more closely consider and implement mitigation and rehabilitation strategies for infrastructure assets (Valentin et al. 2019). The following sections cover current research on infrastructure with more defined sub-sections.

3.1.1. Heat-induced damage and closures

Wildfires have caused significant disruptions to surface transportation infrastructure such as bridges, which are not designed to withstand extreme temperatures. In some cases, intense heat from wildfires has melted and damaged infrastructure, such as car wheels and a railway bridge (Cecco, 2021; Fuller and Pérez-Peña, 2017). Heat damage from wildfires also extends to buried utilities, such as service lateral pipes and water distribution systems (Richter et al. 2022). Moreover, vehicle sensors on highways are also susceptible to wildfire heat-induced damage. A study looked at the impact of wildfires on traffic data for the 2018 Woolsey wildfire and found a correlation between the damage of vehicle sensors on ramps and the occurrence of wildfires (Menon et al. 2020). Additionally, past wildfires have led to the closure of access routes during evacuations due to factors such as fire jumps, high proximity to fires, and low road visibility (Sfetsos et al. 2021). As seen in Paradise, California during the 2018 Camp Fire, all egress roads except one were closed within 2.5 hours of the start of the evacuation due to damages, debris, or heat (Soga et al. 2021).

3.1.2. Fuel breaks

Apart from enabling evacuations, surface infrastructure can actively (or passively) act as fuel breaks (Greenwood Sustainability LLC 2011). These breaks in vegetation are purposefully constructed or exist in the form of roads and unpaved access routes to reduce the likelihood of fire spread. Other forms of barriers include non-flammable land cover, recent burns, and ridgelines (Jin et al. 2015). In one example of the use of fuel breaks, the Oregon Ridge fuel break provided a safe place for firefighters to work in the 2006 Marysville fire in Yuba County, USA (Nader and De Lasaux, 2015). From a policy perspective, fuel breaks are becoming an important tool for wildfire mitigation. The Wildfire and Forest Resilience Action Plan for California proposed investment for the year 2021-2022 of USD 335 million to complete 45-60 strategic fuel break projects across the state (Thorne et al. 2021). These breaks can also provide alternate access routes toward and away from fire.

3.1.3. Debris, landslides, post-wildfire flooding, and vegetation management

Wildfires can result in accumulated debris, such as burned branches, fallen trees, rocks, and sediments (Fuller and Pérez-Peña, 2017; Guth et al., 2019; Lancaster et al., 2021; Strickland, 2018), which can disrupt roadways, damage infrastructure, and cause short to long term road

closures. Debris flow events usually depend on the burn severity of vegetation and the topography of the area. A study reported that high debris flow risk persists for up to three years after wildfires due to reduced vegetative cover and ash-laden soil, especially during intense precipitation events (Jordan 2015). This is because wildfires create hydrophobic soil conditions that prevent infiltration of water and thus result in larger runoff during rains (French 2005; Moody and Ebel 2012; Jordan 2015). Another study investigated the risk of debris flows to California's roadways after wildfires and revealed that areas with high burn severity, steep slopes, and low vegetation cover were more susceptible to post-wildfire debris flows, which pose a significant threat to transportation infrastructure in the state (Li and Chester, 2023).

The aftermath of wildfires followed by precipitation events can lead to increased soil erosion and landslides due to debris flow (De Graff and Gallegos, 2012). In addition, landslide susceptibility has been linked to vegetation loss severity (Abbate et al. 2019; Carabella et al. 2019; Lainas, Depountis, and Sabatakakis 2021; Rengers et al. 2020; De Graff and Gallegos 2012), leading to localized damage to mobility routes and disruptions in the supply chain, such as fuel (KPMG 2017). Most of the information about landslide locations is collected through a combination of field analysis, satellite imagery, and more recently seismic monitoring (Porter et al. 2021). However, further investigation is needed as documented debris events in local communities' databases are not readily available. Cases of these debris flows have also occurred with devastating consequences. In Santa Barbara County after the Thomas Fire in 2017, debris flows killed 21 people and significantly damaged infrastructure including bridges and culverts (Hambleton et al. 2020). Some roads were impassable for weeks, even requiring the start of an ad hoc ferry service between Santa Barbara and Ventura (Boone 2018).

Post-wildfire precipitation can also result in the flooding of roadways due to reduced soil permeability (Moody and Ebel, 2012). These flooding events can inundate miles-long routes, cutting off essential supplies and affecting regional mobility and commerce (a common occurrence during hurricanes (IFRC 2022; Williamson 2022)). The closure of US Highway 101 after the 2017 Thomas Fire highlights the infrastructure vulnerability to such events (Golemboski and Winsor, 2018). An analysis of post-wildfire flooding in Arizona showed serious disruptions within the regional transportation system, including rural roadways and highways (Fraser et al. 2022). In another event, the 2011 Wallow fire caused nearly USD 60 million in damages due to subsequent flooding (Pettersen 2014). Research to manage and mitigate these events has included exit route protocols for flash floods (Ortega-Becerril et al. 2022).

The spread of wildfires is influenced by various natural factors (e.g., fuels, weather) as well as the geography of the area. To reduce wildfire risk, Indigenous communities, government agencies, and residents have used prescribed burns, forest/brush thinning, and clearing for defensible space (Christianson et al. 2022; Hankins 2013). This practice is also used around roads in wildfire-prone areas to create fire breaks and reduce the likelihood of blocked roadways. Research has noted that residents with different evacuation preferences exhibit varying behavior in vegetation management, with those intending to remain at home and defend their residences showing significantly higher rates of forest thinning (Paveglione et al., 2014). In wildfire-prone state of California, Caltrans spent more than \$590 million from 2015 to 2020 to repair highways damaged

by 81 wildfires. Caltrans has also focused on reducing wildfire risk along roadways by removing some vegetation (Thorne et al. 2021).

3.1.4. Manuals and design guidelines for disasters and transportation infrastructure

Manuals and guides provide engineers and planners with mechanisms and instructions based on research and practice to construct and evaluate infrastructure. However, the majority of manuals and design recommendations for surface infrastructure (roadways, railways, and runways) do not explicitly address hazardous events or provide mitigation strategies. Most disaster-related design guidelines are available for buildings (vertical structures) and other similar superstructures for tsunamis, earthquakes, and floods (American Society of Civil Engineers 2017) or occupant and building fire safety (ISO 2018).

Wildfires have received limited attention in design guidelines. Impact load design considerations on transport infrastructures such as roads and bridges are mostly limited to automobile axle loads, not from possible disaster events (e.g., boulders from landslides or heat from wildfires). Some guidance exists on traffic incident management areas and signage (FHWA 2009), while other guides list the hazards that could impact transportation systems (Pande and Wolshon, 2016). AASHTO's section on risk assessment lists adverse events that may cause service disruption to evaluate potential damage and serviceability issues of critical links (AASHTO 2018). Similarly, Meyer (2016) listed the potential impacts of climate change and extreme weather on roads and highways, noting that the expected impacts on infrastructure design from extreme heat can result in premature deterioration and closure of roads due to wildfires from operations and maintenance perspectives. Based on this review, guidance for surface transportation that considers wildfire evacuations during road or infrastructure design remains largely missing.

3.1.5. Power systems

The transportation sector is significantly impacted by the interaction of wildfires with electrical infrastructure. In the California context, several past wildfires have been started by electrical systems (Eavis and Penn, 2019; Gold et al., 2019). Concurrently, transportation can be heavily impacted by power outages that are caused by disasters. To mitigate wildfire risk, California has begun implementing public safety power shutoff (PSPS) events, which de-energize the grid during periods of high fire danger (Jahn et al., 2022; Wong 2022a). While helping to reduce wildfire ignition sources, these events can be inconvenient and disruptive, creating additional challenges for transportation by disrupting traffic signals, impeding the refueling and recharging of vehicles, and altering travel behavior (MacDonald et al., 2021; Wong et al., 2022a). In light of these challenges, communities require preparation for shutoffs or load-shedding plans (Sfetsos et al. 2021), especially in the context of evacuations. At the same time, power systems can impact evacuation routes and escape options. Early reports from the Maui Wildfires in Hawaii (2023) indicate that downed power lines and poles from high winds blocked key roads leading out from the town of Lahaina (CBS News 2023).

3.1.6. Cell towers

Cell tower infrastructure can also be impacted by wildfires. Direct damage from fires, power outages, weak networks, or high volumes of calls and data can cause communication interruptions during evacuation processes (Thériault et al. 2021). Cell towers that remain operational during a wildfire serve as a vital source of information, providing up-to-date information about the fire's location and facilitating the dissemination of evacuation orders to the general public (Kuligowski et al., 2022). However, due to geographical limitations, this method of information gathering may not be accessible to everyone, such as those without technology experience, those with medical conditions, or those who cannot access cell reception due to mobility issues (Spayne, 2021; Wong, 2020b).

In addition to these limitations, WUI areas that serve as recreational hubs, attracting seasonal visitors and tourists, may pose a greater risk to these transient populations in the event of a wildfire. These populations may not be as familiar with local communication networks as residents or may have limited access to mobile phone services in the area due to poor coverage (Gralow and Paul, 2020; Soga et al., 2021). Furthermore, their unfamiliarity with egress points may increase their vulnerability to wildfires.

3.2. Modality

Evacuees choose their mode of transportation choice based on a variety of factors. Factors can include when an evacuation order is issued, the location of the evacuee, the distance to a safe place, the severity of the disaster, mode availability, mode speed, and perceived safety (Murray-Tuite and Wolshon 2013; Wong et al. 2022). The following sub-sections review the literature on the multiple transportation modes that have been used and studied for wildfire evacuations.

3.2.1. Private vehicles

Most evacuations, especially in the U.S., Canada, and Australia, are conducted using private vehicles (e.g., automobiles, pickup trucks, and recreational vehicles (RVs)). For example, hurricane evacuation studies have found that many evacuees use a personal vehicle, ranging from 87% to 96% of evacuees (Lindell et al. 2011; Wilmot et al. 2013; Wong and Shaheen 2018; Wu et al. 2012). In the case of three California wildfires, Wong et al. (2020b) reported that between 34% and 45% of evacuees took one vehicle, and 49% to 62% took two or more vehicles. For each fire studied, the lowest personal vehicle mode choice rate was 94% (Wong et al. 2020a). Moreover, Kearns (2017) reported that 91% of the 2016 Fort McMurray wildfire evacuees evacuated using either their vehicle or someone else's.

Most evacuating vehicles are powered by gasoline and diesel. More recently, the rising market share of EVs introduces several new opportunities and difficulties in the process of planning for a wildfire evacuation. Problematically, EVs require electricity as a fuel source which may not be readily available in a disaster. The lack of public charging infrastructure and the incompatibility

of charging infrastructure and manufacturer's make and model also presents a challenge. Currently, EVs are perceived as more of a liability than an asset (MacDonald et al. 2021; Erskine et al. 2022; Purba et al. 2022)(MacDonald et al., 2021) during evacuations. The research recommends future work in incorporating behavioral dynamics of charging or refueling before evacuations to better understand arrival times to stations and queueing behavior. Additionally, Erskine et al. (2022) note that perceived environmental benefits and at-home charging leisure of battery electric vehicles (BEVs) may erode during evacuations due to refueling challenges such as longer charge times when compared to fossil-fuel-powered vehicles. Similarly, research by Purba et al. (2022) noted that evacuation routing plans for each vehicle fuel type naturally change as heterogenous driving ranges and different refueling needs on the path to reach safety are considered. Moreover, research has found that using EVs during wildfires causes stress on systems even at 20% penetration (Donaldson et al. 2022), noting the first few hours of evacuation as the most challenging.

Research has indicated the need to improve planning for future emergencies involving EVs. While benefits have not been fully studied, EVs could become a power source, offering the opportunity to charge electronic devices, home systems, and medical equipment (Romo 2019; Wong 2020; Oloriz et al. 2022). Paired with microgrids and battery technology, EVs could be more resilient to a disaster than internal combustion engine (ICE) vehicles, which require the transportation of liquid fuel. Moving forward, critical efforts towards guaranteeing public safety during emergencies include promoting battery technology advancement, equitable disaster preparation strategies, and linking electrification goals with evacuation plans (Oloriz, Vangala, and Sadowicz 2022).

Shared mobility often leverages private vehicles and vehicle-based sharing has been employed during some wildfire evacuations. About three percent of the 2017 Northern California wildfires evacuees were reported to have used rental car service, and 1.1 % and 1.2 % of evacuees carpooled with strangers (non-household members) during the 2017 Southern California Wildfires and 2018 Carr Wildfire, respectively (Wong 2020b). Current research has also indicated that there is a general willingness of residents to share transportation in a wildfire evacuation, with elements of social capital playing a key role in increasing willingness (Wong et al., 2021). Based on focus groups of people impacted by wildfires, research has also found that vulnerable populations could gain significant equity benefits from shared transportation, though key barriers remain in implementation (Wong et al. 2020b). Other research on sharing in evacuations and disasters (Ahmed et al. 2020; Borowski et al. 2022; Borowski and Stathopoulos 2020; Wang et al. 2021; Wong et al. 2022; Wong et al. 2020b) presents some promise for this transportation option.

3.2.2. Transit

The use of public transit, including subways, light rail transit, buses, and trams, during evacuations, has been explored in several studies. Buses have been employed in major hurricane evacuations in the US (Bian and Wilmot 2018; Garnham and Pablo 2020; Salahieh 2022; South Florida Times 2017; Urbina and Wolshon 2003), wildfire evacuations in the US (Afshar 2022; Sallinger 2022), and wildfire evacuations in Canada (Drinkwater 2022; Kearns 2017; McGee 2021; French 2016a). Buses are especially important for transient, low-mobility, low-income, carless, and other

underserved populations who do not have reliable access to and the ability to drive a vehicle. Transit and charter bus companies have the potential to play an important role during evacuations. In one example from literature, British Columbia (BC) Transit buses in Canada could be used as an accessible transportation option during a wildfire evacuation, especially for those who would be unable to secure alternative transportation (Metcalf 2021; Vespaziani 2019). This was the case for the 2021 Marshall Fire in the US where school bus drivers volunteered to help people evacuate (Sallinger, 2022).

Research on route planning problems for buses during emergency evacuations has been conducted in different regions as well. For instance, a study looked at bus evacuation problems in the case study of the Great Fire of Valparaiso in Chile (Vitali, Riff, and Montero 2017). It determined the best route: 1) for each vehicle in a public transportation system, 2) to move people from a risk zone to open shelters located in safe zones, and 3) to minimize evacuation time. Similarly, Shahparvari and Abbasi (2017) presented a robust stochastic vehicle routing and scheduling model for emergency bus evacuation during bushfires in Australia. The model considered various uncertainties such as road closures and changing traffic conditions, to ensure efficient and effective evacuation planning. Literature generally points toward a need to involve local transit agencies, emergency managers, and researchers to best leverage public transit for more efficient and equitable evacuations.

3.2.3. Waterways

Coastal evacuation during wildfires can be challenging due to modal availability and geographic constraints. Despite the relatively lower wildfire hazard of many coastal towns, wildfires have occurred in these locations and communities face high wildfire evacuation vulnerability due to a limited road network (Dye et al. 2021; CBS News 2023). The evacuation success through this mode can be highly dependent on the fleet available and any mainland route connections. Islands may face additional challenges during wildfire events such as limited infrastructure capacity to handle multiple catastrophes and the presence of a transient population during the summer season (Vaiculyte et al. 2019). Multiple events of tourists being evacuated from coastal towns and vacation hotspots have been reported in Italy, Turkey, Canada, Australia, and the US (BBC 2017; Connett 2021; Gralow and Paul 2020; Hooper 2019; Kurjata 2017; CBS News 2023). Krutein et al. (2022) looked into a case study of Bowen island in western Canada and applied a routing model to minimize the evacuation time by up to 3 hours. Such studies are important in highlighting the intricate challenges that come with not only a single mode of evacuation, such as privately-owned vehicles and ferries, but also, the development of plans that consider multi-modality.

3.2.4. Air

Air evacuations are common for remote communities, islands, or when egress routes are blocked. Taking place in stages due to limited capacity and resources, air evacuations can be a quick but logistically challenging mode to remove people from high-risk zones. These evacuations are conducted in conjunction with ground transportation at a destination. In addition, aircrafts assist

during wildfire events through aerial firefighting and operations (Cambero and Miranda 2023; Connett 2021; Ellis et al. 2004; Nihad 2022; Press 2022; Roy and Jong 2020; Shahparvari et al. 2021).

The 2016 Fort McMurray fire prompted the largest air evacuation in Canada, with 33 aircraft and 40 flights used to evacuate patients, residents, and staff members to other cities (Matear 2017). Kearns (2017) reported that 3% of the evacuees evacuated via plane. The evacuation was a multi-modal effort, with some hospitals using a combination of air evacuation, ground ambulances, and buses to overcome the challenges of takeoff locations. Air transportation was conducted with the assistance of the Canadian Armed Forces (KPMG 2017). For the same wildfire, Woo et al. (2017) described a challenging airlift process and presented the importance of multi-modal evacuation plans for regions with sparse networks.

Several other instances of air-based evacuations have occurred in Canada, the US, and Australia. Air transport has been frequently employed for remote First Nations such as the Sandy Lake First Nations (Asfaw et al. 2020; McGee et al. 2019; McGee 2021), the Mishkeegogamang Ojibway Nation (McGee, Nation, and Christianson 2019), and others (McGee 2021). In the US, people have been helicoptered to safety in various wildfires in California such as the 2017 Northern California wildfires (Dastin 2017; Lewis 2018; ABC News 2020; Gralow and Paul 2020), the 2018 Atlas Peak fire (Lewis 2018), and the 2019 Creek fire in California (ABC News 2020). More recently during the 2023 Maui Wildfires, evacuees have been airlifted with the help of added flights by commercial airlines (Sampson 2023). Older adults and those in medical need in southeastern towns in Australia were airlifted during the bushfires in 2020 (Gralow and Paul, 2020).

From a management perspective, adaptive air traffic routing can play a significant role during such wildfire evacuations since air transportation is a centralized system. Yang et al. (2021) optimized multiple evacuated airport coordination of evacuation flight dispatch, which could respond to emergencies, and also introduced a delay prediction model. In Canada, the municipality of Whistler and the District of Squamish in British Columbia have a multimodal evacuation plan that considers all hazards. The plan explores opportunities and limitations to mass evacuations through rail, air, marine, and ground transport (Resort Municipality of Whistler and District of Squamish, 2019).

3.2.5. Active mobility and motorbikes

Pedestrian-based evacuations remain relatively rare for wildfire events as they can increase heat-induced risks to evacuees. However, a few examples exist including those who left their vehicles on highways when they ran out of fuel, faced an imminent threat from the heat (either due to slow traffic or entrapment in a vehicle or shelter), were close to a water body (Langer and McGee 2017), or faced road blockages (Fuller and Pérez-Peña 2017). A study looked at various scenarios that considered two mode choices for the 2018 wildfires in Mati, Greece, walking and driving a vehicle, and provided insight into the mortality rates of choosing either of the mode choices or both (Siam et al. 2022). It reported a minimized mortality rate when the pedestrian percentage was 70% on egress routes when compared to automobile drivers (Siam et al. 2022). Another study looked at

ways to improve the safety conditions for wildland firefighters by collecting hiking data from firefighters totaling over 200 km (Sullivan et al. 2020). The results indicate walking and evacuation challenges, especially on steep terrain (Sullivan et al. 2020).

Walking has been reported in additional wildfires, such as when some residents resorted to quickly walking toward the ocean since vehicles were blocking the roads during the 2018 Attica Wildfire in Greece (Vonberg 2018; Lewis 2018; Kurjata 2017). Some other instances include the 2017 Northern California wildfires where residents abandoned vehicles and resorted to walking due to the speed of the fire (Lewis 2018), and the 2017 British Columbia wildfire where campers had to trek to be evacuated by boats (Kurjata 2017). While some data has found that less than 1% of evacuees left by walking in three California wildfires (Wong et al. 2020a), the road network, disaster conditions, and community design may lead to higher walking rates, especially if a flexible mode is needed. For example, pedestrians can make use of public paths, shortcuts, and narrow roads, thereby increasing the number of egress points and allowing people to avoid congestion on roadways (Wong et al. 2020d).

Other alternative and smaller modes of transport have also been used by people to evacuate from critical areas with difficult terrains to traverse faster. For example, one man in Greece evacuated multiple people out of the danger zone by giving them a ride on his motorcycle (Smith 2019). In two separate instances, two women fled from the devastating 2017 Northern California wildfires on their bikes (Bevilacqua 2017). Motorcycles have also been employed as a quick means of deploying personnel to fight fires in remote or difficult terrain. Chinese off-road bikers have volunteered to help the firefighters in Chongqing, and Australian firefighters have used dirt bikes and portable water guns to contain remote bushfires (Firehouse 2015; Whitworth 2022). While these reports are anecdotal, they provide a glimpse of the flexible (and sometimes critical) nature of active transportation and smaller modes in disasters.

3.3. *Transportation Networks*

Recent research has identified that the breakdown of transportation road networks (either through congestion or blocked routes) can significantly increase evacuee risks (Chen et al., 2020). This section will explore network-related studies, insights generated from evacuation curves of past evacuations, and the role of GPS data in congestion identification.

3.3.1. *Network capacity, congestion, and routing*

Multiple studies have examined the vulnerability of road networks during wildfire evacuation (Chen et al., 2020; Mahajan and Kim, 2020; Ohi and Kim, 2021). Networks in wildfire evacuations are often assessed through network analysis (i.e., remoteness, accessibility, and connectivity). Studies have investigated the importance of evacuation paths with connectivity and redundancy to reduce fatalities (Mahajan and Kim, 2020; Niu et al., 2022) and explored the adoption of traffic management strategies to alleviate bottlenecks (Chen et al., 2020; Mahajan and Kim, 2020; Ohi and Kim, 2021). Several studies propose ways to enhance traffic flow and reduce evacuation times

(Gan et al. 2016; Parr et al. 2022). Concurrently, emerging practice has begun to offer designs that can temporally increase evacuation capacity during emergencies (CalTrans 2021).

During a wildfire evacuation, traffic and delays can be further exacerbated by road closures and rerouting. Reported congestion along major arterials, such as during the 2016 Fort McMurray fire (Thériault et al. 2021), indicated the need for more robust optimization strategies to ensure the flow of evacuees. Similarly, firefighters and fire trucks can be trapped due to limited egress points, capacity issues, blocked passageways, or dangerous fire exposure (Campbell et al., 2019; Kourmpa and Tsigdinos, 2020). Evacuation research has shown that even minor changes to an arterial road or intersection can significantly improve traffic flow and reduce average delay times (Parr et al., 2016). Extreme wildfire events also emphasize the need for adjustments and upgrades during the infrastructure's lifetime (Markolf et al. 2019). Effective evacuation routing (and rerouting) can help to avoid excessive traffic congestion during a wildfire. This has been studied through spatiotemporal computation (Li et al., 2019) and modeling realistic situations (Hou et al., 2022; Shahparvari and Abbasi, 2017). For instance, the 2009 Australian bushfire case study applied a rerouting problem model to determine the safest routes and shelter assignments for late evacuees in different scenarios (Shahparvari et al. 2019). Additionally, a post-fire survey for the 2009 Jesusita fire in Santa Barbara found that 70% of evacuees chose longer routes, suggesting that the elevation and gradient of routes may be factors that influence this decision (Brachman et al. 2020). In addition, one longitudinal community assessment study in Texas identified route accessibility and traffic as the two biggest challenges during wildfire evacuations (Kirsch et al. 2016).

In an emerging area of inquiry, studies are leveraging large-scale GPS datasets to analyze network performance and understand human behavior. These datasets can provide transportation agencies with information on the most used routes (travel demand), reconstruct traffic densities, identify bottleneck situations, study the behavior of a community, and be used to monitor activity on routes (Melendez et al., 2021; Wu et al., 2022; Zhao et al., 2022). GPS data can be especially helpful for sparse networks that lack traffic counting devices.

3.3.2. *Evacuation curves*

Evacuation departure curves represent the progression of people leaving a specific area during an emergency evacuation. These curves provide insights into the timing and progression of people loading onto a road network, including how quickly people leave the area and how evacuation patterns change over time (Haghpanah, Schafer, and Castro 2021).

For wildfire evacuations, Woo et al. (2017) found that the evacuation curve displays a sudden surge in the number of evacuees at the beginning, followed by a slower but steady increase until reaching a cumulative peak. Similarly, Grajdura et al. (2021) developed detailed response curves for departure time, awareness (of the wildfire) time, when evacuation notice was received, and when a code red message was received for the 2018 Camp Fire in California. Other studies have analyzed these curves for different evacuation times (Wolshon and Marchive, 2007) and electric vehicles (MacDonald, Kattan, and Layzell 2021). While more work has been conducted on hurricane evacuations (Li and Ozbay, 2015), identifying evacuation curves for wildfires remains

an open area of inquiry. As noted by Wong et al. (2022b), hurricanes and wildfires have different spatial, temporal, and risk characteristics, which suggests that behaviors and transportation strategies identified for hurricanes are not immediately transferable to wildfires.

3.4. Planning

Evacuation planning is region specific and requires communication and collaboration between multiple stakeholders (Li et al. 2022; Matherly et al. 2014; Yerushalmi et al. 2022). Planning tasks typically involve coordination among entities to protect lives, allocation of resources in a disaster, and preparation for multiple risk scenarios. While goals for evacuation planning can be varied, several more regular goals include congestion reduction, effective communication, and shelter management. Though emergency response plans are widely developed across North America, a large number of the largest cities in the US do not have publicly available evacuation plans that specifically focus on vulnerable populations (Renne and Mayorga 2022). Additional research is required to identify planning gaps for smaller communities and Canadian communities, though the trend is likely to hold across North American jurisdictions. Moreover, the generalizability of evacuation strategies from one jurisdiction to another may be fairly low since research studies often focus on different locations with highly varying characteristics of individual wildfires.

Research has also indicated that wildfire evacuation planning should incorporate and consider the unique factors at the community level (Asfaw et al. 2020). At a finer scale, neighborhood-level evacuation plans can provide more customizable guidance that takes into account housing density and generates insight into localized traffic (Cova and Johnson 2002; Wolshon and Marchive 2007). Community and even regional plans can identify intermediate stops for gas and other resources (Thériault et al. 2021). Planning and preparedness activities can also improve awareness. In communities where wildfire management was performed, homeowners were more likely to discuss wildfires, perceive a high risk, and describe a higher sense of awareness (Faulkner et al. 2009). Together, these studies indicate how planning requires community-centered details to reach key evacuation goals.

3.4.1. Sheltering Strategies During Wildfire Evacuations

Sheltering during wildfire evacuations typically involves evacuees traveling to temporary locations away from fires. Most people decide to shelter with friends/family, stay at hotels/motels, or go to public shelters, though a select few also shelter in recreational vehicles or at home-sharing options such as Airbnb (Wong et al. 2020a). Wong et al. (2020a) reviewed 11 wildfires in California from 2017 to 2019 and noted key similarities between them, finding that local organizations and non-profit humanitarian organizations played a critical role in sheltering evacuees. The same review also found public shelters to be one of the least popular sheltering preferences for evacuees based on limited resources (accessible facilities, medical supplies, trained staff) availability, the potential for the spread of illness, and reaching capacity.

Some regions, such as Australia, have promoted a ‘leave early or stay and defend’ policy in the past. Reviews and discussions of this policy, including its benefits and drawbacks, can be found

in McCaffrey and Rhodes (2009), Paveglio et al. (2012), and McLennan et al. (2019). Recent literature has also reported that in the southern regions of France, a distinct preference for "confinement" (also widely known as shelter-in-place) instead of evacuation (as studied by Vaiciulyte et al. (2022)) exists. These staying and shelter-in-place policies are not generally recommended by governments and inadequately prepared individuals are more likely to be forced into dangerous responses (such as late evacuation and passive shelter) (Whittaker et al. 2013). However, shelter-in-place may become a necessity in very select situations, such as when roads become impassable due to debris, low visibility, and closures (Soga et al. 2021).

Recent research has focused on improving evacuation planning in dynamic environments, stressing the importance of addressing various constraints when devising sheltering strategies. Some studies have looked at shelter assignment and route selections in wildfire conditions (Shahparvari et al. 2017; Shahparvari et al. 2019; 2016). Two studies, Shahabi and Wilson (2018) and Afkham et al. (2022), developed approaches to improve evacuation planning in different dynamic environments for shelter assignments. The first study created a scalable evacuation routing algorithm on a directed graph that considered road capacity and evacuation time limits to update an evacuation plan in real-time (Shahabi and Wilson, 2018). Akfham et al. (2022) focused on optimizing traffic flow and minimizing congestion in mass self-evacuation networks through a bi-level model and presented a sensitivity analysis of evacuation time to the number of shelters and routes. The studies recommended that the highest priority in disaster preparation should be establishing safe and effective evacuation routes to shelters. From a wildfire evacuation behavior perspective, Wong (2022b) developed multiple models (binary choice and portfolio choice models) to determine the dependencies and joint behavior for multiple choice dimensions that included departure time, transportation mode, and shelter type among others. The research found a joint preference by evacuees for traveling to a private shelter (i.e., friends or family) and during the immediate fire impact period for the 2017 December Southern California Wildfires. It also found a joint preference for private shelters and evacuating nearby (within the same county) for the same fire and the 2018 Carr Wildfire.

The effectiveness of designated wildfire 'shelters' depends on the unique characteristics of the fire, such as the location of the ignition point and environmental conditions. For example, the placement of shelters should remain effective across several likely wildfire-spread scenarios (Steer et al. 2017). To avoid hazardous conditions, shelters will need to be designed to withstand intense heat and embers, similar to resilient homes in wildfire-prone areas (Quarles et al. 2010; Cova et al. 2011). These building improvements are necessary for shelters that are used closer to the fire front, especially for late evacuees (Cova et al. 2009). Moving away from traditional shelters, ongoing research has identified an opportunity to building resilience hubs, which can operate in both normal and disaster conditions. A comprehensive review of resilience hubs by Ciriaco and Wong (2022) provides insights into the need for planning and integrating essential services (especially transportation) into these hubs.

3.4.2. Resource allocation

To minimize the damage caused by wildfires, efficient resource allocation, which includes personnel, equipment, fleets, and other emergency services can help improve safety and efficiency. For example, Bodaghi et al. (2020) and Shahparvari et al. (2016, 2021) proposed probabilistic approaches to allocate personnel and equipment for bushfire emergencies, optimizing response and outcomes. A study by Pérez et al. (2016) aimed to address the fleet allocation problems of fire emergency departments. To achieve this, the study used mixed integer formulations as a means of mitigating disparities in service based on response times. In addition, Fragkos et al. (2022) addressed emergency supply using a heterogeneous fleet problem (ESHFP), which minimized the time needed to supply provisions (i.e., consumable and non-consumable goods as emergency supplies) to both evacuees and intervention groups during an emergency.

Focusing more on the road network, Ohi and Kim (2021) developed a systematic approach for resource allocation during an area-wide disruption by identifying critical corridors. This approach evaluated the network bottleneck capacity and routing needs of the affected area and allocated emergency planning resources to the most important corridors to improve evacuation efficiency. Meanwhile, a review by Lessan and Kim (2022) outlined network optimization-based evacuation planning studies for various disaster types and the decision choices involved, including destination, route, departure time, departure location, and shelter selection. Other ways to consider the allocation of resources include prioritizing based on community feedback (to share mobility and sheltering resources) (Wong et al. 2021), identifying communities at higher risk for evacuation problems (Ohi and Kim 2021), determining vulnerable segments on a highway network (Mahajan and Kim 2020), and focusing on equitable outcomes in disaster evacuation processes (Menon et al. 2020). Research has also shown benefits to policymakers that inform the allocation of resources (such as on-demand emergency service resources for medical assistance) to effectively reduce waiting times (by improving communication and bolstering residents' preparedness) (Vaiciulyte et al. 2022).

3.4.3. Policies

Wildfires are a growing concern for many communities, and clear and flexible policies are needed to accommodate the wide-ranging demands of evacuations. For example, Wong (2020) highlighted the benefits of advanced planning, including reduced evacuation time estimates (ETEs), improved life safety, and more equitable outcomes. Programs such as FireSmart Canada, FireWise in the US, and Community Fireguard in Australia provide recommendations based on physical science and are designed to help residents make informed decisions, maintain fire-resistant homes and gardens, and promote community collaboration in reducing the risk of wildfires (Country Fire Authority 2023; NFPA 2022; Partners in Protection 2003; Thompson 2016). For example, the FireSmart manual focuses on three key themes to reduce wildfire threats: assessing the situation, resolving existing problems, and avoiding future problems (Partners in Protection 2003). Despite the benefits associated with the adoption of these programs, participation of WUI communities remains far from universal. A study of over 2,000 survey responses showed that respondents

preferred positive strategies with incentives to increase participation in the FireSmart program, with the strongest support for tying insurance premiums to program compliance (Ergibi and Hessel 2020).

3.4.4. Locally-led initiatives

Locally-led initiatives can be valuable for specific communities and their unique risks. Through interaction between residents and emergency managers, communities can determine their existing ability to handle fire risk, build capacity, and decide how to approach evacuations (Paveglio et al. 2010). Researchers have suggested that locally-led initiatives influenced by the lived experiences of wildfire-impacted communities can bring benefits to these communities and lead to future resilience (Christianson et al. 2012; Jakes and Langer 2012; Slowikowski and Motion 2021). During the 2011 wildfire evacuation of the Dene Tha' First Nation, several community-centered decisions (e.g., keeping families together, providing social support, and using familiar host communities) helped the evacuation and improved community resilience (Mottershead et al. 2020). Tight-knit communities and advocacy groups can also influence policies. In one example, members of a wildfire-awareness advocacy group in Colorado asked the planning commission to include a study on emergency evacuation on the west side of the city in the final master plan of the city (Jent 2023). On the other hand, if external agencies are leading an evacuation and the priorities of the governing body and the impacted community do not align, challenging evacuation experiences can arise and negatively impact evacuees (Asfaw et al. 2019). For example, residents of a remote community in the Yukon Territory in Canada hesitated to evacuate due to the fear of losing harvested meat, sled dog teams, and livestock (Cote and McGee 2014).

Importantly, recent research in Canada on recent wildfire evacuations in First Nations has focused on improving communication mechanisms and governmental policies to increase local capacity and community resilience (McGee et al. 2021). Finally, local leadership should be prioritized in improving evacuation outcomes, which can keep members of large households together (Christianson et al. 2019), plan accommodations and health care for identified persons in advance (Asfaw et al. 2019), and designate multiple pick-up locations for both abled and disabled persons (Baou et al. 2018).

4. Discussion

This literature review uncovered key concepts related to recent research conducted at the intersection of wildfires and transportation. Table 1 summarizes key takeaways from this review. In this section, we discuss each module and connect them, highlighting interdisciplinary research needs and recommendations for future directions.

4.1. The Missing Component of Infrastructure

First, we found minimal literature related to damaged infrastructure, in particular how wildfires

affect infrastructure and what designs could mitigate wildfires and associated hazards. This gap likely results from the rarity of large wildfire evacuations, differing sizes of large wildfire evacuations, low or non-continuous media coverage, and/or the relative resilience of roadway infrastructure to fires. Given the sometimes localized impacts of wildfires, information on infrastructure damage, debris removal, and the towing of abandoned vehicles may not have been recorded (French 2016b). We recommend that researchers and governments create an easy-to-use tracking list of damages and recovery efforts related to infrastructure. Special attention should be given to potentially flammable infrastructure, including infrastructure that could melt or experience reduced functionality when exposed to intense heat.

Aging infrastructure coupled with wildfire exposure could lead to increased damage over time. Our review found that damages could be direct or indirect, such as strength degradation due to heat and impact loads due to debris flow (following a wildfire). Risk of hazards that are exacerbated by wildfires, especially flooding, landslides, and mudslides, present one of the larger threats to infrastructure (Fraser et al. 2022). Nevertheless, these related hazards have not been fully researched or considered, especially related to the design, maintenance, and operation of roads and highways. The seasonal occurrence of wildfires likely warrants a more comprehensive design and rehabilitation strategy. We also note the lack of documentation available for post-disaster maintenance, operations, and repair for chosen transportation routes. Sharing this information, including best practices, could be useful for varied regions.

Another issue that requires further attention is the usage of different sensors to actively monitor infrastructure and wildfires in real-time. Our review found only minimal research on sensors and infrastructure monitoring (Menon et al. 2020). A variety of intelligent transportation systems (ITS) focusing on sensors could be useful for real-time data on traffic, damage, wildfire location, and evacuation progress. Opportunities might exist to integrate this monitoring with a traffic management center or an emergency operations center. Existing sensing technology, such as the Road Weather Information System (RWIS) (Kwon and Fu 2013), could also be re-purposed for wildfires. This data would be helpful for decision-making and post-disaster evaluations.

Even if road infrastructure remains operational and undamaged, two key issues persist related to other infrastructure. First, our review found that there are broad concerns related to communication systems. For example, individuals may struggle to evacuate, especially if they do not have mobile phone coverage (Gralow and Paul 2020; Soga et al. 2021). Their unfamiliarity with traditional or advanced communication channels could also present a problem. Second, transportation infrastructure is linked to power systems, which makes it susceptible to other system failures. Our review found only minimal research in connecting these systems, beyond a few examples related to communication issues (e.g., Thériault et al. (2021)) and PSPS events (e.g., Wong et al. (2022a)). We recommend that future research and practice consider how people interact with communication systems and develop linkages among different infrastructure systems to highlight interdependent failures and opportunities.

4.2. *Thinking Beyond Vehicles*

Our review indicates that wildfire evacuations require multimodal coordination, despite the emphasis on personal vehicles in existing studies and plans (see Kearns (2017) and Wong et al., 2020b) as examples). However, coordinating multiple modes poses significant challenges. For instance, privately-owned vehicles are difficult to coordinate in an emergency and are the most dominant form of evacuation mode in most evacuations. We also note that shared mobility (mostly from private vehicles) could increase transportation capacity and offer equity benefits for vulnerable groups without access to any other mode of transportation during evacuations (see for example Wong et al. (2020b)). Local ride-hailing companies have an opportunity to partner with communities and enhance capacity, but a fast matching system for demand and supply remains elusive in research and practice.

Limited cases of transit-based responses during wildfires tend to be ad-hoc (Wong et al., 2020a; Woo et al., 2017). Transit-based evacuation planning could be developed based on strategies from hurricane evacuations, including pick-up locations, evacuation registries, registration centers, and improved public shelters. Transparent sharing of pick-up and drop-off locations in advance, along with community-needs analyses, can optimize resource utilization (fleet, drivers, and any emergency services).

Evacuation from waterways and air transportation are still emerging fields. Past evacuations suggest success under certain circumstances, but limitations exist due to costs, operational needs, departure/landing requirements, geography, and planning needs. Government agencies should explore the role of water- and air-based evacuations for coastal and remote communities, especially when the road network is impeded by fire, debris, or congestion.

Though safety is questionable in wildfires, active transportation, and micro-mobility could be a flexible and redundant option for evacuees, especially those without access to a vehicle or public transit. While new studies are beginning to emerge (Fitch-Polse et al. 2023), we recommend further research and consideration of these modes in wildfire evacuations, including use cases, best practices, and equity-building opportunities.

4.3. *Navigating Traffic and Capacity Challenges*

Our review found some studies related to community design, especially related to networks. During evacuations, peak demand on roadways (and other transportation infrastructure) leads to a capacity issue, resulting in congestion, delays, and potential exposure to smoke and wildfire heat. Multiple studies have explored rerouting problems to address this issue (Hou et al., 2022; Shahparvari and Abbasi, 2017). Putting these rerouting strategies to practice during typical roadway congestion can be the first step in familiarizing people with the potential of an efficient travel experience and for transportation agencies to test evacuation strategies. We recommend the development of computational models at local/regional scales to account for concurrent wildfires. These models could provide insights into how major egress routes could be overwhelmed and assist in devising system-optimal rerouting strategies that coordinate traffic with all neighboring wildfire-prone communities.

Moreover, we discovered minimal work on developing and studying departure curves for wildfires. These graphs can provide transportation, planning, and emergency communication agencies with rich travel behavior trends, which are community specific. More importantly, the curves can provide insight into when an evacuation surge is likely to take place. For example, Grajdura et al. (2021)'s work provides a detailed account of the departure time of evacuees with additional information about when residents were officially notified of the 2018 Camp Wildfire. There is a critical need for similar studies that analyze other wildfire events at this granular level to identify community and agency response. This can lead to more efficient deployment of resources and reduce overall evacuation time. We recommend researchers and agencies coordinate on data sharing practices (traffic and GPS data) and develop curves for communities and nearby jurisdictions.

4.4. *Enhancing Advanced Evacuation Planning*

Comprehensive wildfire evacuation planning is essential for preparing jurisdictions for these scenarios, reducing injuries and fatalities, alleviating congestion on evacuation routes, and moving more people to safety under resource and time constraints (Gan et al. 2016; Ohi and Kim 2021; Wong et al. 2021). Effective planning requires collaboration among decision-makers and should consider the community's unique characteristics (e.g., culture, resources) (Brachman et al. 2020; Zhao et al. 2022). These community-specific plans tend to generate tailored guidance for residents and consider housing density and local traffic. Despite this localized value, evacuation planning remains under-resourced and missing in many jurisdictions. Consequently, there remains a need to build evacuation strategies that are more generalizable yet still adaptable across different jurisdictions faced with varying wildfire characteristics. We found that successful evacuation planning is more than drafting plans and performing analyses: planning also engages non-governmental organizations (NGOs), community-based organizations (CBOs), and underserved populations (Asfaw et al. 2019; Baou et al. 2018; McGee 2021; Paveglio et al. 2010).

Information on evacuees' sheltering preferences can assist agencies in assigning and setting up a dedicated number of shelters during a wildfire evacuation. We found that several studies looked at the allocation of resources such as shelters, fleets, personnel, and other emergency services. However, our systematic review failed to determine if these optimized allocation strategies have been implemented yet. This indicates that evacuation responses for wildfires may be relying on ad hoc strategies and responses, which could lead to inefficiency and safety problems. We recommend that communities formally draft plans that identify key shelter locations, methods to transport relief supplies, personnel allocation and staff needs, and partners for wildfire response. Moreover, new shelter development projects and existing shelter upgrades should aim to serve the communities equitably, accounting for the needs of vulnerable residents (Ciriaco and Wong, 2022).

Enhanced local capacity can help address key evacuation challenges. Our review indicated that local leadership played a key role in some major evacuation events and encouraged residents to evacuate. We recommend providing communities with well-researched policies and innovative

financial resources to stimulate planning at the local level and foster initiative to test new strategies, gain insight from the residents, and build connections between engineers and planners.

Table 1 Summary of Key Recommendations

Modules	Key Takeaways
Infrastructure	<ul style="list-style-type: none"> • Agencies should create an easy-to-use tracking list for wildfire-related infrastructure damage, debris removal, and subsequent repair works to ensure comprehensive documentation. • Jurisdictions should consider designs that could protect critical or flammable transportation infrastructure to reduce wildfire impacts. • The implementation of ITS with sensors for real-time data on traffic, damage, wildfire location, and evacuation progress could aid decision-making and post-disaster evaluations. • Interdependencies of transportation infrastructure with other systems (e.g., power, communications) require further study and preparedness to reduce cascading failures.
Modality	<ul style="list-style-type: none"> • Evacuation plans require modifications that consider the emerging EV market, including the planning of fixed and mobile charging stations. • Jurisdictions should develop shared mobility and transit-based evacuation plans to increase transportation options and equity. • Governments should explore the potential of water and air-based evacuations for coastal and remote communities, factoring in operational needs, costs, geography, and planning requirements. • Certain geographies may benefit from evacuations on foot or micromobility options, though further research is recommended to assess safety, efficiency, and use cases.
Networks	<ul style="list-style-type: none"> • Further development of computational models at the local and regional scale can help assist in devising system-optimal rerouting strategies and coordinating traffic across a region. • Researchers and agencies should coordinate on data sharing practices and develop departure curves for communities with previous wildfire evacuation experience.
Planning	<ul style="list-style-type: none"> • Evacuation strategies should be designed to be adaptable to varying wildfire conditions across jurisdictions, while actively involving NGOs, CBOs, and underserved populations in planning.

	<ul style="list-style-type: none">• Jurisdictions should also plan for other key needs, including shelter locations, relief supply transportation, personnel needs, and wildfire response partners.• Engineers, planners, and decision-makers should continue to work together to enhance local capacity, identify innovative financial sources, and build dynamic evacuation plans for a range of scenarios.
--	--

5. Conclusion

Wildfire evacuations are complex processes that require holistic planning, engineering, and operations. Within this challenge, transportation is a vital support element as it facilitates the rapid movement of people away from danger and resources into a hazardous area. In this review, we focused on four key areas related to wildfire evacuations: infrastructure; modality; transportation networks; and planning. Our review found significant gaps in understanding and implementing wildfire evacuation planning, especially in the areas of modality beyond private vehicles and network analysis for congestion management. First, there is limited research on direct and indirect damages to infrastructure and interdependent infrastructural failures. Hazard mapping and sensing technologies along critical corridors could help reduce infrastructure failures and improve road design guidelines. Second, minimal evidence exists on how to incorporate multi-modality in wildfire evacuations, despite its widespread usage among carless populations. More research and strategic planning can increase the viability of public transit, active transportation, and shared mobility to improve equitable outcomes for underserved populations. Third, there is scarce application of rerouting strategies to eliminate congestion during evacuations. However, recent work focusing on wildfire travel behavior (departure curves) at the community level and location of shelters provide could help inform rerouting, especially by mapping services (e.g., Google Maps, Waze). Last, there is limited evidence of advanced and collaborative evacuation planning in many jurisdictions. Practice-oriented policies and financial assistance to communities with strong local leadership can encourage wildfire evacuation planning that considers the unique characteristics of the community, accounts for the underserved/underrepresented groups, and facilitates resource management. By considering transportation analyses beyond decision science and simulations, the resilience and equity benefits of well-rounded and empirically-based evacuation planning and response can be more realized across wildfire-prone geographies.

6. Acknowledgements

This study was made possible through funding received by Infrastructure Canada. Infrastructure Canada is a Government of Canada department that makes significant investments in public infrastructure, builds public-private partnerships, develops policies, and delivers programs to improve the lives of all Canadians. We would like to thank Dr. Amy Kim from the University of British Columbia and Dr. Jennifer Beverly from the University of Alberta for their on-going support of this work.

7. Declaration of competing interest

The authors report there are no competing interests to declare.

8. References

- AASHTO. 2018. *AASHTO - The Manual for Bridge Evaluation*. 3rd edition. Washington, D.C.: American Association of State Highway and Transportation Officials.
- Abbate, Andrea, Laura Longoni, Vladislav Ivov Ivanov, and Monica Papini. 2019. "Wildfire Impacts on Slope Stability Triggering in Mountain Areas." *Geosciences* 9 (10): 417. <https://doi.org/10.3390/geosciences9100417>.
- ABC News, A. B. C. 2020. "Inside the Daring Helicopter Flights That Rescued 200 from a California Fire." ABC News. 2020. <https://abcnews.go.com/US/inside-daring-helicopter-flights-rescued-200-california-fire/story?id=72869187>.
- Abo El Ezz, Ahmad, Jonathan Boucher, Anne Cotton-Gagnon, and Alexandre Godbout. 2022. "Framework for Spatial Incident-Level Wildfire Risk Modelling to Residential Structures at the Wildland Urban Interface." *Fire Safety Journal* 131 (July): 103625. <https://doi.org/10.1016/j.firesaf.2022.103625>.
- Afkham, Maryam, Reza Ramezani, and Shahrooz Shahparvari. 2022. "Balancing Traffic Flow in the Congested Mass Self-Evacuation Dynamic Network under Tight Preparation Budget: An Australian Bushfire Practice." *Omega* 111 (September): 102658. <https://doi.org/10.1016/j.omega.2022.102658>.
- Afshar, Claudia Dominguez, Paradise. 2022. "Florida Expands State of Emergency to 3 Counties Affected by Wildfires." CNN. March 5, 2022. <https://www.cnn.com/2022/03/05/us/florida-bay-county-wildfire-saturday-desantis/index.html>.
- Ahmed, Md Ashraf, Arif Mohaimin Sadri, and Mohammed Hadi. 2020. "Modeling Social Network Influence on Hurricane Evacuation Decision Consistency and Sharing Capacity." *Transportation Research Interdisciplinary Perspectives* 7 (September): 100180. <https://doi.org/10.1016/j.trip.2020.100180>.
- American Society of Civil Engineers. 2017. *Minimum Design Loads and Associated Criteria for Buildings and Other Structures*. 7th ed. Reston, VA: American Society of Civil Engineers. <https://doi.org/10.1061/9780784414248>.
- Asfaw, Henok Workeye, Sandy Lake First Nation, Tara K. McGee, and Amy Cardinal Christianson. 2019. "A Qualitative Study Exploring Barriers and Facilitators of Effective Service Delivery for Indigenous Wildfire Hazard Evacuees during Their Stay in Host Communities." *International Journal of Disaster Risk Reduction* 41 (December): 101300. <https://doi.org/10.1016/j.ijdrr.2019.101300>.
- Asfaw, Henok Workeye, Tara McGee, and Amy Cardinal Christianson. 2019. "The Role of Social Support and Place Attachment during Hazard Evacuation: The Case of Sandy

- Lake First Nation, Canada.” *Environmental Hazards* 18 (4): 361–81.
<https://doi.org/10.1080/17477891.2019.1608147>.
- Asfaw, Henok Workeye, Tara K. McGee, and Amy Cardinal Christianson. 2020. “Indigenous Elders’ Experiences, Vulnerabilities and Coping during Hazard Evacuation: The Case of the 2011 Sandy Lake First Nation Wildfire Evacuation.” *Society & Natural Resources* 33 (10): 1273–91. <https://doi.org/10.1080/08941920.2020.1745976>.
- Baou, Evangelia, Vasilis P. Koutras, Vasileios Zeimpekis, and Ioannis Minis. 2018. “Emergency Evacuation Planning in Natural Disasters under Diverse Population and Fleet Characteristics.” *Journal of Humanitarian Logistics and Supply Chain Management* 8 (4): 447–76. <https://doi.org/10.1108/JHLSCM-11-2017-0066>.
- BBC. 2017. “Italy Wildfires: Tourists Rescued by Boat from Calampiso.” *BBC News*, July 13, 2017, sec. Europe. <https://www.bbc.com/news/world-europe-40590090>.
- Beloglazov, Anton, Mahathir Almashor, Ermyas Abebe, Jan Richter, and Kent Charles Barton Steer. 2016. “Simulation of Wildfire Evacuation with Dynamic Factors and Model Composition.” *Simulation Modelling Practice and Theory* 60 (January): 144–59. <https://doi.org/10.1016/j.simpat.2015.10.002>.
- Bevilacqua, Matt. 2017. “Bikes Helped These Women Escape the California Wildfires.” *Bicycling* (blog). October 13, 2017. <https://www.bicycling.com/news/a20027686/two-women-flee-california-wildfires-on-bikes/>.
- Bian, Ruijie, and Chester G. Wilmot. 2018. “An Analysis on Transit Pick-up Points for Vulnerable People during Hurricane Evacuation: A Case Study of New Orleans.” *International Journal of Disaster Risk Reduction* 31 (October): 1143–51. <https://doi.org/10.1016/j.ijdr.2017.07.005>.
- Bodaghi, Behrooz, Ekambaram Palaneeswaran, Shahrooz Shahparvari, and Mahsa Mohammadi. 2020. “Probabilistic Allocation and Scheduling of Multiple Resources for Emergency Operations; a Victorian Bushfire Case Study.” *Computers, Environment and Urban Systems* 81 (May): 101479. <https://doi.org/10.1016/j.compenvurbsys.2020.101479>.
- Boone, Alastair. 2018. “After Mudslides Bury the Highway, Commuters Must Take to the Sea.” *Bloomberg.Com*, January 11, 2018. <https://www.bloomberg.com/news/articles/2018-01-11/santa-barbara-mudslide-victims-commute-on-tourist-boats>.
- Borowski, Elisa, Jason Soria, Joseph Schofer, and Amanda Stathopoulos. 2022. “Does Ridesourcing Respond to Unplanned Rail Disruptions? A Natural Experiment Analysis of Mobility Resilience and Disparity.”
- Borowski, Elisa, and Amanda Stathopoulos. 2020. “On-Demand Ridesourcing for Urban Emergency Evacuation Events: An Exploration of Message Content, Emotionality, and Intersectionality.” *International Journal of Disaster Risk Reduction* 44 (April): 101406. <https://doi.org/10.1016/j.ijdr.2019.101406>.
- Brachman, Micah L., Richard Church, Benjamin Adams, and Danielle Bassett. 2020. “Wayfinding during a Wildfire Evacuation.” *Disaster Prevention and Management: An International Journal* 29 (3): 249–65. <https://doi.org/10.1108/DPM-07-2019-0216>.

- CalTrans. 2021. "State Route 67 Highway Improvements Project." CalTrans. 2021. <https://dot.ca.gov/caltrans-near-me/district-11/current-projects/sr67-corridor/improvements>.
- Camero, Fabian, and Natalia A. Ramos Miranda. 2023. "At Least 23 Dead as Dozens of Wildfires Torch Forests in Chile." *Reuters*, February 5, 2023, sec. Americas. <https://www.reuters.com/world/americas/firefighters-battle-dozens-wildfires-chile-emergency-extended-2023-02-04/>.
- Campbell, Michael J., Wesley G. Page, Philip E. Dennison, and Bret W. Butler. 2019. "Escape Route Index: A Spatially-Explicit Measure of Wildland Firefighter Egress Capacity." *Fire* 2 (3): 40. <https://doi.org/10.3390/fire2030040>.
- Carabella, Cristiano, Enrico Miccadei, Giorgio Paglia, and Nicola Sciarra. 2019. "Post-Wildfire Landslide Hazard Assessment: The Case of The 2017 Montagna Del Morrone Fire (Central Apennines, Italy)." *Geosciences* 9 (4): 175. <https://doi.org/10.3390/geosciences9040175>.
- CBS News. 2023. "Maui Fires Death Toll Rises to 80, Marking Deadliest Natural Disaster in Hawaii History." August 12, 2023. <https://www.cbsnews.com/news/hawaii-wildfires-maui-lahaina-death-toll-warning-sirens/>.
- Cecco, Leyland. 2021. "'There's Nothing Left in Lytton': The Canadian Village Destroyed by Wildfire – Picture Essay." *The Guardian*, July 25, 2021, sec. World news. <https://www.theguardian.com/world/2021/jul/25/lytton-canada-heat-wildfire-record-temperatures>.
- Chen, Yu, S. Yusef Shafi, and Yi-fan Chen. 2020. "Simulation Pipeline for Traffic Evacuation in Urban Areas and Emergency Traffic Management Policy Improvements through Case Studies." *Transportation Research Interdisciplinary Perspectives* 7 (September): 100210. <https://doi.org/10.1016/j.trip.2020.100210>.
- Christianson, Amy Cardinal, Tara K. McGee, and Whitefish Lake First Nation 459. 2019. "Wildfire Evacuation Experiences of Band Members of Whitefish Lake First Nation 459, Alberta, Canada." *Natural Hazards* 98 (1): 9–29. <https://doi.org/10.1007/s11069-018-3556-9>.
- Christianson, Amy Cardinal, Colin Robert Sutherland, Faisal Moola, Noémie Gonzalez Bautista, David Young, and Heather MacDonald. 2022. "Centering Indigenous Voices: The Role of Fire in the Boreal Forest of North America." *Current Forestry Reports* 8 (3): 257–76. <https://doi.org/10.1007/s40725-022-00168-9>.
- Christianson, Amy, Tara K. McGee, and Lorne L'Hirondelle. 2012. "Community Support for Wildfire Mitigation at Peavine Métis Settlement, Alberta, Canada." *Environmental Hazards* 11 (3): 177–93. <https://doi.org/10.1080/17477891.2011.649710>.
- Ciriaco, Thayanne G.M., and Stephen D. Wong. 2022. "Review of Resilience Hubs and Associated Transportation Needs." *Transportation Research Interdisciplinary Perspectives* 16 (December): 100697. <https://doi.org/10.1016/j.trip.2022.100697>.

- Connett, David. 2021. "Tourists Rescued from Burning Med Resorts by Flotilla of Boats." *The Observer*, July 31, 2021, sec. World news.
<https://www.theguardian.com/world/2021/jul/31/tourists-rescued-mediterranean-beach-turkey-wildfires-heatwave>.
- Cote, Doug W., and Tara K. McGee. 2014. "An Exploration of Residents' Intended Wildfire Evacuation Responses in Mt. Lorne, Yukon, Canada." *The Forestry Chronicle* 90 (04): 498–502. <https://doi.org/10.5558/tfc2014-100>.
- Country Fire Authority. 2023. "Community Fireguard." 2023. <http://www.cfa.vic.gov.au/plan-prepare/your-local-area-info-and-advice/community-fireguard/community-fireguard>.
- Cova, Thomas J., Philip E. Dennison, and Frank A. Drews. 2011. "Modeling Evacuate versus Shelter-in-Place Decisions in Wildfires." *Sustainability*.
<https://doi.org/10.3390/su3101662>.
- Cova, Thomas J., Frank A. Drews, Laura K. Siebeneck, and Adrian Musters. 2009. "Protective Actions in Wildfires: Evacuate or Shelter-in-Place?" *Natural Hazards Review* 10 (4): 151–62. [https://doi.org/10.1061/\(ASCE\)1527-6988\(2009\)10:4\(151\)](https://doi.org/10.1061/(ASCE)1527-6988(2009)10:4(151)).
- Cova, Thomas J., and Justin P Johnson. 2002. "Microsimulation of Neighborhood Evacuations in the Urban–Wildland Interface." *Environment and Planning A: Economy and Space* 34 (12): 2211–29. <https://doi.org/10.1068/a34251>.
- Dastin, Jeffrey. 2017. "California Wildfire: Helicopter Saves 42 People, 5 Dogs and Cat from Brink - National | Globalnews.Ca." Global News. 2017.
<https://globalnews.ca/news/3798552/california-wildfire-helicopter-saves-42-people/>.
- De Graff, Jerome V, and Alan J Gallegos. 2012. "The Challenge of Improving Identification of Rockfall Hazard after Wildfires." *Environmental & Engineering Geoscience* 18 (4): 389–97. <https://doi.org/10.2113/gsegeosci.18.4.389>.
- Donaldson, Daniel L., Manuel S. Alvarez-Alvarado, and Dilan Jayaweera. 2022. "Integration of Electric Vehicle Evacuation in Power System Resilience Assessment." *IEEE Transactions on Power Systems*, 1–12. <https://doi.org/10.1109/TPWRS.2022.3206900>.
- Drinkwater, Rob. 2022. "Planes, Helicopters and Trains Help Close to 2,000 Flee Fire in Northern Manitoba." Winnipeg. July 18, 2022. <https://winnipeg.ctvnews.ca/planes-helicopters-and-trains-help-close-to-2-000-flee-fire-in-northern-manitoba-1.5991955>.
- Dye, Alex W., John B. Kim, Andrew McEvoy, Fang Fang, and Karin L. Riley. 2021. "Evaluating Rural Pacific Northwest Towns for Wildfire Evacuation Vulnerability." *Natural Hazards* 107 (1): 911–35. <https://doi.org/10.1007/s11069-021-04615-x>.
- Eavis, Peter, and Ivan Penn. 2019. "California Says PG&E Power Lines Caused Camp Fire That Killed 85." *The New York Times*, May 15, 2019, sec. Business.
<https://www.nytimes.com/2019/05/15/business/pge-fire.html>.
- Ellis, S, P Kanowski, and R J Whelan. 2004. "National Inquiry on Bushfire Mitigation and Management."

- Ergibi, Mohamed, and Hayley Hessel. 2020. "Awareness and Adoption of FireSmart Canada: Barriers and Incentives." *Forest Policy and Economics* 119 (October): 102271. <https://doi.org/10.1016/j.forpol.2020.102271>.
- Erskine, Michael A, Scott J Seipel, and Cayson R Seipel. 2022. "Development of a Geospatial Agent- Based Simulation of Disaster Evacuations for Battery Electric Vehicle (BEV) Policy."
- Faulkner, HILARY, BONITA L. McFarlane, Bonita L., and Tara K. McGee. 2009. "Comparison of Homeowner Response to Wildfire Risk among Towns with and without Wildfire Management." *Environmental Hazards* 8 (1): 38–51. <https://doi.org/10.3763/ehaz.2009.0006>.
- FHWA. 2009. *Manual on Uniform Traffic Control Devices*.
- Firehouse. 2015. "Australian Firefighters on Dirt Bikes Use Guns to Fight Wildfires." Firehouse. November 12, 2015. <https://www.firehouse.com/tech-comm/video/12137802/firefighters-down-under-in-australia-use-guns-to-fight-wildfires>.
- Fitch-Polse, Dillon T., Chen Chen, and Stephen D. Wong. 2023. "Bicycles and Micromobility for Disaster Response and Recovery," May. <https://escholarship.org/uc/item/3ks9k4pr>.
- Fragkos, Michael E., Vasileios Zeimpekis, Vasilis Koutras, and Ioannis Minis. 2022. "Supply Planning for Shelters and Emergency Management Crews." *Operational Research* 22 (1): 741–77. <https://doi.org/10.1007/s12351-020-00557-7>.
- Fraser, Andrew M., Mikhail V. Chester, and B. Shane Underwood. 2022. "Wildfire Risk, Post-Fire Debris Flows, and Transportation Infrastructure Vulnerability." *Sustainable and Resilient Infrastructure* 7 (3): 188–200. <https://doi.org/10.1080/23789689.2020.1737785>.
- French, Janet. 2016a. "When Evacuation Was Ordered, Fort McMurray Principal Fled with Busload of Students." *Edmontonjournal*. May 2016. <https://edmontonjournal.com/news/local-news/when-evacuation-was-ordered-mcmurray-principal-fled-with-busload-of-students>.
- . 2016b. "More than 800 Abandoned Vehicles Wait to Be Claimed by Fort McMurray Owners." *Edmontonsun*. June 4, 2016. <https://edmontonsun.com/2016/06/03/more-than-800-abandoned-vehicles-wait-to-be-claimed-by-fort-mcmurray-owners>.
- French, Richard H., Julianne J. Miller, and Charles R. Dettling. 2005. "Estimating Playa Lake Flooding: Edwards Air Force Base, California, USA." *Journal of Hydrology* 306 (1): 146–60. <https://doi.org/10.1016/j.jhydrol.2004.09.006>.
- Fuller, Thomas, and Richard Pérez-Peña. 2017. "In California, Fires So Fast Hesitation Proved Lethal." *The New York Times*, October 13, 2017, sec. U.S. <https://www.nytimes.com/2017/10/13/us/california-wildfires-victims.html>.
- Gan, Heng-Soon, Kai-Florian Richter, Mingzheng Shi, and Stephan Winter. 2016. "Integration of Simulation and Optimization for Evacuation Planning." *Simulation Modelling Practice and Theory* 67 (September): 59–73. <https://doi.org/10.1016/j.simpat.2016.07.001>.

- Garnham, Jolie McCullough, and Juan Pablo. 2020. "As Hurricane Laura Heads for Southeast Texas, Officials Scramble to Evacuate and Shelter People during a Pandemic." *The Texas Tribune*. August 26, 2020. <https://www.texastribune.org/2020/08/26/hurricane-laura-texas-coronavirus/>.
- Gold, Russell, Katherine Blunt, and Rebecca Smith. 2019. "PG&E Sparked at Least 1,500 California Fires. Now the Utility Faces Collapse." *Wall Street Journal*, January 13, 2019, sec. Business. <https://www.wsj.com/articles/pg-e-sparked-at-least-1-500-california-fires-now-the-utility-faces-collapse-11547410768>.
- Golembo, Max, and Morgan Winsor. 2018. "Southern California Wildfires Paved the Way for Deadly Mudslides." ABC News. 2018. <https://abcnews.go.com/US/southern-california-wildfires-paved-deadly-mudslides/story?id=52257400>.
- Grajdura, Sarah, Sachraa Borjigin, and Deb Niemeier. 2022. "Fast-Moving Dire Wildfire Evacuation Simulation." *Transportation Research Part D: Transport and Environment* 104 (March): 103190. <https://doi.org/10.1016/j.trd.2022.103190>.
- Grajdura, Sarah, Xiaodong Qian, and Deb Niemeier. 2021. "Awareness, Departure, and Preparation Time in No-Notice Wildfire Evacuations." *Safety Science* 139 (July): 105258. <https://doi.org/10.1016/j.ssci.2021.105258>.
- Gralow, Jill, and Sonali Paul. 2020. "Thousands Flee Fires in Australia, Navy Helps Evacuate the Stranded." *Reuters*, January 2, 2020, sec. Environment. <https://www.reuters.com/article/us-australia-bushfires-idUSKBN1Z1000>.
- Greenwood Sustainability LLC. 2011. "Community Wildfire Protection Plan."
- Guth, Johanna, Sven Wursthorn, Andreas Ch. Braun, and Sina Keller. 2019. "Development of a Generic Concept to Analyze the Accessibility of Emergency Facilities in Critical Road Infrastructure for Disaster Scenarios: Exemplary Application for the 2017 Wildfires in Chile and Portugal." *Natural Hazards* 97 (3): 979–99. <https://doi.org/10.1007/s11069-019-03672-7>.
- Haghpanah, Fardad, Benjamin W. Schafer, and Sebastián Castro. 2021. "Application of Bug Navigation Algorithms for Large-Scale Agent-Based Evacuation Modeling to Support Decision Making." *Fire Safety Journal* 122 (June): 103322. <https://doi.org/10.1016/j.firesaf.2021.103322>.
- Hambleton, James P., Roman Makhnenko, and Aaron S. Budge, eds. 2020. "Geo-Congress 2020: Engineering, Monitoring, and Management of Geotechnical Infrastructure." In *Geo-Congress 2020*. Minneapolis, Minnesota: American Society of Civil Engineers.
- Hankins, Don L. 2013. "The Effects of Indigenous Prescribed Fire on Riparian Vegetation in Central California." *Ecological Processes* 2 (1): 24. <https://doi.org/10.1186/2192-1709-2-24>.
- Hooper, Craig. 2019. "Pushing Australians Into The Sea, Bushfires Showcase Australia's Gritty, Do-Anything Navy." *Forbes*. 2019. <https://www.forbes.com/sites/craighooper/2020/01/05/pushing-australians-into-the-sea-bushfires-showcase-australias-gritty-do-anything-navy/>.

- Hou, Zenghao, Justin Darr, and Michael Zhang. 2022. "Predicting Traffic Performance During a Wildfire Using Machine Learning." *Transportation Research Record*, October, 03611981221126509. <https://doi.org/10.1177/03611981221126509>.
- IFRC. 2022. "Sea-like Flood Waters Ravage Pakistan; Affecting Millions of People | IFRC." 2022. <https://www.ifrc.org/press-release/sea-flood-waters-ravage-pakistan-affecting-millions-people>.
- Imbach, Romain, Manon Romain, and Pierre Breteau. 2022. "France's Unprecedented Summer of Wildfires, in Maps and Graphs." *Le Monde.Fr*, August 25, 2022. https://www.lemonde.fr/en/les-decodeurs/article/2022/08/25/fires-in-france-maps-and-graphs-to-visualize-an-unprecedented-summer_5994672_8.html.
- Intini, Paolo, Enrico Ronchi, Steven Gwynne, and Adam Pel. 2019. "Traffic Modeling for Wildland–Urban Interface Fire Evacuation." *Journal of Transportation Engineering, Part A: Systems* 145 (3): 04019002. <https://doi.org/10.1061/JTEPBS.0000221>.
- ISO. 2018. "ISO 23932-1:2018 Fire Safety Engineering — General Principles — Part 1: General." ISO. <https://www.iso.org/standard/63933.html>.
- Jahn, Wolfram, James L. Urban, and Guillermo Rein. 2022. "Powerlines and Wildfires: Overview, Perspectives, and Climate Change: Could There Be More Electricity Blackouts in the Future?" *IEEE Power and Energy Magazine* 20 (1): 16–27. <https://doi.org/10.1109/MPE.2021.3122755>.
- Jakes, Pamela J., and E. R. (Lisa) Langer. 2012. "The Adaptive Capacity of New Zealand Communities to Wildfire." *International Journal of Wildland Fire* 21 (6): 764. <https://doi.org/10.1071/WF11086>.
- Jent, Breeanna. 2023. "Colorado Springs Planning Commission Recommends Approval of Master Transportation Plan." *Colorado Springs Gazette*. February 8, 2023. https://gazette.com/news/colorado-springs-planning-commission-recommends-approval-of-master-transportation-plan/article_6fd7fbbc-a7e6-11ed-b8a1-97fc1a01ac7b.html.
- Jin, Yufang, Michael L. Goulden, Nicolas Faivre, Sander Veraverbeke, Fengpeng Sun, Alex Hall, Michael S. Hand, Simon Hook, and James T. Randerson. 2015. "Identification of Two Distinct Fire Regimes in Southern California: Implications for Economic Impact and Future Change." *Environmental Research Letters* 10 (9): 094005. <https://doi.org/10.1088/1748-9326/10/9/094005>.
- Jordan, Peter. 2015. "Post-Wildfire Debris Flows in Southern British Columbia, Canada." *International Journal of Wildland Fire* 25 (3): 322–36. <https://doi.org/10.1071/WF14070>.
- Kearns, Christopher James. 2017. "The Fort McMurray Wildfire 2016: Risk Perceptions and Behaviours Among Evacuees." Sc.D., Alabama, US: Jacksonville State University. <https://www.proquest.com/docview/2516915392/abstract/A4144755413345B1PQ/1>.
- Kirsch, Katie R., Bonnie A. Feldt, David F. Zane, Tracy Haywood, Russell W. Jones, and Jennifer A. Horney. 2016. "Longitudinal Community Assessment for Public Health Emergency Response to Wildfire, Bastrop County, Texas." *Health Security* 14 (2): 93–104. <https://doi.org/10.1089/hs.2015.0060>.

- Kourmpa, Efthymia, and Stefanos Tsigdinos. 2020. "Detection Of Fire-Prone Areas In Attica Region Integrating Urban And Transport Aspect." *GEOGRAPHY, ENVIRONMENT, SUSTAINABILITY* 13 (3): 84–89. <https://doi.org/10.24057/2071-9388-2019-148>.
- KPMG. 2017. "May 2016 Wood Buffalo Wildfire - Post Incident Assessment Report." Alberta Emergency Management Agency. <https://open.alberta.ca/dataset/acfd27e-5e08-4f6c-8cd9-188be0e1e1b2/resource/541f276f-2fb4-4789-a41f-ef5ce7c0eec5/download/2016-wildfire-kpmg-report.pdf>.
- Krutein, Klaas Fiete, Jennifer McGowan, and Anne Goodchild. 2022. "Evacuating Isolated Islands with Marine Resources: A Bowen Island Case Study." *International Journal of Disaster Risk Reduction* 72 (April): 102865. <https://doi.org/10.1016/j.ijdr.2022.102865>.
- Kuligowski, Erica. 2021. "Evacuation Decision-Making and Behavior in Wildfires: Past Research, Current Challenges and a Future Research Agenda." *Fire Safety Journal* 120 (March): 103129. <https://doi.org/10.1016/j.firesaf.2020.103129>.
- Kuligowski, Erica D., Xilei Zhao, Ruggiero Lovreglio, Ningzhe Xu, Kaitai Yang, Aaron Westbury, Daniel Nilsson, and Nancy Brown. 2022. "Modeling Evacuation Decisions in the 2019 Kincade Fire in California." *Safety Science* 146 (February): 105541. <https://doi.org/10.1016/j.ssci.2021.105541>.
- Kurjata, Andrew. 2017. "'3 Days of Chaos': Backcountry Campers Escape Wildfire by Boat and Foot on B.C.'s Bowron Lakes | CBC News." CBC. July 18, 2017. <https://www.cbc.ca/news/canada/british-columbia/3-days-of-chaos-backcountry-campers-escape-wildfire-by-boat-and-foot-on-b-c-s-bowron-lakes-1.4210882>.
- Kurowski, Matt, and Allan Bradley. 2022. "Wildfire Risk to Resource Roads in British Columbia." TR2022N38.
- Kwon, Tae J., and Liping Fu. 2013. "Evaluation of Alternative Criteria for Determining the Optimal Location of RWIS Stations." *Journal of Modern Transportation* 21 (1): 17–27. <https://doi.org/10.1007/s40534-013-0008-9>.
- Lainas, Spyridon, Nikolaos Depountis, and Nikolaos Sabatakakis. 2021. "Preliminary Forecasting of Rainfall-Induced Shallow Landslides in the Wildfire Burned Areas of Western Greece." *Land* 10 (8): 877. <https://doi.org/10.3390/land10080877>.
- Lancaster, Jeremy T., Brian J. Swanson, Stefani G. Lukashov, Nina S. Oakley, Jacob B. Lee, Eleanor R. Spangler, Janis L. Hernandez, et al. 2021. "Observations and Analyses of the 9 January 2018 Debris-Flow Disaster, Santa Barbara County, California." *Environmental and Engineering Geoscience* 27 (1): 3–27. <https://doi.org/10.2113/EEG-D-20-00015>.
- Langer, E. R., and Tara K. McGee. 2017. "Wildfire Risk Awareness and Prevention by Predominantly Māori Rural Residents, Karikari Peninsula, Aotearoa New Zealand." *International Journal of Wildland Fire* 26 (9): 820. <https://doi.org/10.1071/WF16133>.
- Lessan, Javad, and Amy M. Kim. 2022. "Planning Evacuation Orders under Evacuee Compliance Uncertainty." *Safety Science* 156 (December): 105894. <https://doi.org/10.1016/j.ssci.2022.105894>.

- Lewis, Sukey. 2018. "Inside the CHP Helicopter That Rescued 26 People From the Atlas Peak Fire." KQED. March 6, 2018. <https://www.kqed.org/news/11653959/inside-the-chp-helicopter-that-rescued-dozens-from-the-atlas-peak-fire>.
- Li, Dapeng, Thomas J. Cova, and Philip E. Dennison. 2019. "Setting Wildfire Evacuation Triggers by Coupling Fire and Traffic Simulation Models: A Spatiotemporal GIS Approach." *Fire Technology* 55 (2): 617–42. <https://doi.org/10.1007/s10694-018-0771-6>.
- Li, Jian, and Kaan Ozbay. 2015. "Hurricane Irene Evacuation Traffic Patterns in New Jersey." *Natural Hazards Review* 16 (2): 05014006. [https://doi.org/10.1061/\(ASCE\)NH.1527-6996.0000154](https://doi.org/10.1061/(ASCE)NH.1527-6996.0000154).
- Li, Pengshun, Bingyu Zhao, Mengyan Jiang, Kenichi Soga, and Yi Zhang. 2022. "Incident Occur." In *CICTP 2022*, 1589–98. Changsha, Hunan Province, China: American Society of Civil Engineers. <https://doi.org/10.1061/9780784484265.149>.
- Li, Rui, and Mikhail V Chester. 2023. "Vulnerability of California Roadways to Post-Wildfire Debris Flows." *Environmental Research: Infrastructure and Sustainability* 3 (1): 015003. <https://doi.org/10.1088/2634-4505/acb3f5>.
- Lindell, Michael K., Jung Eun Kang, and Carla S. Prater. 2011. "The Logistics of Household Hurricane Evacuation." *Natural Hazards* 58 (3): 1093–1109. <https://doi.org/10.1007/s11069-011-9715-x>.
- Lovreglio, Ruggiero, Erica Kuligowski, Steve Gwynne, and Ken Strahan. 2019. "A Modelling Framework for Householder Decision-Making for Wildfire Emergencies." *International Journal of Disaster Risk Reduction* 41 (December): 101274. <https://doi.org/10.1016/j.ijdr.2019.101274>.
- MacDonald, Craig David, Lina Kattan, and David Layzell. 2021. "Modelling Electric Vehicle Charging Network Capacity and Performance during Short-Notice Evacuations." *International Journal of Disaster Risk Reduction* 56 (April): 102093. <https://doi.org/10.1016/j.ijdr.2021.102093>.
- Mahajan, Kasturi, and Amy M. Kim. 2020. "Vulnerability Assessment of Alberta's Provincial Highway Network." *Transportation Research Interdisciplinary Perspectives* 6 (July): 100171. <https://doi.org/10.1016/j.trip.2020.100171>.
- Maranghides, Alexander, William Mell, Karen Ridenour, and Derek McNamara. 2014. "Initial Reconnaissance of the 2011 Wildland-Urban Interface Fires in Amarillo, Texas." *Fire Technology* 50 (1): 93–104. <https://doi.org/10.1007/s10694-012-0287-4>.
- Markolf, Samuel A., Christopher Hoehne, Andrew Fraser, Mikhail V. Chester, and B. Shane Underwood. 2019. "Transportation Resilience to Climate Change and Extreme Weather Events – Beyond Risk and Robustness." *Transport Policy* 74 (February): 174–86. <https://doi.org/10.1016/j.tranpol.2018.11.003>.
- Matear, David. 2017. "The Fort McMurray, Alberta Wildfires: Emergency and Recovery Management of Healthcare Services." *Journal of Business Continuity & Emergency Planning* 11 (2): 128–50.

- Matherly, Deborah, Neeli Langdon, Brian Wolshon, Pamela Murray-Tuite, John Renne, Roberta Thomas, Jane Mobley, et al. 2014. "A Guide to Regional Transportation Planning for Disasters, Emergencies, and Significant Events." Washington, D.C.: Transportation Research Board. <https://doi.org/10.17226/22338>.
- McCaffrey, Sarah M., and Alan Rhodes. 2009. "Public Response to Wildfire: Is the Australian 'Stay and Defend or Leave Early' Approach an Option for Wildfire Management in the United States?" *Journal of Forestry* 107 (1): 9–15.
- McCaffrey, Sarah, Robyn Wilson, and Avishek Konar. 2018. "Should I Stay or Should I Go Now? Or Should I Wait and See? Influences on Wildfire Evacuation Decisions." *Risk Analysis* 38 (7): 1390–1404. <https://doi.org/10.1111/risa.12944>.
- McGee, Tara K. 2021. "Evacuating First Nations during Wildfires in Canada." *Fire Safety Journal*, Fire Safety Science: Proceedings of the 13th International Symposium, 120 (March): 103120. <https://doi.org/10.1016/j.firesaf.2020.103120>.
- McGee, Tara K., Amy Cardinal Christianson, and First Nations Wildfire Evacuation Partnership. 2021. *First Nations Wildfire Evacuations: A Guide for Communities and External Agencies*. Purich Books.
- McGee, Tara K., Mishkeegogamang Ojibway Nation, and Amy Cardinal Christianson. 2019. "Residents' Wildfire Evacuation Actions in Mishkeegogamang Ojibway Nation, Ontario, Canada." *International Journal of Disaster Risk Reduction* 33 (February): 266–74. <https://doi.org/10.1016/j.ijdr.2018.10.012>.
- McLennan, Jim, Barbara Ryan, Chris Bearman, and Keith Toh. 2019. "Should We Leave Now? Behavioral Factors in Evacuation Under Wildfire Threat." *Fire Technology* 55 (2): 487–516. <https://doi.org/10.1007/s10694-018-0753-8>.
- Melendez, Benjamin, Sahar Ghanipoor Machiani, and Atsushi Nara. 2021. "Modelling Traffic during Lilac Wildfire Evacuation Using Cellular Data." *Transportation Research Interdisciplinary Perspectives* 9 (March): 100335. <https://doi.org/10.1016/j.trip.2021.100335>.
- Menon, Nikhil, Brian Staes, Robert L. Bertini, Equity Center for Transportation Decisions & Dollars (CTEDD). University of Texas, and University of Texas at Arlington. 2020. "Measuring Transportation Network Performance During Emergency Evacuations: A Case Study of Hurricane Irma and Woolsey Fire." <https://rosap.ntl.bts.gov/view/dot/54690>.
- Metcalf, Bill. 2021. "BC Transit and SD8 Could Provide Buses for Possible Nelson Wildfire Evacuation - Today In BC." August 12, 2021. <https://www.todayinbc.com/news/bc-transit-and-sd8-could-provide-buses-for-possible-nelson-wildfire-evacuation/>.
- Meyer, Michael D. 2016. *Transportation Planning Handbook*. Wiley.
- Mojtahedi, Mohammad, Sidney Newton, and Jason Von Meding. 2017. "Predicting the Resilience of Transport Infrastructure to a Natural Disaster Using Cox's Proportional Hazards Regression Model." *Natural Hazards* 85 (2): 1119–33. <https://doi.org/10.1007/s11069-016-2624-2>.

- Moody, John A., and Brian A. Ebel. 2012. "Hyper-Dry Conditions Provide New Insights into the Cause of Extreme Floods after Wildfire." *CATENA* 93 (June): 58–63. <https://doi.org/10.1016/j.catena.2012.01.006>.
- Mottershead, Kyla D., Tara K. McGee, and Amy Christianson. 2020. "Evacuating a First Nation Due to Wildfire Smoke: The Case of Dene Tha' First Nation." *International Journal of Disaster Risk Science* 11 (3): 274–86. <https://doi.org/10.1007/s13753-020-00281-y>.
- Murray-Tuite, Pamela, and Brian Wolshon. 2013. "Evacuation Transportation Modeling: An Overview of Research, Development, and Practice." *Transportation Research Part C: Emerging Technologies*, Selected papers from the Seventh Triennial Symposium on Transportation Analysis (TRISTAN VII), 27 (February): 25–45. <https://doi.org/10.1016/j.trc.2012.11.005>.
- Nader, G., and M. De Lasaux. 2015. "UC Cooperative Extension Works with Fire Safe Councils to Reduce Wildfires." *California Agriculture* 69 (1): 57–63.
- NFPA. 2022. "NFPA - Firewise USA®." 2022. <https://www.nfpa.org/Public-Education/Fire-causes-and-risks/Wildfire/Firewise-USA>.
- Nihad, Ghalib. 2022. "Iranian Firefighting Aircraft to Join Operation as Balochistan Forest Inferno Rages On." DAWN.COM. 2022. <https://www.dawn.com/news/1691111>.
- Niu, Chence, Divya Jayakumar Nair, Tingting Zhang, Vinayak Dixit, and Pamela Murray-Tuite. 2022. "Are Wildfire Fatalities Related to Road Network Characteristics? A Preliminary Analysis of Global Wildfire Cases." *International Journal of Disaster Risk Reduction* 80 (October): 103217. <https://doi.org/10.1016/j.ijdr.2022.103217>.
- Ohi, Sabrena Jahan, and Amy M. Kim. 2021. "Identifying Critical Corridors during an Area-Wide Disruption by Evaluating Network Bottleneck Capacity." *International Journal of Disaster Risk Reduction* 64 (October): 102487. <https://doi.org/10.1016/j.ijdr.2021.102487>.
- Oloriz, Margaret, Shreyas Vangala, and Audrey Sadowicz. 2022. "Electric Vehicle Adoption and Grid Emergency Preparedness." *Climate and Energy* 38 (8): 1–11. <https://doi.org/10.1002/gas.22275>.
- Ortega-Becerril, José A., Julio Garrote, Álvaro Vicente, and María José Marqués. 2022. "Wildfire-Induced Changes in Flood Risk in Recreational Canyoning Areas: Lessons from the 2017 Jerte Canyons Disaster." *Water* 14 (15): 2345. <https://doi.org/10.3390/w14152345>.
- Pande, Anurag, and Brian Wolshon, eds. 2016. *Traffic Engineering Handbook*. 7th ed. Wiley.
- Parr, Scott A., Lorraine M. Acevedo, Pamela Murray-Tuite, and Brian Wolshon. 2022. "Methodology to Quantify Statewide Evacuations." *Transportation Research Record* 2676 (2): 775–87. <https://doi.org/10.1177/03611981211046922>.
- Partners in Protection. 2003. "FireSmart - Protecting Your Community from Wildfire."
- Paveglio, Travis B., Amanda D. Boyd, and Matthew S. Carroll. 2012. "Wildfire Evacuation and Its Alternatives in a Post-Black Saturday Landscape: Catchy Slogans and Cautionary

- Tales.” *Environmental Hazards* 11 (1): 52–70.
<https://doi.org/10.1080/17477891.2011.635185>.
- Paveglio, Travis B., Matthew S. Carroll, and Pamela J. Jakes. 2010. “Alternatives to Evacuation during Wildland Fire: Exploring Adaptive Capacity in One Idaho Community.” *Environmental Hazards* 9 (4): 379–94. <https://doi.org/10.3763/ehaz.2010.0060>.
- Paveglio, Travis, Tony Prato, Douglas Dalenberg, Tyron Venn, and Tyron Venn. 2014. “Understanding Evacuation Preferences and Wildfire Mitigations among Northwest Montana Residents.” *International Journal of Wildland Fire* 23 (3): 435–44. <https://doi.org/10.1071/WF13057>.
- Pel, Adam J., Michiel C. J. Bliemer, and Serge P. Hoogendoorn. 2012. “A Review on Travel Behaviour Modelling in Dynamic Traffic Simulation Models for Evacuations.” *Transportation* 39 (1): 97–123. <https://doi.org/10.1007/s11116-011-9320-6>.
- Pérez, Juan, Sebastián Maldonado, and Héctor López-Ospina. 2016. “A Fleet Management Model for the Santiago Fire Department.” *Fire Safety Journal* 82 (May): 1–11. <https://doi.org/10.1016/j.firesaf.2016.02.008>.
- Petterson, Jeff. 2014. “Wildfire Prevention Costs Far Less Than Fires (Op-Ed).” 2014. <http://news.yahoo.com/wildfire-prevention-costs-far-less-fires-op-ed-192243504.html>.
- Porter, Ryan, Taylor Joyal, Rebecca Beers, Joseph Loverich, Aubrey LaPlante, John Spruell, Ann Youberg, Edward Schenk, Peter R. Robichaud, and Abraham E. Springer. 2021. “Seismic Monitoring of Post-Wildfire Debris Flows Following the 2019 Museum Fire, Arizona.” *Frontiers in Earth Science* 9. <https://www.frontiersin.org/articles/10.3389/feart.2021.649938>.
- Press, The Associated. 2022. “California’s Biggest Wildfire This Year Forces Forcing Thousands of Residents to Flee | CBC News.” CBC. July 25, 2022. <https://www.cbc.ca/news/world/oak-fire-california-yosemite-national-park-1.6530814>.
- Purba, Denissa Sari Darmawi, Eleftheria Kontou, and Chrysafis Vogiatzis. 2022. “Evacuation Route Planning for Alternative Fuel Vehicles.” *Transportation Research Part C: Emerging Technologies* 143 (October): 103837. <https://doi.org/10.1016/j.trc.2022.103837>.
- Quarles, Stephen L., Yana Valachovic, Gary M. Nakamura, Glenn A. Nader, and Michael J. de Lasaux. 2010. “Home Survival in Wildfire-Prone Areas: Building Materials and Design Considerations,” May. <https://doi.org/10.3733/ucanr.8393>.
- Rengers, Francis K., Luke A. McGuire, Nina S. Oakley, Jason W. Kean, Dennis M. Staley, and Hui Tang. 2020. “Landslides after Wildfire: Initiation, Magnitude, and Mobility.” *Landslides* 17 (11): 2631–41. <https://doi.org/10.1007/s10346-020-01506-3>.
- Renne, John L., and Estefania Mayorga. 2022. “What Has America Learned Since Hurricane Katrina? Evaluating Evacuation Plans for Carless and Vulnerable Populations in 50 Large Cities across the United States.” *International Journal of Disaster Risk Reduction* 80 (October): 103226. <https://doi.org/10.1016/j.ijdr.2022.103226>.

- Resort Municipality of Whistler and District of Squamish. 2019. "Sea to Sky Multimodal Evacuation Plan."
- Richter, Edward G., Erica C. Fischer, Amy Metz, and Brad P. Wham. 2022. "Simulation of Heat Transfer Through Soil for the Investigation of Wildfire Impacts on Buried Pipelines." *Fire Technology* 58 (4): 1889–1915. <https://doi.org/10.1007/s10694-022-01232-3>.
- Rodrigues, Andreia, Aldina Santiago, Luís Laím, Domingos Xavier Viegas, and José Luís Zêzere. 2022. "Rural Fires—Causes of Human Losses in the 2017 Fires in Portugal." *Applied Sciences* 12 (24): 12561. <https://doi.org/10.3390/app122412561>.
- Romo, Vanessa. 2019. "With Blackouts, California's Electric Car Owners Are Finding New Ways To Charge Up." *NPR*, November 8, 2019, sec. Business. <https://www.npr.org/2019/11/08/777752175/with-blackouts-californias-electric-car-owners-are-finding-new-ways-to-charge-up>.
- Ronchi, Enrico, Wong, Stephen, Suzuki, Sayaka, Theodori, Maria, Wadhwani, Rahul, Vaiciulyte, Sandra, Gwynne, Steve, et al. 2021. "Case Studies of Large Outdoor Fires Involving Evacuations." Zenodo. <https://doi.org/10.5281/ZENODO.4504853>.
- Roy, Eleanor Ainge, and Eleanor de Jong. 2020. "New Zealand Bushfires Flare amid Fears Country Becoming More 'Flammable.'" *The Guardian*, January 7, 2020, sec. World news. <https://www.theguardian.com/world/2020/jan/07/new-zealand-bushfires-flare-amid-fears-country-becoming-more-flammable>.
- Salahieh, Amir Vera, Eric Levenson, Jason Hanna, Nouran. 2022. "Hurricane Ian Continues to Batter Florida as a Category 1 Storm While Officials Warn the Worst Is yet to Come." CNN. September 28, 2022. <https://www.cnn.com/2022/09/28/weather/hurricane-ian-florida-path-wednesday/index.html>.
- Sallinger, Marc. 2022. "School Bus Drivers Braved the Flames for Marshall Fire Evacuations." KUSA.Com. February 9, 2022. <https://www.9news.com/article/news/local/marshall-fire-school-bus-drivers-help-evacuate/73-6650981d-e100-40fd-9eac-e62b0eeb6f99>.
- Sampson, Hannah. 2023. "How Airlines Are Helping People Flee Maui Wildfires." *Washington Post*, August 11, 2023. <https://www.washingtonpost.com/travel/2023/08/10/airlines-maui-wildfires-flights/>.
- Sfetsos, Athanasios, Frederique Giroud, Alice Clemencau, Vassiliki Varela, Catherine Freissinet, Jean LeCroart, Diamando Vlachogiannis, et al. 2021. "Assessing the Effects of Forest Fires on Interconnected Critical Infrastructures under Climate Change. Evidence from South France." *Infrastructures* 6 (2): 16. <https://doi.org/10.3390/infrastructures6020016>.
- Sgqolana, Tembile. 2021. "OUR BURNING PLANET: The Burning Season: Wildfires Sweeping across South Africa and Namibia Have Left Devastation in Their Wake." *Daily Maverick*. October 4, 2021. <https://www.dailymaverick.co.za/article/2021-10-04-the-burning-season-wildfires-sweeping-across-south-africa-and-namibia-have-left-devastation-in-their-wake/>.

- Shahabi, Kaveh, and John P. Wilson. 2018. "Scalable Evacuation Routing in a Dynamic Environment." *Computers, Environment and Urban Systems* 67 (January): 29–40. <https://doi.org/10.1016/j.compenvurbsys.2017.08.011>.
- Shahparvari, Shahrooz, and Babak Abbasi. 2017. "Robust Stochastic Vehicle Routing and Scheduling for Bushfire Emergency Evacuation: An Australian Case Study." *Transportation Research Part A: Policy and Practice* 104 (October): 32–49. <https://doi.org/10.1016/j.tra.2017.04.036>.
- Shahparvari, Shahrooz, Babak Abbasi, and Prem Chhetri. 2017. "Possibilistic Scheduling Routing for Short-Notice Bushfire Emergency Evacuation under Uncertainties: An Australian Case Study." *Omega* 72 (October): 96–117. <https://doi.org/10.1016/j.omega.2016.11.007>.
- Shahparvari, Shahrooz, Babak Abbasi, Prem Chhetri, and Ahmad Abareshi. 2019. "Fleet Routing and Scheduling in Bushfire Emergency Evacuation: A Regional Case Study of the Black Saturday Bushfires in Australia." *Transportation Research Part D: Transport and Environment* 67 (February): 703–22. <https://doi.org/10.1016/j.trd.2016.11.015>.
- Shahparvari, Shahrooz, Behrooz Bodaghi, Iman Roozbeh, Mahsa Mohammadi, Hamed Soleimani, and Prem Chhetri. 2021. "A Cooperative (or Coordinated) Multi-Agency Response to Enhance the Effectiveness of Aerial Bushfire Suppression Operations." *International Journal of Disaster Risk Reduction* 61 (July): 102352. <https://doi.org/10.1016/j.ijdrr.2021.102352>.
- Shahparvari, Shahrooz, Prem Chhetri, Babak Abbasi, and Ahmad Abareshi. 2016. "Enhancing Emergency Evacuation Response of Late Evacuees: Revisiting the Case of Australian Black Saturday Bushfire." *Transportation Research Part E: Logistics and Transportation Review* 93 (September): 148–76. <https://doi.org/10.1016/j.tre.2016.05.010>.
- Siam, M.R.K., Haizhong Wang, Michael K. Lindell, Chen Chen, Eleni I. Vlahogianni, and Kay Axhausen. 2022. "An Interdisciplinary Agent-Based Multimodal Wildfire Evacuation Model: Critical Decisions and Life Safety." *Transportation Research Part D: Transport and Environment* 103 (February): 103147. <https://doi.org/10.1016/j.trd.2021.103147>.
- Slowikowski, Susan, and Judy Motion. 2021. "Unlocking Meaning of Embodied Memories from Bushfire Survivors." *The Oral History Review* 48 (1): 83–99. <https://doi.org/10.1080/00940798.2020.1866954>.
- Smith, Helena. 2019. "'In My Nightmares I'm Always in the Sea': A Year on from the Greek Fires." *The Guardian*, July 20, 2019, sec. World news. <https://www.theguardian.com/world/2019/jul/20/greek-fires-one-year-on-103-dead-survivors-and-rescuers-look-back>.
- Soga, Kenichi, Louise Comfort, Bingyu Zhao, Paola Lorusso, and Sena Soysal. 2021. "Integrating Traffic Network Analysis and Communication Network Analysis at a Regional Scale to Support More Efficient Evacuation in Response to a Wildfire Event," May. <https://doi.org/10.7922/G21G0JJ7>.

- South Florida Times. 2017. "Broward Transit Took Residents to Safety during Hurricane Irma." *South Florida Times* (blog). 2017. <https://www.sfltimes.com/news/local/broward-transit-took-residents-to-safety-during-hurricane-irma>.
- Spayne, Rebecca Morpeth. 2021. "Wildfire Communication Challenges." *Fire Buyer International* (blog). October 13, 2021. <https://firebuyer.com/wildfire-communication-challenges/>.
- Steer, Kent, Ermyas Abebe, Mahathir Almashor, Anton Beloglazov, and Xu Zhong. 2017. "On the Utility of Shelters in Wildfire Evacuations." *Fire Safety Journal* 94 (December): 22–32. <https://doi.org/10.1016/j.firesaf.2017.09.001>.
- Strickland, Patrick. 2018. "Greece Wildfires: 'These Are Images I'll Never Forget.'" July 25, 2018. <https://www.aljazeera.com/news/2018/7/25/greece-wildfires-survivors-of-deadly-blazes-dig-through-wreckage>.
- Sullivan, Patrick R., Michael J. Campbell, Philip E. Dennison, Simon C. Brewer, and Bret W. Butler. 2020. "Modeling Wildland Firefighter Travel Rates by Terrain Slope: Results from GPS-Tracking of Type 1 Crew Movement." *Fire* 3 (3): 52. <https://doi.org/10.3390/fire3030052>.
- Thériault, Laura, Geneviève Belleville, Marie-Christine Ouellet, and Charles M. Morin. 2021. "The Experience and Perceived Consequences of the 2016 Fort McMurray Fires and Evacuation." *Frontiers in Public Health* 9. <https://www.frontiersin.org/articles/10.3389/fpubh.2021.641151>.
- Thompson, Laurel. 2016. "Canadian Wildland Fire Strategy: A 10-Year Review and Renewed Call to Action," no. Canadian Council of Forest Ministers.
- Thorne, James H., Ryan M. Boynton, Allan D. Hollander, Jason P. Whitney, and Kristen D. Shapiro. 2021. "2020 Critical Update to Caltrans Wildfire Vulnerability Analysis," July. <https://doi.org/10.7922/G2N29V7S>.
- Tonn, Gina, Allison Reilly, Jeffrey Czajkowski, Hamed Ghaedi, and Howard Kunreuther. 2021. "U.S. Transportation Infrastructure Resilience: Influences of Insurance, Incentives, and Public Assistance." *Transport Policy* 100 (January): 108–19. <https://doi.org/10.1016/j.tranpol.2020.10.011>.
- Urbina, Elba, and Brian Wolshon. 2003. "National Review of Hurricane Evacuation Plans and Policies: A Comparison and Contrast of State Practices." *Transportation Research Part A: Policy and Practice* 37 (3): 257–75. [https://doi.org/10.1016/S0965-8564\(02\)00015-0](https://doi.org/10.1016/S0965-8564(02)00015-0).
- Vaiciulyte, Sandra, Edwin R. Galea, Anand Veeraswamy, and Lynn M. Hulse. 2019. "Island Vulnerability and Resilience to Wildfires: A Case Study of Corsica." *International Journal of Disaster Risk Reduction* 40 (November): 101272. <https://doi.org/10.1016/j.ijdrr.2019.101272>.
- Vaiciulyte, Sandra, Lynn M. Hulse, Edwin R. Galea, and Anand Veeraswamy. 2022. "Exploring 'Wait and See' Responses in French and Australian WUI Wildfire Emergencies." *Safety Science* 155 (November): 105866. <https://doi.org/10.1016/j.ssci.2022.105866>.

- Valentin, Vanessa, John Stormont, and University of New Mexico. Department of Civil Engineering. Hydraulics Laboratory. 2019. "Evaluating Post-Wildfire Flood Impacts on Transportation Infrastructure for Mitigation Planning." SPTC15.1-50-F. <https://rosap.ntl.bts.gov/view/dot/55580>.
- Vespaziani, Leni. 2019. "BEST PRACTICES IN WILDFIRE MASS EVACUATION PLANNING Findings and Recommendations for North Shore Emergency Management." UBC School of Community and Regional Planning.
- Vitali, Javiera Loyola, María-Cristina Riff, and Elizabeth Montero. 2017. "Bus Routing for Emergency Evacuations: The Case of the Great Fire of Valparaiso." In *2017 IEEE Congress on Evolutionary Computation (CEC)*, 2346–53. <https://doi.org/10.1109/CEC.2017.7969589>.
- Vonberg, Melissa Bell, Saskya Vandoorne, Judith. 2018. "Cars Turn to Molten Metal as Greek Wildfires Wipe Villages off the Map." CNN. July 25, 2018. <https://www.cnn.com/2018/07/25/europe/greece-wildfires-missing-intl/index.html>.
- Wahlqvist, Jonathan, Enrico Ronchi, Steven M. V. Gwynne, Max Kinader, Guillermo Rein, Harry Mitchell, Nouredine Bénichou, Chunyun Ma, Amanda Kimball, and Erica Kuligowski. 2021. "The Simulation of Wildland-Urban Interface Fire Evacuation: The WUI-NITY Platform." *Safety Science* 136 (April): 105145. <https://doi.org/10.1016/j.ssci.2020.105145>.
- Wang, Ding, Kaan Ozbay, and Zilin Bian. 2021. "Modeling and Analysis of Optimal Strategies for Leveraging Ride-Sourcing Services in Hurricane Evacuation." *Sustainability* 13 (8): 4444. <https://doi.org/10.3390/su13084444>.
- West, Vincent. 2022. "Unseasonal Heat Sparks Dozens of Wildfires in Spain." *Reuters*, October 28, 2022, sec. Europe. <https://www.reuters.com/world/europe/unseasonal-heat-sparks-dozens-wildfires-spain-2022-10-28/>.
- Whittaker, Joshua, Katharine Haynes, John Handmer, and Jim McLennan. 2013. "Community Safety during the 2009 Australian 'Black Saturday' Bushfires: An Analysis of Household Preparedness and Response." *International Journal of Wildland Fire* 22 (6): 841–49. <https://doi.org/10.1071/WF12010>.
- Whitworth, Alex. 2022. "Off-Road Bikers Help Chinese Authorities Contain Wildfires in Chongqing." *Visordown*. 2022. <https://www.visordown.com/news/moto/road-bikers-help-chinese-authorities-contain-wildfires-chongqing>.
- Williamson, Lorraine. 2022. "Damage to Roads, Lightning and Flooding in Southern Spain." *InSpain.News* (blog). December 10, 2022. <https://inspain.news/damage-to-roads-lightning-and-flooding-in-southern-spain/>.
- Wilmot, Chester G., Ravindra Gudishala, Louisiana Transportation Research Center, and Louisiana State University. Dept. of Civil and Environmental Engineering. 2013. "Development of a Time-Dependent Hurricane Evacuation Model for the New Orleans Area." FHWA/LA.12/494. <https://rosap.ntl.bts.gov/view/dot/25769>.

- Wolshon, Brian, and Emile Marchive. 2007. "Emergency Planning in the Urban-Wildland Interface: Subdivision-Level Analysis of Wildfire Evacuations." *Journal of Urban Planning and Development* 133 (1): 73–81. [https://doi.org/10.1061/\(ASCE\)0733-9488\(2007\)133:1\(73\)](https://doi.org/10.1061/(ASCE)0733-9488(2007)133:1(73)).
- Wong, Stephen. 2020. "Compliance, Congestion, and Social Equity: Tackling Critical Evacuation Challenges through the Sharing Economy, Joint Choice Modeling, and Regret Minimization."
- Wong, Stephen D., Jacquelyn C. Broader, and Susan A. Shaheen. 2020a. "Review of California Wildfire Evacuations from 2017 to 2019," March. <https://doi.org/10.7922/G29G5K2R>.
- . 2020b. "Can Sharing Economy Platforms Increase Social Equity for Vulnerable Populations in Disaster Response and Relief? A Case Study of the 2017 and 2018 California Wildfires." *Transportation Research Interdisciplinary Perspectives* 5 (May): 100131. <https://doi.org/10.1016/j.trip.2020.100131>.
- . 2022. "Power Trips: Early Understanding of Preparedness and Travel Behavior During California Public Safety Power Shutoff Events." *Transportation Research Record: Journal of the Transportation Research Board* 2676 (7): 395–410. <https://doi.org/10.1177/03611981221078569>.
- Wong, Stephen D., Jacquelyn C. Broader, Joan L. Walker, and Susan A. Shaheen. 2022. "Understanding California Wildfire Evacuee Behavior and Joint Choice Making." *Transportation*, April. <https://doi.org/10.1007/s11116-022-10275-y>.
- Wong, Stephen D., Caspar G. Chorus, Susan A. Shaheen, and Joan L. Walker. 2020. "A Revealed Preference Methodology to Evaluate Regret Minimization with Challenging Choice Sets: A Wildfire Evacuation Case Study." *Travel Behaviour and Society* 20 (July): 331–47. <https://doi.org/10.1016/j.tbs.2020.04.003>.
- Wong, Stephen D., Ian Martin, and Jeremy Halpern. 2020. "Kensington Evacuation Planning Final Report."
- Wong, Stephen D., and Susan A. Shaheen. 2018. "Understanding Evacuee Behavior: A Case Study of Hurricane Irma." <https://doi.org/10.7922/G2FJ2F00>.
- Wong, Stephen D., Joan L. Walker, and Susan A. Shaheen. 2021. "Trust and Compassion in Willingness to Share Mobility and Sheltering Resources in Evacuations: A Case Study of the 2017 and 2018 California Wildfires." *International Journal of Disaster Risk Reduction* 52 (January): 101900. <https://doi.org/10.1016/j.ijdr.2020.101900>.
- Wong, Stephen D., Mengqiao Yu, Anu Kuncheria, Susan A. Shaheen, and Joan L. Walker. 2022. "Willingness of Hurricane Irma Evacuees to Share Resources: A Multi-Modeling Approach." *Transportmetrica A: Transport Science* 0 (0): 1–36. <https://doi.org/10.1080/23249935.2021.2017064>.
- Woo, Matthew, Kathy Tin Ying Hui, Kexin Ren, Kai Ernn Gan, and Amy Kim. 2017. "Reconstructing an Emergency Evacuation by Ground and Air the Wildfire in Fort McMurray, Alberta, Canada." *Transportation Research Record* 2604 (1): 63–70. <https://doi.org/10.3141/2604-08>.

- Wu, Alex, Xiang Yan, Erica Kuligowski, Ruggiero Lovreglio, Daniel Nilsson, Thomas J. Cova, Yiming Xu, and Xilei Zhao. 2022. "Wildfire Evacuation Decision Modeling Using GPS Data." *International Journal of Disaster Risk Reduction*, October, 103373. <https://doi.org/10.1016/j.ijdr.2022.103373>.
- Wu, Hao-Che, Michael K. Lindell, and Carla S. Prater. 2012. "Logistics of Hurricane Evacuation in Hurricanes Katrina and Rita." *Transportation Research Part F: Traffic Psychology and Behaviour* 15 (4): 445–61. <https://doi.org/10.1016/j.trf.2012.03.005>.
- Yang, Yupeng, Kai Zhang, Houbing Song, and Dahai Liu. 2021. "Machine Learning-Enabled Adaptive Air Traffic Recommendation System for Disaster Evacuation." In *2021 IEEE/AIAA 40th Digital Avionics Systems Conference (DASC)*, 1–8. <https://doi.org/10.1109/DASC52595.2021.9594435>.
- Yerushalmi, Ariel, Lauren Folk, Hannah Carton, John Gales, Ata Khan, and Beth Weckman. 2022. "Fire Evacuation Modelling of a Canadian Wildland Urban Interface Community." *Canadian Journal of Civil Engineering* 49 (1): 31–40. <https://doi.org/10.1139/cjce-2020-0096>.
- Zhao, Bingyu, and Stephen D. Wong. 2021. "Developing Transportation Response Strategies for Wildfire Evacuations via an Empirically Supported Traffic Simulation of Berkeley, California." *Transportation Research Record: Journal of the Transportation Research Board* 2675 (12): 557–82. <https://doi.org/10.1177/03611981211030271>.
- Zhao, Xilei, Yiming Xu, Ruggiero Lovreglio, Erica Kuligowski, Daniel Nilsson, Thomas J. Cova, Alex Wu, and Xiang Yan. 2022. "Estimating Wildfire Evacuation Decision and Departure Timing Using Large-Scale GPS Data." *Transportation Research Part D: Transport and Environment* 107 (June): 103277. <https://doi.org/10.1016/j.trd.2022.103277>.