The list of Electronic Theses and Dissertations (ETDs) in this report as well as the comma delimited file consist of all those ETDs:

- Available in digital format
- Where department is available in the ETD's description
- Found either in:
- <u>ERA: Education and Research Archive</u> (the University of Alberta Institutional Repository, operated by University of Alberta Library)
- Internet Archive University of Alberta Thesis and Dissertation collection
- Submitted to the Department of Renewable Resources for the University of Alberta

IMPORTANT NOTE:

Where there is any duplication, we list the ETDs twice, and suggest the use of the Internet Archive version as it will be a higher quality scan and full-text searchable.

This list is NOT comprehensive of all theses and dissertation titles originating from the Department of Renewable Resources. This list will be dynamic as the University of Alberta Library completes the digitization and description work necessary to achieve that goal. ERA staff will update this list periodically, with titles added. **The most recent date for this list is September 17, 2024**.

Ultimately, all University of Alberta theses and dissertations will be digitized, placed into the Internet Archive and made available electronically, and migrated to ERA with full description. The associated projects are connected, multi-unit, and multi-year endeavours. For more information, contact ERA Help at erahelp@ualberta.ca.

Aasberg, S. (2023). The role of microtopography in vegetation colonization and early forest

development on mine reclamation sites. https://doi.org/10.7939/r3-78cb-7k73

Abdelghany, K. (2021). Assessment of mechanical, thermal insulation and water sorption properties

of natural fiber-cement composites. https://doi.org/10.7939/r3-95g3-g941

Abele, S. E. (2010). Gastropod diversity in the boreal mixedwood forest of northern

Alberta—Variation among forest types and response to partial harvesting.

https://doi.org/10.7939/R3861S

Abou Rizk, J. S. (2015). Potential anthroposol development using phophogypsum as a substrate with soil and organic amendments. https://doi.org/10.7939/R3TM72C3C

- Aftergood, O. S. R. (2021). Identifying and analyzing spatial and temporal patterns of lightning-ignited wildfires in Western Canada from 1981-2018. https://doi.org/10.7939/r3-4sy4-t961
- Aguilar Rojas, J. (2016). Urban naturalization for green spaces in the city of Edmonton, Alberta. https://doi.org/10.7939/R3JW86S70
- Aguirre Monroy, A. M. (2022). Impact of farming practices on soil bacterial community composition, diversity, and interactions in the main agricultural regions of Alberta. https://doi.org/10.7939/r3-fkk5-ar97
- Akande, O. J. (2019). Soil CO2 efflux in response to forest disturbances and its spatial variation in a boreal mixedwood forest. <u>https://doi.org/10.7939/r3-v8dn-8b10</u>
- Alam, H. M. A. (2016). *Predicting duff moisture in a boreal forest ecosystem at various retention levels*. <u>https://doi.org/10.7939/R3XW4818B</u>
- Amini, S. (2013). Restoring native grassland function in urban environment: Implications for soil-plant relations. <u>https://doi.org/10.7939/R3C24QZ6M</u>
- Amos, J. J. H. (2019). Habitat use in undisturbed forest and the effect of variable retention harvesting on pollinator assemblages (Apoidea, Syrphidae) in the boreal forest of Alberta. <u>https://doi.org/10.7939/r3-13wp-fw63</u>
- Amponsah, I. G. (2004). Factors contributing to variation in Lodgepole Pine (Pinus contorta) response to fertilization. <u>https://doi.org/10.7939/r3-vqsn-k820</u>
- An, Z. (2021). Soil organic carbon stability, storage and response to heat wave events in agroforestry systems in central Alberta, Canada. <u>https://doi.org/10.7939/r3-fb4h-2752</u>
- Antill, T. (2010). Biology and control of Russian thistle (Salsola tragus L.) in bighorn sheep (Ovis canadensis Shaw) winter ranges in montane grasslands of Jasper National Park, Alberta, Canada. <u>https://doi.org/10.7939/R3JS7D</u>

- Apostol, K. G. (2003). Salinity interactions with boron, root hypoxia and naphthenic acids in jack pine (Pinus banksiana Lamb.) seedlings. <u>https://doi.org/10.7939/r3-gtbs-6d20</u>
- Arai, Y. (2007). Impacts of resource development on traditional land use and traditional ecological knowledge of the Alexis Nakota Sioux Nation. <u>https://doi.org/10.7939/r3-2sp8-8q73</u>
- Araya Olguin, R. J. (2021). *Moisture transport and changes in mechanical properties in oriented strand board: Experimental and modeling*. <u>https://doi.org/10.7939/r3-0p9f-b097</u>
- Archibald, H. A. (2014). Early ecosystem genesis using LFH and peat cover soils In Athabasca oil sands reclamation. <u>https://doi.org/10.7939/R3HM47</u>
- Arevalo, C. B. M. (2010). Carbon dynamics associated with different land uses in north central Alberta. <u>https://doi.org/10.7939/R36Q7M</u>
- Arkell, N. P. (2012). Accelerated dewatering of oil sands tailings by microbially induced chemical changes. <u>https://doi.org/10.7939/R38S55</u>
- Armstrong, G. W. (1999). *Three papers on the natural disturbance model of forest management*. https://doi.org/10.7939/R32F7JX29
- Arregoces, J. (2012). Climate change, adaptive capacity and new land innovations implemented by local farmers and indigenous people in Puerto Carreno, Colombia.

https://doi.org/10.7939/R3WW2N

- Arthur, R. L. (2003). *Plant-herbivore dynamics: Wapiti on alfalfa pastures*. https://doi.org/10.7939/r3-nmz8-v269
- Asante, P. (2011). *Carbon sequestration and the optimal economic harvest decision*.

https://doi.org/10.7939/R3QG7V

- Astridge, K. (1996). *The relationships between microhabitat variation and the performance of picea mariana and larix laricina seedlings in a rich fen.* <u>https://doi.org/10.7939/R3DR2PJ87</u>
- Attaeian, B. (2010). *Biogeochemical cycling and microbial communities in native grasslands: Responses to climate change and defoliation*. <u>https://doi.org/10.7939/R3QQ8N</u>

Ayton, K. L. (2012). Field physiology and growth of select poplar clones.

https://doi.org/10.7939/R3XP4N

Baah-Acheamfour, M. (2016). Soil organic carbon content and stability, and greenhouse gas emissions in three agroforestry systems in central Alberta, Canada.

https://doi.org/10.7939/R3VD6PG0K

- Babak, P. (2007). Continuous probabilistic analysis of neutral macroecological models for species abundance dynamics. https://doi.org/10.7939/r3-dtvy-hw22
- Bachmann, S. (2014). Forest floor protection during drilling pad construction and its benefits for natural regeneration of native boreal forest vegetation. <u>https://doi.org/10.7939/R3769H</u>
- Bailey, D. L. H. (2001). Properties of soil profiles over sodic mine spoil 16 years after construction. https://doi.org/10.7939/R30G3H91J
- Bailey, V. L. (1999). *Transformations of carbon in hydrocarbon-contaminated soils*. <u>https://doi.org/10.7939/R36M33C26</u>
- Bakker, N. A. K. (2014). Natural regeneration in the boreal forest: Seedling establishment and success in western North American and European boreal forests.

https://doi.org/10.7939/R3GH9BJ1K

Banks, T. R. (1999). *Effects of land use changes on trumpeter swan (Cygnus buccinator) use of lakes in the Grande Prairie Region of Alberta*. <u>https://doi.org/10.7939/R3FB4WW1R</u>

Banting, A. (2018). Impacts of a novel predator on aquatic invertebrates in fishless lakes: Implications for conservation translocations. https://doi.org/10.7939/R3D795856

- Barber, Q. E. (2015). Assessing the vulnerability of rare plants using climate change velocity, habitat connectivity and dispersal ability. <u>https://doi.org/10.7939/R30C4SQ7G</u>
- Barkway, M. P. (2007). Forest harvesting effects on Benthic macroinvertebrate abundance in the boreal foothills of Alberta. https://doi.org/10.7939/r3-kbeq-7640

- Barnes, D. (2017). Fuel moisture changes from sprinkler-watering treatments in interior Alaska boreal forests. <u>https://doi.org/10.7939/R3QR4P322</u>
- Barnes, W. A. (2016). Nutrient distribution in sandy soils along a forest productivity gradient in the *Athabasca Oil Sands Region, Alberta, Canada*. <u>https://doi.org/10.7939/R3KK94P5F</u>
- Baumgardner, C. A. (2005). *Quantity and quality of runoff water from freshly manured agricultural soils*. <u>https://doi.org/10.7939/r3-yscq-xz81</u>
- Beasse, M. L. (2012). *Microbial communities in organic substrates used for oil sands reclamation and their link to boreal seedling growth*. <u>https://doi.org/10.7939/R3V65K</u>
- Beaubien, E. G. (2013). Spring flowering trends in Alberta, Canada: Response to climate change, urban heat island effects, and an evaluation of a citizen science network. https://doi.org/10.7939/R3D88C
- Beck, J. L. (2019). Changes in soil fungal communities following logging and salvage logging disturbances decrease lodgepole pine (Pinus contorta var. Latifolia) seedling performance. <u>https://doi.org/10.7939/r3-jktg-qc21</u>
- Belanger, R. J. (2018). Evaluating trade-offs: The effects of foraging, biting flies, and footing on wood bison (Bison bison athabascae) habitat use. <u>https://doi.org/10.7939/R33B5WP8Q</u>
- Bell, A. J. (2015). The biogeography of ground beetles (Coleoptera: Carabidae) on the islands of Lac la Ronge, Saskatchewan, Canada. <u>https://doi.org/10.7939/R3RN30K3F</u>
- Bennett, B. C. (2002). *Redox control on arsenic and molybdenum in an acid sulfate soil from west central Alberta*. https://doi.org/10.7939/R30R9MG2J
- Bergeron, C. (2012). Fire history, landscape biodiversity and indicators for sustainable management of the boreal mixedwood forest. <u>https://doi.org/10.7939/R3KT25</u>
- Bertschi, A. (2000). *The growth response of Assiniboine poplar and Harrington barley to wood ash additions*. <u>https://doi.org/10.7939/R3J960F01</u>

- Bjelanovic, I. (2016). Predicting forest productivity using Wet Areas Mapping and other remote sensed environmental data. https://doi.org/10.7939/R3HQ3S88V
- Bladon, K. D. (2006). *Stress and mortality of four boreal tree species following variable retention harvesting*. <u>https://doi.org/10.7939/r3-nc24-q655</u>
- Blanchet, G. (2012). Analytical developments in the use of resemblance measures in community ecology and applications to boreal forest Carabidae. https://doi.org/10.7939/R3VP75
- Blouin, K. D. (2014). *Lightning prediction models for the province of Alberta, Canada*. https://doi.org/10.7939/R39C6S84R
- Bockstette, J. (2018). *The role of soil reconstruction and soil amendments in forest reclamation*. https://doi.org/10.7939/R31J97Q3V
- Bockstette, S. W. (2018). *Roots in reconstructed soils—How land reclamation practices affect the development of tree root systems*. <u>https://doi.org/10.7939/R3W08WX76</u>
- Bodeux, B. B. (2012). Impacts of aggregated retention harvesting on the diversity patterns of nocturnal moth species assemblages in the mixedwood boreal forest of northwestern Alberta. <u>https://doi.org/10.7939/R3F34F</u>
- Bonar, R. L. (2001). *Pileated woodpecker habitat ecology in the Alberta Foothills*. https://doi.org/10.7939/r3-g9w6-yy27
- Bony, L. (2020). Salt affected soils and their relationships with plant communities on reclamation well sites. <u>https://doi.org/10.7939/r3-e0bs-pf98</u>
- Bottorff, Q. W. (2001). Fire skips and understory plant diversity in an upper foothills-subalpine forest in northwestern Alberta. <u>https://doi.org/10.7939/R34B2X87F</u>
- Bourassa, S. (2006). *Response of carabid assemblages to genetically modified herbicide-tolerant corn and to some sustainable farming practices*. <u>https://doi.org/10.7939/r3-ct3c-d746</u>
- Boyce, S. S. D. (2023). Political governance, socioeconomics, and weather influence greenhouse gas emissions across subnational jurisdictions in Canada. <u>https://doi.org/10.7939/r3-h9v2-0k48</u>

- Brabender, B. (2005). *Scaling leaf area index and rainfall interception in lodgepole pine*. https://doi.org/10.7939/r3-zm9m-nf56
- Bradshaw, D. L. (2004). Soil water regime and surface runoff patterns of pastures under managed intensive grazing in central Alberta. <u>https://doi.org/10.7939/r3-v9e7-nv39</u>
- Braid, A. C. R. (2015). Mitigating the effects of human activity on grizzly bears (Ursus arctos) in southwestern Alberta. <u>https://doi.org/10.7939/R3ZD0P</u>
- Brandt, J. P. (2004). Biology of the dwarf mistletoe, Arceuthobium americanum Nutt. Ex Engelm., on jack pine (Pinus banksiana Lamb.) in Alberta, Canada. https://doi.org/10.7939/r3-7zbk-x522
- Bresnahan, C. I. (2007). John Muir in Canada: Canadian influences on the formation of Ecosophy "M" in Upper Canada (1864-1866) and northwestern British Columbia (1879).

https://doi.org/10.7939/r3-0q5e-t040

- Brocious, C. A. (2015). *Linking leaf hydraulics with anatomy in Populus genotypes*. <u>https://doi.org/10.7939/R3PG1HW7H</u>
- Brost, P. (2002). *Redistribution of arsenic and iron in an acid sulphate soil, Alberta, Canada*. https://doi.org/10.7939/R3KH0F74R
- Brown, A. (2020). *Cutin and suberin in mixed-wood boreal forest plants and their use as markers for origin of soil organic matter*. <u>https://doi.org/10.7939/r3-v7pa-7m37</u>
- Brown, D. J. (1997). Smooth brome (Bromus inermis Leyss.) in Foothills fescue grassland: The effects of cattle, sheep, mowing, glyphosate and fire. <u>https://doi.org/10.7939/R3Z892P0H</u>
- Brown, N. (2020). Biodegradation of hydrocarbons in bitumen: Exploring plant-assisted and microbial stimulation techniques. <u>https://doi.org/10.7939/r3-1y01-0469</u>
- Brown, R. L. (2010). Use of woody debris as an amendment for reclamation after oil sands mining. https://doi.org/10.7939/R3DW29
- Bullock, M. S. (2001). Overwinter processes and wind erodibility of clay loam soils in southern Alberta. https://doi.org/10.7939/r3-gb2b-jd47

- Burd, K. (2017). Influence of wildfire and permafrost thaw on dissolved organic carbon (DOC) in northern peatlands; implications for lability and downstream transport. https://doi.org/10.7939/R3FB4X10G
- Burk, A. R. (1997). *The influence of agricultural land management on antecedent soil water and runoff generation*. <u>https://doi.org/10.7939/R3H98ZP06</u>

Bush, C. D. (1998). Native seed mixes for diverse plant communities.

https://doi.org/10.7939/R3GM81W6D

- Buss, J. (2020). Impacts of soil stockpiling on seed bank communities and the availability of nutrients. https://doi.org/10.7939/r3-taey-k354
- Cabanayan, J. C. (1998). Monitoring forest activities using JERS-1 spaceborne SAR in the province of Aurora, Philippines: Relationship between forest density and RADAR backscatter. <u>https://doi.org/10.7939/R3SJ19W08</u>
- Cai, X. (2017). Improved forest fire danger rating using regression kriging with the canadian precipitation analysis (CaPA) system in Alberta. <u>https://doi.org/10.7939/R3PR7N61B</u>
- Calvo Polanco, M. M. (2008). *Physiological responses of mycorrhizal tree seedlings to NaCl and* other soil factors. <u>https://doi.org/10.7939/r3-g74j-x113</u>
- Cameron, H. (2020). *Predicting fuel characteristics of black spruce stands using airborne laser scanning (ALS) in the province of Alberta, Canada*. <u>https://doi.org/10.7939/r3-zc8y-e407</u>
- Campbell, D. B. (2004). The effect of container type and ectomycorrhizal fungal inoculation on Pinus contorta va.latifolia plantation establishment: Degraded forest soils and planting methods. <u>https://doi.org/10.7939/r3-1158-xc23</u>
- Campos Ruiz, R. T. (2023). *Bottom-up controls of flammability in the Canadian boreal forest at multiple temporal and spatial scales*. <u>https://doi.org/10.7939/r3-6gav-fv20</u>
- Caners, R. T. (2010). Conservation and ecology of bryophytes in partially harvested boreal mixed-wood forests of west-central Canada. https://doi.org/10.7939/R3106F

- Carcamo, A. A. (1997). *Carbon cycling in two long-term cropping systems on a gray luvisol at Breton, Alberta*. <u>https://doi.org/10.7939/R3M03Z50D</u>
- Card, S. M. (2010). *Microbial and organic matter characteristics of restored riparian soils*. https://doi.org/10.7939/R3W066
- Carlson, M. (2001). *Cost-effective sampling design for large-scale avian monitoring*. https://doi.org/10.7939/R3S17T435
- Carpenter, T. M. S. (2020). *Effects of energy development on habitat use of an avian peatland specialist and generalist at multiple spatial scales*. <u>https://doi.org/10.7939/r3-hfxd-dr10</u>
- Cartier, S. B. (2010). Early stages of calcareous soil reclamation along the TMX-Anchor Loop pipeline in Jasper National Park. https://doi.org/10.7939/R3JQ36
- Casmey, M. (2022). Adaptation of white spruce to climatic risk environments in spring: Implications for management under climate change. <u>https://doi.org/10.7939/r3-5ey2-5m50</u>
- Castellanos Acuna, D. (2019). Climate data and climate-based seed zones for Mexico: Guiding reforestation under observed and projected climate change.

https://doi.org/10.7939/r3-q2dh-dt23

- Castillo Ayala, C. I. (2016). *Conservation planning for non-human primates in Colombia (South America)*. <u>https://doi.org/10.7939/R3ZW1935C</u>
- Castro, K. L. (1998). Germination studies on two tropical tree species, Alnus acuminata ssp. Arguta (Schlechtendal) Furlow and Pithecellobium saman (Jacq.) beth. https://doi.org/10.7939/R33J3993N

- Chai, L. L. (2018). Nitrous oxide emissions in southern Alberta croplands in response to nitrogen rates, fertigation and moisture. <u>https://doi.org/10.7939/R3154F42J</u>
- Chapman, R. J. (1999). An analysis of memorable wildlife encounters in Elk Island National Park. https://doi.org/10.7939/R3GH9BF8M

- Charrois, J. W. A. (1998). *Biological and chemical assessment of three weathered creosote contaminated soils: An ecotoxicological approach*. <u>https://doi.org/10.7939/R3RF5KQ7W</u>
- Chavez Varela, V. (2010). Patterns and causes of variation in understory plant diversity and composition in mature boreal mixedwood forest stands of western Canada. https://doi.org/10.7939/R34X3J
- Chechina, M. (2015). *Sustainable management of dipterocarp forests in the Philippines*. https://doi.org/10.7939/R32N4ZP60
- Chen, J. (2011). *Genetic mapping and physiological characterization of water-use efficiency in barley (Hordeum vulgare L.) on the Canadian Prairies*. <u>https://doi.org/10.7939/R33T2T</u>
- Chen, N. (2022). Trace elements associated with the coarse and fine aerosol fractions in Sphagnum moss within the Athabasca bituminous sands region. <u>https://doi.org/10.7939/r3-r9k7-2n08</u>
- Chen, Y. (2013). *Retrieving surface peat moisture in an Albertan bog with Radarsat-2*. https://doi.org/10.7939/R3J398
- Chen, Y. (2017). *Amphibian distributions and extinction risk in China under climate and land use change*. <u>https://doi.org/10.7939/R34F1MZ1F</u>
- Chen, Y. (2021). *Detection of biofilm forming microbes using electrochemical methods*. https://doi.org/10.7939/r3-471c-ev76
- Chhin, S. (2008). *Growth-climate relationships of lodgepole pine in Alberta*. https://doi.org/10.7939/r3-h287-dc21
- Christensen, A. F. (2013). Influence of soil capping depth on water dynamics in phosphogypsum stack reclamation. <u>https://doi.org/10.7939/R3MK65H49</u>
- Cicon, E. (2019). Surrogacy and umbrella relationships of grizzly bears and songbirds is scale dependent. <u>https://doi.org/10.7939/r3-g4zh-8k60</u>
- Cigan, P. W. (2014). *Mountain pine beetle outbreak and ectomycorrhizal feedback: The ecology of recovery in beetle killed forests*. <u>https://doi.org/10.7939/R3704J</u>

- Cirelli, D. (2014). Whole-plant transpiration in Populus sp.: Its determination, nocturnal effects and influence by form of nitrogen. https://doi.org/10.7939/R3SO8QQ5S
- Clare, S. L. (2013). Wetland loss in Alberta: Identifying successes, barriers, and unintended outcomes of public policy. https://doi.org/10.7939/R3MH0M
- Clason, A. (2010). Overstory and understory dynamics of whitebark pine (Pinus albicaulis) ecosystems of northwestern British Columbia. <u>https://doi.org/10.7939/R31Q0D</u>
- Close, E. B. (2007). Forest productivity in naturally saline landscapes of Alberta's boreal forest. https://doi.org/10.7939/r3-rdnk-5203
- Cobb, T. P. (2007). Boreal mixed-wood beetles and the cumulative ecological consequences of disturbance. <u>https://doi.org/10.7939/r3-98pf-d525</u>
- Cobban, H. C. (1997). Development and characterization of microsatellite DNA markers in Picea glauca (Moench) Voss. (White spruce). <u>https://doi.org/10.7939/R3FQ9Q927</u>
- Cody, M. J. (1999). Cycling nitrogen for productivity in agroforestry: Nitrogren, lignin and polyphenol controls on mineralization. <u>https://doi.org/10.7939/R3WM13Z28</u>
- Cohen-Fernández, A. C. (2012). *Reclamation of a limestone quarry to a natural plant community*. https://doi.org/10.7939/R3WS4C
- Colgan, L. J. (2010). *Induced monoterpene responses in jack pine: Defence against jack pine budworm and a fungal associate of the mountain pine beetle*. <u>https://doi.org/10.7939/R36M2P</u>
- Collins, C. (2020). Methane production and emission mitigation in oil sands tailings concurrent with hydrocarbon degradation under nitrogen limited conditions.

https://doi.org/10.7939/r3-vghw-tn03

- Collins, C. E. V. (2013). *Methane production in oil sands tailings under nitrogen-depleted conditions*. <u>https://doi.org/10.7939/R36Q1SR4N</u>
- Conrod, M. (2011). *A simulation/optimization system for modelling timber and old forest under stochastic fire disturbance*. <u>https://doi.org/10.7939/R39Q7J</u>

- Coogan, S. C. P. (2012). Getting to the root of the matter: Grizzly bears and alpine sweetvetch in west-central Alberta, Canada. https://doi.org/10.7939/R38K53
- Cooper, J. (2021). An exploration of aboveground and belowground interactions that shape forest dynamics. <u>https://doi.org/10.7939/r3-6c9e-hf48</u>
- Cooper, N. J. (2004). Vegetation community development of reclaimed oil sands wetlands. https://doi.org/10.7939/r3-7wh6-2651
- Cornelius, J. P. (2003). The effect of forest fragmentation on genetic diversity, mating systems, and effective population sizes of forest trees in Guanacaste, Costa Rica. https://doi.org/10.7939/r3-v7ft-se13

Corrigan, A. (2017). Assessing the short-term impacts on sediment production following rapid harvest and stream crossing decommissioning in Rocky Mountain headwaters. https://doi.org/10.7939/R33F4M25J

- Cortini, F. (2007). Competition effects on growth of five conifer species in southwestern British Columbia and northern Alberta. <u>https://doi.org/10.7939/r3-2mpn-d265</u>
- Cortini, F. (2011). Growth and yield implications of site preparation, competition control, and climate in the western boreal forest. <u>https://doi.org/10.7939/R3P125</u>

Craig, A. (2008). The effects of variable retention harvesting on understory vegetation in the mixedwood boreal forest in northwestern Alberta. https://doi.org/10.7939/r3-8vy0-wm84

- Crisfield, V. (2010). *The impact of recreational activities on an alpine vascular plant community in the Canadian Rockies*. https://doi.org/10.7939/R3Q61T
- Critchley, M. D. (2014). *Examination of wet meadow creation as a restoration option for extracted* peatland sites in Alberta. <u>https://doi.org/10.7939/R3D50G570</u>
- Cuthbertson, L. M. (2005). The ecology of Armillaria sinapina in mixedwood forests of north-western Alberta, Canada. <u>https://doi.org/10.7939/r3-1y8x-cc27</u>

- Daly, E. (2021). *Mapping a species-level trophic and non-trophic multilayer network of known interactions for boreal tetrapods of North America*. <u>https://doi.org/10.7939/r3-8q40-ba26</u>
- Daly, E. (2023). Assessment of perennial cereals in Central Alberta: Environmental performance and productivity. <u>https://doi.org/10.7939/r3-f7j2-9525</u>
- Das Gupta, S. (2015). Spatial variability in disturbed boreal ecosystems: Aboveground and belowground controls. https://doi.org/10.7939/R3M32NN32
- Dawe, D. A. (2019). Post-fire regeneration of endangered limber pine (Pinus flexilis) at the northern extent of its range. <u>https://doi.org/10.7939/r3-shgn-k818</u>
- Dawson, A. E. (2013). *Models for forest growth and mortality: Linking demography to competition and climate*. <u>https://doi.org/10.7939/R3CR5NP9X</u>
- de Zeeuw, T. (2020). *The role of microtopographic variation in forest reclamation*. <u>https://doi.org/10.7939/r3-1qct-0p37</u>
- Deane, D. C. (2020). Species diversity in discrete habitat networks. https://doi.org/10.7939/r3-5f5w-cs88
- deBortoli, L. A. (2018). An investigation of potential weed management practices and multivariate assessment parameters for Alberta's oil sands reclamation efforts. <u>https://doi.org/10.7939/R3RX93V39</u>
- Del Bel Belluz, V. (2019). Effects of clear-cutting and wildfires on succession of ground beetle (Coleoptera: Carabidae) assemblages in western Alberta. https://doi.org/10.7939/r3-bg4d-i914
- Dennett, J. M. (2018). Search and rescue: Detection and mitigation of rare vascular plant species. https://doi.org/10.7939/R3RF5KX5M
- Denny, C. K. (2016). Spatial heterogeneity of buffaloberry (Shepherdia canadensis) in relation to forest canopy patterns and its importance for grizzly bear (Ursus arctos) resource selection. <u>https://doi.org/10.7939/R37S7J350</u>

- DesRochers, A. (2000). Aspen (Populus tremuloides Michx.) clonal root dynamics and respiration. https://doi.org/10.7939/r3-71ks-1f61
- Desserud, P. A. (2011). *Rough fescue (Festuca hallii) ecology and restoration in central Alberta*. https://doi.org/10.7939/R38X45
- Dewart, L. (2023). Window of opportunity: Examining gray wolf (Canis lupus) diets and seasonal patterns of predation on wood bison (Bison bison athabascae). <u>https://doi.org/10.7939/r3-bbx3-cr16</u>
- Dias de Andrade Silva, R. (2019). Restoration of degraded trail crossings in wet and riparian areas using balsam poplar cuttings, Blue Rapids Provincial Recreation Area, Alberta. <u>https://doi.org/10.7939/r3-rdm5-5m29</u>
- Dias de Andrade Silva, R. (2024). *Genetic variability and drought responses of young and mature aspen in Alberta*. <u>https://doi.org/10.7939/r3-1289-ke86</u>
- Diaz Aguilar, I. (2013). Structure, composition and trophic ecology of forest floor predatory mites (Mesostigmata) from the boreal mixedwood forest of northwestern Alberta. https://doi.org/10.7939/R3X99R
- Dietrich, S. T. (2018). *Characterization of soil spatial heterogeneity and improvement of capping materials for oil sands Mine Reclamation*. <u>https://doi.org/10.7939/R38912670</u>
- Ding, C. (2015). Ecological and quantitative genetics of Populus tremuloides in western Canada. https://doi.org/10.7939/R3PC2TH5P
- Docherty, C. H. (2016). *Establishment, spread and impact of Prussian Carp (Carassius gibelio), a new invasive species in Western North America*. <u>https://doi.org/10.7939/R3NG4H085</u>
- Domahidi, Z. (2018). *Distribution and breeding ecology of boreal and northern saw-whet owls in the Boreal forests of Alberta, Canada*. <u>https://doi.org/10.7939/R3057D748</u>

- Donadt, C. (2020). Trace element concentrations in riverine fish: Relationships with body size, food web dynamics and trace element concentrations in surface water. https://doi.org/10.7939/r3-qeve-yf32
- Donkor, N. T. (2001). Impacts of ungulates on rangeland dynamics in aspen-boreal ecosystems of Alberta. https://doi.org/10.7939/r3-1253-yt95
- Donner, M. (2019). Natural and anthropogenic inputs of arsenic and selenium to the environment in the Athabasca bituminous sands region. https://doi.org/10.7939/r3-g6x7-cf97
- Dowey, U. (1998). *Co-contaminant removal of mercury and hydrocarbons from soil using oxidative free radical reactions*. <u>https://doi.org/10.7939/r3-faqr-4c46</u>
- Dragon, J. I. D. (2002). *Commercial use of caribou (Rangifer tarandus) in the Canadian Arctic*. https://doi.org/10.7939/r3-wqq7-2059
- Drummond Salvador, L. F. (2018). *Fire and whitebark pine recovery strategies: Drivers of post-fire natural regeneration*. <u>https://doi.org/10.7939/R3NG4H76B</u>
- Duan, M. (2015). Nitrogen availability and salinity as limiting factors for lodgepole pine (Pinus contorta) and white spruce (Picea glauca) growth on reclaimed sites in the Athabasca oil sands region in Alberta, Canada. <u>https://doi.org/10.7939/R3P083</u>
- Ducholke, C. J. (2023). Modelling beneficial management practices in agriculture in Western Canada to observe impacts on greenhouse gas emissions and environmental sustainability. https://doi.org/10.7939/r3-q6ap-5x29
- Dugdug, A. A. S. (2018). Biochar for saline-sodic soil reclamation, phosphorus retention, and crop growth improvement. <u>https://doi.org/10.7939/R3FQ9QM5Q</u>

Duxbury, J. M. (1998). An application of stable isotope ecology to the study of raptor diets. https://doi.org/10.7939/R3GX44Z83

- Duxbury, J. M. (2004). Stable isotope analysis and the investigation of the migrations and dispersal of peregrine falcons (Falco peregrinus) and burrowing owls (Athene cunicularia hypugaea). https://doi.org/10.7939/r3-tw4d-6a67
- Dyck, M. F. (2008). *Physics of water flow and solute transport across a soil horizon interface*. https://doi.org/10.7939/r3-5r5a-ah51
- Echiverri, L. F. I. (2017). *Identifying understory diversity and resilience patterns with the depth-to-water index in boreal mixedwood forests*. https://doi.org/10.7939/R3FX74B9B
- Echiverri, L. F. I. (2021). *Edge influence from linear disturbances and recovery of understory communities in boreal forests*. <u>https://doi.org/10.7939/r3-wdp1-d198</u>
- Edgar, M. R. (2023). The introduction of Cipangopaludina chinensis and trophic effects of sympatric freshwater invaders in southern Alberta seservoirs. <u>https://doi.org/10.7939/r3-dbby-e964</u>
- Elliott, K. G. (2023). Enhanced prediction of extreme fire weather conditions in spring using the *Hot-Dry-Windy Index in Alberta, Canada*. https://doi.org/10.7939/r3-dcge-d024
- El-Sawaf, A. (1997). *Monitoring changes in field geometry using LANDSAT digital data*. https://doi.org/10.7939/R38S4JZ3D
- Englefield, P. C. G. (1995). *Rate of permafrost degradation in peatlands*. https://doi.org/10.7939/R3833N81F
- Erickson Harmon, D. S. C. (1998). A study of soil-landscape patterns based upon a digital elevation model. <u>https://doi.org/10.7939/R3QB9VD1F</u>
- Esch, E. D. (2012). Interactions between the mountain pine beetle (Dendroctonus ponderosae Hopkins) and whitebark pine (Pinus albicaulis Engelmann). <u>https://doi.org/10.7939/R3Q98H</u>
- Fadaei, S. (2019). Effects of ericoid mycorrhizal fungi on growth and salt tolerance of blueberry (Vaccinium myrtilloides), lingonberry (Vaccinium vitis-idaea), and Labrador tea (Rhododendron groenlandicum): Implications for oil sands reclamation. https://doi.org/10.7939/r3-t4cm-2t36

- Fair, J. M. (2011). *The potential of forest floor transfer for the reclamation of boreal forest understory plant communities*. <u>https://doi.org/10.7939/R3531T</u>
- Fang, C. (2018). *Effects of red alder density on growth of Douglas-fir and Western redcedar*. https://doi.org/10.7939/R3FT8F14Z
- Fath, K. J. (2022). Road erosion, sediment delivery, and consequence in the Simonette watershed west-central Alberta. https://doi.org/10.7939/r3-4c8r-a922
- Fazekas, A. J. (2003). Population structure, diversity and gene flow in Pinus contorta Dougl. From RAPD markers and sequencing data. <u>https://doi.org/10.7939/r3-ppbc-2329</u>
- Fellrath, E. G. (2019). Soil fungi after pine beetle outbreak: Diagnosis of fungal community composition and treatment of outplanted seedlings with tailored soil inoculum. https://doi.org/10.7939/r3-aj1w-w327
- Feng, Z. (2004). *The effects of salvage logging on timber supply and wildlife habitat*. <u>https://doi.org/10.7939/r3-0z5e-xx06</u>

Fermaniuk, C. (2023). The seasonality of non-structural carbohydrates in mature boreal Betula papyrifera and potential constraints in their remobilization.

https://doi.org/10.7939/r3-0f4n-3j83

- Ferster, F. G. (2012). *Effects of the endophyte Piriformospora indica on growth, physiology and water relations of tobacco (Nicotiana tobacum)*. <u>https://doi.org/10.7939/R3368W</u>
- Ficko, S. A. (2022). Development of shrub and lichen-dominated biocrust propagation and establishment techniques for reclamation in northern environments.

https://doi.org/10.7939/r3-v3xt-ta78

Filicetti, A. T. (2021). Fire and tree recovery on seismic lines. https://doi.org/10.7939/r3-q29b-hs10

Fink, K. A. (2014). Landscape- and micro-scale habitat selection by greater short-horned lizards. https://doi.org/10.7939/R3VM2K

- Fish, H. (2005). Crown shyness and leaf area index in lodgepole pine stands of varying stand height, relative density and site index. https://doi.org/10.7939/r3-1yts-jb07
- Fisher, C. (1999). Communication and interpretative visitor services in protected areas of Northern Thailand: An evaluation and assessment. <u>https://doi.org/10.7939/R3P55DM73</u>
- Fisher, M. S. (1997). An examination of attitudes toward conservation and private stewardship practices on farms in central Alberta. https://doi.org/10.7939/R3OR4NZ2V

Fitzgerald, D. A. (1999). Rural groundwater quality in Alberta. https://doi.org/10.7939/R3319SB9W

- Fitzpatrick, J. (2023). Patterns of stream temperature and the influence of groundwater in northern Rocky Mountain watersheds. <u>https://doi.org/10.7939/r3-wrsn-n325</u>
- Fleming, T. M. (2016). *Water-level change in boreal lakes as an indicator of area burned and number of ignitions in the Canadian prairie provinces*. <u>https://doi.org/10.7939/R3959CG6H</u>
- Fleming, W. D. (2001). Effects of pipeline rights-of-way on forest birds in the boreal forest of Alberta. https://doi.org/10.7939/R3959CK2X
- Fletcher, C. F. (1999). Spatial variability of weeds, soils and crops in fields of the South Peace River region, Alberta. https://doi.org/10.7939/R3M03Z639
- Fleurial, K. G. (2024). *Physiological tolerance mechanisms of boreal forest tree species to climatic and anthropogenic stress factors*. <u>https://doi.org/10.7939/r3-pmf2-rw05</u>
- Fluker, M. G. (1998). Growth response of select native and introduced plant species to soil nutrient levels and interspecific competition. https://doi.org/10.7939/R3TH8BR8C
- Flynn, N. J. (2006). Spatial associations of beaver ponds and culverts in boreal headwater streams. https://doi.org/10.7939/r3-tgfm-9x77
- Forsch, K. B. C. (2014). Oil sands reclamation with woody debris using LFH mineral soil mix and peat mineral soil mix cover soils: Impacts on select soil and vegetation properties. <u>https://doi.org/10.7939/R39G5GM3P</u>

- Franke, K. A. (2004). Analysis of space-time-action systems in woodland caribou (Rangifer tarandus) using hidden Markov models. <u>https://doi.org/10.7939/r3-rw0p-je30</u>
- Franklin, C. M. A. (2018). *Effectiveness of retention harvesting for biodiversity conservation: Evidence for understory vegetation and wildlife*. https://doi.org/10.7939/R3QZ22Z3M
- Franklin, J. (2023). *Exploring how soil fungi can be used to restore native trees on reclaimed substrates containing petroleum hydrocarbons*. <u>https://doi.org/10.7939/r3-f9cc-3a61</u>
- Franklin, J. A. (2002). *The effects of sodium chloride, sodium sulfate, and consolidated tailings* water on jack pine (pinus banksiana Lamb.) seedlings. <u>https://doi.org/10.7939/r3-th55-0087</u>
- Fraser, E. C. (2002). The effects of soil nutrition, temperature, mechanical site preparation and wildfire on trembling aspen (Populus tremuloides Michx) root suckering.

https://doi.org/10.7939/R3R49GJ4C

- Fraser, E. C. (2006). *The prevalence and ecological significance of root grafting in lodgepole pine*. https://doi.org/10.7939/r3-spxa-td76
- Frederick, K. R. (2011). Productivity and carbon accumulation potential of transferred biofilms in reclaimed oil sands-affected wetlands. <u>https://doi.org/10.7939/R3SW67</u>
- Frei, R. J. (2023). Consequences of peatland disturbance for dissolved organic matter and nutrient transport and fate in northern catchments. https://doi.org/10.7939/r3-wy23-r730
- Frerichs, L. A. (2017). Decadal assessment of successional development on reclaimed upland boreal well sites. <u>https://doi.org/10.7939/R3KD1QZ0W</u>

Gainer, A. E. (2012). Quantification of deep drainage flux and drainage water quality characterization below the root zone of a short rotation coppice of willow and poplar receiving municipal treated wastewater irrigation in the lower foothills natural subregion of Alberta. <u>https://doi.org/10.7939/R3466F</u>

Galvez Alcaraz, D. A. (2012). Ecophysiology and carbon allocation of aspen and balsam poplar seedlings in response to drought. <u>https://doi.org/10.7939/R3HD11</u>

Gardner, W. C. (2004). Copper mine tailings reclamation with biosolids.

https://doi.org/10.7939/r3-abvq-th92

- Gariepy, E. R. (2020). *Phytoremediation of vanadium and nickel from wastewater using Acorus calamus*. <u>https://doi.org/10.7939/r3-0e26-jt86</u>
- Gaster, J. (2015). The role of nutrient and carbon reserve status of aspen seedlings in root-soil interactions. <u>https://doi.org/10.7939/R34X54T4N</u>
- Gedir, J. V. (1999). Foraging behaviour and intake in wapiti hinds (Cervus elaphus canadensis). https://doi.org/10.7939/R3BR8MN30
- Gelderman, M. S. (2015). *The regeneration niche of whitebark pine: Key to restoring a species*. https://doi.org/10.7939/R30K26H2N
- Gelhorn, L. A. (2004). Decapitation of trembling aspen (Populus tremuloides) to simulate aspen shoot blight (Pollaccia americana). https://doi.org/10.7939/r3-8xqq-r462
- Gendreau-Berthiaume, B. (2015). Spatial and temporal stand dynamics of mature lodgepole pine forests of the Canadian Rocky Mountains. <u>https://doi.org/10.7939/R33J39639</u>
- Genoway, P. T. (1999). Suckering potential of declining aspen and mixedwood stands in west-central Saskatchewan. <u>https://doi.org/10.7939/R3445HH09</u>
- Gibson, C. M. (2017). Long term effects of wildfire on permafrost stability and carbon cycling in northern peatlands. <u>https://doi.org/10.7939/R3BG2HQ7J</u>
- Giweta, M. H. (2016). *Nitrogen and sulfur fertilization effects on carbon sequestration and* greenhouse gas emissions in S-deficient soils. <u>https://doi.org/10.7939/R32F7K014</u>
- Glasier, J. R. N. (2012). Community ecology of ants (Hymenoptera: Formicidae) in the central sand hills of Alberta, and a key to the ants of Alberta. https://doi.org/10.7939/R3M05B
- Goehing, J. (2015). Competition impacts on hybrid poplar and implications for alternative Eestablishment systems. <u>https://doi.org/10.7939/R3SX64J4B</u>

- Goeppel, A. E. (2014). Evaluating jack pine seedling characteristics in response to drought and outplanting. <u>https://doi.org/10.7939/R3OJ78490</u>
- Gomez, C. C. (1996). Reactions of dissolved chemicals extracted from manure or compost with soils and soil constituents. https://doi.org/10.7939/R3V40K40T
- Gonet, J. M. G. (2020). Influences on Recruitment of Northern Mountain Caribou (Rangifer tarandus caribou). <u>https://doi.org/10.7939/r3-h4kz-j903</u>
- Goodbrand, A. R. (2021). Mountain pine beetle and forest harvest effects on hydrologic processes and streamflow in the Alberta Foothills. https://doi.org/10.7939/r3-cp0y-cs89
- Goodsman, D. W. (2013). *Physiological, ecological and environmental factors that predispose trees, stands and landscapes to infestation by tree-killing Dendroctonus beetles.* https://doi.org/10.7939/R3G655
- Gould, A. J. (2007). A habitat-based approach to rare vascular plant conservation in the northern Rocky Mountains of Alberta. <u>https://doi.org/10.7939/r3-bm18-c417</u>
- Graham, E. E. (2012). The effects of underplanted white spruce on understory environment and vegetation in aspen-dominated stands of the western boreal forest.

https://doi.org/10.7939/R3VS5F

- Gray, L. (2011). Assisted migration to address climate change: Recommendations for reforestation in Western Canada. https://doi.org/10.7939/R35K89
- Gray, L. K. (2008). Spatial patterning of tree distributions and density dependent competition in a boreal forest of Alberta. https://doi.org/10.7939/r3-xt6n-2220

Greenacre, D. (2019). Effects of alternative forest harvesting strategies on snowpack dynamics and seasonal soil moisture storage in Alberta's mountain headwaters.

https://doi.org/10.7939/r3-z9rj-hp05

- Griffith, S. (2008). Characterization of leaf area index and understory vegetation development following pre-commercial thinning in boreal mixedwood forests. https://doi.org/10.7939/r3-gyd2-1033
- Gross, C. D. (2022). Agroforestry and biochar for climate change mitigation: Carbon storage, soil carbon cycling, and greenhouse gas emissions. <u>https://doi.org/10.7939/r3-0311-4e92</u>
- Gu, H. (2023). Adsorption of heavy metals by biochar: Experimental and literature analyses. https://doi.org/10.7939/r3-x06v-xg83
- Guenette, K. G. (2017). Soil dynamics driven by controlled traffic farming in the Canadian Prairies. https://doi.org/10.7939/R37H1F15T
- Guevara Rozo, S. G. (2018). *Characterizing the changes in host tree chemistry after cutting and revisiting the nutritional role of fungi in the novel mountain pine beetle host jack pine.* <u>https://doi.org/10.7939/R3N010892</u>
- Guo, H. (2024). *Methanogenic biodegradation of polycyclic aromatic hydrocarbons in oil sands tailings*. <u>https://doi.org/10.7939/r3-nxxd-jf08</u>
- Gupta, S. K. (2014). *Life cycle assessment of arsenic from poultry feed to agricultural crops*. <u>https://doi.org/10.7939/R3Q52FK77</u>
- Gylander, T. (2011). The potential of aspen clones and hybrids for enhanced forest management in Alberta. https://doi.org/10.7939/R3FT05

Hahn, A. S. (2012). Soil microbial communities in early ecosystems. https://doi.org/10.7939/R3008W

- Hall, J. (2023). Understanding the risk of unpaved roads on drinking water treatability by assessing sediment erosion across Canada. https://doi.org/10.7939/r3-56et-5q89
- Hamilton, W. K. (2020). *Streamflow is changing in rivers across Alberta: Assessing regional* variation in changing hydrologic indices. <u>https://doi.org/10.7939/r3-acvv-rh06</u>

- Hammermeister, A. M. (2001). *An ecological analysis of prairie rehabilitation on petroleum wellsites in southeast Alberta*. <u>https://doi.org/10.7939/r3-2x0e-0z40</u>
- Han, Y. (2023). Effects of enhanced non-segregated tailings, root hypoxia, and salinity on the growth of commonly used oil sands reclamation plant species and halophytes.

https://doi.org/10.7939/r3-9m3w-ct08

- Hankin, S. L. (2015). *Native tree seedling interactions with variations in edaphic properties in upland boreal forest restoration*. <u>https://doi.org/10.7939/R3CR5NK3P</u>
- Hannah, K. C. (2001). *Patterns in habitat quality for the White-throated sparrow (Zonotrichia albicollis) in a recently logged landscape*. <u>https://doi.org/10.7939/R3P55DR7W</u>
- Hannah, T. A. (2006). *Declines in the black-throated green warbler (Dendroica virens): From* pattern to process. <u>https://doi.org/10.7939/r3-fwzg-6f85</u>
- Hannam, K. D. (2006). The organic matter and microbial community composition of forest floors from boreal mixedwood stands in northern Alberta. <u>https://doi.org/10.7939/r3-zb1w-4x80</u>
- Harms, T. (2015). An assessment of intercropping and fertilization in Cassava—(Manihot esculenta) based systems in the Kolli Hills, South India. https://doi.org/10.7939/R3QX0P
- Harms, T. E. (1996). *Runoff generation on reclaimed watersheds*. https://doi.org/10.7939/R3959CH7F
- Harper, K. A. (1999). Variability in forest structure and composition along edge-to-edge gradients from lakeshore and clearcut edges and in riparian buffers in the aspen-dominated mixedwood boreal forest. <u>https://doi.org/10.7939/R3M03Z578</u>
- Harrison, R. B. (2002). Stand-level response of boreal forest songbirds in experimental partial-cut harvest in northwestern Alberta. <u>https://doi.org/10.7939/R34B2XD58</u>
- Hart, A. T. (2021). *Resource partitioning, allocation, and remobilization in trembling aspen saplings*. <u>https://doi.org/10.7939/r3-7hbv-qx64</u>

- Hart, M. M. (1998). *Compensatory water relations in aspen following defoliation*. https://doi.org/10.7939/R3W37M34B
- Hawkshaw, K. (2021). *Predator-prey interactions in arctic peregrine falcons*. https://doi.org/10.7939/r3-c80w-3t71
- Hawthorn, K. F. (2014). The role of fine sediment in phosphorus dynamics and stream productivity in Rocky Mountain headwater streams: Possible long-term effects of logging. <u>https://doi.org/10.7939/R33H4G</u>
- Hazell, M. (2018). The use of peat applications and Carex aquatilis for peatland reclamation on post mined landscapes in northern Alberta, Canada. https://doi.org/10.7939/R3VT1H573
- He, H. (2015). Application of time domain reflectometry and heat pulse methods for quantifying phase change, water flow and heat transport in frozen soils. <u>https://doi.org/10.7939/R31J97G84</u>
- Heaney, D. J. (2001). Products of urea hydrolysis in soil alter the solubility, plant uptake and transport of elements. https://doi.org/10.7939/r3-5y0j-pv08
- Hebb, C. C. (2016). Persistence of subsoiling effects on the soil physical and hydraulic properties in a reconstructed soil. https://doi.org/10.7939/R3GF0N448
- Hecker, L. (2022). Influence of nutrition on the habitat selection of the Ronald Lake wood bison (Bison bison athabascae) herd. <u>https://doi.org/10.7939/r3-p712-mg97</u>
- Hedlin, E. M. (2016). Assessing the relationships between weather, food limitation and breeding ecology in an Arctic top predator. <u>https://doi.org/10.7939/R3V11VT7T</u>
- Heffernan, W. (2020). *The impact of permafrost thaw on soil carbon cycling in boreal peatlands*. https://doi.org/10.7939/r3-53x3-0b54
- Heidman, A. P. (2005). *Bioremediation of hydrocarbon contaminated and compost amended soil: Effects on microbial communities in the field*. <u>https://doi.org/10.7939/r3-pygc-q476</u>
- Hemsley, T. L. (2012). *Ecological response of atmospheric nitrogen deposition on reconstructed soils in the Athabasca oil sands region*. <u>https://doi.org/10.7939/R38W4T</u>

- Hemstock, S. S. (2008). *Plant productivity, soil microorganisms, and soil nitrogen cycling in peat amendments used for oil sands reclamation*. <u>https://doi.org/10.7939/r3-h3zb-8240</u>
- Henderson, D. C. (2000). *Carbon storage in grazed prairie grasslands of Alberta*. https://doi.org/10.7939/R34Q7QT9S
- Henderson, D. C. (2005). *Ecology and management of crested wheatgrass invasion*. https://doi.org/10.7939/r3-wq4q-0b92
- Henkel-Johnson, D. C. (2014). Factors regulating tree-herb competition in young hybrid poplar plantations. <u>https://doi.org/10.7939/R34T24</u>
- Hillabrand, R. (2019). Drought and defoliation-induced alterations to the structure and function of the vascular tissue in trees. <u>https://doi.org/10.7939/r3-w6px-r455</u>
- Hoffman, E. H. (2017). Influence of environmental and site factors and biotic interactions on vegetation development following surface mine reclamation using coversoil salvaged from forest sites. <u>https://doi.org/10.7939/R3M61C248</u>
- Hogberg, J. I. (2017). An alternate indicator system for nutrient supply as part of ecosystem function, a component of reclamation success in the Athabasca oil sands region.

https://doi.org/10.7939/R3HT2GR7K

- Hornung, J. P. (2005). Invertebrate community structure in relation to the foraging ecology of mallard and Bufflehead ducklings in Western Canada. <u>https://doi.org/10.7939/r3-qesd-4p39</u>
- Hossain, K. (2020). Growth and establishment of species with a range of shade tolerance within a strip shelterwood in the Interior Cedar Hemlock Zone of British Columbia. https://doi.org/10.7939/r3-4g6g-fe61
- House, J. D. (2015). Water availability and understory influence on tree growth in reclaimed forest ecosystems, Athabasca oil sands region, Alberta, Canada. https://doi.org/10.7939/R3T14TV3R
- Howard, M. (2018). Erosion and erodibility from off highway vehicle trails in Alberta's southern Rocky Mountains. https://doi.org/10.7939/R3SX64R9F

Howat, D. R. (1998). Enhancing biodversity on reclaimed lands.

https://doi.org/10.7939/R3N87367G

Howell, D. M. (2015). Influence of amendments and soil depth on available nutrients and microbial dynamics in contrasting topsoil materials used for oil sands reclamation.

https://doi.org/10.7939/R3DJ58N57

- Howery, J. (2010). Regional assessment of the effects of land use on water quality: A case study in the Oldman River Basin, Alberta. https://doi.org/10.7939/R39995
- Hu, Y. (2012). Nutrient loading of aspen, jack pine and white spruce seedlings for potential out-planting in oil sands reclamation. <u>https://doi.org/10.7939/R3CC9G</u>
- Hu, Y. (2021). Assessing the potential for hybrid vigour within a species: Disparate population breeding of balsam poplar. https://doi.org/10.7939/r3-cabr-ha78
- Huayta Hernani, L. F. (2019). Application of LiDAR DEM metrics to estimate road-stream sediment connectivity in Alberta Eastslopes salmonid habitats. https://doi.org/10.7939/r3-1xrm-wj37
- Hudson, J. J. (2020). An evaluation of hitchhiker seedlings with native boreal species as a revegetation tool of industrially disturbed sites in Alberta, Canada.

https://doi.org/10.7939/r3-a9hs-qz92

- Hughes, C. (2018). The importance and influence of the human dimensions in grizzly bear (Ursus arctos) conservation. https://doi.org/10.7939/R32R3PC7S
- Humeny, E. C. (2024). Silt and phosphorus availability in unpaved road materials from forested watersheds in Canada, and implications for drinking water resources.

https://doi.org/10.7939/r3-7f3g-h852

- Hundsdörfer, A. E. (2006). *Mountain pine beetle infestation risk: Interactions of population phase, host vigour and spatial aggregation*. <u>https://doi.org/10.7939/r3-f0wt-1690</u>
- Hupperts, S. F. (2016). *Ectomycorrhizal fungal community response to disturbance and host phenology*. <u>https://doi.org/10.7939/R30G3H39Q</u>

- Hussain, A. (2019). Spatial characteristics of volatile communication and the role of soil resources in pine defenses. https://doi.org/10.7939/r3-2w7f-5s06
- Huybregts, A. (2002). Potential for hybridization between native and non-native poplars in central Alberta. https://doi.org/10.7939/R3XG9FF72
- Hwang, H. (2013). Using fire to trigger cone opening in aerial seedbanks In healthy or recently dead jack pine stands. https://doi.org/10.7939/R35M62G2Z
- Hynes, A. (2021). *Identifying historical climate-growth limitations of white spruce (Picea glauca)* populations across North America. <u>https://doi.org/10.7939/r3-sz0e-4724</u>
- Hynes, B. E. (2023). Advancing understory redevelopment in forest reclamation and the role of Seedling Quality. <u>https://doi.org/10.7939/r3-dc5z-hg27</u>
- Ibsen, S. M. C. (2016). Effects of long-term nitrogen and sulfur deposition on soil microbial communities and soil properties in the Athabasca oil sands region in northern Alberta, Canada. <u>https://doi.org/10.7939/R3F47H042</u>

Isaac-Renton, M. G. (2013). Guiding Douglas-fir seed selection in Europe under changing climates: Bioclimatic envelope model predictions versus growth observed in provenance trials. https://doi.org/10.7939/R39P2WH6P

- Isaac-Renton, M. G. (2018). *Tree population responses to extreme climate events to guide reforestation under climate change*. <u>https://doi.org/10.7939/R3RF5KW74</u>
- Ishangulyyeva, G. (2015). Plant fatty acids influence brood development of mountain pine beetle and growth of its symbiotic fungus: Implications to host-range expansion of an herbivorous insect. https://doi.org/10.7939/R3H96W
- Ishii, C. (2019). Estimating the mechanical contribution of willows and balsam poplar in soil bioengineering projects in Alberta. https://doi.org/10.7939/r3-5jdh-w496
- Islam, Md. A. (2004). *Ecophysiological adaptations of black spruce (Picea mariana) and tamarack* (*Larix laricina*) seedlings to flooding and nutrition stress. <u>https://doi.org/10.7939/r3-6qb0-z927</u>

- Ives, K. (2011). Predicting conservation status of North American avian and mammalian scavengers: Implications of geography, life history, behaviour and human disturbance. <u>https://doi.org/10.7939/R3CQ68</u>
- Jackson, M. E. (2009). Assessment of soil capping for phosphogypsum stack reclamation at Fort Saskatchewan, Alberta. <u>https://doi.org/10.7939/R31G68</u>
- Jamro, G. M. (2016). Soil biogeochemical processes and fine root dynamics of vegetation in LFH mineral soil mix and peat mineral soil mix organic capping materials used for oil sands reclamation. <u>https://doi.org/10.7939/R3Q23R948</u>
- Jassman, A. N. (2006). *Response of soil properties and plant growth to sulphur addition at the Breton Plots*. <u>https://doi.org/10.7939/r3-w11x-4s92</u>
- Javed, M. B. (2015). *Distribution of arsenic in surficial deposits in the Cold Lake area of Alberta, Canada*. <u>https://doi.org/10.7939/R36W6Z</u>
- Jean, S. A. (2019). *Resiliency of boreal forest tree species on a reclaimed oil sands mine and natural forest stands in northeastern Alberta*. <u>https://doi.org/10.7939/r3-ssby-ac65</u>
- Jensen, D. E. (2015). *Identifying and assessing the yield implications of forest canopy gaps in forest management using full feature LiDAR*. <u>https://doi.org/10.7939/R30R9MC10</u>

Jiao, Z. (2015). Effects of micro sites and amendmens on near surface soil temperature and volumetric water content to enhance revegtation. <u>https://doi.org/10.7939/R33T9DF46</u>

Jimenez-Casas, M. (2009). Effects of NaCl on growth and physiology of Pinus leiophylla seedlings. https://doi.org/10.7939/R3FC8Q

Johnson, D. J. (2005). *Pulp mill effluent irrigation for forage production*. https://doi.org/10.7939/r3-kp3p-ys55

Johnson, K. M. (2015). Assessing operational silviculture and modeling juvenile growth in Saskatchewan white spruce (Picea glauca (Moench) Voss) plantations. https://doi.org/10.7939/R37M04B87

Johnston, L. M. (2016). Mapping canadian wildland fire interface areas.

https://doi.org/10.7939/R3GT5FR9Z

- Jones, C. E. (2016). *Early vegetation community development and dispersal in upland boreal forest reclamation*. <u>https://doi.org/10.7939/R37P8TN1W</u>
- Jugo, P. J. (2003). Experimental study on the speciation and solubility of sulfur, and the behavior of highly siderophile elements in sulfide- and sulfate-saturated basaltic melts at 1300°C and 1 GPa. https://doi.org/10.7939/r3-h8ax-5a44
- Jung, K. (2012). Assessing the long-term impact of acid deposition and the risk of soil acidification in boreal forests in the Athabasca oil sands region in Alberta, Canada.

https://doi.org/10.7939/R3KQ1R

Kafle, A. (2023). Long-term impacts of commercial thinning and nitrogen fertilization on lodgepole pine: A two-decade analysis of growth and temporal dynamics.

https://doi.org/10.7939/r3-nbbw-2g15

- Kaliaskar, D. (2020). Cultivation and grazing impacts on extracellular enzyme activity in Alberta grasslands. <u>https://doi.org/10.7939/r3-w2en-7x26</u>
- Kalischuk, M. L. (2004). Influence of site quality and overstory age on the growth of understory white spruce in boreal mixedwood stands. <u>https://doi.org/10.7939/r3-dt86-8243</u>
- Kamelchuk, D. P. (2010). *Effects of fertilization on hybrid and native poplar clones*. https://doi.org/10.7939/r3-h0v2-vn37
- Kamunya, E. W. (2012). Conservation of boreal moth communities in the mixedwood boreal forests of northwestern Alberta: Impacts of green tree retention and slash-burning. <u>https://doi.org/10.7939/R38W6K</u>
- Kanekar, S. S. (2017). *The role of ectomycorrhizal fungi in induced defense chemistry of lodgepole pine*. <u>https://doi.org/10.7939/R3GT5FV7B</u>

- Karpyshin, S. (2019). Transpiration response of residual lodgepole pine after partial-cut and strip-shelterwood harvesting in Alberta's southern Rocky Mountains. https://doi.org/10.7939/r3-49pm-tm08
- Kartz, C. (2011). Transport of viable but non-culturable Escherichia coli O157:H7 in soil and groundwater. <u>https://doi.org/10.7939/R36K90</u>

Kathnelson, S. L. (1996). *Gender-biased maternal investment in wapiti (Cervus elaphus)*. https://doi.org/10.7939/R37659Q9G

Keeping, D. (2020). Tracking a better way to count wildlife: Testing the Formozov-Malyshev-Pereleshin (FMP) formula in the Kalahari. <u>https://doi.org/10.7939/r3-pfgz-1459</u>

- Keith, D. C. (1999). Rural residents' perspectives regarding community change, challenges, and well-being: A socio-ecological case study. <u>https://doi.org/10.7939/R3125QJ4J</u>
- Kemper, J. T. (2005). Short and long-term effects of winter seismic exploration on low arctic plant communities of the Kendall Island Migratory Bird Sanctuary, Northwest Territories. <u>https://doi.org/10.7939/r3-4734-sg69</u>
- Ketilson, K. E. (2004). Short-term post-fire nitrogen dynamics in a riparian mixedwood stand in *Alberta*. https://doi.org/10.7939/r3-qshj-7k66

Khandker, S. S. (2008). Lateral and vertical movement of water, nutrients, fecal coliforms, and somatic coliphages in soils dosed with wastewater by point and drip application methods. https://doi.org/10.7939/r3-ypc5-5307

- Kiani, M. (2017). Soil quality dynamics and spatial heterogeneity in grasslands and cropping systems in Western Canada. <u>https://doi.org/10.7939/R3251FX8X</u>
- Kim, K. (2022). Carbon dynamics across contrasting temperate agroecosystems: Soil organic matter pools, mycorrhizae, water use-efficiency, methane and carbon dioxide fluxes. https://doi.org/10.7939/r3-dsjv-ej67

- King, C. M. (2017). Regeneration dynamics of seedling-origin aspen: Implications for forest reclamation. https://doi.org/10.7939/R39W09C84
- Kipps, K. W. (2015). Laboratory-measured soil organic carbon mineralization in soil samples from six long-term crop rotations in Alberta as a function of sample disturbance.

https://doi.org/10.7939/R3S46HF0P

- Klausz, E. E. (1997). Small mammal winter abundance and distribution in the Canadian mixed grass prairies and implications for the swift fox. <u>https://doi.org/10.7939/R3KP7V001</u>
- Klutsch, J. G. (2017). Using a native plant-pathogen system as a model to investigate success of the invasive mountain pine beetle in jack pine. <u>https://doi.org/10.7939/R3WM14750</u>
- Knaggs, M. (2018). Effects of burn severity and time since fire on songbird communities in the northern boreal forest. https://doi.org/10.7939/R3CJ8826X
- Kneteman, K. A. (2012). *Phytoremediation of nitrogen impacted soil and groundwater at a fertilizer* facility in central Alberta. <u>https://doi.org/10.7939/R38T3R</u>
- Koper, N. (2004). Upland-nesting ducks as surrogate species for avian conservation in the dry mixed-grass prairie. <u>https://doi.org/10.7939/r3-pzsy-2k84</u>
- Koroscil, S. (2020). The influences of fuel moisture and diameter on pyrogenic carbon production in fine woody debris from three boreal tree species under simulated surface fire conditions. <u>https://doi.org/10.7939/r3-3jfq-c186</u>
- Krebs, V. S. (2016). *White spruce advanced regeneration response to strip cut understory protection harvesting*. <u>https://doi.org/10.7939/R3474704V</u>
- Kuhn, M. A. (2021). Greenhouse gas emissions from northern wetlands and lakes: Circumpolar and local perspectives. <u>https://doi.org/10.7939/r3-mq1s-pe56</u>
- Kukka, P. M. (2017). Spatiotemporal patterns and population characteristics of harvested wolverine (Gulo gulo) in Yukon. https://doi.org/10.7939/R30863J09

- Kulbaba, S. P. (2014). Evaluating trembling aspen (Populus tremuloides Michx.) seedling stock characteristics in response to drought and out-planting on a reclamation site. https://doi.org/10.7939/R3ZK55V50
- Kuloglu, T. (2020). *Climate change impacts on logging operations and winter roads: Costs and mitigation strategies*. <u>https://doi.org/10.7939/r3-k98z-c031</u>
- Kuloglu, T. Z. (2014). Development of a genetic algorithm model for a multiple-objective forest harvesting and zonation problem. <u>https://doi.org/10.7939/R3239X</u>
- Kuntzemann, C. E. (2022). *Peatlands reduce fire severity and promote fire refugia in boreal forests*. https://doi.org/10.7939/r3-7ppg-5d52
- Kurulok, S. E. (2004). Impacts of post-fire salvage logging on tree regeneration and understory plant communities in burned stands of the mixedwood boreal forest. <u>https://doi.org/10.7939/r3-c7dc-k082</u>
- Kuzyk, G. W. (2008). *Carrying capacity of sympatric ungulates in central Alberta*. <u>https://doi.org/10.7939/r3-wvbm-5y56</u>
- Kwak, J.-H. (2015). Coarse woody debris effects in biogeochemistry in two reconstructed soils in the Athabasca oil sands region in Alberta, Canada. <u>https://doi.org/10.7939/R3542JM07</u>

Kweon, D. K. (2019). Aspen density dynamics in western boreal mixedwood stands. https://doi.org/10.7939/r3-4jcy-td35

- Kwiatkowski, B. L. (2007). *Diamond mine reclamation in the NWT: Substrates, soil amendments and native plant community development*. <u>https://doi.org/10.7939/r3-4yq7-ph49</u>
- La Fleche, M. A. (2019). *Tree cores for root bores: Exploring tree rooting behaviour in bituminous soils*. <u>https://doi.org/10.7939/r3-x0pb-8d35</u>
- La Rocca, C. A. (2016). Impacts of clear-cut harvesting on carabid beetle (Coleoptera: Carabidae) assemblages of aspen dominated forests in central Alberta. https://doi.org/10.7939/R30V89R22

- Lait, C. G. (1998). *Identification of a protein in plants with homology to mammalian serum albumins*. <u>https://doi.org/10.7939/R3KW57S7K</u>
- Lalonde, R. (2019). *Growing woody plants in oil sands fine tailings*. https://doi.org/10.7939/r3-mp4x-c784
- Lamarre, J. J. M. (2016). *Tundra bryophyte revegetation: Novel methods for revegetating northern* ecosystems. <u>https://doi.org/10.7939/R3M03Z53V</u>
- Lamb, T. (1998). A study of plant community structure and a reclamation evaluation of disturbed subalpine sites in Glacier National Park, British Columbia.

https://doi.org/10.7939/R39Z90K7Q

- Lanti-Traikovski, A. A. (2024). *Regional-scale hydrologic settings buffer black spruce regeneration in the presence of post-fire droughts*. <u>https://doi.org/10.7939/r3-qhcz-vf97</u>
- Lappin, K. L. (2010). On the origin of virtual wetlands by means of computer aided selection or the preservation of favoured places in the struggle for functional wetlands. <u>https://doi.org/10.7939/R3188Z</u>
- Lau, N. (2024). Beyond mountain pine beetle: Soil carbon storage a decade after tree mortality and the possible influence of soil fungi. https://doi.org/10.7939/r3-0a1p-5z06
- Lauer, N. (2020). Effects of Elevated Root Zone pH and NaCl on the Stress Responses and Recovery of Selected Boreal Forest Tree Species. https://doi.org/10.7939/R3HM5317P
- Laur, J. (2014). Aquaporin regulation in poplar and spruce trees under environmental change. https://doi.org/10.7939/R3ZQ2J
- Lavoie, N. (2004). Variation in flammability of jack pine/black spruce forests with time since fire in the Northwest Territories, Canada. https://doi.org/10.7939/r3-3jcc-j357
- Lazaruk, L. W. (2002). *The impact of harvesting practices on the biodiversity of Picea glauca ectomycorrhizae*. <u>https://doi.org/10.7939/R36M3375V</u>

Lazebnik, J. (2012). Jack pine signalling and responses to herbivory.

https://doi.org/10.7939/R3441V

- Le, K. (2017). Evaluating trembling aspen seedling stock characteristics in response to outplanting and competition. https://doi.org/10.7939/R3SN01J3K
- Leatherdale, J. D. (2008). Soil moisture and nutrient regimes of reclaimed upland slopes in the oil sands region of Alberta. https://doi.org/10.7939/r3-tpf9-sc72
- LeBoldus, J. M. (2006). Evaluating and attenuating the risk of Septoria canker in the Septoria musiva-hybrid poplar pathosystem. <u>https://doi.org/10.7939/r3-rf87-mz70</u>
- Lee, A. (2022). Oat, pea, and canola intercropping: An investigation of the agronomic benefits and underlying biological mechanisms of a multi-crop forage system. https://doi.org/10.7939/r3-zfwx-aq67
- Lee, S.-I. (2016). *Influence of variable retention and deadwood characteristics on saproxylic beetles in boreal white spruce stands*. <u>https://doi.org/10.7939/R3WS8HX44</u>
- Leicht, K. M. (2024). Development of a comprehensive nitrogen budget to increase nitrogen use efficiency and reduce nitrogen losses in semi-arid Southern Alberta.

https://doi.org/10.7939/r3-btjp-5d77

- Lejoly, J. D. M. (2022). Impacts of earthworm invasion on soils of the Canadian boreal forest. https://doi.org/10.7939/r3-h6nj-vw96
- Lemke, R. L. (1997). *Quantification and simulation of nitrous oxide emissions from agroecosystems in the Boreal and Parkland regions of Alberta*. <u>https://doi.org/10.7939/R3VM4333C</u>
- Leroux, S. J. (2006). *Incorporating natural disturbance and heritage sites in protected areas design*. https://doi.org/10.7939/r3-5a3v-k314
- Lessard, R. B. (2005). Conservation of woodland caribou (Rangifer tarandus caribou) in west-central Alberta: A simulation analysis of multi-species predator-prey systems. https://doi.org/10.7939/r3-bx6k-bq31

- Li, C. (1998). Genetic dissection of resistance to western gall rust (endocronartium harkenssii (J.P. Moore) y. Hiratsuka) in lodgepole pine (Pinus contorta var. Latifolia Engelm). https://doi.org/10.7939/R33X83V31
- Li, H. (2010). Genetic adaptation of aspen populations to spring risk environments: A novel remote sensing approach. <u>https://doi.org/10.7939/R32F0Z</u>
- Li, T. (2005). *Modeling greenhouse gas exchange in an agricultural field and a natural grassland*. https://doi.org/10.7939/r3-hxpy-4w97
- Li, W. (2006). *Biotic constraints of western gall rust (Endocronartium harknessii)*. https://doi.org/10.7939/r3-6188-dj84
- Liengsiri, C. (1999). Genetic variation studies in Pterocarpus macrocarpus Kurz as revealed by isozyme, morphological and physiological traits. <u>https://doi.org/10.7939/R3028PR00</u>
- Liepe, K. J. (2014). *Genetic variation in lodgepole pine and interior spruce: Adaptation to climate and implications for seed transfer*. <u>https://doi.org/10.7939/R3ZS2KN37</u>
- Lin, S. (2016). Nitrous oxide emission reduction in an annual cropping system as a function of nitrification inhibitors and liquid manure injection timings.

https://doi.org/10.7939/R3QJ7883W

- Lin, S. (2020). Interactions among nitrogen input, nitrification inhibition, edaphic and environmental conditions on N2O fluxes and associated biological processes in central Alberta soils. <u>https://doi.org/10.7939/r3-hac4-2z26</u>
- Lin, Y. (2010). Spatial patterns of vegetation and soil fertility along a grazing gradient in a desert steppe in Inner Mongolia, China. <u>https://doi.org/10.7939/R3N05N</u>
- Lippert, H. D. (2001). *The relationship of bat activity to habitat type and structure retention in managed, boreal forests of west-central Alberta*. <u>https://doi.org/10.7939/R3599Z574</u>
- Little, T. I. (2001). Soil productivity of white spruce-aspen mixedwood ecosites along toposequences in west-central Alberta. https://doi.org/10.7939/R3804XT56

- Little-Devito, M. (2024). Impacts on water quality at a newly opened and extracted peatland: Influence of internal processes and hydrological connectivity in horticultural peat harvesting. https://doi.org/10.7939/r3-1wqn-nz84
- Liu, H. (1995). Spatial optimization for timber supply with spatial constraints. https://doi.org/10.7939/R3GM81T2K
- Liu, J. (2015). *The application of biochar as a soil amendment in land reclamation*. https://doi.org/10.7939/R31834847
- Liu, M. (2021). Role of aquaporins in Brassica napus responses to root hypoxia and re-aeration. https://doi.org/10.7939/r3-zf8k-5477
- Lochhead, K. (2011). *The influence of forest structure on light and regeneration in complex coniferous stands*. <u>https://doi.org/10.7939/R3HD2D</u>
- Looft, J. A. (2014). Estimating trumpeter swan (Cygnus buccinator) populations in Alberta and response to disturbance. <u>https://doi.org/10.7939/R3F766G29</u>
- López Alfaro, C. V. (2014). Linking energetics of individuals to bear populations.

https://doi.org/10.7939/R39092

- Lou, K. (2015). Adsorption of phosphate and copper by pine sawdust biochars and economic analysis. https://doi.org/10.7939/R39C6S61D
- Low, C. H. (2016). Impacts of a six year old pipeline right of way on Halimolobos virgata (Nutt.) O.E. Schulz (slender mouse ear cress), native dry mixedgrass prairie uplands, and wetlands. https://doi.org/10.7939/R39W0991V
- Lowen, H. A. (2001). *Characterization of crude oil associated hydrophobic soil sites in Alberta*. https://doi.org/10.7939/R3S46H978
- Luo, D. (2021). Incorporating genetic gain into growth and yield projections for Alberta's white spruce and lodgepole pine tree improvement programs. https://doi.org/10.7939/r3-r5f8-9354
- Macauley, K. A. P. (2020). *Modelling fire cessation in the Canadian Rocky Mountains*. https://doi.org/10.7939/r3-fe1j-we67
- MacDonald, Z. G. (2021). From species to genes: Ecological and evolutionary mechanisms structuring diversity in space and time. <u>https://doi.org/10.7939/r3-jaw6-3x94</u>
- MacKenzie, D. D. (2006). Assisted natural recovery using a forest soil propagule bank in the Athabasca oil sands. <u>https://doi.org/10.7939/r3-gnbe-0f37</u>
- MacKenzie, D. D. (2013). Oil sands mine reclamation using boreal forest surface soil (LFH) in northern Alberta. <u>https://doi.org/10.7939/R3V36X</u>
- MacLeod, T. K. (2023). Assessing the station holding ability of three benthic fishes exposed to flow augmentation: Implications for a species at risk. <u>https://doi.org/10.7939/r3-acsz-5543</u>
- MacMillan, W. R. (2000). A survey of the hydrogeologic integrity of earthen hog manure storage ponds in Alberta. <u>https://doi.org/10.7939/R33X83Q4Q</u>
- MacPherson, D. N. (2001). Is growth of trembling aspen affected by white spruce understories in Alberta's boreal mixedwood forests? <u>https://doi.org/10.7939/R37P8TH9Z</u>
- MacPherson, L. (2011). *The effects of culverts on upstream fish passage in Alberta foothill streams*. https://doi.org/10.7939/R3W91D
- MacQuarrie, C. J. K. (2008). Invasion history, population dynamics and biological control of Profenusa thomsoni (Konow) in Alaska. <u>https://doi.org/10.7939/r3-1en6-bs47</u>
- Mader, C. E. (2018). Ecology and life history of Coccophagus gossypariae (Hymenoptera: Aphelinidae), a parasitoid of Eriococcus spurius (Hemiptera: Eriococcidae).

https://doi.org/10.7939/R3B27Q634

- Maitland, B. M. (2015). *Stream crossings in the western boreal forest: Assessing impacts and prioritizing restoration for native freshwater fishes*. <u>https://doi.org/10.7939/R30V89P06</u>
- Man, C. D. (2006). Competitive effects of woody and herbaceous vegetation in a young boreal mixedwood stand. <u>https://doi.org/10.7939/r3-0x42-xm19</u>

- Man, R. (1997). Regeneratkon and ecophysiology of white spruce in aspen-dominated boreal mixedwoods. <u>https://doi.org/10.7939/R31N7XZ7G</u>
- Manchola Rojas, L. A. (2022). Buried wood effects on soil nutrient supply and microbial activity in different oil sands reclamation soils in Northern Alberta. <u>https://doi.org/10.7939/r3-2ftz-gb85</u>
- Manunta, P. (2000). *Modelling strategies of the soil plant atmosphere continuum in water limited environments and elevated atmospheric CO2*. <u>https://doi.org/10.7939/r3-7zd2-ag19</u>

Mapfumo, E. (1997). Soil and plant response to compaction. https://doi.org/10.7939/R3S756X1C

Martell, K. A. (2004). Patterns of riparian disturbance in Alberta's boreal mixedwood forest: Beavers, roads, and buffers. https://doi.org/10.7939/r3-3nxs-c564

- Martens, A. M. (2019). Long-term impacts of severe wildfire and salvage logging on macroinvertebrate assemblages and food web structure in Rocky Mountain headwater streams. <u>https://doi.org/10.7939/r3-6c9v-ck58</u>
- Martens, L. A. (2006). *Response of aspen (Populus tremuloides Michx.) seedlings to cold storage, root aeration, and watering regime.* <u>https://doi.org/10.7939/r3-a6n7-mn07</u>
- Martin, C. (2018). Displacement and mortality of birds by high voltage transmission lines in the Canadian dry mixed prairie. <u>https://doi.org/10.7939/R3VQ2SS3W</u>

Martin, J. M. (2016). Nitrogen, plant and microbial community dynamics in sites recovering from wildfire and surface mining in the Athabasca Oil Sands Region. <u>https://doi.org/10.7939/R3MK65K46</u>

- Matheson, R. T. (2019). *Trade-offs between wood density and radial growth in the Region H white spruce Controlled Parentage Program, Alberta, Canada*. <u>https://doi.org/10.7939/r3-x2pp-zx35</u>
- Mathison, A. L. (2018). *Improving forb establishment and restoring soil function in disturbed landscapes: Hitchhiking native forbs with white spruce*. <u>https://doi.org/10.7939/R3NS0MC8X</u>

Mathison, M. N. (2000). *Longevity of deep ripping effects on solonetzic soils*. https://doi.org/10.7939/R31R6N75F

- Mausolf, M. R. (2020). A survey of pyrogenic carbon in Kootenay National Park burned soils, and its positive effect on the establishment of pine-fungal ectomycorrhizal symbiosis. https://doi.org/10.7939/r3-cj2w-fg41
- Maxwell, J. L. (2022). Development of an extraction method for estimating phytoaccessible fractions of bromacil and tebuthiuron. <u>https://doi.org/10.7939/r3-c6w5-nk49</u>
- Mbogga, M. S. (2010). *Developing adaptation strategies for forest management under uncertain future climate*. <u>https://doi.org/10.7939/R3V14G</u>

McAdams, B. N. (2017). Oribatid mite communities after ecosystem disturbance in Alberta. https://doi.org/10.7939/R3G737J0T

McFarlane, B. L. (1994). *Recreation specialization among birdwatchers of Alberta*. https://doi.org/10.7939/R3DV1D030

- McGregor, A. M. (2013). Fish harvest and replacement of top piscivorous predators in aquatic food webs: Implications for restoration and fisheries management. <u>https://doi.org/10.7939/R33P93</u>
- McIntosh, A. C. S. (2013). *Ecology of understory and below-ground communities in lodgepole pine forests under changing disturbance regimes*. https://doi.org/10.7939/R3P37R

McIntyre, N. A. (2002). *Reclamation of diesel fuel contaminated sites in Northern Alberta*. https://doi.org/10.7939/R31R6N86C

- McKenzie, C. E. (2017). Soil microbial communities in northern Alberta's boreal forest floors following resource extraction. <u>https://doi.org/10.7939/R3542JP3K</u>
- McLean, A. R. (2004). *Biogeochemical stabilization of mercury in contaminated soils*. https://doi.org/10.7939/r3-p1wg-5689
- McLellan, C. (2018). Food availability and grizzly bear (Ursus arctos) selection of post-fire and thinned forests in the mountain national parks of Canada. https://doi.org/10.7939/R3MC8RZ1D

McMillan, R. A. (2005). Forest floor as an amendment in oil sands reclamation. https://doi.org/10.7939/r3-cey6-vb75

McPherson, M. D. (2020). Habitat use by fluvial Arctic Grayling (Thymallus arcticus) in mountain streams of the Little Nahanni watershed, Northwest Territories.

https://doi.org/10.7939/r3-7y10-kw74

- Medinski, N. (2018). Assessing the impacts of multiple ecological stressors on an endangered native salmonid, the Athabasca Rainbow Trout, in the foothills of the Canadian Rocky Mountains. <u>https://doi.org/10.7939/R3X34N76P</u>
- Mekonnen, Z. A. (2015). *Modeling the impacts of recent climate change on ecosystem productivity across North America*. <u>https://doi.org/10.7939/R3V11VT6B</u>
- Melnik, K. O. (2017). *The role of microtopography in the expression of soil propagule banks on reclamation sites*. <u>https://doi.org/10.7939/R3M902H22</u>
- Melnik, O. (2016). A proposed experimental methodology for assessing the effects of biophysical properties and energy content on live fuel flammability. <u>https://doi.org/10.7939/R3862BH01</u>

Meng, X. (2007). Wind changes crown and stem form of large lodgepole pine.

https://doi.org/10.7939/r3-eavb-gt04

- Merlin, M. (2020). Using sap flow sensors to measure water uptake in trees: Challenges and opportunities. <u>https://doi.org/10.7939/r3-5s30-0325</u>
- Mertens, A. J. F. (2018). Spatial variability and controls on surface water chemistry and quality in a *heterogeneous landscape: The Western Boreal Forest*. <u>https://doi.org/10.7939/R3Q52FV4C</u>

Metivier, K. A. (2008). Modeling spatial and temporal variability of nitrous oxide emissions from fertilized agricultural soils using the Ecosys mathematical model.

https://doi.org/10.7939/r3-enhy-7n74

Metsaranta, J. M. (2008). *A dendroecological investigation of inter-annual variability in growth, competition, and spatial pattern of jack pine forests*. <u>https://doi.org/10.7939/r3-tzp2-2b44</u>

Metzler, P. (2018). *Molecular identification of boreal forest roots: An expansion of techniques and investigation of limitations and biases*. <u>https://doi.org/10.7939/R37W67N6K</u>

Mezbahuddin, M. (2015). Modelling water table depth effects on net ecosystem CO2 exchange of two contrasting forested peatlands – a tropical bog and a boreal fen.

https://doi.org/10.7939/R32805948

Miller, A. (1995). *Attitudes towared ecotourism, economy, and wildlife in a Canadian boreal region: Implications for northern development*. <u>https://doi.org/10.7939/R3QJ7878V</u>

Miller, V. (2019). Development of soils for revegetation in northern diamond mines.

https://doi.org/10.7939/r3-sjdr-6e97

Mills, S. E. (2001). Bryophyte species composition and diversity at different scales in conifer-dominated boreal forest stands. <u>https://doi.org/10.7939/R32J68G4S</u>

Mohamad Shahimin, M. F. (2016). Anaerobic biodegradation of hydrocarbons in different oil sands tailings ponds: Key microbial players and main activation pathway of hydrocarbon biodegradation. <u>https://doi.org/10.7939/R3TT4FZ4Z</u>

Montenegro-Ballestero, J. (2011). Sustainable mangement of natural rangeland ecosystems. https://doi.org/10.7939/R35326

Moore, B. G. (2015). Increasing wildfire growth modelling decision support using ensemble weather forecasts over the province of Alberta, Canada. <u>https://doi.org/10.7939/R3X921Q2W</u>

- Moore, L. P. (2022). A comparison of coarse woody debris in post-harvest and post-fire island remnants a decade after disturbance in northern Alberta. <u>https://doi.org/10.7939/r3-4f2e-vd08</u>
- Moradaoglu, P. (2015). *Optimizing forest harvests & grizzly bear (Ursus arctos horribilis) habitat.* <u>https://doi.org/10.7939/R35T0P</u>
- Morrison, K. H. (2016). Factors that influence daily human-caused forest fires in Alberta. https://doi.org/10.7939/R34T24

- Moskal, T. D. (1999). *Moisture characteristics of coarse textured soils and peat: Mineral mixes*. https://doi.org/10.7939/R3FN10X0X
- Mu, D. (2021). Selected aspects of plant responses to elevated pH, salinity and drought: Implications for oil sands revegetation. <u>https://doi.org/10.7939/r3-af8d-v957</u>
- Mudiyanselage, S. K. T. E. (2020). Soil nitrogen cycling and nitrous oxide emissions: Interactive effects of N fertilization options, soil management, cropping systems and climatic factors in central Alberta. https://doi.org/10.7939/r3-jvcq-8p76
- Mueller, D. J. (2020). Forest harvesting impacts on dissolved organic carbon in Alberta's southern Rocky Mountains: Implications on shallow subsurface fate and transport. https://doi.org/10.7939/r3-brv5-b876
- Mulak, T. L. (2006). Seasonal and competitive factors controlling clonal regeneration of trembling aspen (Populus tremuloides Michx.). https://doi.org/10.7939/r3-e4c5-pw80

Mullan-Boudreau, G. M. (2017). Moss and peat as monitors of contemporary and past rates of atmospheric dust deposition in the Athabasca bituminous sands region. https://doi.org/10.7939/R3K64B53J

- Mullin, M. (2019). *Reaching new heights: Chemical signatures of lodgepole pine trees change with elevation, but not with latitude*. <u>https://doi.org/10.7939/r3-5bhb-6e97</u>
- Muloin, T. D. (2002). *Controls on pore water arsenic in a weathered marine shale under aerobic conditions*. <u>https://doi.org/10.7939/R3445HG96</u>
- Mundell, T. L. (2007). *Influences of season of harvest, machine traffic and competition on root suckering of trembling aspen*. <u>https://doi.org/10.7939/r3-65ex-9282</u>

Murata, A. P. (2019). Long term dynamics and potential remediation of fine textured soils and ground water contaminated with chlorinated organic compounds and salts. https://doi.org/10.7939/r3-3j74-sb96

- Murphy, S. (1998). Surfactant-assisted remediation of weathered creosote contaminated soils. https://doi.org/10.7939/R3222R97F
- Nagel, A. H. (2022). Toxicity of thallium to the water flea (Daphnia magna) and rainbow trout (Oncorhynchus mykiss). https://doi.org/10.7939/r3-9c9j-nk89

Nagle, H. K. (2000). Folic debris slides near Prince Rupert, British Columbia. https://doi.org/10.7939/R3TB0Z442

- Najar, A. (2012). *Diverting resources to turn on resistance: Influences of biotic and abiotic stresses* on aspen seedlings. <u>https://doi.org/10.7939/R3O927</u>
- Najar, A. (2017). Breaking the wall of silence of trees: Mining metabolomics to describe hybridization and predict performance in the Populus – Sphaerulina musiva pathosystem. https://doi.org/10.7939/R3F47H765
- Nakamura, N. (2000). *The occurrence of splits and insects in fire-killed trees*. <u>https://doi.org/10.7939/R36H4CZ10</u>
- Nalder, I. A. (2002). Post-fire dynamics of the boreal forest floor: Measurement and modelling of long-term carbon accumulation in upland forests. <u>https://doi.org/10.7939/r3-f5ts-xg52</u>
- Nannt, M. R. (2014). Impacts of distance to pipeline disturbance on mixed grass prairie and Halimolobos virgata (Nutt.) O.E. Schulz (slender mouse ear cress).

https://doi.org/10.7939/R3QN5ZK8W

- Nelson, C. J. (2021). Effects of linear anthropogenic corridors on insect pollinator movement and diversity, and understory shrub fruit production in the boreal forest of northeastern Alberta. https://doi.org/10.7939/r3-9wt1-sx52
- Nelson-Chorney, H. T. (2019). Environmental DNA in lake sediment reveals biogeography of native trout diversity. <u>https://doi.org/10.7939/r3-q51b-qd51</u>
- Nemirsky, C. (2011). Prairie plant species at risk in Southern Alberta: Identification of critical habitat at the microsite level for Halimolobos virgata (Nutt.) O.E. Schulz and determination of

set back distance between pipeline disturbance and Halimolobos virgata and Cryptantha minima Rydb. <u>https://doi.org/10.7939/R3N98W</u>

- Ness, I. F. G. (2019). Evaluating facial recognition for photographic-mark-recapture of four species of northern ungulates. https://doi.org/10.7939/r3-z1vg-gz55
- Neufeld, K. R. (2016). Improving our ability to assess the impacts of hydrologic alteration on stream fishes: An interdisciplinary approach to assess the threatened Western silvery minnow Hybognathus argyritis in Canada. https://doi.org/10.7939/R34T6F79H
- Neufeld, L. M. (2006). Spatial dynamics of wolves and woodland caribou in an industrial forest landscape in west-central Alberta. <u>https://doi.org/10.7939/r3-g12w-3g68</u>
- Neveux, Y. (2017). *Effects of climate change, vegetation and roads on caribou distibution in western North-America*. <u>https://doi.org/10.7939/R3988317H</u>
- Norris, C. E. (2008). *Soil carbon stabilization in the jack pine boreal forest*. <u>https://doi.org/10.7939/r3-935w-5008</u>
- Norris, C. E. (2013). Soil organic matter cycling in novel and natural boreal forest ecosystems. https://doi.org/10.7939/R32F7K26F
- Nozohourmehrabad, P. (2021). *Modelling tree height-diameter relationships and the effect of climate*. <u>https://doi.org/10.7939/r3-sgx1-6e67</u>
- Nunifu, T. K. (2003). Calibrating the mixedwood growth model (MGM) for lodgepole pine (Pinus contorta) and associated species in Alberta. <u>https://doi.org/10.7939/r3-nr1p-wr21</u>
- Oberg, P. R. (2001). *Responses of mountain caribou to linear features in a west-central Alberta landscape*. <u>https://doi.org/10.7939/R32B8VQ0Q</u>
- Oboite, F. (2018). Growth of understory spruce following mountain pine beetle attack and recalibration and validation of the Mixedwood Growth Model for black spruce. https://doi.org/10.7939/R36Q1SZ9R

- Odell, R. (2023). A comparison of residual tree mortality in forest island remnants following wildfire and harvest. <u>https://doi.org/10.7939/r3-jnen-mm52</u>
- Odsen, S. G. (2015). Conserving boreal songbirds using variable retention forest management. https://doi.org/10.7939/R3HX15W79
- Offord, J. L. (1999). Nitrogen mineralization patterns of Boreal forest soils. https://doi.org/10.7939/R3CF9JG5G
- Ojekanmi, A. (2018). Soil quality assessment in land reclamation. https://doi.org/10.7939/R30Z71B8X
- Olivier, S. (2018). Growth and physiological responses of conifer seedlings to salt stress and nutrient deficiency. <u>https://doi.org/10.7939/R3M03ZC5H</u>
- Olson, E. C. S. (2004). *Hydrologic, chemical and bacterial properties of cattle feedlot pen and amended cropland runoff.* <u>https://doi.org/10.7939/r3-3d8d-p946</u>
- Oltean, G. S. (2015). Estimation of site index and soil properties using the topographic depth-to-water index. <u>https://doi.org/10.7939/R3H98ZJ9R</u>
- Ontkean, G. R. (2000). Agricultural impacts on surface water quality in the Crowfoot Creek Watershed. https://doi.org/10.7939/R3RJ49410
- Onwuchekwa, N. E. (2012). Enhanced revegetation and reclamation of oil sand disturbed land using mycorrhizae. https://doi.org/10.7939/R3SC8T
- Oostlander, M. D. (2004). *Changes in soil physical properties under manure application*. https://doi.org/10.7939/r3-0epr-3d20
- Orlova, J. (2024). Fifty shades of brown: Variability of dissolved organic matter in forested streams across spatial and temporal scales. <u>https://doi.org/10.7939/r3-r729-gb10</u>
- Osika, D. E.-B. (2012). *Reconstructed height growth trajectories of white spruce (Picea glauca) following deciduous release*. <u>https://doi.org/10.7939/R3NP79</u>

- Osko, T. J. (2003). *Habitat availability-preference relationships: Moose case study*. https://doi.org/10.7939/r3-7cn4-7h75
- Ostermann, D. K. (2001). Revegetation assessment of a twelve-year old pipeline on native rangeland in southern Alberta.

https://archive.org/details/Ostermann2001/page/n9/mode/2up?q=Renewable+Resources

- Pallard, J. L. (2022). Assessing the effects of non-native salmonids on Bull Trout (Salvelinus confluentus) in Alberta's Rocky Mountain Foothills. <u>https://doi.org/10.7939/r3-ej54-hp13</u>
- Panes, B. (2023). Drought tolerance of western Canadian forests tree species inferred from dendrochronology. <u>https://doi.org/10.7939/r3-1e31-cz62</u>
- Parker, E. A. (2005). Bromus Inermis Leyss: Persistence and invasion in Alberta aspen parkland. https://doi.org/10.7939/r3-f0tg-db47
- Parsinejad, M. (1998). *Simulation of water status in unsaturated soils*. <u>https://doi.org/10.7939/R3C53FC5V</u>
- Patterson, M. L. (2000). Agroforestry in Belize: Maya home gardens in San Lucas.

https://doi.org/10.7939/R3PK07996

Patterson, S. J. (2008). *Pulp mill effluent as a supplemental water source for irrigation*. <u>https://doi.org/10.7939/r3-ct1d-hz96</u>

- Pawlina, I. M. (1998). Integration of wildlife into the process of selection and evaluation of protected areas in Alberta. https://doi.org/10.7939/R3154DX9T
- Pedersen, J. L. M. (2015). *Mitigating the impacts of climate change on rare plants through assisted migration*. <u>https://doi.org/10.7939/R3W950T4M</u>

Pelech, W. E. (1997). Performance of selected native and introduced plant species under mowing and herbicide management during the establishment period. https://doi.org/10.7939/R3610W057

- Perrault, N. (2023). *Water and arsenic movement in Salix nigra under simulated phytoremediation* conditions. <u>https://doi.org/10.7939/r3-5v9z-0m36</u>
- Peterson, G. (1998). *The distribution of vegetation in the perched basins of the Peace-Athabasca Delta*. <u>https://doi.org/10.7939/R3X63B92K</u>
- Petherbridge, W. L. (2000). Sod salvage and minimal disturbance pipeline reclamation techniques: Implications for native prairie restoration. <u>https://doi.org/10.7939/R3R20S73G</u>
- Pina Poujol, P. C. (2013). Impact of mountain pine beetle attack on water balance of lodgepole pine forests in Alberta. <u>https://doi.org/10.7939/R3SH05</u>
- Pinno, B. D. (2000). Crown characteristics and understory light in young trembling aspen stands. https://doi.org/10.7939/R33R0Q31W
- Pinzon, J. (2011). Composition and structure of spider assemblages in layers of the mixedwood boreal forest after variable retention harvest. <u>https://doi.org/10.7939/R35M10</u>
- Pitchford, C. L. (2000). Season of seeding, mowing and seed mix richness for native plant community development in the Aspen Parkland. <u>https://doi.org/10.7939/R3GB1XR9D</u>
- Plante, A. F. (2001). Soil aggregate turnover and the physical protection of soil organic matter as measured using Dy-labelled tracer spheres. <u>https://doi.org/10.7939/r3-35d2-ex40</u>
- Plavcová, L. (2012). Environmental influences on wood structure and water transport in the model tree Populus. <u>https://doi.org/10.7939/R3QP4S</u>
- Pokharel, P. (2017). Nursery fertilization and understory competition affect seedling growth in oil sands reclaimed soils in Alberta. https://doi.org/10.7939/R3X63BH85
- Pokharel, P. (2023). Effects of biochar on rhizosphere processes and biochar co-application with nitrification inhibitor on GHG emissions and microbial and enzymatic activities. https://doi.org/10.7939/r3-q42w-zm72
- Poulsen, L. (1996). *Characterization of precipitation products from reaction of phosphogypsum leachate with calcareous subsoil*. <u>https://doi.org/10.7939/R3S46HG23</u>

Priestley, C. E. (2008). *Movements of the Northern saw-whet owl*. https://doi.org/10.7939/r3-wsts-2a52

- Protz, C. G. (1999). *A mechanism for self-pruning in lodgepole pine*. https://doi.org/10.7939/r3-sykj-g065
- Pruss, S. D. (2002). Ecology of coyotes (Canis latrans) in Elk Island National Park, Alberta, Canada. https://doi.org/10.7939/r3-9z62-hk39

Puurveen, H. J. (2000). *Measurement and simulation of water erosion*. https://doi.org/10.7939/R3DJ58M5S

- Qin, Y. (1998). *Ingrowth models and juvenile mixedwood stand dynamics*. https://doi.org/10.7939/R37H1DR5T
- Quinn, T. T. (1997). Spatial tessellations of wildlife distributions. https://doi.org/10.7939/R3GH9BJ9F
- Quiroga Yañez, P. C. (2019). Integration of science and indigenous knowledge through the concept of cultural biogeochemical energy: Application to planning in Madidi National Park and indigenous territory of San José de Uchupiamonas. <u>https://doi.org/10.7939/r3-js24-z411</u>
- Ramnarine, S. A. (2018). *Disturbance effects of oil sands exploration practices on coarse-textured soils and Populus tremuloides Michx. Regeneration*. <u>https://doi.org/10.7939/R3Z02ZQ66</u>
- Ranganathan, K. (2015). Over-expression of PIP2;5 aquaporin in a Populus tremula×P.alba clone and its effects on plant responses to low root temperature and osmotic stress.

https://doi.org/10.7939/R3251FS1R

- Redfield, E. B. (2000). Tolerance mechanisms of black spruce (Picea mariana) seedlings exposed to saline oil sands tailings. <u>https://doi.org/10.7939/R32J6881N</u>
- Reid, D. E. B. (2004). Sapwood hydraulic characteristics of lodgepole pine, defined using Darcy's law, in relation to competitive position, height repression, and tree water use following thinning. <u>https://doi.org/10.7939/r3-fzd1-r291</u>

- Ren, T. (1997). Soil water and temperatrue regimes in winter wheat as affected by crop rotation, tillage and row spacing. https://doi.org/10.7939/R3JM23Q89
- Rengifo, N. (2019). *Examples of food [in]security drivers in Northern Canada*. https://doi.org/10.7939/r3-gn50-zd78
- Renkema, K. N. (2009). Aspen (Populus tremuloides) root suckering as influenced by log storage, traffic-induced-root wounding, slash accumulation, and soil compaction. https://doi.org/10.7939/R3101J
- Reyes-Hernandez, V. J. (2014). *Stockability, relative density and productivity: Investigating their link in boreal mixedwoods*. <u>https://doi.org/10.7939/R39W0966X</u>
- Rhemtulla, J. M. (1999). *Eighty years of change: The montane vegetation of Jasper National Park*. https://doi.org/10.7939/R3736M62F
- Richardson, I. M. G. (1999). Predator exclosures: A management technique to increase Piping Plover (Charadrius melodus) reproductive success in the Canadian prairies. https://doi.org/10.7939/R3ZG6GG92
- Riva, F. (2019). Responses in butterflies to loss and fragmentation of boreal forests from in situ oil sands. <u>https://doi.org/10.7939/r3-6078-p790</u>
- Rivera-Rios, C. A. (2018). Effects of community structure on aboveground net primary productivity (aNPP), leaf area index (LAI) and light use efficiency (LUE) in a boreal mixedwood forest of central Alberta, Canada. <u>https://doi.org/10.7939/R3HM5317P</u>
- Roberts, D. R. (2013). *Biogeographic histories and genetic diversity of western North American tree species: Implications for climate change*. <u>https://doi.org/10.7939/R3Q974</u>
- Roberts, J. J. E. (1998). Incorporating low relative humidity and low temperatures into tree nursery growing regimes: Effects on white spruce seedling growth, morphology and physiology. https://doi.org/10.7939/R3H41JW7X

- Roberts, K. N. (2022). The structure and dynamics of fish isotopic and trophic niches in natural lakes and constructed fisheries offsets in the Alberta oil sands. https://doi.org/10.7939/r3-57ex-cz53
- Robinne, F.-N. (2018). *More people, more fire, less water: Exploring wildfire risks to water security in a changing world*. <u>https://doi.org/10.7939/R3P844B1Z</u>
- Robinson, M. (2018). *Phosphogypsum reclamation: Evaluating alternative and traditional cover systems*. <u>https://doi.org/10.7939/R3QZ23001</u>
- Robinson, M. P. (2017). Reproduction and abundance of the wood frog (Lithobates sylvaticus) in post-harvest variable retention forests. <u>https://doi.org/10.7939/R31V5BT50</u>
- Rodriguez Ramos, J. C. (2021). *Characterization, restoration, and assembly of fungal communities in lodgepole pine forests impacted by recent disturbances*. <u>https://doi.org/10.7939/r3-s0wr-nn61</u>
- Rodriguez-Alvarez, J. (2011). Impact of seedling characteristics, outplanting time, and container size on early establishment of aspen (Populus tremuloides) on reclamation sites. https://doi.org/10.7939/R3FQ4N

Rogeau, M.-P. (2016). Fire regimes of southern Alberta, Canada.

https://doi.org/10.7939/R3CV4C309

- Roman Perez, C. C. (2021). Agricultural biosolids application: Greenhouse gas emissions, nitrogen dynamics, and crop productivity. <u>https://doi.org/10.7939/r3-yjks-jt71</u>
- Roth, R. M. (2001). A model of wildlife conservation and community development for the Maasai people of East Africa. https://doi.org/10.7939/r3-tr27-7743
- Routh, M. R. (2021). Wildfires and climate change: Their effects on moose (Alces alces) and white-tailed deer (Odocoileus virginianus) winter habitat in the boreal mixedwoods of Alberta, Canada. https://doi.org/10.7939/r3-dt88-py37
- Rovang, S. B. (2013). Factors affecting the detectability and eastern distribution of grizzly bears in Alberta, Canada. <u>https://doi.org/10.7939/R3V392</u>

Roy, J. L. (1999). Soil water repellency at old crude oil spill sites.

https://doi.org/10.7939/R3930P12C

- Roy, M.-C. (2014). Marsh reclamation in the oil sands of Alberta: Providing benchmarks and models of vegetation development. <u>https://doi.org/10.7939/R38C9RC31</u>
- Ruan, X. (2016). Developing and testing methods to assess species extinction risk and ecosystem degeneration. <u>https://doi.org/10.7939/R35D8NK6Z</u>
- Rudnicki, M. (2002). Group tree sway of lodgepole pine, associated crown interactions and their potential role in mediating crown shyness. <u>https://doi.org/10.7939/r3-qczc-2043</u>
- Rudolfsen, T. A. (2017). Characterizing adaptive morphological features and resource selection of Rocky Mountain Sculpin (Cottus sp.), a species at risk in Canada. https://doi.org/10.7939/R3Z60CG3W
- Rutley, B. D. (1998). *Management, growth and performance of bison (Bison bison) on seasonal* pastures. <u>https://doi.org/10.7939/R3G15TP1T</u>
- Rweyongeza, D. M. (1997). A study of geographic and genetic variation of Scots pine (Pinus sylvestris L.) in Alberta. https://doi.org/10.7939/R3QV3C776
- Rweyongeza, D. M. (2002). *Genetic analysis of seasonal seedling height growth curves and early selection in white spruce*. <u>https://doi.org/10.7939/r3-8had-te04</u>
- Sabbagh, P. J. (2014). The effects of subsoil ripping on soil physical properties and soil water dynamics on reconstructed soils at Genesee Prairie Mine, Alberta.

https://doi.org/10.7939/R3CR5NK45

Saelim, S. (1997). High temperature acclimation of Xylia xylocarpa seedlings.

https://doi.org/10.7939/R3M902C3R

Saher, D. J. (2005). Woodland caribou habitat selection during winter and along migratory routes in west-central Alberta. https://doi.org/10.7939/r3-4qc2-kh97

- Salisbury, B. E. (2004). *Natural recovery versus seeding on a pipeline right-of-way in a boreal mixedwood forest in central Alberta*. <u>https://doi.org/10.7939/r3-bt1f-zv83</u>
- Salloum, M. J. (1999). Sorption of organic compounds to soil and geologic samples that vary in mineral content and diagenic properties. <u>https://doi.org/10.7939/R39G5GR4Z</u>

Salomons, M. J. (2000). Evaluating community conservation in Kenya.

https://doi.org/10.7939/R3V980163

Samadi, N. (2019). Partitioning of inorganic contaminants between fluid fine tailings and cap water under end pit lake scenario: Biological, chemical and mineralogical processes. <u>https://doi.org/10.7939/r3-8730-4k32</u>

Samborsky, S. (2016). Effect of biochar on ammonification and nitrification in a coarse sandy soil.

https://doi.org/10.7939/R3DJ58N4R

https://doi.org/10.7939/R3TH8BS8T

- Sander, B. (2003). Post-fire structure and decomposition dynamics of coarse woody material in the western Canadian continental forest. https://doi.org/10.7939/r3-cxxc-jy71
- Sang, Z. (2022). Forest tree population response to climate variability and climate change: Implications for reforestation. <u>https://doi.org/10.7939/r3-es61-9j43</u>
- Sattler, D. F. (2015). Crown architecture, wood stiffness and the pipe model theory for white spruce [Picea glauca (Moench) Voss] and aspen (Populus tremuloides Michx.).

Saurette, D. D. (2006). Soil respiration and carbon cycling in hybrid popular plantations in northern

Alberta, Canada. https://doi.org/10.7939/r3-gn7d-ed03

- Scaria, F. (2023). Pre-commercial thinning increases merchantability and reduces western gall rust infections in lodgepole pine. <u>https://doi.org/10.7939/r3-8f9t-qy60</u>
- Schaefer, E. A. (2022). *Mycorrhizas and root traits of the riparian tree species Populus fremontii*. <u>https://doi.org/10.7939/r3-71yd-se07</u>

Schaefer, J. W. (1999). *Bioengineering and reclamation to stabilize a lakeshore slope*. https://doi.org/10.7939/R39W0936K

Schaffer, W. W. (1998). Northern Goshawk (Accipiter gentilis) habitat characterization in central Alberta. https://doi.org/10.7939/R3JS9HH60

Schneider, M. E. (2023). Forest resilience to wildfire and harvesting: A comparison of microclimate & understory plant diversity in island remnants a decade after disturbance. <u>https://doi.org/10.7939/r3-9t5m-tv54</u>

- Schoonmaker, A. L. (2013). *Resource allocation, water relations and crown architecture examined at the tree and stand-level in northern conifers*. <u>https://doi.org/10.7939/R3K40H</u>
- Schott, K. M. (2013). *Production and outplanting success of nutrient-loaded aspen seedlings*. https://doi.org/10.7939/R3445HK7K
- Schramm, T. (2005). *Woodland Cree traditional environmental knowledge of critical ungulate habitat in the Caribou Mountains of Alberta*. <u>https://doi.org/10.7939/r3-p6d4-c867</u>

Schreiber, S. G. (2012). Adaptation of trembling aspen and hybrid poplars to frost and drought: Implications for selection and movement of planting stock in Western Canada. <u>https://doi.org/10.7939/R33W95</u>

Schroeder, L. D. (2020). *Grassland vegetation diversity responses to the reintroduction of Wood Bison (Bison bison athabascae) in Aishihik, Yukon.* <u>https://doi.org/10.7939/r3-sn8x-6h21</u>

Schurmann, K. D. (2017). Local-scale drivers of spatial patterns and demographic rates of conifer species in a forest chronosequence in coastal British Columbia.

https://doi.org/10.7939/R3222RJ5M

Scott, J. L. (2012). *Evaluating water quality and biotic indices in the Lower Little Bow River, Alberta*. <u>https://doi.org/10.7939/R3GM72</u> Scott, N. M. (2018). Role of host identity, stand composition, soil type and disturbance severity in structuring ectomycorrhizal communities in the boreal forest.

https://doi.org/10.7939/R3C53FG6P

Sebastian Azcona, J. (2019). Adaptation of white spruce populations to extreme climate events: Implications for assisted migration practices in Western Canada.

https://doi.org/10.7939/r3-5skr-fd90

- Sewell, P. (2018). Seeing the forest for the soil: Topographic controls on soil carbon dynamics in the boreal mixedwood forest. <u>https://doi.org/10.7939/R3VT1H592</u>
- Shahidi, B. M. R. (2012). Greenhouse gas emissions following tillage reversal on a black chernozem and a gray luvisol in Alberta. <u>https://doi.org/10.7939/R38M1X</u>
- Sharpe, M. E. (2016). Investigating fire as a silvicultural tool for regeneration of mountain pine beetle-killed serotinous pine of northern Alberta. <u>https://doi.org/10.7939/R3HD7P379</u>

Shaughnessy, B. E. (2010). Natural recovery of upland boreal forest vegetation on a hummocky peat-mineral mix substrate in the Athabasca oil sands region, Alberta. https://doi.org/10.7939/R3F02N

- Sheldon, I. R. (1999). Ecotourism development in northern Thailand: An exploration of perceptions and potentials. <u>https://doi.org/10.7939/R3SQ8QS65</u>
- Shepherd, L. K. (2006). *Caribou habitat selection in relation to lichen and fire in Jasper and Banff National Parks*. <u>https://doi.org/10.7939/r3-hqzc-2585</u>
- Sherritt, D. E. (2012). Festuca hallii (Vasey) Piper (Plains rough fescue) and Festuca campestris RYDB (Foothills rough fescue) response to seed mix diversity and mycorrhizae. <u>https://doi.org/10.7939/R34P68</u>
- Shi, Z. (2010). Afforestation and stand age affected soil respiration and net ecosystem productivity in *hybrid poplar plantations in central Alberta, Canada*. <u>https://doi.org/10.7939/R34T58</u>

- Shifflett, S. J. (2005). Wetland vegetation establishment with transferrals of wetland soil following surface mining. https://doi.org/10.7939/r3-gypz-jr34
- Shyry, D. T. (2005). Western burrowing owls (Athene cunicularia hypugaea) in Southeast Alberta: Juvenile survivorship from fledging to migration, effect of tags, and late-season diets. <u>https://doi.org/10.7939/r3-mp1v-n373</u>
- Siemens, J. A. (2008). Effects of nitrogen, pH, and mycorrhizal fungi on the growth, water relations, and physiology of trembling aspen (Populus tremuloides) and balsam poplar (Populus balsamifera). <u>https://doi.org/10.7939/r3-rra5-9f86</u>
- Silva Sobrinho, L. (2023). Adaptive multi-paddock grazing increases organic carbon in grassland soils. <u>https://doi.org/10.7939/r3-n5s2-as28</u>
- Simpson, R. D. (2005). *Measuring and approximating the effects of forest fires on timber supply in Alberta*. <u>https://doi.org/10.7939/r3-5wd1-gt05</u>
- Sinclair, L. (2019). A range-wide common garden experiment of white spruce indicates population differentiation in drought tolerance traits. <u>https://doi.org/10.7939/r3-tpca-bn95</u>
- Singh, S. (2008). Soil respiration processes in Canadian boreal forest soils following fire. https://doi.org/10.7939/r3-sj5v-nk52
- Slater, S. C. (2013). Woodland caribou conservation in Alberta: Range delineation and resource selection. <u>https://doi.org/10.7939/R3493B</u>
- Smith, R. S. (2004). Water quality indicators for cumulative environmental effects assessment in the Bow and Red Deer River basins, Alberta, Canada. <u>https://doi.org/10.7939/r3-5gfb-q152</u>
- Snedden, J. E. (2013). The root distribution, architecture, transpiration and root sapflow dynamics of mature trembling aspen (Populus tremuloides) growing along a hillslope.

https://doi.org/10.7939/R3N87374G

Snively, A. E. K. (2014). Competitive relationships in forest restoration: Impact of cover crops and fertilization on tree and understory development. <u>https://doi.org/10.7939/R3J67936H</u>

- Solarik, K. (2010). Variable retention harvesting: Mortality of residual trees and natural regeneration of white spruce. <u>https://doi.org/10.7939/R3KD21</u>
- Song, Y. S. (2012). *Multi-dimensional water flow and solute transport in heterogeneous, layered soils*. <u>https://doi.org/10.7939/R32S3J</u>
- Sorenson, P. T. (2019). *Quantifying the spatial distribution of soil organic carbon and nitrogen using reflectance spectroscopy*. <u>https://doi.org/10.7939/r3-0nhq-7s45</u>

Soucémarianadin, L. N. (2013). *Black carbon in Quebec boreal black spruce forests*. https://doi.org/10.7939/R37X0B

Souliere, C. M. (2023). Effect of early seral forests on grizzly bear (Ursus arctos) food supply, habitat selection, and tradeoffs with mortality risk associated with roads via an individual-based model. <u>https://doi.org/10.7939/r3-45d0-4f14</u>

- Spencer, S. (2010). The increasing prevalence of smaller fish in highly exploited fisheries: Concerns, diagnosis and management solutions. <u>https://doi.org/10.7939/R3CQ75</u>
- Spencer, S. A. (2019). *Runoff generation in a steep snow-dominated watershed in Alberta's southern Rocky Mountains*. <u>https://doi.org/10.7939/r3-z68j-p818</u>
- Spillios, L. C. (1999). Sediment intrusion and deposition near road crossings in small foothill streams in west central Alberta. <u>https://doi.org/10.7939/R3HT2GG6H</u>
- Stachiw, S. J. (2019). Trace elements in berries collected near upgraders and open pit mines in the Athabasca bituminous sands region (ABSR): Distinguishing atmospheric dust deposition from plant uptake. <u>https://doi.org/10.7939/r3-jdwj-zh03</u>

Stack, S. (2019). The influence of soil reconstruction materials and targeted fertilization on the regeneration dynamics in boreal upland forest reclamation. <u>https://doi.org/10.7939/r3-9pfj-ef44</u>

Stadt, K. J. (2002). *Modeling light for regeneration planning in mixed-species boreal forests*. https://doi.org/10.7939/r3-xfe9-z786

- Stanfield, R. (2019). *The phloem sieve tube as a dynamic carrier of water and sugars*. https://doi.org/10.7939/r3-xmrt-he75
- Startsev, N. A. (2004). *The role of feathermosses in N cycling in lodgepole pine forests*. https://doi.org/10.7939/r3-yvf4-9254
- Stavne, R. B. (2005). *Effects of cattle grazing on breeding wetland birds in the Aspen Parkland of Alberta*. <u>https://doi.org/10.7939/r3-8sxq-qw94</u>
- Stehelin, T. (2020). Climate change implications for distribution, phenology and conservation of Olive-sided Flycatchers (Contopus cooperi) and Western Wood-Pewees (C. sordidulus) in northwestern North America. <u>https://doi.org/10.7939/r3-mm4n-1t87</u>
- Steinke, J. (2018). Vegetation responses following mountain pine beetle attack in lodgepole pine forests of west-central Alberta. https://doi.org/10.7939/R30C4T18D
- Steinke, L. A. (2011). Plant and soil biophysical properties for evaluating land reclamation in Jasper National Park, Canada. <u>https://doi.org/10.7939/R3DS8J</u>
- Stockdale, C. A. (2017). A century of landscape change in the southern Rocky Mountains and Foothills of Alberta: Using historical photography to quantify ecological change.

https://doi.org/10.7939/R3W37M744

- Storey, N. (2023). Wildfire impacts to soil in Alberta's southern Rocky Mountains: Pyrogenic carbon abundance and character on a post-wildfire landscape. <u>https://doi.org/10.7939/r3-5qcj-yh44</u>
- Stotyn, S. A. (2008). *Ecological interactions of mountain caribou, wolves and moose in the North Columbia Mountains, British Columbia.* https://doi.org/10.7939/r3-8d4j-6v47
- Stover, H. J. (2013). Non-native plant management and restoration of foothills fescue grassland in Waterton Lakes National Park, Alberta. <u>https://doi.org/10.7939/R3BN9XD6C</u>
- Stratechuk, K. E. (2020). Effects of stockpiling on soil physical properties and soil carbon. https://doi.org/10.7939/r3-w3ma-hv93

- Stuart-Smith, G. J. (1998). *Conservation of whitebark pine in the Canadian Rockies: Blister rust and population genetics*. <u>https://doi.org/10.7939/R3PK07869</u>
- Sun, L. (2015). Tillage reversal and nitrogen fertilization affected greenhouse gas emissions and soil carbon stability differently in a black chernozem and a gray luvisol.

https://doi.org/10.7939/R3RW92

- Sun, X. (2021). Effects of non-segregated tailings, nitrogen, phosphorus and elemental sulphur on growth of plants in oil sands reclamation soils. https://doi.org/10.7939/r3-dak2-rr68
- Suwarni, E. (1999). Pollen contamination, mating system, and genetic diversity in a Pinus merkusii seedling seed orchard. <u>https://doi.org/10.7939/R37659Q5J</u>
- Swallow, M. J. B. (2012). The ecology of boreal forest floor microbial communities in relation to environmental factors. <u>https://doi.org/10.7939/R3KH22</u>
- Szkorupa, T. D. (2002). *Multi-scale habitat selection by mountain caribou in west central Alberta*. <u>https://doi.org/10.7939/R3CV4C35Q</u>
- Tabacaru, C. A. (2015). *Playing with fire: Dendroctonus ponderosae (mountain pine beetles) in post-burn lodgepole pine forests*. <u>https://doi.org/10.7939/R3KD1OS2M</u>
- Taft, S. (2015). Variations in jack pine (Pinus banksiana) monoterpene composition and subsequent effects on pheromone production by mountain pine beetle (Dendroctonus ponderosae). https://doi.org/10.7939/R3VQ2SH4S
- Taghavimehr, J. (2015). Effect of biochar on soil microbial communities, nutrient availability, and greenhouse gases in short rotation coppice systems of Central Alberta.

https://doi.org/10.7939/R32Z1311P

- Takats, D. L. (1998). *Barred owl habitat use and distribution in the Foothills model forest*. <u>https://doi.org/10.7939/R3ZS2KM67</u>
- Tan, X. (2006). Effects of soil compaction and organic matter treatments on soil nutrient cycling in boreal forest ecosystems. <u>https://doi.org/10.7939/r3-fr4a-b109</u>

- Tan, X. (2019). *Role of aquaporins in plant responses to oxygen deprivation*. https://doi.org/10.7939/r3-hksw-tm33
- Tansanu, C. S. (2007). *The role of forest stand structure in predicting yield*. https://doi.org/10.7939/r3-mh1t-4r51
- Thacker, S. J. (2018). *Rhizosphere microbial response to predicted vegetation shifts and changes in rhizodeposition in boreal forest soils*. <u>https://doi.org/10.7939/R3RB6WJ29</u>
- Thayer, D. (2016). Identifying seasonal Lake Sturgeon (Acipenser fulvescens) movement patterns and habitat selection in the South Saskatchewan River Basin.

https://doi.org/10.7939/R32J6890M

- Theis, S. (2022). Offsetting approved harmful anthropogenic impacts in the 21st century Insights into global offsetting practices, habitat banking as an alternative offsetting mechanism and application of habitat enhancement in northern boreal lake systems. https://doi.org/10.7939/r3-shck-7q69
- Therrien, J. F. C. A. (2012). Interactions between host trees, bacteria, and fungi: Impacts on mountain pine beetle (Dendroctonus ponderosae) reproduction. <u>https://doi.org/10.7939/R3K31J</u>
- Thibodeau, J. (2005). *Leaching potential variability within a hummocky agricultural landscape in central Alberta, Canada*. <u>https://doi.org/10.7939/r3-v487-3n08</u>
- Thompson, L. (2023). *Methylmercury production and export across the terrestrial-aquatic continuum in permafrost peatland catchments*. <u>https://doi.org/10.7939/r3-2py0-wb68</u>
- Trepanier, K. E. (2020). *Plant community dynamics on soil islands in oil sands reclamation*. https://doi.org/10.7939/r3-7q3y-sc61
- Treseder, L. (2000). Forest co-management in northern Alberta: Conflict, sustainability, and power. https://doi.org/10.7939/R3B853R4N

- Truong, D. (2020). Residents' perception of hydraulic fracturing and their engagement in hydraulic fracturing in Lethbridge, Fox Creek, and Rosebud, Alberta, Canada. https://doi.org/10.7939/r3-xnf2-9y08
- Tupker, K. A. (2001). Response of trembling aspen (Populus tremuloides Michaux) and hybrid poplar (Populus spp.) to increased CO₂ in the greenhouse.

https://doi.org/10.7939/R3TH8BR7W

- Turner, E. L. (2013). Influence of soil cap depth and vegetation on reclamation of phosphogypsum stacks in Fort Saskatchewan, Alberta. https://doi.org/10.7939/R39M7H
- Twerdoff, D. A. (1996). Soil compaction and soil water under rotational grazing of annual and perennial forages. <u>https://doi.org/10.7939/R3M61BX7H</u>
- Tymstra, C. (2021). Spring wildfires in Alberta and opportunities for enhanced wildfire preparedness. <u>https://doi.org/10.7939/r3-28mx-e339</u>
- Ullah, A. (2020). *Chemotypic variations of lodgepole pine affect mountain pine beetle behaviour and* growth of its symbiotic fungus. <u>https://doi.org/10.7939/r3-4hcn-k961</u>
- Ullah, A. (2023). Understanding the role of secondary metabolites and endophytic fungi in white spruce defenses against eastern spruce budworm. <u>https://doi.org/10.7939/r3-9etz-6s93</u>
- Valek, E. R. (2018). *Challenges of utilizing municipal compost as an amendment in boreal forest* reclamation subsoil material. <u>https://doi.org/10.7939/R3VT1H58K</u>
- van Kessel, J. C. (2002). Taking care of bison: Community perceptions of the Hook Lake Wood Bison Recovery Project in Fort Resolution, NT, Canada. https://doi.org/10.7939/R33B5WC57
- Van Mierlo, V. A. (2021). Occupancy and impacts of the northern crayfish (Faxonius virilis) in tributaries of the North Saskatchewan River Basin. <u>https://doi.org/10.7939/r3-eyee-th45</u>
- Van Rensen, C. K. (2014). Predicting patterns of regeneration on seismic lines to inform restoration planning in boreal forest habitats. https://doi.org/10.7939/R3DM49

- Vaziriyeganeh, M. (2017). Physiological responses of glycophytic and halophytic grasses Poa pratensis, Poa juncifolia, and Puccinellia nuttalliana to salt stress. https://doi.org/10.7939/R3PN8XV6X
- Vaziriyeganeh, M. (2023). Role of aquaporin-mediated water transport in salinity tolerance of northern grasses. https://doi.org/10.7939/r3-3dfz-7236
- Veillard, M. (2016). Investigating fine-scale movement patterns and comparative swimming performance of the newly identified and threatened Rocky Mountain Sculpin (Cottus sp.) across its Canadian distribution. <u>https://doi.org/10.7939/R3PV6BC5F</u>
- Venskaitis, S. A. S. (2019). Influence of capping depth on forest reclamation success in the athabasca oil sands. <u>https://doi.org/10.7939/r3-cemx-3p20</u>
- Verma, E. M. (2008). Soil-based wastewater dispersal systems: Net die-off and sorption rate constants of Escherichia coli and Enterococcus faecalis. <u>https://doi.org/10.7939/r3-r93b-1t32</u>
- Vigliotti, J. (2020). Cavity availability, characteristics and use by over-wintering birds and mammals in Southern Yukon. <u>https://doi.org/10.7939/r3-8xf6-db24</u>
- Vogt, N. S. (2021). Influence of permafrost characteristics on vegetation change in Yukon and Northwest Territories, Canada. <u>https://doi.org/10.7939/r3-pjcm-aj83</u>
- Voicu, M. F. (2005). *Gradients in microclimate and spruce growth adjacent to young aspen stands*. <u>https://doi.org/10.7939/r3-y1bz-z034</u>

Wagner, M. J. (2010). *Hydrologic risk assessment framework for Alberta's green zone*. https://doi.org/10.7939/R32Q0Q

- Wallace, H. (2020). The effect of strip-harvesting on fuel moisture and loading in lodgepole pine stands. <u>https://doi.org/10.7939/r3-ctbz-wg07</u>
- Wan, X. (2000). *Water flow and growth of aspen (populus tremuloides) at low soil temperatures*. https://doi.org/10.7939/r3-sm3q-ms52

- Wang, F. (2019). *Host plant chemistry affects fungal interactions, which influence the production of volatile fungal metabolites*. <u>https://doi.org/10.7939/r3-qqkz-zm65</u>
- Wang, Q. (2017). Trembling aspen (Populus tremuloides) leaf litter decomposition under simulated nitrogen and sulfur deposition in a mixedwood boreal forest.

https://doi.org/10.7939/R3F766M80

- Wang, S. (2000). Modelling water, carbon, and nitrogen dynamics in class: Canadian land surface scheme. <u>https://doi.org/10.7939/r3-kzr2-xr98</u>
- Wang, Y. (1998). Low temperature effects on physiological characteristics of dormant white spruce (Picea glauca) bareroot seedlings. <u>https://doi.org/10.7939/R3QN5ZM0G</u>
- Wasyliw, J. (2020). *Ectomycorrhizal functional diversity parallels fine root and leaf abundance with forest stand age*. <u>https://doi.org/10.7939/r3-s6v6-8z56</u>
- Watkins, O. B. (2016). Sustaining the recovery of lake sturgeon (Acipenser fulvescens) in the North Saskatchewan River of Alberta. <u>https://doi.org/10.7939/R39G5GN53</u>
- Watkinson, A.-L. (2020). Restoration of sagebrush grassland for greater sage grouse habitat in Grasslands National Park, Saskatchewan. https://doi.org/10.7939/r3-3jkd-rz98
- Weber, T. L. (2019). Application of manure from cattle fed with different diets affects soil properties and greenhouse gas emissions. <u>https://doi.org/10.7939/r3-5cvq-r675</u>
- Weber, T. L. (2023). The effects of biochar-manure on crop yield, greenhouse gases, and organic matter stability in an Orthic Gray Luvisol. <u>https://doi.org/10.7939/r3-zhgd-1386</u>
- Weclaw, P. (2010). *Optimal use of resources: Classic foraging theory, satisficing and smart foraging* – modelling foraging behaviors of elk. <u>https://doi.org/10.7939/R3GK6B</u>
- Weldeyohannes, A. O. (2015). Physics of wastewater flow and pathogen transport processes from a soil-based at-grade effluent treatment system and associated groundwater contamination risks in Alberta, Canada. <u>https://doi.org/10.7939/R3K386</u>

- Welegedara, N. (2019). *Modelling short and long-term effects of soil cover depth on tree growth and productivity in reclaimed landscapes of Northern Alberta*. <u>https://doi.org/10.7939/r3-kc1w-qb63</u>
- Wellstead, A. M. (2006). *Addressing natural resource policy complexities and change*. https://doi.org/10.7939/r3-edv4-6p19
- Whitman, E. (2019). *Burn severity and fire history in the northwestern Canadian boreal forest: Drivers and ecological outcomes*. <u>https://doi.org/10.7939/r3-816r-as88</u>
- Wick, A. A. (2013). Beyond the host plant: Multi-scale habitat models for a northern peripheral population of the butterfly, Apodemia mormo (Lepidoptera: Riodinidae). https://doi.org/10.7939/R31M24
- Wilkinson, J. P. (1999). *The effects of lightning on stand age in north central Alberta*. https://doi.org/10.7939/R3R20S148
- Wilkinson, S. R. (2002). Management of elephant grass and restoration of moist evergreen forest in abandoned pastures, Galapagos Islands, Ecuador. <u>https://doi.org/10.7939/R3697090H</u>
- Williams, C. H. S. (2022). Wildfire effects on net precipitation, streamflow regime and rainfall-runoff events in northern Rocky Mountain watersheds. <u>https://doi.org/10.7939/r3-2zvv-r248</u>
- Willier, C. N. (2017). *Changes in peatland plant community composition and stand structure due to road induced flooding and desiccation*. <u>https://doi.org/10.7939/R3F18SV1G</u>
- Wilson, A. M. J. (2016). Effects of biochar, fertilizer and shelter treatments on the vegetation development following coal mine reclamation. <u>https://doi.org/10.7939/R3PN8XR8J</u>
- Wolken, J. M. (2008). Survival of lodgepole pine trees following infection by western gall rust. https://doi.org/10.7939/r3-1w90-9n32
- Wood, C. M. (2012). Saproxylic beetles (Coleoptera) associated with aspen deadwood in broad-leaved boreal mixedwood stands. <u>https://doi.org/10.7939/R3Z62C</u>

- Worthy, S. (2021). Are managed honey bees (Apis mellifera) altering native pollinator diversity, or their interactions with plants in Western Canadian grasslands? https://doi.org/10.7939/r3-e99j-0694
- Wowk, J. P. (2000). Assessment and mapping of fire severity on rangeland in the fescue grass ecoregion of southwestern Alberta using resource satellite data, field observations, and digital terrain models. <u>https://doi.org/10.7939/R30C4SP6J</u>
- Wruck, G. W. (2004). *Revegetation and spatial pattern of pipeline reclamation in sandhills of Alberta aspen parkland*. <u>https://doi.org/10.7939/r3-ngrp-c687</u>
- Wu, L. (2018). Disturbance, habitat variability and biodiversity of a boreal carabid (Coleoptera: Carabidae) fauna 15 years after variable retention harvest. <u>https://doi.org/10.7939/R3FT8F15F</u>
- Xu, F. (2018). *Effects of mineral nutrition and iron supply on growth and physiological responses of selected boreal plant species to root zone pH*. <u>https://doi.org/10.7939/R3CR5NT49</u>
- Xu, H. (2015). Major intrinsic proteins of Laccaria bicolor: Characterization, transcript profiling and functions in ectomycorrhizal associations with Picea glauca. https://doi.org/10.7939/R3WP9TF7C
- Xu, K. (2022). Modeling the impacts of global change on tree growth and stand density of boreal forests in Canada. <u>https://doi.org/10.7939/r3-fqmq-dp82</u>
- Xue, J. (2021). Variations in size and optical properties of dissolved organic matter during mixing at large river confluences: Implications for source discrimination in the boreal zone. https://doi.org/10.7939/r3-748y-fd78
- Yacura, D. J. (2017). Occurrence and fate of pharmaceuticals and personal care products (PPCPs) at a northern wastewater treatment facility. <u>https://doi.org/10.7939/R32Z13233</u>
- Yao, L. (2013). *Potassium silicte drilling fluid as a land reclamation amendment*. <u>https://doi.org/10.7939/R3599Z94G</u>

- Yasul, L. R. (2008). Landscape position and land use effects on nitrogen and phosphorus cycling within a riparian-agricultural system in central Alberta. https://doi.org/10.7939/r3-8f75-7f85
- Ye, T. Z. (2003). Coevolutionary genetics of Pinus contorta-Pinus banksiana complex and Endocronartium harknessii. https://doi.org/10.7939/r3-kyma-q664
- Yijia, Y. (2019). *Modelling tree competition in a boreal mixedwood forest in Alberta*. https://doi.org/10.7939/r3-e3cj-0479
- Zahara, I. (2022). Feather keratin derived sorbents for the removal of trace metals from wastewater produced by energy generation processes. <u>https://doi.org/10.7939/r3-4919-4y22</u>
- Zahraei, S. (2015). *Microbial community development and function at a newly reclaimed oil sands site*. <u>https://doi.org/10.7939/R35T3G971</u>
- Zeb, A. (2019). Trends, causes, and actors of deforestation and forest degradation in the Kalasha valleys of Pakistan: A multi-level analysis. <u>https://doi.org/10.7939/r3-nye0-jx80</u>
- Zerb, J. O. B. (2024). Subseasonal forecasting of fire weather using recurrent neural networks. https://doi.org/10.7939/r3-k0ca-v140
- Zhang, J. (2014). Spatial and temporal variations in tree growth, mortality, and biodiversity in Alberta forests. <u>https://doi.org/10.7939/R3G737C2J</u>
- Zhang, J. (2022). The long-term effects of crop rotation and fertilizer applications on soil health and crop productivity in Alberta. https://doi.org/10.7939/r3-wk45-1x20
- Zhang, R. (1996). *Gibberellin A9: A possible biochemical marker in early selection at the family and clonal levels of radiata pine and coastal Douglas-fir.* <u>https://doi.org/10.7939/R3V698M8B</u>
- Zhang, W. (2015). *Effects of root zone pH, calcium and phosphorus supply on selected boreal forest plant species*. <u>https://doi.org/10.7939/R3B27Q04X</u>
- Zhang, X. (2005). Soil organic carbon and microbial community distribution at the Breton Classical plots. https://doi.org/10.7939/r3-yxeg-ac28

- Zhao, S. (2019). Legacy effects of mountain pine beetle outbreak: Defense, growth and survival of residual lodgepole pine trees in Alberta. https://doi.org/10.7939/r3-qzb9-kp28
- Zhao, Y. (2017). *Biomonitoring and assessment of airborne fluoride from fertilizer production*. https://doi.org/10.7939/R3DZ03D6R
- Zhao, Y. (2022). *Humic substances as soil amendments in coal mine reclamation*. https://doi.org/10.7939/r3-fpzk-sp93
- Zhong, Z. (2002). Energy and carbon dioxide transfers in a barley-fallow system in southern Alberta. https://doi.org/10.7939/R3NP1WT2H