

CANADIAN THESES ON MICROFICHE

THÈSES CANADIENNES SUR MICROFICHE



National Library of Canada
Collections Development Branch

Canadian Theses on
Microfiche Service

Ottawa, Canada
K1A 0N4

Bibliothèque nationale du Canada
Direction du développement des collections

Service des thèses canadiennes
sur microfiche

NOTICE

The quality of this microfiche is heavily dependent upon the quality of the original thesis submitted for microfilming. Every effort has been made to ensure the highest quality of reproduction possible.

If pages are missing, contact the university which granted the degree.

Some pages may have indistinct print especially if the original pages were typed with a poor typewriter ribbon or if the university sent us an inferior photocopy.

Previously copyrighted materials (journal articles, published tests, etc.) are not filmed.

Reproduction in full or in part of this film is governed by the Canadian Copyright Act, R.S.C. 1970, c. C-30. Please read the authorization forms which accompany this thesis.

**THIS DISSERTATION
HAS BEEN MICROFILMED
EXACTLY AS RECEIVED**

AVIS

La qualité de cette microfiche dépend grandement de la qualité de la thèse soumise au microfilmage. Nous avons tout fait pour assurer une qualité supérieure de reproduction.

S'il manque des pages, veuillez communiquer avec l'université qui a conféré le grade.

La qualité d'impression de certaines pages peut laisser à désirer, surtout si les pages originales ont été dactylographiées à l'aide d'un ruban usé ou si l'université nous a fait parvenir une photocopie de qualité inférieure.

Les documents qui font déjà l'objet d'un droit d'auteur (articles de revue, examens publiés, etc.) ne sont pas microfilmés.

La reproduction, même partielle, de ce microfilm est soumise à la Loi canadienne sur le droit d'auteur, SRC 1970, c. C-30. Veuillez prendre connaissance des formules d'autorisation qui accompagnent cette thèse.

**LA THÈSE A ÉTÉ
MICROFILMÉE TELLE QUE
NOUS L'AVONS REÇUE**

Canada



National Library
of Canada

Bibliothèque nationale
du Canada

Ottawa, Canada
K1A 0N4

TC -

ISBN 0-315-21220-9

CANADIAN THESES ON MICROFICHE SERVICE - SERVICE DES THÈSES CANADIENNES SUR MICROFICHE

PERMISSION TO MICROFILM - AUTORISATION DE MICROFILMER

• Please print or type - Écrire en lettres moulées ou dactylographier

AUTHOR - AUTEUR

Full Name of Author - Nom complet de l'auteur

ALLAN JAMES THERIAULT

Date of Birth - Date de naissance

Nov 28, 1955

Canadian Citizen - Citoyen canadien

☒ Yes / Oui

☐ No / Non

Country of Birth - Lieu de naissance

CANADA

Permanent Address - Résidence fixe

3528 - 48 ST
EDMONTON AB
T6L 3R4

THESIS - THÈSE

Title of Thesis - Titre de la thèse

TRANSIT TRAVEL CHARACTERISTICS IN EDMONTON AND
THE IMPACT OF LIGHT RAIL TRANSIT

Degree for which thesis was presented
Grade pour lequel cette thèse fut présentée

M. Sc.

Year this degree conferred
Année d'obtention de ce grade

1985

University - Université

UNIVERSITY of ALBERTA

Name of Supervisor - Nom du directeur de thèse

J. J. BAKKER

AUTHORIZATION - AUTORISATION

Permission is hereby granted to the NATIONAL LIBRARY OF CANADA to
microfilm this thesis and to lend or sell copies of the film.

The author reserves other publication rights, and neither the thesis nor exten-
sive extracts from it may be printed or otherwise reproduced without the
author's written permission.

L'autorisation est, par la présente, accordée à la BIBLIOTHÈQUE NATIONALE
DU CANADA de microfilmer cette thèse et de prêter ou de vendre des ex-
emplaires du film.

L'auteur se réserve les autres droits de publication; ni la thèse ni de longs ex-
traits de celle-ci ne doivent être imprimés ou autrement reproduits sans
l'autorisation écrite de l'auteur.

ATTACH FORM TO THESIS - VEUILLEZ JOINDRE CE FORMULAIRE À LA THÈSE

Signature

Allan J. Theriault

Date

March 5/85

THE UNIVERSITY OF ALBERTA

TRANSIT TRAVEL CHARACTERISTICS
IN EDMONTON AND THE IMPACT OF LIGHT RAIL TRANSIT

by



ALLAN JAMES THERIAULT

A THESIS

SUBMITTED TO THE FACULTY OF GRADUATE STUDIES AND RESEARCH
IN PARTIAL FULFILMENT OF THE REQUIREMENTS FOR THE DEGREE

OF

MASTER OF SCIENCE

DEPARTMENT OF CIVIL ENGINEERING

EDMONTON, ALBERTA

SPRING, 1985

THE UNIVERSITY OF ALBERTA

RELEASE FORM

NAME OF AUTHOR: ALLAN JAMES THERIAULT

TITLE OF THESIS: TRANSIT TRAVEL CHARACTERISTICS IN EDMONTON
AND THE IMPACT OF LIGHT RAIL TRANSIT

DEGREE FOR WHICH THESIS WAS PRESENTED: M.SC.

YEAR THIS DEGREE GRANTED: 1985

Permission is hereby granted to THE UNIVERSITY OF
ALBERTA LIBRARY to reproduce single copies of this
thesis and to lend or sell such copies for private,
scholarly or scientific research purposes only.

The author reserves other publication rights, and
neither the thesis nor extensive extracts from it may
be printed or otherwise reproduced without the author's
written permission.

Allan J. Theriault
PERMANENT ADDRESS:


3528 - 48 Street

Edmonton, Alberta


DATED *March 5* 1985

THE UNIVERSITY OF ALBERTA
FACULTY OF GRADUATE STUDIES AND RESEARCH

The undersigned certify that they have read, and
recommend to the Faculty of Graduate Studies and Research,
for acceptance, a thesis entitled TRANSIT TRAVEL
CHARACTERISTICS IN EDMONTON AND THE IMPACT OF LIGHT RAIL
TRANSIT submitted by ALLAN JAMES THERIAULT in partial
fulfilment of the requirements for the degree of Master of
Science.


.....

Supervisor


.....

x 
.....

Date JANUARY 9, 1985
.....

To

Patricia, Lawrence and Lillian

ABSTRACT

This thesis studies and serves to isolate trends in transit travel characteristics over a ten-year time interval. In particular, it addresses the problem facing the transportation planner when he sets out to evaluate the effectiveness of a transportation system improvement. The problem is usually compounded by the lack of a suitable and chronologically organized database.

This study is a neighborhood-level aggregate analysis, based on Edmonton Civic Census information and origin-destination data from the years 1971, 1976 and 1981. The most important transportation system improvement in Edmonton during this time period was the opening of the North East Light Rail Rapid Transit Line in April, 1978. This line was implemented as an integral part of the existing transit network in Northeast Edmonton and the focus of this study is to assess the impact of this improvement.

The investigated parameters included the number of work trips by mode, mode split, scheduled transit travel time, bus stop density and zonal demographics. The study was limited to the analysis of morning peak period work trips between selected study area origins and downtown and/or university area destinations.

The techniques used to identify trends in transit travel characteristics include regression analysis, the analysis of regression scattergram envelopes, the

presentation of statistics on a geographic base, time series comparisons and control area comparisons amongst study areas and study area subsets. The use of graphic and cartographic presentation has been emphasized and has proved to be an effective research tool.

Regression analysis has proved that of the parameters tested, scheduled transit travel time and average household income have the best linear interrelationship with mode split. Cartographic presentation has shown that high mode split areas are generally located along major transit corridors or transit centers. During the time period 1976-1981, morning peak work trip mode split from the northeast study area showed a net increase of 5-7% over an area that is without light rail transit influence.

The implementation of light rail transit has significantly reduced transit travel times to major destination areas and there is evidence to suggest that this system upgrade has influenced morning work trip mode choice.

ACKNOWLEDGEMENTS

The Author wishes to express his gratitude and appreciation to the following individuals and agencies:

Professor J.J. Bakker of the Department of Civil Engineering at the University of Alberta, for his guidance, advice and interest throughout this study;

Mr. T.O. Clement, for his patience and advice during the initial stages of this research;

Mr. Martin Scott of the Department of Geography at the University of Alberta, for his assistance in procuring suitable computer mapping software;

Professor S. Teply and K.O. Anderson of the Department of Civil Engineering at the University of Alberta for their comments and suggestions at opportune times;

The City of Edmonton Transportation Department, for financial support of this thesis in the form of a research contract and for the provision of data used in this thesis;

The Natural Sciences and Engineering Research Council of Canada, for financial assistance in the form of a Postgraduate Scholarship during the course of my graduate studies;

and my wife Patricia, for her invaluable patience and understanding throughout this study.

TABLE OF CONTENTS

	Page
1.0 INTRODUCTION.....	1
1.1 Problem Statement.....	1
1.2 Research Objective.....	2
1.3 Scope.....	2
1.4 Organization of the Thesis.....	4
2.0 LITERATURE REVIEW.....	5
2.1 The Metropolitan Edmonton Transportation Study.....	5
2.2 An Investigation into the Modal Split Relations in the City of Edmonton.....	8
2.3 Density of Bus Routes in North Edmonton.....	9
2.4 The 1971 Origin-Destination Study.....	10
2.5 Work Trip Generation Models.....	12
2.6 Cartographic Presentation.....	13
3.0 METHODOLOGY.....	16
3.1 The Selection of the Time Segment.....	16
3.2 Geocoding.....	19
3.3 The Selection of the Aggregation Level.....	19
3.4 Preliminary Analysis and Selection of Control Areas.....	21
3.5 Parameters.....	25

	Page
4.0 INFORMATION BASE.....	28
4.1 Civic Census Records.....	28
4.2 Federal Census Records.....	32
4.3 Information Provided by the City of Edmonton.....	32
4.3.1 Origin-Destination Data.....	32
4.3.2 Bus Stop Locations.....	33
4.3.3 Scheduled Transit Travel Time.....	33
4.3.4 Zonal Areas.....	34
5.0 DATA MANAGEMENT.....	35
5.1 1971 Reference Parameters.....	35
5.2 1976 Census Record Extraction.....	36
5.3 1981 Census Record Extraction.....	37
5.4 1971 Trip Tables.....	38
5.5 1976 Trip Tables.....	41
5.6 1981 Trip Tables.....	41
5.7 Merging Statistics.....	42
5.8 Estimation of Modal Percentages.....	43
6.0 DATA ANALYSIS.....	45
6.1 Regression Analysis.....	45
6.2 The Analysis of Regression "Envelopes".....	50
6.3 The Presentation of Zonal Statistics on a Geographic Base.....	53
6.3.1 Mapping Alternatives.....	54
6.3.2 Computer-Aided Design.....	55

	Page
6.3.3 SYMAP.....	57
6.3.4 GIMMS.....	58
6.3.5 Mode Split to the Central Area.....	60
6.3.5.1 1971 Versus 1976.....	60
6.3.5.2 1976 Versus 1981.....	60
6.3.6 Mode Split to the C.B.D.....	63
6.3.6.1 1971 Versus 1976.....	63
6.3.6.2 1976 Versus 1981.....	63
6.3.7 Mode Split to the University Area.....	63
6.3.7.1 1971 Versus 1976.....	64
6.3.7.2 1976 Versus 1981.....	64
6.3.8 Average Household Income, 1980.....	64
6.3.9 Scheduled Transit Travel Time to the C.B.D. and University.....	64
6.3.10 Bus Stop Density and Employee Density.....	65
6.3.11 Errors in Thematic Mapping.....	66
6.3.12 Surface II.....	67
6.4 Time Series Comparisons.....	69
6.5 Control Area Comparisons.....	77
6.5.1 Group Comparison.....	78
6.5.2 Area-wide Comparison.....	81
6.5.3 One-on-one Comparison.....	85
6.5.3.1 Zone 86 (Eastwood) Vs. Zone 432 (Westmount).....	86

6.5.3.2 Zone 211 (Delwood) Vs. Zone	
495 (Meadowlark).....	87
6.5.3.3 Zone 156 (Clareview) Vs. Zone	
484 (Primrose).....	87
6.5.3.4 Summary of Individual Zone	
Comparisons.....	87
7.0 IDENTIFIABLE TRENDS.....	89
7.1 Demographic Trends.....	89
7.2 Transit Trip Production.....	89
7.3 Mode Split Trends.....	90
7.4 The Effect of Transit Travel Time.....	91
7.5 Implications With Respect to L.R.T.	
Development.....	92
8.0 CONCLUSIONS AND RECOMMENDATIONS FOR FURTHER	
RESEARCH.....	96
REFERENCE LIST.....	100
APPENDIX A: SCHEDULED TRANSIT TRAVEL TIME CONTOURS.....	102
APPENDIX B: DATA MANAGEMENT: FILE INDEX AND	
DOCUMENTATION.....	111
APPENDIX C: CHOROPLETHIC MAPPING.....	122
APPENDIX D: TIME SERIES TABLES.....	138

LIST OF TABLES

Table		Page
6.1	Mode Split Vs. Average Household Income, 1980.....	47
6.2	Mode Split Vs. Scheduled Transit Travel Time to the Central Area.....	50
6.3	Traffic Zones Which Display Constant Boundaries.....	72
6.4	Peak Period Transit Work Trip Production (1971-1981) Destination: Central Area.....	74
6.5	Peak Period Transit Work Trip Production (1971-1981) Destination: Central Business District.....	75
6.6	Peak Period Transit Work Trip Production (1971-1981) Destination: University Area.....	76
6.7	Control Comparison Zones.....	78
6.8	Control Area Comparison: Percent Change Statistics.....	80
6.9	Trends in Mode Split - Northeast Study Area.....	83
6.10	Trends in Mode Split - West Control Area.....	84

LIST OF FIGURES

Figure	Page
2.1 1961 Modal Split Relationships.....	7
3.1 Alberta Unemployment Rate (1966-1984).....	17
3.2 Alberta Unemployment Rate (1982-1983).....	17
3.3 Building Permit Values for Metro Edmonton (1968-1984).....	18
3.4 M.E.T.S. Zone System.....	20
3.5 1971 Traffic Zone System.....	22
3.6 1981 Traffic Zone System.....	23
3.7 Study Areas and Selected Destinations.....	26
6.1 Regression Plot of Mode Split Vs. Average Household Income, 1980.....	48
6.2 Regression Plot of Mode Split Vs. Scheduled Transit Travel Time to the Central Area.....	49
6.3 Regression Envelopes of Mode Split Vs. Scheduled Transit Travel Time, N.E. Study Area.....	52
6.4 Mode Split to the Central Area 1976.....	61
6.5 Mode Split to the Central Area 1981.....	62
6.6 Surface II Plot of Mode Split to the Central Area.....	68
6.7 Representative Sample of Bar Chart Plots.....	71
6.8 Peak Period Transit Work Trip Production (1971-1981) Destination: Central Area.....	74

Figure

Page

6.9	Peak Period Transit Work Trip Production (1971-1981) Destination: Central Business District.....	75
6.10	Peak Period Transit Work Trip Production (1971-1981) Destination: University Area.....	76
6.11	Trends in Mode Split - Northeast Study Area.....	83
6.12	Trends in Mode Split - West Control Area.....	84

LIST OF ABBREVIATIONS

CAD	-	Computer-Aided Design
CBD	-	Central Business District (Traffic Zones 12 and 14)
CENT	-	Central Area (Traffic zones 11, 12, 13, 14, 21, 22, 31 and 32)
CORR.	-	Correlation Coefficient
EMP.	-	Employees
HSEHLDS.	-	Households
km	-	Kilometer
L.R.T.	-	Light Rail Transit
METRO	-	Metropolitan
M.E.T.S.	-	Metropolitan Edmonton Transportation Study
MSE	-	Mean Squared Error
N.E.	-	Northeast
P.L.U.S.	-	Population and Land Use System
POP.	-	Population
S.W.	-	Southwest
UNIV.	-	University of Alberta/Health Sciences Area (Traffic Zones 603, and 604)
U.T.P.S.	-	Urban Transportation Planning System

1.0 INTRODUCTION

1.1 Problem Statement

Increasing urban travel demand usually results in an upgrading of transportation systems and facilities. In every urban center, economic growth and the outward expansion of residential development places strain on the existing transportation facilities which lead to major destination zones. A transportation planner must therefore be able to recognize trends in travel behavior and predict the probable impact of residential and economic growth. After a need for improvement has been recognized and a transportation system has been upgraded, it is beneficial to assess the impact of the system improvement. This impact assessment should be thought of as a measurement of the response of the urban traveller to his or her new transportation system.

The problem is, therefore, how does the transportation planner measure the effectiveness or impact of his transportation system improvement?

The isolation of trends in travel characteristics is a formidable task probably best suited to a disaggregate analysis over discrete time intervals. Civic census information is a readily available source of transportation-related data, but an aggregate analysis tends to "blend" and mask individual travel characteristics, thereby introducing a reliability problem. Unless an urban centre is prepared

to introduce a regular schedule of disaggregate analyses, an aggregate analysis of census information provides the base for the identification of trends in urban travel characteristics.

Once trends in transportation-related parameters are discovered, the problem converts to one of asking if the trend is system-related or a function of demographic and/or economic change.

1.2 Research Objective

The objective of this thesis is to study trends in transit travel characteristics and, in particular, assess the impact of the implementation of light rail transit in Edmonton.

In order to provide a reliable analysis this study must consider the following general guidelines:

- (i) The analysis should include a time segment which adequately depicts pre-L.R.T. and post-L.R.T. periods.
- (ii) The time segment should include a period when economic growth rates are relatively constant.
- (iii) An aggregation level should be chosen at a small enough level to ensure that the masking of individual neighborhood behavior is minimized.

1.3 Scope

The basic unit used in assessing transit travel

characteristics is the transit trip. This introduces the concept of trip purpose and how trip purpose affects transportation system demand. It is well known that transit demand is heaviest during weekdays in the morning and afternoon peak hours. This demand is consistent with work trip movement. Work trips have, in the past, been defined to include trips by post-secondary students and have been found to comprise approximately 75% of morning peak hour trips (City of Edmonton Transportation Management-TSR/62/84, 1984). The stability and regularity of the work trip in the morning peak period has made it popular in work trip modelling. For this reason, this research will utilize morning peak period work trips in its analysis.

Geographically speaking, an analysis of the entirety of Metropolitan Edmonton would be too extensive given the time available for this study. The analyses in this research are limited to three study areas:

- (i) Northeast Edmonton - directly under the influence of L.R.T. development.
- (ii) West Edmonton - not currently under the influence of L.R.T.; a control area
- (iii) Southwest Edmonton - not currently under the influence of L.R.T., but scheduled for planned L.R.T. development.

The third limit imposed is that of work trip destination. In this research, only three major destination areas will be considered:

- (i) The Central Business District
- (ii) The Central Area - which includes the Central Business District; but also the Government Centre and the area inbetween.
- (iii) The University and Health Sciences Center.

The study areas and major destination zones are discussed in detail in Section 3.5.

1.4 Organization of the Thesis

Section 2 reviews previous research and modelling that is related to the present study.

Section 3 outlines the methodology and the selection of parameters, aggregation level and control areas consistent with the research objective.

Section 4 describes the information base which was available for this study.

Section 5 discusses the data management techniques utilized to prepare individual statistical summaries in the information extraction phase.

Section 6 presents the analysis techniques which were employed.

Section 7 discusses the trends which were identified in the analysis phase.

Section 8 presents the conclusions arising from this research and outlines further research needs.

2.0 LITERATURE REVIEW

This thesis deals with the extraction, analysis and presentation of census information. In Edmonton, the civic census is an annual undertaking which is used by various city departments. Home-to-work movements are monitored by origin-destination surveys which have been conducted in five-year intervals since 1961.

A major Federal Census is also held every ten years (1961, 1971, 1981 etc.) in Canada, with minor samples taken at five year intervals. The federal census serves to check demographic patterns and provides information about socio-economic patterns. It has recently become possible to assign co-ordinate values to street addresses and aggregate statistics into various zonal systems. This geo-coding process, which will be discussed further in subsequent chapters, enables comparisons and correlations to be made between data sources.

There have been a number of research projects and studies that have used Edmonton census data as part of their information base and have addressed public transit issues. This chapter will serve to review these studies and other literature associated with the cartographic presentation of data.

2.1 The Metropolitan Edmonton Transportation Study

In 1963, the Metropolitan Edmonton Transportation Study

(METS)⁽¹⁾ was conducted by the Edmonton District Planning Commission in co-operation with the Alberta Government. The study, which was concerned with the definition of travel characteristics in Edmonton, used 1961 civic census data complete with origin-destination information. This study introduced the METS zone system which was widely used in subsequent works. For convenience, the zonal boundaries were selected to conform with 1961 enumeration areas. Relationships between mode split and variables such as district income, district cars per dwelling unit and district time differential were identified. These "transit-determinant-relationships" were arrived at by regression analysis, the results of which are shown in Figure 2.1. District statistics refer to the aggregation of METS zone polygons into larger areal units. The study found that of all factors affecting transit use in 1961, comparative travel time was the most significant, followed by automobile availability.

The METS study recognized in 1961 that if public transit were to be considered as a viable alternative to automobile trips in the future, initial steps should be taken to improve the working environment of central-destined trips. The extent of transit usage in the future was considered to be strongly linked to the level of service which public transit had to offer.




Figure 2.1 1961 Modal Split Relationships

Source: Metropolitan Edmonton Transportation Study, June, 1963⁽¹⁾

2.2 An Investigation into the Modal Split Relationships in the City of Edmonton

In a thesis presented by Rhyason (M.Sc. Thesis, 1967)⁽²⁾ census and origin-destination data from 1961 and 1964 were used to investigate transit travel characteristics in Edmonton.

The major portion of the 1961 information was collected in conjunction with the 1961 civic census and recorded in book form. A ten percent sample was extracted from the books for the METS study and then used in Rhyason's study, and twenty-five percent of the transit users were given separate interviews.

The 1964 origin-destination survey was collected on IBM mark-sense cards which were coded and transferred to computer as a 97 percent sample. Rhyason made use of economic status and travel time information to establish modal split relationships using 1961 and 1964 information as a base. These relationships were presented in the form of curve families of mode split versus travel time ratio, stratified by an income indicator. Rhyason's conclusions have been well-documented and are rewritten here because of their relevance to this study:

- (i) "The radical changes in transit routes did not affect the modal split relationships even though they did result in an increased modal split by reducing travel time. Thus the effect of transit changes can be measured using the mode

split relationships."

(ii) "Economic status and relative travel times are the chief factors affecting the choice of mode in Edmonton."

(iii) "The modal split relationships in Edmonton are dependent on the area of employment within the C.B.D."

(iv) "Parking plays an important role in mode split."

(v) "House sale value, which is easily obtained in Edmonton, can be used as a reliable measure of economic status."

(vi) "Relative travel time can be measured with equal reliability by both travel time difference and travel time ratio."

2.3 Density of Bus Routes in North Edmonton

Gill (M.Sc. Thesis, 1969)⁽³⁾ chose to examine relationships between mode split and travel time factors. Other factors affecting choice of mode such as walking distance to bus stops and excess time factors were examined and used to suggest future route locations.

The traffic zone system used for Gill's analysis was a METS zone system slightly modified to compensate for expanding land use development. Data used for this study was acquired primarily through field surveys, and 1967 origin-destination information was used to compute mode split. The study is relevant to the current research in

that mode split relationships were investigated for origin-destination subsets only. A specific study area was selected and only morning peak period trips to the central business district were used in the analysis. Gill also used regression analysis to determine mode split relationships. One of his planning recommendations was that "every effort should be made to reduce total travel time."

2.4 The 1971 Origin-Destination Study

In July 1974, the Studies and Research Section of the City of Edmonton Transportation Planning Branch released a summary of origin-destination information which was collected in conjunction with the 1971 civic census. The 1971 Origin-Destination Study⁽⁴⁾ was based on 130,000 questionnaires completed by home interview. Data was processed by an optical card reader and although some difficulties were encountered during the information transfer process, sufficient check procedures and iterations were performed so as to consider the data set as a 100 percent sample. The 1971 origin-destination survey represented the most detailed inventory of transportation-related statistics ever assembled in Edmonton. For the first time in Edmonton, the process of geocoding was used to associate a co-ordinate value with a street address. Edmonton has utilized many different zonal systems in recent years and zonal boundaries have changed, primarily to compensate for changing land use patterns. This dynamic

state hampers the analysis of trends based on aggregated statistics. One of the great benefits of the geocoding process is that statistics can be easily aggregated into any spatially-defined zonal system. This allowed for the simple aggregation of statistics into any desired zone system.

The study presented statistics in three geographical sub-area systems namely, traffic zones, traffic districts and P.L.U.S. areas. It was recognized that M.E.T.S. zone aggregations would also be required for comparison purposes; however, in 1971 traffic zones were established by the City of Edmonton Engineering and Transportation Department. Traffic districts describe an upwards aggregation of traffic zones. To allow for simpler aggregation, traffic zone numbers are coded in a manner which links its association with its district. P.L.U.S. areas were established by the City of Edmonton Planning Department in 1971.

The tabulations contained within the study report provide 1971 information on:

- (i) General characteristics such as population, employees, employment, number of dwellings, persons per dwelling, cars per dwelling and bedrooms per dwelling.
- (ii) Under 18 years of age population breakdown.
- (iii) Over 18 years of age population breakdown.
- (iv) Work trip departures.
- (v) Work trip arrivals.
- (vi) Areas of the geographic sub-areas (polygons)

These tabulations represent the only known aggregated source of 1971 demographic information. Attempts to locate the original magnetic tape files were not successful.

2.5 Work Trip Generation Models

In 1977, Clement⁽⁵⁾ presented a thesis entitled "Work Trip Generation Models", which was concerned with the development of work trip generation models. These models would enable transportation planners to forecast the trip generation phase of the traditional four-step transportation model. Clement restricted his work to the analysis of peak hour work trips which included trips made by post-secondary students. The justification for this restriction is based on the City of Edmonton Transportation Planning Branch estimate that 85% of morning peak hour trips by all modes are work trips.

Clement identified four types of trip makers:

- (i) *"those who have a choice of travelling by automobile or by transit"*
- (ii) *"those who are captive to the transit mode"*
- (iii) *"those who are captive to the auto-driver mode"*
- (iv) *"those who are captive to the auto-passenger mode"*.

For the purpose of trip generation modelling, Clement distinguished between choice and captive transit riders and considered auto-passengers as temporarily-indulged transit riders. Walk trips were not used in the inter-zonal

modelling process, since it was assumed that walk trips were destination-oriented. Previous studies⁽²⁾ have shown that mode splits for C.B.D. destination zones are typically 3% higher when walking and other trips are excluded.

The 1971 census and origin-destination survey mentioned in the previous section formed the information base for Clement's research. This data was extensively used for the calibration of his trip generation models. To make the reader aware of the spatial distribution of transportation-related statistics, he presented data on a geographic base using self-developed computer-mapping software. These thematic maps were based on the traffic zone level of aggregation and utilized polygon co-ordinate files from the census geocoding process. Previous census information was not available in a geocoded form; therefore Clement could not use computer-aided thematic mapping to analyze trends in transportation-related statistics. It became apparent to the author that for subsequent census years in which the geocoding process was used, the swiftly-produced graphics could constitute an effective analysis tool for this purpose.

2.6 Cartographic Presentation

Jacques Bertin⁽⁶⁾, in a paper entitled "Cartography in the Computer Age" discussed the importance of graphic representation.

"A properly conducted research study includes an

experimental stage in the course of which the manipulation of data brings out the internal relations of the subject matter. During this stage the research worker can use both mathematics and graphical methods, ... a collection of properly constructed maps is an experimental tool with which to discover groupings, classifications correlation and to define regions."

Bertin recognized the ability of the human eye to communicate spatial variation in an "instant of perception". He listed important observations of reader behaviour, two of which are restated here:

- (i) "The observer is able to base his reflections on the totality of the data which has been surveyed."
- (ii) "The observer is able to make groupings at all levels".

The ability of the human eye and brain to visually process information has been well documented. One of the problems facing graphic information processing in the past was the labor-intensive task of preparing comparative maps. The computer has remedied this situation by making it possible to produce high-quality images swiftly using minimal resources, thereby allowing the researcher more freedom to perform graphical analysis.

Bertin,⁽⁷⁾ in a paper entitled "Visual Perception and Cartographic Transcription", envisioned rapidly produced "detailed, comprehensive monochrome maps which

systematically explore the range of values covered by specific parameters". He identified three main map functions;

- (i) information storage
- (ii) information processing
- (iii) communication.

This research will rely primarily on the last two map functions to help investigate trends in travel characteristics in Edmonton. Bertin's focus is primarily on the problems and theory associated with thematic cartography. Most of the above-mentioned theory can be applied to graphics of any kind, including simple x-y plots and bar charts. For the application of thematic cartography to be useful, a full understanding of error and map accuracy is required. Thematic (choroplethic) maps all display a generalization of the real world and as such, can introduce bias and error into the communicative process. An excellent reference on the problems associated with thematic mapping is presented in a paper entitled "Error on Choroplethic Maps: Definition, Measurement, Reduction" by George F. Jenks and Fred C. Caspall.(8)

3.0 METHODOLOGY

This section will outline the methods and approach used to determine trends in transit travel characteristics. The chosen level of aggregation will be introduced and discussed. The research guidelines will be restated and the measures of effectiveness required to assess L.R.T. impact will be listed.

3.1 The Selection of the Time Segment

Geocoded census data, complete with origin-destination information was available for the census years 1971, 1976 and 1981. Edmonton's light rail transit line was inaugurated on April 22, 1978; therefore, the comparison of 1976 and 1981 data would adequately reflect pre-L.R.T. and post-L.R.T. conditions. The inclusion of 1971 data would help to identify trends over a ten-year period. If this period also represented a state of constant economic growth, the selection criteria mentioned in Section 1.0 would be satisfied.

Figure 3.1, Figure 3.2 and Figure 3.3 illustrate summaries of Alberta unemployment rates and Edmonton building permit values in recent years. The figures illustrate a growth period which was followed by a dramatic decline in 1982. The period for which data was available was also seen to display economic stability. The time segment 1971-1978 was therefore found suitable for the




Figure 3.1 Alberta Unemployment Rate (1966-1984)

Source: Statistics Canada Catalogue No. 71-201

Note: 1984 annual statistic is based on monthly statistics from January-June, 1984




Figure 3.2 Alberta Unemployment Rate (1982-1983)

Source: Statistics Canada Catalogue No. 71-001




Figure 3.3. Building Permit Values for Metro Edmonton (1968-1984)

Source: Statistics Canada Catalogue No. 64-001 Monthly and 64-203 Annual

Note: 1984 statistic is an annual estimate based on monthly statistics for Jan.-Apr. 1984.

evaluation of trends in transit travel characteristics.

3.2 Geocoding

Geocoding was described in Section 2.4 as a process by which households coded by street address are converted into a geographic location. It is a system by which basic household units are referenced to a common geographic datum. This land-related system was introduced in Canada by Statistics Canada in 1971. A one-to-one correspondence exists between a street address (hence statistic sample) and an X-Y co-ordinate which, in Edmonton, is based on a six degree Universal Transverse Mercator grid. Zonal systems of any type are then created by specifying co-ordinate strings which make up a polygon network. The process of aggregation is achieved by matching an X-Y co-ordinate with its particular zonal polygon.

In Edmonton, this process has been carried out for the federal and civic census years 1971, 1976 and 1981 and aggregation has been achieved for a number of zonal systems.

3.3 The Selection of the Aggregation Level

In recent years, the City of Edmonton has used two main zonal configurations to aid in the analysis of transportation-related statistics.

The Metropolitan Edmonton Transportation Study⁽¹⁾, (METTS), used a zonal configuration as shown in Figure 3.4.




Figure 3.4 M.E.T.S. Zones

Source: Metropolitan Edmonton Transportation Study, June, 1963⁽¹⁾

(Not protected by Copyright).

The METS zones were also used in the 1964 origin-destination survey and in Dale Brian Rhyasons' M.Sc. Thesis.⁽²⁾

In 1971 the City of Edmonton Engineering and Transportation Department introduced a Traffic Zone System, as shown in Figure 3.5. This zonal system, which might be better classified as a transportation zone system, has been used in every major origin-destination study since 1971, with only slight modifications. Figure 3.6 illustrates the traffic zones associated with the 1981 civic census.

The traffic zone system has been used in this analysis because of its predominance in the time segment involved in this study. This zonal system displays a neighborhood level of aggregation, small enough to display neighborhood trends. The disadvantages of using this system is that sample sizes can sometimes be too small to be statistically significant.

3.4 Preliminary Analysis and Selection of Control Areas

In order to assess the impact of light rail transit on transit travel characteristics a region north of the North Saskatchewan River and east of 97 Street was chosen as a study area. The northeast light rail transit line diagonally bisects this quadrant of the City of Edmonton. The objective of the preliminary analysis was to examine a variety of transportation-related parameters and to select a control area which would exhibit similarity and stability when compared to the northeast study area. Comparisons




Figure 3.5 1971 Traffic Zone System




Figure 3.6 Zonal System Used in Conjunction with the 1981 Civic Census

between the study area and the control area could then reveal differences in travel characteristics between regions which are under the influence of L.R.T. and regions that are not. Such a comparison would be made under the same general economic conditions and would only be subject to the variability that exists between Edmonton communities.

Parameters used for the selection of the control area included population trends, population density figures and socio-economic status. Consideration was also given to barriers found within the city, such as railways, industrial areas and the North Saskatchewan River. Other barriers to traffic movement include roadway capacity constraints and regions with high socio-economic status.

The preliminary analysis revealed two control area alternatives:

- (i) a western area including the Mayfield, Britannia, Jasper Place, Westmount, Dovercourt, Primrose and Callingwood communities;
- (ii) a south-east area including the Bonnie Doon, Ottewell, Parkallen, Belgravia and Millbourne communities.

Similarities with the N.E. study area were present in both alternatives. The western control area was selected for the following reasons:

- (i) The western area is similar to the study area in that a river crossing is not required to reach the C.B.D.

(ii) The western area is similar to the study area in that a river crossing is required to reach the university/health sciences area.

(iii) The western area will serve as better control area for future planning purposes in that it will remain virtually unaffected by a proposed southern L.R.T. extension.

(iv) It was felt that growth in the Primrose area closely approximates growth in the study area.


The data collection phase of this research has also included statistics from a region south of the North Saskatchewan River and west of 104 Street, since future L.R.T. development is proposed for this area. The study area, the western control area and the southwestern future study area are shown in Figure 3.7.

3.5 Parameters

The objective of this research, stated in Section 1.2, was "to study trends in transit travel characteristics and, in particular, assess the impact of the implementation of light rail transit in Edmonton". The information required to assess these trends falls into four general categories:

- (i) demographic data
- (ii) trip-related information
- (iii) transportation system information
- (iv) geographical information.

Demographic parameters aggregated on a traffic zone



Destination Zone Legend



C.B.D.



Central



University/Health Sciences

Figure 3.7 Study Areas and Selected Destination Areas

level include:

- (i) population
- (ii) employees
- (iii) households
- (iv) average household income.

Trip information parameters, also aggregated on a traffic zone level include:

- (i) morning peak period work trips to the central business district
- (ii) morning peak period work trips to the central area
- (iii) morning peak period work trips to the university area
- (iv) mode split to the above-mentioned destination areas.

Transportation system information is limited in this study to:

- (i) a measure of transit availability, namely, the number of transit stops per zone,
- (ii) scheduled transit travel time.

Geographical information includes zonal areas from which density statistics can be determined. The source of this information will be discussed in detail in Section 4.

4.0 INFORMATION BASE

The statistics used for this analysis were available through three sources:

- (i) Civic census records
- (ii) Federal census records
- (iii) City of Edmonton Transportation Departments.

This section will describe each one of the data sources in detail.

4.1 Civic Census Records

In Section 2.0 it was mentioned that in Edmonton, a civic census is performed once a year and that, at five-year intervals, origin-destination information is collected. The origin-destination survey forms the prime data source for transportation-related research.

This study has used demographic and origin-destination information from 1971, 1976 and 1981 civic census records. The 1981 census questionnaire represents the most in-depth summary of transportation-related information ever assembled in Edmonton. The questions pertain to the status of the dwelling, occupants and the work travel habits of the occupants. Specifically, the following information is available:

- household address
- ownership status
- vacancy status

- dwelling type
- number of cars in the household
- number of persons in the household

For each occupant, the following statistics are available:

- year of birth
- school tax support
- marital status
- occupation status
- length of residence
- work destination address
- mode of travel
- work start time
- work end time

The geocoding process has been performed on the 1981 census data so that household addresses are referenced by traffic zone number, traffic district number and M.E.T.S. zone number. An X-Y co-ordinate for each household is also available.

The 1981 occupation status is coded for eleven categories:

- 0 = pre-schooler
- 1 = kindergarten to grade 6
- 2 = grade 7 to 9 (Junior High)
- 3 = grade 10 to 12 (Senior High)
- 4 = post secondary
- 5 = homemaker

- 6 = employed full-time
- 7 = employed part-time
- 8 = unemployed
- 9 = retired
- 10 = other

The mode of travel section of the 1981 origin-destination survey included seven coded responses:

- 1 = car driver
- 2 = car passenger
- 3 = transit and/or light rail transit
- 4 = park and ride
- 5 = walk
- 6 = other
- 7 = invalid code or blank.

Pre-1981 census questionnaires categorized occupation status as either employed, housewife, student, retired or unemployed. Mode choices were restricted to auto-driver, auto-passenger, transit, walk and other modes. The advent of light rail transit in 1978 prompted the inclusion of the "transit and/or light rail transit" category in 1981. In order to accurately assess trends in transit travel characteristics, it is imperative that there be uniformity in census questionnaires over the chosen time segment. In 1981, transit and light rail transit have been brought together into one category as code 3. From a management perspective, this enables one to separate the total transit component from the other available modes. This is also

consistent with the integrated operational aspects of the bus-feeder system which is applied in Edmonton. To fully understand the choices available to the public transit user, it is felt that other categories are required. The possible choices could be:

- 0 = invalid code or blank
- 1 = auto-driver
- 2 = auto-passenger
- 3 = bus transit
- 4 = light rail transit (walk-on)
- 5 = bus transit plus light rail transit
- 6 = park and ride bus transit
- 7 = park and ride light rail transit
- 8 = auto-passenger plus bus transit
- 9 = auto passenger plus light rail transit
- 10 = walk
- 11 = other (bicycle, motorcycle, etc.)

This choice pattern requires a two-byte field but it allows a more detailed analysis of mode choice. A comparison with 1981 data could be made by simply aggregating responses.

It has been suggested that 1976 census information contains some omissions and coding errors. Problems occurred during the transfer of questionnaire information to magnetic tape, resulting in a loss of information. Exact documentation of the extent of the problem is not available; however, it is known that there were approximately 6200 undecipherable addresses associated with the 1976 origin-

destination survey.

4.2 Federal Census Records

Once every ten years Statistics Canada collects a 100% sample of information concerning age, sex, marital status, mother tongue, number of occupants per dwelling and type of dwelling. In the 1981 Census of Canada a 20% sample of the population was asked for more detailed information concerning religion, education, income and other social and economic characteristics.

Of particular importance to this study was the average annual household income of study area residents. This statistic would act as a socio-economic indicator and provide a basis for comparison between traffic zones.

Average annual private household income for 1980, based on a 20% sample for census tracts, was extracted from Statistics Canada's report 95-949, volume 3, profile series "B" on selected social and economic characteristics for Edmonton.

4.3 Information Provided by the City of Edmonton

4.3.1 Origin-Destination Data

Work trip information collected in the origin-destination portion of the 1971, 1976 and 1981 civic census questionnaires has been processed and converted into "trip tables". These data files are organized by time and mode and represent the internal movement of Edmonton residents.

4.3.2 Bus Stop Locations

Edmonton Transit keeps on file a record of bus stop locations within their jurisdiction. As an indicator of transit availability, it was decided to determine the bus stop density within traffic zone areas. The 1983 bus stop index locations were plotted on a large scale city map and traffic zone boundaries were superimposed, yielding the required density statistic.

4.3.3 Scheduled Transit Travel Time

In order to facilitate the analysis of transit travel characteristics, zonal transit travel times based on 1976 and 1981 Edmonton Transit schedules were added to the information base. Different route alternatives were examined and total travel time on transit including transfers was recorded. Walk and wait times were not included in this statistic. 1981 information sources included an Edmonton Transit route guide for winter 1980 and a set of route schedules for fall, 1979. This information is intended to reflect conditions existing during the 1981 census-taking period.

1976 information sources included a 1977 Edmonton Transit route guide and route schedules for April 1976, September 1976 and April 1977. Light rail transit was not operational at this point in time.

Sample points used in the extraction process consisted

of major intersections and transfer points. Routes used in the determination of travel times were, in the opinion of the author, alternatives which would appeal to a majority of transit patrons. Factors considered in selecting route alternatives included number of transfers and directness of path. Travel times are based on A.M. peak period trips which utilize direct express routes whenever possible. When a considerable walking distance, such as 500 meters or greater separated the patron from a direct express route, it was assumed that "front door" collector service would be used. Travel time contours were then sketched using the extracted values as a base for direct interpolation methods. A traffic zone system base map was then superimposed to determine the approximate scheduled transit travel time for traffic zone centroids. Appendix A contains reproductions of the travel time contour sketches.

4.3.4 Zonal Areas

The geocoding process mentioned earlier aggregates statistics into a framework of areal units. The aggregation level chosen for this study is based on the traffic zone system as described by a polygon file of X-Y co-ordinates. Zonal areas were computed from this file and included in the information base so that density statistics could be determined.

5.0 DATA MANAGEMENT

The data and information contained in the preceding chapter had to be assembled in a manageable form for analysis. Tabular information had to be coded and extraction software was written to transfer census information into condensed data files. The University of Alberta computing facilities were used for data management functions. For each of the three census years under investigation, demographic and trip information was collected and stored on file. Parameters such as population, households and employees per traffic zone were either coded from printed summaries or extracted from larger data sets. An index of files and documentation of extraction programs is included in Appendix B.

5.1 1971 Reference Parameters

1971 reference parameters were obtained from the previously-mentioned summary entitled "The 1971 Origin-Destination Study" which was produced by The City of Edmonton Transportation Planning Branch in July, 1974.⁽⁴⁾ Population, household and employee statistics were coded for traffic zones within the three study areas. The 1971 census information represents a survey sample of close to 100 percent and formed the data base for T. Clements' research in 1976.

5.2 1976 Census Record Extraction

Computer programs were developed to extract demographic information from 1976 census records. The 1976 data file CEN.76.CONV.MZ.02 (which is a concatenation for 1976 census information geocoded for M.E.T.S. zones, version two) was supplied on magnetic tape and is filed at the University of Alberta magnetic tape library as volume L128L0, rack number 007407. The data file consisted of 166,620 records, each representing a civic household and coded into the following zonal systems:

- (i) census tract number
- (ii) enumeration area
- (iii) traffic zone origin
- (iv) M.E.T.S. zone origin
- (v) M.E.T.S. district origin
- (vi) destination traffic zone
- (vii) destination M.E.T.S. zone
- (viii) destination M.E.T.S. district.

The record layout of file CEN.76.CONV.MZ.02 is contained in Working Paper No. 2 in the Transportation Engineering Library, Department of Civil Engineering, University of Alberta.

A Fortran program called "EXTRACT" was developed to extract population, household and employee statistics and classify each record into one of three output files corresponding to the three study areas. Each output file then contained a reduced data set containing selected

parameters for study area households and was then sorted on the basis of ascending traffic zone number. The public utility program *SORT was used for this purpose.

Another fortran program called "ACCUM" was developed to aggregate traffic zone statistics. Occupation codes 1 (employed) and 3 (student) were used to accumulate employee statistics under the assumption that the 1976 "student" classification includes post-secondary students. Post-secondary students have been included in past work trip analyses as employees. Output from program "ACCUM" was printed and stored on magnetic tape for subsequent use.

5.3 1981 Census Record Extraction

In July 1983 the data file CENSUS.81.CONV.V2 (which is a concatenation for 1981 census information geocoded, version 2) was supplied on a magnetic tape filed at the University of Alberta magnetic tape library as volume L129L0, rack number 007432. This data file consisted of 213,665 records and was coded according to census tracts, sub-census tracts, enumeration areas and traffic zones.

The record layout of file CENSUS.81.CONV.V2 is contained in Working Paper No. 3 in the Transportation Engineering Library. This data file differs from the 1976 data file in many ways. The data types include character information as well as half and full-word binary. Each record in the 1981 file does not necessarily constitute information for one household. A "continuation flag"

identifies whether or not one record per household is used. The record structure for the 1981 file is significantly different from the record structure used in the 1976 file. The file CEN.76.CONV.MZ.02 used a fixed length blocked structure whereby each record was of a fixed length and short records were padded with zeros. The 1981 file utilizes a variable length blocked record structure which is prefaced by a 4-byte descriptor which describes the length of each record. Variable-length records usually require more processing time since descriptors must be uncoded for each record read.

The 1976 version of program EXTRACT was modified to accept the 1981 datafile. Pertinent statistics were extracted and households were classified into output files representing each of the three study areas. Each of the three files were sorted and aggregated into traffic zones using a modified version of program "ACCUM". Occupation codes used for the 1981 census aggregation included code 4 (post secondary), code 6 (employed full-time) and code 7 (employed part-time).

5.4 1971 Trip Tables

A review of the information contained on City of Edmonton Transportation Management Department magnetic tapes uncovered a series of trip tables from the census year 1971. These tables are based on the traffic zone level of aggregation and correspond to a zonal system which is

consistent with the afore-mentioned "1971 Origin-Destination Study".⁽⁴⁾

The tables are stored at the University of Alberta magnetic tape library on rack 002832, volume GT2832. This tape contains twenty-four trip tables classified by mode and time period. The last six data sets classify work trips according to "captive" or "choice" alternatives. The trip information used in this study consisted of the peak period data sets:

- (i) PEAK.AUTO.NUMBERS
- (ii) PEAK.PASS.NUMBERS
- (iii) PEAK.BUS.NUMBERS
- (iv) PEAK.WALK.NUMBERS

A detailed analysis of the record structure revealed that the trip tables are in the form of a 313 x 320 array:

T_{ij} where i = destination zone
and j = origin zone.

The array is stored as 16 records each containing 6260 integer half-words. The data structure of this tape is consistent with the manner in which higher-dimensional arrays are stored in memory.

"Storage is arranged as if the first subscript were varied most rapidly and the last subscript varied least rapidly."⁽⁹⁾

The record structure of the 1971 trip tables was verified by examining the input requirements for an old computer program called "TABEXTAGG" which was filed on tape

library rack 001881, volume GT1881. This extraction program was designed to read the above-mentioned trip tables and led to the discovery of a zone vector file on the same tape.

Extraction program "TT71TRAF" was developed to read the trip table, select study area traffic zone origins and aggregate arrivals into the following destination zones:

- (i) Zones within the central area (0011-0032), both as a group and on an individual basis
- (ii) Zones designated as the central business district (0012 and 0014)
- (iii) University zones 603 and 604, both as a group and on an individual basis.

The printed tables contained in Working Paper No. 6 on file in the Transportation Engineering Library, Department of Civil Engineering, University of Alberta, summarize information extracted from the 1971 trip tables. Tabular values correspond to trips made from selected origins to selected destination zones and are ordered as follows for each of the three study areas:

- (i) auto-driver trips
- (ii) auto-passenger trips
- (iii) transit trips
- (iv) other trips
- (v) % auto drivers
- (vi) % auto-passengers
- (v) % transit
- (vi) % others

5.5 1976 Trip Tables

1976 trip tables were supplied by the Transportation Management Department of the City of Edmonton. The zonal system used to describe this origin-destination information is consistent with the 1979 Traffic Zone Plan.

The tables are comprised of four distinct peak period data sets, listed as follows:

- (i) AUTODR.76.Z0
- (ii) AUTOPA.76.Z0
- (iii) TRANPA.76.Z0
- (iv) OTHERS.76.Z0

Each trip table is in the form of a 372x371 matrix. The first record of each file contains a full-word zone vector which lists contributing zones. Each subsequent record consists of 371 full-word integers which represent arrivals at each of the 371 destination zones from a specific origin zone.

As for the 1971 data, an extraction program was developed to select study area traffic zone origins, aggregate arrivals to major destination areas and compute modal percentages. Printed summary tables are contained in Working Paper No. 5 on file in the Transportation Engineering Library, Department of Civil Engineering, University of Alberta.

5.6 1981 Trip Tables

In January 1984 the Transportation Management

Department of the City of Edmonton supplied a condensed version of the 1981 origin-destination trip matrix. This matrix was originally extracted by using the U.T.P.S. (Urban Transportation Planning System) software package. The condensed file contained A.M. peak period work trips from selected study area origins to downtown and university destinations and was supplied in auto-driver, auto-passenger and transit mode categories. The "walk" and "other" modes were not available in this table. The data was transformed into a format which was compatible with 1971 and 1976 data and modal percentages were computed. Printed summary tables are contained in Working Paper No. 8 on file in the Transportation Engineering Library, Department of Civil Engineering, University of Alberta.

5.7 Merging Statistics

Two condensed data files existed for each census year, one with demographic information and one with trip-related information. Trip information was further separated into two files, one with trip numbers and one with modal percentages. The common link between files was the traffic zone number and it was a simple matter to merge zonal statistics into a common file. The three files were then read sequentially and a single output file was generated. This single output file became the basis for the analysis of census year statistics. Zonal areas were coded directly into each yearly output file. A simple Fortran program then

computed population and employee density statistics as well as transit trips per hundred households. A summary of all of the statistics was then output in a free format file.

To each yearly summary file, other zonal parameters were appended. These parameters included:

- (i) scheduled transit travel times to the C.B.D. and university
- (ii) average household income, 1980 (added to 1981 file only)
- (iii) bus stop density (1981)

The yearly summary files thus formed the basis for subsequent analysis. Analysis software can require varied forms of input format. The free-format summary files are easily read and transformed to meet these requirements.

5.8 Estimation of Modal Percentages

Modal percentages are computed from trip tables according to the ratio:

$$\frac{\text{total MODAL trips to a particular destination zone}}{\text{total number of trips by all modes to the same destination zone}}$$

In this analysis, mode split is an estimate of the proportion of transit work trips travelling to a specific destination in A.M. peak periods. As such it is the proportion of occurrences among a sequence of "n" trials.

The variance associated with such a proportion decreases with higher sample sizes and may be approximated

by the following relationship⁽¹⁰⁾:

$$\text{Var } (p) \cong \frac{p(1-p)}{n} \quad (5.1)$$

where p = modal percentage

n = total trips by all modes

The traffic zone level of aggregation represents a system of small neighborhood zones which cover a large range of generated trips. A mode split estimate for a zone with low trip production is less significant than a mode split estimate for a zone with high trip production. In this analysis, the total number of trips is reduced to the set of work trips that are attracted to selected destination zone groups of the central business district, central area and university area. Generally speaking, fewer trips are made to the C.B.D. and university destinations than to the central area.

The variance associated with mode split for C.B.D. and university destinations is therefore typically higher than for central-destined trips. The standard deviation of the proportional mode split is typically around 5-7%. To avoid placing emphasis on mode split statistics which display a high variance, a tolerance of $\pm 15\%$ was imposed on the standard deviation of mode split statistics. All mode split statistics which, due to small sample size, display a standard deviation of $\pm 15\%$ or greater have been rejected from the sample.

6.0 DATA ANALYSIS

The availability of a complete and manageable information base allowed for the initiation of the analysis phase of this research. The research objective restated was:

"to study trends in transit travel characteristics and, in particular, assess the impact of the implementation of light rail transit in Edmonton".

Three analysis techniques were used to satisfy this objective. They were:

- (i) Regression analysis
- (ii) Graphical analysis
- (iii) Control area comparisons

6.1 Regression Analysis

Regression analysis was utilized to identify possible relationships between transit usage and the following independent variables:

- population density
- employee density
- average scheduled transit travel time
- average household income
- bus stop density

The dependent variables used to represent transit usage were

- (i) mode split to the central area

- (ii) mode split to the central business district
- (iii) mode split to the university area.

The theory of regression analysis is well explained in a variety of statistical textbooks. The method employed in this analysis is to assume a linear relationship of the form

$$Y_e = a + bX$$

where Y_e = an estimate of the dependent variable

X = the magnitude of the independent variable

and "a" and "b" are the y-intercept and regression line slope, respectively.

The procedure used in this analysis was to fit a regression line to the observed values and determine the validity of the regression line by examining the following measures:

- (i) r^2 , the coefficient of determination
- (ii) mean squared error
- (iii) r , the correlation coefficient.

Software was available to quickly and efficiently perform the regression, compute the statistical measures and display the regression plot. The particular package used was the Interactive Statistical Graphics Package (ST. Package) offered by Computing Services at the University of Alberta, and originally written by Jane F. Gentleman and R.M. Dunn of the Department of Statistics at the University of Waterloo, Ontario.

Regression plots were produced for each mode split-destination area, year and study area, where applicable. Copies of the regression plots can be found in Appendix "B" of Working Paper No. 10 on file in the Transportation Engineering Library, Department of Civil Engineering at the University of Alberta.

No single independent variable was found to have a profound relationship with mode split. Of the independent variables tested, average household income and scheduled transit travel time to the central area showed the strongest interrelationship.

A negative correlation exists between mode split and average household income as shown in Figure 6.1 which shows the relationship for central-destined trips. A summary of mean squared errors, correlation coefficients and r-squared values follows:

TABLE 6.1

Mode Split Vs. Average Household Income, 1980

<u>TO/FROM</u>	<u>MSE</u>	<u>CORR.</u>	<u>R-SQUARED</u>
CBD/N.E.	301	-0.36	0.127
CBD/WEST	317	-0.49	0.245
CBD/S.W.	324	-0.52	0.272
CENTRAL/N.E.	61	-0.59	0.353
CENTRAL/WEST	188	-0.63	0.398
CENTRAL/S.W.	134	-0.72	0.524
UNIV./N.E.	158	-0.31	0.096
UNIV./WEST	331	-0.20	0.039
UNIV./S.W.	252	-0.17	0.028

A negative correlation also exists between mode split and scheduled transit travel time. Figure 6.2 illustrates




Figure 6.1 Regression Plot of Mode Split Vs. Average Household Income, Southwest Zones, 1980
 Source: 1981 Census of Canada, Catalogue 95-949, Vol. 3, Series B




Figure 6.2 Regression Plot of Mode Split Vs. Scheduled Transit Travel Time to the Central Area, from Northeast Zones, 1981

this relationship for the N.E. study area in 1981. The following summary shows that the linear interrelationship is weak in the west study area.

TABLE 6.2

Mode Split Vs. Scheduled Transit Travel Time
to the Central Area

<u>FROM/YEAR</u>	<u>MSE</u>	<u>CORR.</u>	<u>R-SQUARED</u>
N.E./1981	60	-0.61	0.371
N.E./1976	80	-0.70	0.488
WEST/1981	245	-0.48	0.230
WEST/1976	184	-0.42	0.174
S.W./1981	242	-0.67	0.445
S.W./1976	239	-0.47	0.221

The degree of linear interrelationship between mode split and the selected independent variables is small at this aggregation level and no causal effects are implied. Rather than look for distinct relationships in a behavioral environment, it was felt that a general analysis of regression envelopes should be undertaken.

6.2 The Analysis of Regression "Envelopes"

For each of the regression plots previously mentioned, an envelope was traced and envelopes from other study areas and/or census years were superimposed to facilitate comparisons. Statistics are presented for C.B.D., central and university destinations. The central area includes the Government Centre which enjoys subsidized parking, whereas the C.B.D. area (zones 12 and 14) typically does not. The results of the envelope superposition are displayed in

Appendix C of Working Paper No. 10 on file in the Transportation Engineering Library, Department of Civil Engineering, University of Alberta. A representative example is shown in Figure 6.3.

The scattergram envelopes give a graphical interpretation of the range of data points and give insight into the changes that have occurred over the study period. Vuchic⁽¹¹⁾ used envelopes to illustrate the domain of transit mode classes on capacity-frequency, capacity-speed and cost-capacity diagrams. In this study, the envelope represents a generalization of a data set. Through superposition, a comparison can be made based on the perceived characteristics of the samples. The analysis in the preceding section revealed that relationships between selected variables are weak in nature. The scatter associated with the investigated relationships is predictable, since this study is dealing with behavioral travel characteristics. This makes it difficult to identify trends by comparing regression lines or by evaluating statistical indicators. Envelope analysis is a simplistic alternative which gives the reader an instantaneous visual impression of similarities or differences between data sets.

The major trends uncovered by the analysis of the data envelopes are:

- (i) An increase in mode split for central destined trips from the northeast study area between 1976 and 1981.




Figure 6.3 Regression Envelopes of Mode Split Vs. Scheduled Transit Travel Time to the Central Area, Northeast Study Area.

- (ii) An increase in mode split for central and university-destined trips from the west study area between 1971 and 1976 with no significant change in 1981.
- (iii) A decrease in transit travel time to the downtown and to the university from the northeast study area between 1976 and 1981.
- (iv) A decrease in transit travel time to the university area from southwest origins between 1976 and 1981.
- (v) An increase in mode split for university-destined trips from the southwest study area between 1976 and 1981.

From this simple investigation of scattergram envelopes, general trends can be identified. Armed with a preparatory understanding of the database, this research now examines the use of graphical and geographical analysis techniques.

6.3 The Presentation of Zonal Statistics on a Geographical Base

An assembled database does not, by itself, enlighten anyone. In order to discover intrinsic relationships within the database, a researcher must process the raw data and present information in a form which allows for interpretation. A carefully prepared summary table is useful for the conveyance of information, but relationships between

parameters are difficult to decode.

A carefully-prepared graphic can allow for the visual perception of real world data while at the same time minimizing the distortion inherent in the decoding process. Zonal statistics take on meaning when they are presented on a geographical base. Literature states that "Maps are communicative devices which perform a myriad of functions, and the serious map-reader commonly uses a map for one or more of three purposes".⁽⁸⁾ They are:

- (i) overview - identification of general trends
- (ii) tabular - a source of information
- (iii) boundary - the comparison of shading patterns with those of other maps.

In this research, transportation-related statistics have been assembled at the traffic zone level of aggregation for the years 1971, 1976 and 1981. The presentation of these areal statistics on a geographic base allows for visual analysis of spatial variation and trends.

6.3.1 Mapping Alternatives

A variety of computer mapping packages are available at the University of Alberta and an investigation was performed to determine their applicability to this research. The mapping alternatives were:

- (i) Computer-aided design (CADD 4 by Computervision)
- (ii) SYMAP

(iii) SURFACE II

(iv) GIMMS

6.3.2 Computer-Aided Design

In 1983, the University of Alberta acquired a computer-aided design (CAD) system. This system, managed by the CAD Group, Department of Electrical Engineering, University of Alberta, was accessible to all registered engineering students who had taken an introductory seminar on its use.

The system was manufactured by Computervision Canada Inc. and the software used at the time was the CADDS 4 version. The author became interested in this alternative when it was discovered that the system had mapping capabilities. The mapping software performed polygon management and attribute management functions. After completing the introductory course, the author began to experiment with the CADDS 4 mapping software.

The first task involved in producing a thematic map was the construction of a polygon network. This was achieved by digitizing polygon vertices as shown on a 1:40000 base map and connecting these vertices with a sequence of nodal lines. When a nodal line network was completed, a command was issued to create polygons within the database.

Properties such as area, perimeter and a polygon reference number were automatically attached to each polygon generated. It was then possible to attach properties and property values to each polygon. For example, it was

possible to define a property called "modesplit" and assign a value to it. A process called conditional marking could be used to highlight polygons which satisfy logical conditions imposed by the user.

Experimentation with the computer-aided design system was discontinued when it became apparent that the time required to develop a database for three census years would exceed the time allotted for this analysis phase. Factors which affected production included:

- (i) familiarization with an operating system and syntax
- (ii) lack of trained consultants familiar with the mapping software
- (iii) system malfunctions and delays caused by system upgrading
- (iv) time consuming, hand-enter style of input procedures.

An efficient means of transferring data from the university mainframe directly into the CAD mapping system would make this alternative viable for one-man research. At the time of investigation, this option was not readily available. This facility has considerable potential as a research and information management tool since it has the capacity to store transportation-related statistics within a common geographically-related database. This would enable a user to access, update and maintain an inventory of transportation-related information which could assist

transportation planners in the future.

6.3.3 SYMAP

The Harvard University's Laboratory for Computer Graphics and Spatial Analysis has developed a computer mapping program called SYMAP and the program version 5.20 is available for use through Computing Services at the University of Alberta. SYMAP is an acronym for Synographic Mapping System and was developed by Howard T. Fisher in 1963. The purpose of the software is to graphically display areal data on a line printer as either a contour, conformant or proximal map. As such, it seemed suitable for the presentation of the transportation-related statistics used for this research.

Investigation into the use of program SYMAP revealed that geographic co-ordinate strings defining traffic zones were to be used as an input value. This data was available in the form of polygon files originally used for the geocoding process. The SYMAP convention is to place the origin in the upper left-hand corner of a map sheet and positive increments occur to the south and east. A simple transformation was applied to the Universal Transverse Mercator co-ordinates in the polygon files to make them consistent with the SYMAP convention. Non-geographic information was input in free-format and several test maps were produced. The use of SYMAP was discontinued after several test runs due to the poor resolution associated with

line printer output. Software which had digital plotting capabilities was sought.

6.3.4 GIMMS

GIMMS is a flexible mapping system which is used to analyze geographic data and produce thematic maps and tabular information. The GIMMS system is accessible through Computing Services at the University of Alberta and has digital plotting capabilities. GIMMS (Version 3.0) was developed by Thomas C. Waugh at the University of Edinburgh. This software was chosen for the geographic presentation phase of this research because it is simple to operate and has good plotting capabilities.

The first step in the creation of a computer-drawn choroplethic map is the creation of a basefile or boundary file which is the geographic base of the map. Usually this file consists of polygons or zones which together provide a recognizable geographic reference. The boundary file for this study consists of the traffic zone system as described by polygon files used in the geocoding of civic census data. A polygon file is nothing more than a string of X-Y co-ordinates which describe a closed polygon zone.

The co-ordinate base for the polygon zones is the 6 degree Universal Transverse Mercator system. The polygon files were transformed into a form acceptable to program GIMMS and a basemap was created using the *CREATEFILE

command referenced in the GIMMS users guide. This boundary file becomes the reference for subsequent statistical mapping.

A one-to-one correspondence must then be developed between each polygon zone and its relevant statistics. It is advantageous to sort both the polygon file and the statistic file into ascending numeric order at the outset. Using the *MAP command with proper symbolism options, a thematic plot description file is created and sent to the digital plotting system. An example of a complete GIMMS command file is included in Appendix C.

The following parameters were displayed against a traffic zone base:

- (i) Mode Split to the Central Area (Zones 11-32 inclusive) for 1971, 1976 and 1981
- (ii) Mode Split to the C.B.D. (Zones 12 and 14) for 1971, 1976 and 1981
- (iii) Mode Split to the University Area (Zones 603 and 604) for 1971, 1976 and 1981
- (iv) Average Household Income, 1980
- (v) Scheduled Transit Travel Time to the C.B.D. for 1976 and 1981
- (vi) Scheduled Transit Travel Time to the University for 1976 and 1981
- (vii) Employee Density, 1971, 1976 and 1981
- (viii) Bus Stop Density, 1983

A full set of colored thematic maps are contained in

Working Paper Eleven, on file in the Transportation Engineering Library, Department of Civil Engineering at the University of Alberta. Mode split statistics are presented in 5-class intervals which show overall trends and in 10-class intervals which present finer detail. 1971 and 1976 statistics share the same polygon base map and 1981 statistics are presented on the 1981 polygon network. Zones outside the three study areas have been assigned a null value with blank shading. A visual analysis was performed and similar statistics from different base years were compared. Representative samples are shown in Figure 6.4 and 6.5 and a complete 5-class grey-tone set is shown in Appendix C.


6.3.5 Mode Split to the Central Area


6.3.5.1 1971 Versus 1976

The 1971 map shows an average mode split of approximately 50% with higher mode split occurring near the city centre. The 1976 map shows an increase in mode split values to between 60-80% along well serviced transit routes and near transit centres.

6.3.5.2 1976 Versus 1981

Mode split has increased in all three study areas, but the major increase has occurred in the north-east area in the proximity of the L.R.T. right-of-way. West and southwest study areas continue to display high mode split





along well serviced transit routes and near transit centres.,

6.3.6 Mode Split to the C.B.D.

Mode split figures for C.B.D. destinations are somewhat less reliable than figures for central-destined areas because of a smaller sample size. Zones which displayed a standard deviation of $\pm 15\%$ were rejected from the sample.

6.3.6.1 1971 Versus 1976

The mode split to the C.B.D. in 1971 seems to be higher than mode split to the central area. Mode split also appears to be higher in the northeast than in other study areas. An increase is evident in the Jasper Place area between 1971 and 1976.

6.3.6.2 1976 Versus 1981

Once again, an increase in mode split in the northeast is evident, primarily near L.R.T. stations and adjoining the L.R.T. line. Mode split has also increased in the southwest study area along the transit corridor joining Kaskitayo, Southgate and the C.B.D.

6.3.7 Mode Split to the University Area

Since the number of trips to the university area is quite small at the traffic zone level of aggregation, the standard deviation of the mode split for this statistics is again higher than for central-destined trips.

6.3.7.1 1971 Versus 1976

Mode split to the university in 1971 was found to be relatively low with the highest values found in the northeast area. In 1976 there appears to be an overall increase with highest values occurring near transit centres like Jasper Place, Northgate and Westmount.

6.3.7.2 1976 Versus 1981

In 1981, mode split increased in the Meadowlark and Southgate areas with little change elsewhere. A slight decrease in mode split was evident in Jasper Place and Beverly areas.

6.3.8 Average Household Income, 1980

The northeast study area has the least average household income. The west and southwest regions (particularly Lessard and Riverbend areas) display higher income regions.

6.3.9 Scheduled Transit Travel Time to the C.B.D. and University

While west and southwest study areas display slight improvements if any, the northeast area shows a ten to fifteen minute decrease in scheduled transit travel time to the C.B.D.

Scheduled transit travel time to the university area has remained relatively constant in the west between 1976

and 1981. An approximate ten-minute decrease in scheduled transit travel time has occurred in southwest zone south of Whitemud Drive in 1981. Trips to the university area from northeast zones have decreased by ten to fifteen minutes between 1976 and 1981.

These findings show that a system upgrading has taken place in the service from Southgate to the University between 1976 and 1981. The effect of light rail transit in reducing travel time is highlighted by this form of analysis.

6.3.10 Bus Stop Density and Employee Density

Bus stop density statistics were seen to be uniformly distributed throughout the study areas. This was expected since in Edmonton, bus stops are placed along routes at designed intervals which try to constrain walking distance to a 450 m maximum. Transit service is usually supplied to new neighborhoods as soon as they reach final development stages.

Employee density was seen to be reasonably uniform throughout all study areas in 1971, with high density occurring in the Oliver and Garneau areas, along Saskatchewan Drive in the Strathcona area and along Jasper Avenue near 82nd Street. In 1976, employee density increased in the northeast and southwest study areas and little change occurred between 1976 and 1981 except for outward expansion.

6.3.11 Errors in Thematic Mapping

When displaying statistical quantities on thematic maps, real data values are hidden within a class interval. The map becomes a class generalization of the real-world information. The error associated with the generalization depends on the number of class intervals selected and the classification method.

The classification method is usually one of four main types:

- (i) equal intervals
- (ii) unequal intervals based on "natural breaks"
- (iii) unequal intervals based on statistical groupings
- (iv) no intervals; classless maps with quantized grey-scale values.

When a small number of classes are used the error (difference between the actual value and the class interval mean) becomes larger and the map becomes more generalized. Maps with a large number of classes also pose a problem in that the eye's ability to process multiple patterns is limited.

The selection of intervals has always been a problem for cartographers. Clearly, one must avoid the placement of bias, known or unknown, into a map presentation. The method employed in this research was to use equal class intervals, divided into rounded groups. For example, the mode split statistics range from 0 to 100 and in this analysis five groups of 20% and ten groups of 10% were used for

presentation. It is known that this method does not always reflect the true distribution of the data; however, the map-reader must be made aware of this fault so that he does not associate the generalized statistic with the true value of the statistic. The intent in this research is to provide an overview of the spatial distribution of transportation-related statistics. The five-class presentation of mode split achieves this purpose. For map readers who desire a more detailed knowledge of the mode split in specific zones, the ten-class data maps are available as circular summaries.

6.3.12 Surface II

Experimentation was performed with the Surface II graphics system, created by Robert J. Sampson, Research Associate, Computer Services Section, Kansas Geological Survey at Lawrence, Kansas. This program was designed to produce displays of spatially distributed data, either in planimetric contour form or in the form of perspective block diagrams. Particular interest was taken in the production of perspective block diagrams since it was felt that three-dimensional representations could, along with thematic mapping, give a visual sense of scale to transportation-related statistics. After several trial plots, an example of which is shown in Figure 6.6, use of this software was discontinued since the digital plots appeared cluttered and incomplete. The geographic patterns set forth by the




Figure 6.6 Surface II Plot of Mode Split to the Central Area, Northeast, West and Southwest Study Areas, 1971

traffic zone system was distorted by the third dimension, leaving the map-reader disoriented. Software which could present the third dimension in the form of stacked polygonal prisms would help to solve this problem, if a plan view illustrating zonal shapes were provided as an inset reference. A three-dimension presentation of this type may be possible using computer-aided design (CAD) systems; however, time did not allow for experimentation of this type.

6.4 Time Series Analysis

The yearly summary files for 1971, 1976 and 1981 were merged using traffic zone numbers as a common identifier. During the merging process, a tabular summary was produced for zones which have had a development history dating back to 1971. The tabular summary is presented in Appendix D. The zonal statistics chosen for tabular presentation include:

- (i) Population
- (ii) Employees
- (iii) Households
- (iv) Acreage
- (v) Mode Split to Selected Destination Zones
- (vi) Transit Trips to Selected Destination Zones
- (vii) Transit Trips per 100 Households
- (viii) Employee Density

Values in the tabular summary coded with -1.0 indicate

missing data. In many cases the transit trip sample size was too small to effectively represent a mode split estimate.

An analysis of the tabular summaries indicated that acreage values for all traffic zones were not constant over the time period chosen. Acreage has been computed from coordinate values found in the polygon files associated with the census geocoding process. Traffic zone boundaries have not remained static over the time segment. Minor modifications have sometimes been made to compensate for development and redevelopment within the zones and to agree with enumeration district boundaries. In other cases, (such as the Bellevue-Highlands district) a complete reorganization of zonal boundaries has occurred.

An effective time-series comparison could only be made with zones that have had constant boundaries over the chosen time segment. An arbitrary acreage tolerance of plus or minus ten acres was imposed on the tabular summary list and the following traffic zones as shown in Table 6.3 met the criteria.

In this reduced set of 41 zones, bar charts were prepared outlining trends in zonal statistics. An IBM personal computer with ENERGRAPHICS (Enertronics Research Inc., St. Louis, Missouri) software and a Hewlett-Packard 7470 plotter was used to produce multiple bar charts. A representative sample is shown in Figure 6.7 and a complete set of charts is contained in Working Paper 12, contained in the Transportation Library, Department of Civil Engineering







Figure 6.7 - Represent
the Tim



representative Sample of Bar Chart Plots Used in
Time Series Analysis Phase

TABLE 6.3

Traffic Zones Which Display Constant Boundaries

<u>Northeast</u>		<u>West</u>		<u>Southwest</u>	
<u>Zone</u>	<u>Community</u>	<u>Zone</u>	<u>Community</u>	<u>Zone</u>	<u>Community</u>
84	Woodland	411	Dovercourt	605	Garneau
85	Delton	421	Woodcroft	611	Belgravia
86	Eastwood	423	Sherbrooke	632	Landsdowne
91	Norwood West	424	North Inglewood	633	Michener Park
92	Norwood East	432	Westmount	651	Royal Garden
101	Queens' Avenue	433	Groat Estates	681	Pleasant View
103	Stadium	434	Groat Estates	682	Pleasant View
131	Beverly North	441	Victoria Park	691	McKernan
132	Beverly	444	Oliver	692	McKernan
201	Belvedere	461	McQueen	694	Martin Estate
212	Balwin	462	North Glenora		
222	Londonderry South	463	West Croft		
273	Killarney	464	Glenora		
274	North Delton	471	Mayfield		
		473	Youngs		
		494	Balmoral		
		511	Elmwood		

at the University of Alberta. Visual inspection of the charts allow the reader to gain a sense of scale and proportion which is not readily evident in summary tables.

The time series analysis technique assists in the identification of changing transit travel characteristics in discrete geographic locations within the study areas. The general trends that are evident amongst older, established zones are:

- (i) declining population
- (ii) an increasing number of employees
- (iii) a slight increase in the number of households
- (iv) a decrease in the number of zonal transit work trips made in A.M. peak conditions.

The time series summaries show a decrease in population

per household and an increase in employee density over the period 1971-1981 which is consistent with the known tendency towards smaller families and two-income households.

Associated with the population decline in older, established zones is a decrease in the number of A.M. peak work transit trips. The percentage of trip-makers using the transit mode has, however, either remained constant or increased over the time segment. It is presumed that as a community grows older, the household family size grows smaller. The number of work trips decline as senior family members retire and post-secondary students leave home, putting less demand on A.M. peak transit work trips. The question of whether total transit ridership has declined on a regional basis then arises. The cohorts which have "grown out" of their origin zone must migrate out of the city or relocate within city boundaries. Over the time period selected for this study, residential growth has occurred on Edmonton's periphery in such areas as Millwoods, Hermitage, Castledowns and Primrose to name a few.

It is beyond the scope of this research to determine the migration behaviour of transit riders. Time-series information, however, allows the determination of transit work trip production statistics for an entire study area over the period 1971-1981. These statistics are summarized in Tables 6.4, 6.5 and 6.6 and are depicted in Figures 6.8, 6.9 and 6.10 on the following pages.




Figure 6.8 Peak Period Transit Work Trip Production (1971-1981) for Central Area Destinations

TABLE 6.4

Peak Period Transit Work Trip Production (1971-1981)

DESTINATION: CENTRAL AREA

	<u>Northeast</u>	<u>West</u>	<u>Southwest</u>
1971	2113	1984	841
1976	2077	1996	1416
1981	2774	2345	1659

During the selected time segment, morning peak period transit work trips destined to the central area have increased. The northeast area showed a slight (1%) decrease in 1976 but showed an above average (33%) increase between 1976 and 1981.




Figure 6.9 Peak Period Transit Work Trip Production (1971-1981) for C.B.D. Destinations

TABLE 6.5

Peak Period Transit Work Trip Production (1971-1981)

DESTINATION: CENTRAL BUSINESS DISTRICT

	<u>Northeast</u>	<u>West</u>	<u>Southwest</u>
1971	520	496	177
1976	337	328	212
1981	397	354	227

Except for the southwest area, morning peak period transit work trips to the Central Business District have decreased between 1971 and 1976. All study areas show a slight increase between 1976 and 1981.




Figure 6.10 Peak Period Transit Work Trip Production (1971-1981) for University Destinations

TABLE 6.6

Peak Period Transit Work Trip Production (1971-1981)

DESTINATION: UNIVERSITY OF ALBERTA

	<u>Northeast</u>	<u>West</u>	<u>Southwest</u>
1971	274	359	588
1976	365	516	911
1981	449	730	1411

The number of northeast based morning peak period transit work trips has increased by approximately 28% per year. Similar increases for the west and southwest study areas are 43% and 55% respectively.

The time series analysis of A.M. peak period transit trip production over the study regions has identified that the number of work trips to central destinations has increased over the study period and that the most significant increase has occurred in the northeast area. Trips to the central business district have increased between 1976 and 1981; however, a substantial decrease was observed between 1971 and 1976 in the northeast and west study areas. University-destined transit trips have shown a steady increase over the study period from all three study areas, with the southwest area showing the highest rate (55% per year) of increase.

6.5 Control Area Comparisons

The control area comparison analysis technique was used to study and identify the inherent characteristics of regions which could be categorized as either within or without the influence of light rail transit development.

The western control area was chosen in the preliminary analysis and control area selection phase as a region which displayed characteristics which were similar to the northeast study area. The southwest control area has less in common with the study area; however, it was selected more as a special interest area in that light rail transit development is proposed for that region in the immediate future. Both the western and southwest control areas are currently without light rail transit influence.

6.5.1 Group Comparison

In the comparison process, similar zones from the study area and the western control area were analyzed to see what changes have occurred in demographic and trip-related statistics. The selection of "similar" zones was based on the following criteria:

- (i) socio-economic status
- (ii) employee density
- (iii) similar demographic profiles.

Only zones which displayed a ± 10 acre tolerance in acreage were included in this comparison. The socio-economic indicator chosen was 1980 average household income, obtained from the 1981 Census of Canada. The following table lists zones from the study area and the control area, sorted by increasing annual household income.

TABLE 6.7

Control Comparison Zones

<u>N.E. Study Area</u>		<u>West Control Area</u>	
<u>Zone</u>	<u>Average Household Income</u>	<u>Zone</u>	<u>Average Household Income</u>
101	18,700	412	18,700
85	21,100	434	19,300
92	21,700	473	21,100
84	21,800	441	22,200
91	22,100	444	22,200
86	22,300	432	23,900
132	22,500	433	23,900
273	23,900		
201	24,000		

From the tabular summaries produced for the time series analysis, percent change statistics were computed for the above-mentioned zones. These statistics are presented in Table 6.8, shown on the following page. This tabular summary includes two zones from the western control area (zones 444 and 473) which have similar income characteristics but do not fit into a decreasing demographic pattern. An average value is presented with these zones excluded and the following trends are evident:

- (i) Population is decreasing in both areas at a rate of approximately 10% per 5 year interval.
- (ii) The number of employees per zone is increasing. Most of the increase occurred between 1971 and 1976.
- (iii) The number of households per zone is constant over the selected time period.
- (iv) Mode split to the C.B.D. dropped or remained constant between 1971 and 1976 and increased between 1976 and 1981. The study area showed a slight (7% on average) advantage over the control area between 1976 and 1981.
- (v) Mode split to the central area has increased by approximately 12-15% over the time period 1971-1981. There seems to be no appreciable difference between study and control area.
- (vi) Mode split to the university area improved in both areas by approximately 10% between 1971 and

TABLE 6.8

Control Area Comparison Percent Change Statistics

Traffic Zone	Northeast Area										West Area							AVG w/o zones 444 and 473	
	84	85	86	91	92	101	132	201	273	AVG	412	432	433	434	441	444	473		AVG
Population 1971-1976	-11	-7	-10	-12	-12	-14	-11	-4	-13	-10	-15	-6	-16	-7	29	34	12	-1	(-11)
Population 1976-1981	-7	-1	-14	-11	-16	-8	-7	-12	-12	-10	-13	-8	-8	-11	-15	-9	-12	-11	(-11)
Employees 1971-1976	9	11	9	12	17	33	17	17	17	16	11	14	11	20	27	54	52	27	(17)
Employees 1976-1981	11	19	1	2	3	17	8	6	2	8	-1	4	11	6	-10	11	4	4	(2)
Households 1971-1976	-5	2	5	-7	-4	11	0	11	-2	1	-1	6	0	-9	2	45	36	14	(3)
Households 1976-1981	4	11	-1	2	0	16	8	-9	1	4	-1	2	8	3	-3	-1	0	1	(2)
Transit-CBD 1971-1976	12	-6	18	-6	-7	-	-9	-46	-30	-9	7	2	-12	11	-	-45	-	-7	(2)
Transit-CBD 1976-1981	6	12	11	14	7	-	6	46	23	16	22	9	1	5	-	29	-	13	(9)
Transit-Central 1971-1976	7	19	14	2	4	23	15	-19	7	8	6	13	-7	2	16	-16	20	5	(6)
Transit-Central 1976-1981	12	-1	10	7	7	-9	-4	42	2	17	9	1	14	-11	31	-13	7	7	(6)
Transit-University 1971-1976	-	4	0	15	29	1	29	16	-12	10	4	22	-3	22	-	5	-	10	(11)
Transit-University 1976-1981	-	11	13	-4	-29	18	-3	9	-14	9	12	-17	1	12	-	27	-	7	(2)

1976. No appreciable change occurred between 1976 and 1981.

The reader should realize that the average values used to provide the above-mentioned trends are based on a small sample of zones that are similar in terms of income and demographic behavior. The sample size is limited due to two primary reasons:

- (i) A lack of zonal boundary continuity. Acreages were not constant over the time period selected due to boundary changes.
- (ii) An ambiguous demographic pattern. This is typified by an unusual "peak" or "valley" in 1976 population figures. The unreliability of certain 1976 census data has been previously discussed in Section 4.2.

6.5.2 Area-wide Comparison

If one disregards the above-mentioned problems and treats each zonal mode split statistics as a discrete sample independent of zonal boundary characteristics, a much larger sample size is developed. The only constraint placed on the sample is that it should contain zones which are established with respect to residential development, over the time period 1971-1981. This sample is identical to the tabular summary used in the time series analysis. Average mode split values were computed for northeast and west peak period trips to C.B.D., central and university

destinations. Tables 6.9 and 6.10 illustrate the change in mode split over the time period and the differences between the study and control areas. Figure 6.11 and 6.12 display the statistics in graphical form.

These tables, which are based on a much larger sample than previously discussed in this section, identify the following trends:

- (i) Mode split has always been higher in the northeast study area.
- (ii) Transit usage has generally improved or remained constant over the time period 1971-1981.
- (iii) Mode split to the C.B.D. from the study area increased by 13% between 1976 and 1981. The equivalent control area statistic was 6%.
- (iv) For central-destined trips, the study area shows an increase of 12% between 1976 and 1981. The equivalent control area statistic was 7%.
- (v) The most significant improvement for university-destined mode split occurred between 1971 and 1976. An 18% increase in mode split was realized in both areas within this time period. During 1976-1981 the western control area has shown further improvement whereas mode split in the northeast area has remained constant at a higher rate.




Figure 6.11 Trends in Mode Split, Northeast Study Area

TABLE 6.9

Trends in Mode Split - Northeast Study Area

	<u>Destination</u>		
	<u>C.B.D.</u>	<u>Central</u>	<u>University</u>
Average Mode Split 1971	48%	40%	38%
Average Mode Split 1976	47%	49%	57%
Average Mode Split 1981	60%	61%	55%




Figure 6.12 Trends in Mode Split, West Study Area

TABLE 6.10

Trends in Mode Split - West Control Area

	<u>Destination</u>		
	<u>C.B.D.</u>	<u>Central</u>	<u>University</u>
Average Mode Split 1971	32%	30%	19%
Average Mode Split 1976	36%	38%	37%
Average Mode Split 1981	42%	45%	42%

Light rail transit patrons who are destined to the university area are, in most cases, required to transfer twice during the duration of their trip. These transfers occur between the bus feeder and light rail transit and between light rail transit and a university bus service. The high frequency of service on the light rail transit line minimizes the detrimental effects of the first transfer; however, it is interesting to note that N.E.-based mode split to the university remained constant at approximately 56% between 1976 and 1981. At the same time, C.B.D.-destined mode split increased by 13%, from 47% to 60%. Clearly, C.B.D.-destined trip-makers found the public transit mode to be more attractive in 1981 than university-destined trip-makers.

The double-transfer problem may have a negative effect in this instance; however, the university has a parking service which can strongly affect mode choice. Staff is given priority in a system where demand has always exceeded supply and parking rates are low, comparatively speaking.

It is postulated that, compared to downtown trip-makers, fewer university-destined trip-makers would switch from the choice automobile mode to the choice transit mode because of the double-transfer problem and the availability of reasonably-priced staff parking.

6.5.3 One-on-One Comparison

In a further attempt to determine trends in transit

travel characteristics, a one-on-one zonal comparison was undertaken. Individual zones in the study and control areas were selected based on the following attributes:

- (i) employee density
- (ii) demographic profiles
- (iii) similar distances to destinations (radial to C.B.D.)
- (iv) average household income (1980)

Three zone pairs have been selected and are presented in order of increasing distance from the central business district.

6.5.3.1 Zone 86 (Eastwood) vs. Zone 432 (Westmount)

	<u>Zone 86</u>	<u>Zone 432</u>
employee density 1981	6 emp./acre	10 emp./acre
demographic profile	declining	declining
radial distance to C.B.D.	4.5 km	4 km
avg. household income (1980)	22,258	23,923
% TRANSIT C.B.D. (71-76-81)	44-62-73	63-65-74
% TRANSIT CENT. (71-76-81)	48-62-72	54-67-76

6.5.3.2 Zone 211 (Delwood) vs Zone 495 (Meadowlark)

	<u>Zone 221</u>	<u>Zone 495</u>
employee density 1981	7 emp./acre	6 emp./acre
demographic profile	unstable	declining
radial distance to C.B.D.	6.4 km	6.0 km
avg. household income (1980)	34,211	33,287
% TRANSIT C.B.D. (71-76-81)	42-30-70	28-34-25
% TRANSIT CENT. (71-76-81)	34-42-56	22-24-26

6.5.3.3 Zone 156 (Clareview) vs Zone 484 (Primrose)

	<u>Zone 156</u>	<u>Zone 484</u>
employee density 1981	4 emp./acre	7 emp./acres
population, 1981	2297	4056
employees, 1981	1177	2071
radial distance to C.B.D.	9.6 km	9.6 km
avg. household income (1980)	28,675	31,135
% TRANSIT C.B.D. (1981)	36%	25%
% TRANSIT CENT. (1981)	60%	32%

6.5.3.4 Summary of Individual Zone Comparisons

The first zonal comparison shows two zones which are similar, except that the Westmount zone has a higher employee density. Both zones have excellent transit service in that they are adjacent to transit terminals. These zones also show similar (high) mode split statistics for 1976 and 1981.

The second zonal comparison illustrates two zones which are further away from the C.B.D. The Meadowlark zone shows low mode split figures despite its proximity to a transit centre. The northeasterly zone shows higher mode split figures overall and shows a major increase between 1976 and 1981.

Finally, the third comparison itemizes two zones which are 10 kilometers away from the C.B.D. and are in regions of recent development. Employee density was found to be much higher in the Primrose area; however, the ratio of population to employees was identical at 2.0. 1980 average household income was slightly higher in Primrose than in the Clareview area and the Clareview area has a higher level of transit service. Scheduled transit travel time downtown (1981) for Zone 156 was approximately 30 minutes whereas Zone 484 had a travel time of approximately 40 minutes. Mode split figures are significantly higher in the Clareview areas.

Due to the inherent differences between zones in different study areas, one-on-one zone comparisons are not very profitable. The above comparisons seem to suggest that transit travel time and transit accessibility are important factors affecting mode split.

7.0 IDENTIFIABLE TRENDS

During the data analysis phase, it became evident that certain trends have been developing over the time segment in transit travel characteristics and demographic statistics. This chapter will serve to summarize these trends and discuss their implications with respect to light rail development in Edmonton..

7.1 Demographic Trends

General trends which were discovered amongst older, established zones included a declining population base and an increase in the number of employees per zone. The number of households per zone in established zones has remained generally constant over the period 1971-1981. There has been a tendency towards fewer people per household and more employees per household.

7.2 Transit Trip Production

Time series analysis has shown an apparent decline in transit trip production in older, established zones which is assumed to be associated with the declining population base. Through investigation into transit trip production for entire study areas it was found that the number of A.M. peak transit trips to the central area has increased over the study period and that the most significant increase has occurred in the northeast area. Transit trips to the

central business district have decreased in northeast and west zones between 1971 and 1976 and increased between 1976 and 1981. University-destined transit trips have shown a steady increase over the study period, with the southwest area showing the highest rate (55% per year) of increase.

7.3 Mode Split Trends

It has been shown through regression analysis that no clear linear relationship exists between mode split and the investigated parameters, although evidence of negative correlations with income and scheduled transit travel time exist.

A significant increase in mode split to the central area from northeast zones occurred between 1976 and 1981. Presentation of statistics on a geographic base revealed that high mode split values were associated with zones that are near well-serviced transit routes and transit centers.

Mode split has always been higher in the northeast area between 1971 and 1981 by 10% to 15%. Generally speaking, mode split has improved or remained constant over the study period.

Control area comparisons have revealed that study area mode split for C.B.D.-destined trips increased 13% between 1976 and 1981 while control area mode split increased by only 6%. This gives a net study area gain of 7%. Similar statistics for central-destined trips show a study area gain of 5%. University-destined mode split showed a major

improvement (18%) in both study areas between 1971 and 1976.

The zone pairs analyzed in the individual zonal comparison showed that the zone pair which was close to the C.B.D. and had good transit service showed no appreciable difference in mode split values. The zone pair which was an intermediate (6 km) distance from the C.B.D. showed a higher mode split in the northeastern zone and a larger increase in mode split between 1976 and 1981. The peripheral zone pair showed a much higher mode split in the northeast zone.

7.4 The Effect of Transit Travel Time

Envelope analysis and the presentation of statistics on a geographic base has revealed a decrease in transit travel time (ten to fifteen minutes) to the downtown and university between 1976 and 1981, which is associated with the implementation of light rail transit. The analysis has also identified a decrease in travel time to the university area from southwest origins between 1976 and 1981. This decrease is most apparent in zones south of Whitemud Drive and is assumed to be caused by a transit system upgrade in service from the Southgate transit terminal to the University.

In 1969, Gill⁽³⁾ reported that "every effort should be made to reduce total travel time". He went on to mention that careful location of bus stops and the implementation of direct routes without transfers or direct routes with timed transfers could achieve this goal. This research has shown that of all the parameters investigated, income and

scheduled transit travel time display the highest degree of linear interrelation with the mode split variable in a regression analysis. The presentation of statistics on a geographic base has shown that high mode split zones occur primarily along well-serviced transit corridors. In the morning peak period environment which has been used in this study, the frequency of service is excellent with headways of five to fifteen minutes along such corridors. Problems associated with schedule reliability are minimized under such conditions. The zones which display high mode split are typically in areas which do not require a transfer. Transfers, when required, are either timed or are connected to a route with frequent service, thereby minimizing transfer time.

7.5 Implications With Respect to L.R.T. Development

The implementation of an integrated light rail transit system in April, 1978 represents the most important transit system improvement in Edmonton's history. Unlike other metropolitan cities which use light rail transit, Edmonton has not encountered high density residential development along the rail line or near transit stations because of the nature of the right-of-way and current leasing arrangements. Ridership is "collected" from a network of bus feeder routes and park-and-ride patrons from outer residential expansion zones.

The trends which have surfaced during this research

have implications with respect to light rail transit development in Edmonton. After the implementation of the Northeast Light Rail Rapid Transit Line, northeast area mode split to the downtown area increased by ten to fifteen percent as evidenced by a comparison of 1976 and 1981 census information. Control area comparisons have shown a net increase of 6% over a similar area in West Edmonton between 1976 and 1981.

Non-system related factors which might place the northeast study area in an advantageous position concerning the capture of transit patrons include:

- (i) lower income levels, which is usually associated with captive ridership
- (ii) more rapid residential growth in outer northeast zones.

The control comparison which was based on a small subset of zones which have similar income and demographic profiles seemed to disprove these suggestions. This comparison showed that for northeast-based peak period work trips destined for the C.B.D., net gain in mode split was still 7% higher on average than the identical western-based statistic. This trend is similar to the control area comparison which included zones with dissimilar income and demographic profiles.

The nature of the 1981 census questionnaire is such that it does not allow for the separation of transit system components in the northeast area. This is in keeping with

the concept that light rail transit is an extension and integral part of the existing transit system (only the hardware used is different). This makes it impossible to separate those who use only bus transit to travel downtown from those who use light rail transit with bus feeders. Thus, this analysis can only suggest that the northeast study area transit system appears to be more attractive to peak period work trip commuters than the transit system in the west control area.

The mode split difference of 5-7% between areas represents only a slight trend towards higher relative mode split in the northeast area. The non-system related differences between study areas which cannot be quantified by this research should, in theory, reduce the significance of this statistic. However, given that the western transit system has not degenerated over the period 1976-1981, it seems that light rail transit has had positive impact with respect to attracting transit patrons.

In D.B. Rhyason's thesis (1967)⁽²⁾ it was mentioned in the conclusions that:

"radical changes in the transit routes did not affect the overall modal split relationships. However the changes in the transit route system did increase the percentage of employees using transit by decreasing the transit travel time from most zones."

As previously discussed, the introduction of light rail transit has brought about a marked reduction in transit

travel times to major destination areas. This attribute, when combined with accessibility , efficient transfers and frequent service would tend to increase transit ridership.

8.0 CONCLUSIONS AND RECOMMENDATIONS FOR FURTHER RESEARCH

This goal of research was to study the changes in transit travel characteristics in Edmonton between 1971 and 1981 and to assess the impact of the implementation of the Northeast Light Rail Rapid Transit Line. Associated demographic information was analyzed and mode split was used as an indicator of transit usage. The information base for this study was comprised primarily of 1971, 1976 and 1981 census data including geo-coded origin-destination data. Other information used included scheduled transit travel times, but stop location data and average household income statistics.

An associated benefit of this research was the extraction, review and consolidation of transportation-related information into a single information base complete with graphical presentation.

Simple linear regression analysis proved that no single variable has a profound relationship with mode split, although some interrelationship exists with income and travel time. The analysis of scattergram envelopes is a swift, efficient method of determining relationships and trends amongst variables. The presentation of statistics on a geographic base allowed the spatial analysis of variables. Time series analysis helped to identify anomalies and trends while control area comparisons helped to define net increases in mode split statistics. One-on-

one zonal control area comparisons were found to be less than profitable due to the inherent differences between zones.

The analysis techniques used in this research has brought forth the following conclusions:

- (i) The implementation of light rail transit has helped to increase morning peak period mode split to downtown destinations. The magnitude of this impact was seen to be five to seven percent higher than areas without L.R.T. influence.
- (ii) Mode split in study areas was found to have either remained constant or improved over the study period.
- (iii) Older, established zones have demonstrated declining population and transit trip production over the study period.
- (iv) Transit trip production aggregated over entire study areas which include zones of new development has increased over the study period for all destination areas with one exception. Transit trips from northeast and west origins to the central business district decreased between 1971 and 1976. The most significant gain in transit ridership downtown occurred in the northeast between 1976 and 1981.
- (v) High mode split zones tend to be located near

major transit corridors or transit centres.

- (vi) Regression analysis has shown that of the parameters examined, average household income and scheduled transit travel time have the highest degree of linear interrelationship with mode split. Employee density and bus stop densities were found to be uniformly distributed amongst the study areas.
- (vii) Scheduled transit travel times have decreased over the time period as a result of system upgrading.
- (viii) The use of graphics to process and convey information has greatly assisted in the evaluation of transit travel characteristics in Edmonton.

This study has also drawn attention to a number of suggestions which are offered as recommendations for further research:

- (i) It is recommended that 1986 census information be added to the database used in this research to assess trends between 1981-1986. Allowance will have to be made for the effects of economic downturn experienced during this period.
- (ii) 1986 census questionnaires should differentiate between public transit components in a manner similar to the suggestion put forward in section 4.2. Components could then be aggregated to

conform with earlier studies.

(iii) Further investigations into the relationship between mode split and average household income, transit travel time, and transit accessibility should be made.

(iv) In as much as the extension of light rail transit to the University of Alberta has been approved, it is recommended that the future impact of this system improvement be assessed using the analysis techniques implemented in this investigation.

REFERENCE LIST

1. Edmonton District Planning Commission, "Metropolitan Edmonton Transportation Study", Volume 1: Requirements, June 1963.
2. Rhyason, D.B., "An Investigation into the Modal Split Relationships in the City of Edmonton", M.Sc. Thesis, Faculty of Graduate Studies, University of Alberta, 1967.
3. Gill, J.W., "Density of Bus Routes in North Edmonton", M.Sc. Thesis, Faculty of Graduate Studies, University of Alberta, 1969.
4. The City of Edmonton Transportation Planning Branch, Studies and Research Section, "The 1971 Origin-Destination Study", July, 1974.
5. Clement, T.O., "Work Trip Generation Models in Transportation Planning", M.Sc. Thesis, Faculty of Graduate Studies, University of Alberta, 1977.
6. Bertin, J., "Cartography in the Computer Age", Presented at the Technical Symposium SAC of the International Cartographic Association, New Dehli, December, 1968.

7. Bertin, J., "Visual Perception and Cartographic Transcription", Presented at the Seminar on Regional Planning Cartography, I.T.C., 1975.
8. Jenks, G.F. and Caspall, F.C., "Error on Choroplethic Maps: Definition, Measurement, Reduction", Annals of the Association of American Geographers, Vol. 61, No. 2, June, 1971.
9. Murrill, P.W. and Smith, C.L., "Fortran IV Programming for Engineers and Scientists", Second Edition, Intext Educational Publishers, New York, 1973, pp. 129-130.
10. Ang, A.H-S., and Tang, W.H., "Probability Concepts in Engineering Planning and Design", John Wiley and Sons, Inc., New York, 1975, pp. 252-254.
11. Vuchic, V.R., "Urban Public Transportation, Systems and Technology", Prentice-Hall, Inc., Englewood Cliffs, New Jersey, 1981, pp. 100-101.

APPENDIX A

SCHEDULED TRANSIT TRAVEL TIME CONTOURS

(Pages 102 through 110 deleted for microfilming purposes)

APPENDIX B

DATA MANAGEMENT: FILE INDEX AND DOCUMENTATION

FILE INDEX AND DOCUMENTATION

During the data extraction phase of this research, extraction software was written to condense information into manageable units. The source information has been referenced in Section 5.0 of this report. Extraction software and condensed data files have been stored on magnetic tape in the University of Alberta magnetic tape library as volume L172L0, rack number 007533. A listing of the files contained on this tape is presented in Table B1 and an explanation of the file contents follows.

DATA SET ONE

FILES: EXTRACT76

 EXTRACT81

FILE TYPE: FORTRAN PROGRAMS

PURPOSE: To extract pertinent information from geocoded 1976 and 1981 census files, convert and condense this information into a usable form, categorize households into study area units and prepare data for sorting and aggregation into zonal statistics.

REFERENCES: Working Paper No. 2, June, 1983
 Working Paper No. 8, January, 1984
 Working Paper No. 9, Spring, 1984

DATA SET TWO

FILES: ACCUM

ACCUM76

ACCUM81

FILE TYPE: FORTRAN PROGRAM

PURPOSE: To accept census data which has been extracted from geocoded census files with program "EXTRACT" and sorted into ascending traffic zone order; to accumulate (aggregate) statistics into zonal summaries; to write printed summaries and condensed output files.

REFERENCES: Working Paper No. 2, June, 1983

Working Paper No. 8, January, 1984

DATA SET THREE

FILES: EMPOP71

EMPOP76

EMPOP81TRAF

FILE TYPE: DATA FILES

DESCRIPTION: Condensed data files (output from program ACCUM), including household, population and employee statistics. Each record contains in order:

- (i) Traffic Zone Number
- (ii) Households per Zone
- (iii) Persons per Household
- (iv) Employees per Zone

(v) Employees per Household

REFERENCES: Working Paper No. 8, January, 1984

Working Paper No. 9, Spring, 1984

DATA SET FOUR

FILES: TT71TRAF

TT76TRAF

TT81TRAF

FILE TYPE: FORTRAN PROGRAM

PURPOSE: To read 1971, 1976 and 1981 trip tables, select traffic origin zones and aggregate arrivals into specific destination zones.

REFERENCES: Working Paper No. 5, September, 1983

Working Paper No. 6, November, 1983

Working Paper No. 8, January, 1984

DATA SET FIVE

FILES: TT71DATA

TT76DATA

FILE TYPE: DATA FILES

DESCRIPTION: Trip tables stored in matrix form, based on traffic zone aggregation. A.M. peak data.

REFERENCES: Working Paper No. 5, September 1983

Working Paper No. 6, November, 1983

DATA SET SIX

<u>FILES:</u>	<u>NEW DESIGNATION</u>	<u>OLD DESIGNATION</u>
	TT71NE	NE71
	TT71W	WEST71
	TT71SW	SW71
	TT76NE	TT76OUT.NE,
	TT76W	TT76OUT.W
	TT76SW	TT76OUT.SW
	TT81NE	NE81TT
	TT81W	W81TT
	TT81SW	SW81TT

FILE TYPE: DATA FILES

DESCRIPTION: Condensed trip information; arrivals at selected destinations from Northeast, West and Southwest study area origins; A.M. peak data categorized by mode; output from programs TT71TRAF, TT76TRAF and TT81TRAF.

REFERENCES: Working Paper No. 5, September, 1983
Working Paper No. 6, November, 1983

DATA SET SEVEN

<u>FILES:</u>	<u>NEW DESIGNATION</u>	<u>OLD DESIGNATION</u>
	TTP71NE	NEPER71
	TTP71W	WESTPER71
	TTP71SW	SWPER71
	TTP76NE	TT76.NEPER
	TTP76W	TT76.WPER

TTP76SW	TT76.SWPER
TTP81NE	NE81TTP
TTP81W	W81TTP
TTP81SW	SW81TTP

FILE TYPE: DATA FILES

DESCRIPTION: Modal percentages for arrivals at selected destinations from Northeast, West and Southwest area origins; output from programs TT71TRAF, TT76TRAF and TT81TRAF.

REFERENCES: Working Paper No. 5, September, 1983
Working Paper No. 6, November, 1983

DATA SET EIGHT

FILES: ST71
ST76
ST81

FILE TYPE: DATA FILES

DESCRIPTION: Free format data suitable for input to the interactive statistical graphics package (STPK); contains both demographic and trip-related statistics; the value (-1.0) was used as a missing value indicator.

REFERENCE: Working Paper No. 10, July, 1984

DATA SET NINE

<u>FILES:</u>	<u>NEW DESIGNATION</u>	<u>OLD DESIGNATION</u>
	DAT71	DAT71.A
	DAT81	EP81.T

FILE TYPE: DATA FILES

DESCRIPTION: Data files including 1971 and 1981 zonal areas. 1976 zonal areas are included in file EMPOP76, referenced in data set three.

DATA SET TEN

FILES: VAR71
VAR76
VAR81

FILE TYPE: DATA FILES

DESCRIPTION: Files which give the computed standard deviations of mode split (estimate of proportion) for all traffic zone peak work trips to selected destinations.

REFERENCE: Working Paper No. 10, July, 1984.

DATA SET ELEVEN

FILES: TRAFPOLYGON
POLY83.BI

FILE TYPE: DATA FILE (BINARY)

DESCRIPTION: 1971 polygon file and 1983 polygon files; universal transverse mercator co-ordinate strings defining zonal polygon networks; one

record per polygon.

REFERENCE: Working Paper No. 11, July, 1984

DATA SET TWELVE

FILE: POLYREAD.GIM

FILE TYPE: FORTRAN PROGRAM

PURPOSE: To convert binary polygon files into GIMMS-compatible input strings; the user must edit the output file and manually append a slash (/) at the end of each polygon string.

DATA SET THIRTEEN

FILES: G71.BASE
MAP5

FILE TYPE: COMMAND FILES

DESCRIPTION: Command files for the production of a GIMMS basefile (G71.BASE) and a GIMMS plot (MAP5).

REFERENCES: Working Paper No. 11,
Richer, S., "GIMMS Users Guide", Department of
Geography, Carleton University, Ottawa,
Ontario, October, 1978.

DATA SET FOURTEEN

FILES: BFILE71
BFILE81

FILE TYPE: DATA FILES

DESCRIPTION: Basemap information for GIMMS software;

locational data files.

PURPOSE: To provide a geographic reference for statistical mapping.

REFERENCE: Richer, S., "GIMMS Users Guide", Department of Geography, Carleton University, Ottawa, Ontario, October, 1978.

DATA SET FIFTEEN

FILES: GD1
GD2
GD3

FILE TYPE: DATA FILES

DESCRIPTION: Examples of GIMMS input data, prepared from free format files contained in data set eight. This set contains 1981 data as follows:

GD1 - 1981 mode split to C.B.D., central and university destinations

GD2 - Employee density, bus stop density and average household income

GD3 - Scheduled transit travel time to downtown and university destinations.

DATA SET SIXTEEN

<u>FILES:</u>	PL5.71.CBD	PL5.76.CBD	PL5.81.BSD
	PL5.71.CENT	PL5.76.CENT	PL5.81.INC
	PL5.71.U	PL5.76.U	PL5.81.CBD
	PL10.71.EMPD	PL10.76.EMPD	PL5.81.CENT

PL10.71.CBD	PL10.76.CBD	PL5.81.U
PL10.71.CENT	PL10.76.CENT	PL10.81.BSD
PL10.71.U	PL10.76.U	PL10.81.INC
	PL6.76.TTC	PL10.81.EMPD
	PL6.76.TTU	PL10.81.CBD
		PL10.81.CENT
		PL10.81.U
		PL6.81.TTC
		PL6.81.TTU

FILE TYPE: PLOT DESCRIPTION FILES

DESCRIPTION: Output from program GIMMS; plot description files suitable for use with the University of Alberta's Digital Plotting System.

ABBREVIATIONS: BSD - BUS STOP DENSITY

CBD - CENTRAL BUSINESS DISTRICT (MODE SPLIT)

CENT - CENTRAL AREA (MODE SPLIT)

EMPD - EMPLOYEE DENSITY

TTC - TRANSIT TRAVEL TIME TO CENTRAL AREA

TTU - TRANSIT TRAVEL TIME TO UNIVERSITY AREA

U - UNIVERSITY (MODE SPLIT)

Table B1

File Listing for Tape 007533, Volume L17210


FILE	FILE NAME	VER#	TYPE	LRECL	SIZE	DEV	DATE AND TIME SAVED	LEN(FT)	USERID
1	INDEX	1	LINE	88	4	PAGE	NOV 29, 1984 09:50:14	2	301F
2	EXTRACT76	1	LINE	87	1	PAGE	NOV 29, 1984 09:50:30	4	301F
3	EXTRACT81	1	LINE	88	1	PAGE	NOV 29, 1984 09:50:41	4	301F
4	ACQUM	1	LINE	84	1	PAGE	NOV 29, 1984 09:50:54	8	301F
5	ACQUM76	1	LINE	88	1	PAGE	NOV 29, 1984 09:51:08	8	301F
6	ACQUM81	1	LINE	88	1	PAGE	NOV 29, 1984 09:51:15	8	301F
7	EMPOP71	1	LINE	85	3	PAGE	NOV 29, 1984 09:51:28	9	301F
8	EMPOP76	1	LINE	88	3	PAGE	NOV 29, 1984 09:51:35	11	301F
9	EMPOP81TRAF	1	LINE	84	3	PAGE	NOV 29, 1984 09:51:47	12	301F
10	TT71TRAF	1	LINE	104	2	PAGE	NOV 29, 1984 09:52:01	13	301F
11	TT76TRAF	1	LINE	88	2	PAGE	NOV 29, 1984 09:52:08	14	301F
12	TT81TRAF	1	LINE	88	1	PAGE	NOV 29, 1984 09:52:18	16	301F
13	TT71DATA	1	LINE	12520	184	PAGE	NOV 29, 1984 10:05:28	27	301F
14	TT76DATA	1	LINE	1484	544	PAGE	NOV 29, 1984 10:06:21	58	301F
15	TT71NE	1	LINE	65	6	PAGE	NOV 29, 1984 10:08:37	60	301F
16	TT71W	1	LINE	62	6	PAGE	NOV 29, 1984 10:08:45	61	301F
17	TT71SW	1	LINE	62	5	PAGE	NOV 29, 1984 10:08:54	62	301F
18	TT76NE	1	LINE	62	6	PAGE	NOV 29, 1984 10:09:01	64	301F
19	TT76W	1	LINE	62	6	PAGE	NOV 29, 1984 10:09:10	65	301F
20	TT76SW	1	LINE	62	4	PAGE	NOV 29, 1984 10:09:19	67	301F
21	TT81NE	1	LINE	60	4	PAGE	NOV 29, 1984 10:09:30	68	301F
22	TT81W	1	LINE	60	4	PAGE	NOV 29, 1984 10:09:37	69	301F
23	TT81SW	1	LINE	60	3	PAGE	NOV 29, 1984 10:09:47	70	301F
24	TT71NE	1	LINE	74	8	PAGE	NOV 29, 1984 10:10:02	72	301F
25	TT71W	1	LINE	74	8	PAGE	NOV 29, 1984 10:10:14	73	301F
26	TT71SW	1	LINE	74	5	PAGE	NOV 29, 1984 10:10:25	75	301F
27	TT76NE	1	LINE	67	6	PAGE	NOV 29, 1984 10:10:37	76	301F
28	TT76W	1	LINE	68	6	PAGE	NOV 29, 1984 10:10:48	78	301F
29	TT76SW	1	LINE	68	4	PAGE	NOV 29, 1984 10:11:10	79	301F
30	TT76NE	1	LINE	61	4	PAGE	NOV 29, 1984 10:11:31	80	301F
31	TT76W	1	LINE	61	4	PAGE	NOV 29, 1984 10:11:40	81	301F
32	TT76SW	1	LINE	61	3	PAGE	NOV 29, 1984 10:11:49	83	301F
33	ST71	1	LINE	95	4	PAGE	NOV 29, 1984 10:11:55	84	301F
34	ST76	1	LINE	62	3	PAGE	NOV 29, 1984 10:12:03	85	301F
35	ST81	1	LINE	65	4	PAGE	NOV 29, 1984 10:12:11	87	301F
36	DAT71	1	LINE	76	8	PAGE	NOV 29, 1984 10:12:24	88	301F
37	DAT81	1	LINE	54	4	PAGE	NOV 29, 1984 10:12:38	89	301F
38	VAT71	1	LINE	68	7	PAGE	NOV 29, 1984 16:48:00	91	301F
39	VAT76	1	LINE	68	8	PAGE	NOV 29, 1984 16:48:07	92	301F
40	VAT81	1	LINE	68	7	PAGE	NOV 29, 1984 16:48:15	94	301F
41	TRAFDPOLYGON	1	LINE	262	11	PAGE	NOV 29, 1984 16:48:40	95	301F
42	POLY83 81	1	LINE	356	13	PAGE	NOV 29, 1984 16:48:57	97	301F
43	POLYREAD GIM	1	LINE	61	1	PAGE	NOV 29, 1984 16:47:36	98	301F
44	G71 BASE	1	LINE	67	14	PAGE	NOV 29, 1984 16:47:36	100	301F
45	MAP5	1	LINE	58	1	PAGE	NOV 29, 1984 16:47:45	101	301F
46	BF1LE71	1	LINE	1032	11	PAGE	NOV 29, 1984 16:48:03	103	301F
47	BF1LE81	1	LINE	1032	12	PAGE	NOV 29, 1984 16:48:11	105	301F
48	GD1	1	LINE	32	5	PAGE	NOV 29, 1984 16:48:27	106	301F
49	GD2	1	LINE	32	5	PAGE	NOV 29, 1984 16:48:35	108	301F
50	GD3	1	LINE	24	4	PAGE	NOV 29, 1984 16:48:40	108	301F
51	PL5 71 CBD	1	LINE	254	20	PAGE	NOV 30, 1984 16:00:58	111	301F
52	PL5 71 CENT	1	LINE	254	21	PAGE	NOV 30, 1984 16:00:12	113	301F
53	PL5 71 U	1	LINE	254	19	PAGE	NOV 30, 1984 16:00:22	115	301F
54	PL10 71 EMPD	1	LINE	254	19	PAGE	NOV 30, 1984 16:00:37	118	301F
55	PL10 71 CBD	1	LINE	254	21	PAGE	NOV 30, 1984 16:00:48	120	301F
56	PL10 71 CENT	1	LINE	254	22	PAGE	NOV 30, 1984 16:01:01	122	301F
57	PL10 71 U	1	LINE	254	21	PAGE	NOV 30, 1984 16:01:12	124	301F
58	PL5 76 CBD	1	LINE	254	20	PAGE	NOV 30, 1984 16:01:22	127	301F
59	PL5 76 CENT	1	LINE	254	22	PAGE	NOV 30, 1984 16:01:42	129	301F
60	PL5 76 U	1	LINE	254	22	PAGE	NOV 30, 1984 16:02:02	131	301F
61	PL10 76 EMPD	1	LINE	254	20	PAGE	DEC 01, 1984 12:36:33	133	301F
62	PL10 76 CBD	1	LINE	254	21	PAGE	DEC 01, 1984 12:36:51	136	301F
63	PL10 76 CENT	1	LINE	254	23	PAGE	DEC 01, 1984 12:36:06	138	301F
64	PL10 76 U	1	LINE	254	22	PAGE	DEC 01, 1984 12:36:16	140	301F
65	PL5 76 TTC	1	LINE	254	23	PAGE	DEC 01, 1984 12:36:38	143	301F
66	PL5 76 TTU	1	LINE	254	27	PAGE	DEC 01, 1984 12:36:48	145	301F
67	PL5 81 BSD	1	LINE	254	18	PAGE	DEC 01, 1984 12:37:07	147	301F
68	PL5 81 INC	1	LINE	254	29	PAGE	DEC 01, 1984 12:37:16	150	301F
69	PL5 81 CBD	1	LINE	254	25	PAGE	DEC 01, 1984 12:37:25	152	301F
70	PL5 81 CENT	1	LINE	254	28	PAGE	DEC 01, 1984 12:37:36	155	301F
71	PL5 81 U	1	LINE	254	28	PAGE	DEC 01, 1984 12:37:44	157	301F
72	PL10 81 BSD	1	LINE	254	22	PAGE	DEC 01, 1984 12:37:58	160	301F
73	PL10 81 INC	1	LINE	254	28	PAGE	DEC 01, 1984 12:38:12	162	301F
74	PL10 81 EMPD	1	LINE	254	23	PAGE	DEC 01, 1984 12:38:21	165	301F
75	PL10 81 CBD	1	LINE	254	25	PAGE	DEC 01, 1984 12:38:30	167	301F
76	PL10 81 CENT	1	LINE	254	27	PAGE	DEC 01, 1984 12:38:39	170	301F
77	PL10 81 U	1	LINE	254	28	PAGE	DEC 01, 1984 12:38:47	172	301F
78	PL5 81 TTC	1	LINE	254	28	PAGE	DEC 01, 1984 12:53:06	175	301F
79	PL5 81 TTU	1	LINE	254	27	PAGE	DEC 01, 1984 12:53:06	177	301F


APPENDIX C


CHOROPLETHIC MAPPING


AN EXAMPLE OF A GIMMS COMMAND FILE


```
*SYSPARM DIAGS=3 NOLIST
*PLOTARM CALCOMP
*PLOTPROC
*NEWMAP 50 50 FRAME
*GIMMSFILE 11 BFILE81
*DATHAN 442 1 1
*DATA STREAM 13 1 (24X,FB,2)
*DEFINE PCBD=1
*SET 1 (PCBD)
*END
*SCALE SIZE=40
*ORIGIN PLOT=1,1
*TEXT POSITION=2,7,SIZE=0.3,ALPHABET=16,'EDMONTON TRAFFIC ZONES'
*TEXT POSITION=2,4,SIZE=0.4,ALPHABET=16,'MODE SPLIT TO
UNIVERSITY AREA - 1981'
*TEXT POSITION=30,5,SIZE=0.25,ALPHABET=12,'DRAWN BY A. J. THERIAULT'
*NORTHPT POSITION=5,0,30,0,SIZE=3,0,NDRAW
*LEVELS 5
*INTERVALS EQUAL
*SYMBOLISM AREA 10,0,0,80,1/0.35,2,0,1+0.35,82,0,1/0.27,2,0,3+0.27,
82,0,3/0.12,2,0,2+0.12,82,0,2/0.05,2,0,1+0.05,82,0,1/
*LEGEND
*MAP 1
*END
*STOP
```




















Mode Split to C.B.D. - 1981
Work Trips - A.M. Peak


















Scheduled Transit Travel
Time to University - 1976

A.M. Peak







APPENDIX D

TIME SERIES TABLES

EXPLANATORY NOTES:

- Trip information refers to work and post-secondary school trips during morning peak conditions.
- "T.T./100 H.H." refers to "Transit Trips per Hundred Households".
- Employee density statistics are shown as persons per acre.
- Missing or statistically insignificant values are denoted by "-1.0".

ZONE 84.	1971	1976	1981

POPULATION	4571.	4057.	3768.
EMPLOYEES	1484.	1622.	1806.
HOUSEHOLDS	1536.	1466.	1520.
ACREAGE	248.	247.	251.
%TRANSIT-CBD	57.	69.	75.
%TRANSIT-CENTRAL	48.	55.	67.
%TRANSIT-UNIV.	50.	-1.	41.
TRANSIT TRIPS-CBD.	24.	11.	15.
TRANSIT TRIPS-CENT.	107.	47.	73.
TRANSIT TRIPS-UNIV.	11.	5.	7.
T.T./100 H.H.-CBD.	1.56	0.75	0.99
T.T./100 H.H.-CENT.	6.97	3.21	4.80
T.T./100 H.H.-UNIV.	0.72	0.34	0.46
EMPLOYEE DENSITY	5.98	6.56	7.20
ZONE 85.	1971	1976	1981

POPULATION	4342.	4019.	3991.
EMPLOYEES	1611.	1787.	2121.
HOUSEHOLDS	1466.	1489.	1657.
ACREAGE	251.	248.	256.
%TRANSIT-CBD	51.	45.	57.
%TRANSIT-CENTRAL	42.	61.	60.
%TRANSIT-UNIV.	42.	46.	57.
TRANSIT TRIPS-CBD.	24.	10.	20.
TRANSIT TRIPS-CENT.	81.	85.	82.
TRANSIT TRIPS-UNIV.	10.	16.	17.
T.T./100 H.H.-CBD.	1.64	0.67	1.21
T.T./100 H.H.-CENT.	5.53	5.71	4.95
T.T./100 H.H.-UNIV.	0.68	1.07	1.03
EMPLOYEE DENSITY	6.43	7.22	8.29

ZONE 86.	1971	1976	1981
*****	*****	*****	*****
POPULATION	3459.	3116.	2679.
EMPLOYEES	1310.	1433.	1452.
HOUSEHOLDS	1052.	1109.	1101.
ACREAGE	218.	215.	223.
%TRANSIT-CBD	44.	62.	73.
%TRANSIT-CENTRAL	48.	62.	72.
%TRANSIT-UNIV.	44.	44.	57.
TRANSIT TRIPS-CBD.	16.	13.	11.
TRANSIT TRIPS-CENT.	78.	78.	70.
TRANSIT TRIPS-UNIV.	7.	12.	8.
T.T./100 H.H.-CBD.	1.52	1.17	1.00
T.T./100 H.H.-CENT.	7.41	7.03	6.36
T.T./100 H.H.-UNIV.	0.67	1.08	0.73
EMPLOYEE DENSITY	6.02	6.66	6.50
ZONE 91.	1971	1976	1981
*****	*****	*****	*****
POPULATION	5484.	4849.	4307.
EMPLOYEES	1695.	1891.	1937.
HOUSEHOLDS	1884.	1748.	1786.
ACREAGE	232.	229.	231.
%TRANSIT-CBD	67.	61.	75.
%TRANSIT-CENTRAL	56.	58.	66.
%TRANSIT-UNIV.	42.	57.	53.
TRANSIT TRIPS-CBD.	43.	23.	6.
TRANSIT TRIPS-CENT.	116.	95.	92.
TRANSIT TRIPS-UNIV.	16.	16.	19.
T.T./100 H.H.-CBD.	2.28	1.32	0.34
T.T./100 H.H.-CENT.	6.16	5.43	5.15
T.T./100 H.H.-UNIV.	0.85	0.92	1.06
EMPLOYEE DENSITY	7.31	8.24	8.39

ZONE 92.	1971	1976	1981
*****	*****	*****	*****
POPULATION	4429.	3907.	3280.
EMPLOYEES	1377.	1606.	1654.
HOUSEHOLDS	1377.	1324.	1325.
ACREAGE	204.	203.	203.
%TRANSIT-CBD	57.	50.	57.
%TRANSIT-CENTRAL	54.	58.	65.
%TRANSIT-UNIV.	40.	69.	40.
TRANSIT TRIPS-CBD.	25.	13.	17.
TRANSIT TRIPS-CENT.	95.	76.	99.
TRANSIT TRIPS-UNIV.	8.	22.	8.
T.T./100 H.H.-CBD.	1.82	0.98	1.28
T.T./100 H.H.-CENT.	6.90	5.74	7.47
T.T./100 H.H.-UNIV.	0.58	1.66	0.60
EMPLOYEE DENSITY	6.74	7.92	8.13
ZONE 101.	1971	1976	1981
*****	*****	*****	*****
POPULATION	3664.	3140.	2898.
EMPLOYEES	876.	1166.	1359.
HOUSEHOLDS	994.	1100.	1277.
ACREAGE	149.	148.	148.
%TRANSIT-CBD	48.	-1.	59.
%TRANSIT-CENTRAL	50.	73.	64.
%TRANSIT-UNIV.	64.	65.	83.
TRANSIT TRIPS-CBD.	14.	6.	10.
TRANSIT TRIPS-CENT.	53.	41.	44.
TRANSIT TRIPS-UNIV.	9.	13.	15.
T.T./100 H.H.-CBD.	1.41	0.55	0.78
T.T./100 H.H.-CENT.	5.33	3.73	3.45
T.T./100 H.H.-UNIV.	0.91	1.18	1.17
EMPLOYEE DENSITY	5.87	7.87	9.18

ZONE 103.	1971	1976	1981

POPULATION	413.	480.	715.
EMPLOYEES	181.	242.	393.
HOUSEHOLDS	152.	198.	280.
ACREAGE	64.	62.	60.
%TRANSIT-CBD	-1.	78.	83.
%TRANSIT-CENTRAL	51.	59.	79.
%TRANSIT-UNIV.	58.	-1.	-1.
TRANSIT TRIPS-CBD.	4.	7.	5.
TRANSIT TRIPS-CENT.	18.	24.	27.
TRANSIT TRIPS-UNIV.	7.	3.	2.
T.T./100 H.H.-CBD.	2.63	3.54	1.79
T.T./100 H.H.-CENT.	11.84	12.12	9.64
T.T./100 H.H.-UNIV.	4.61	1.52	0.71
EMPLOYEE DENSITY	2.84	3.88	6.59
ZONE 104.	1971	1976	1981

POPULATION	2271.	2436.	2315.
EMPLOYEES	1183.	1454.	1590.
HOUSEHOLDS	958.	1171.	1247.
ACREAGE	92.	70.	72.
%TRANSIT-CBD	50.	72.	94.
%TRANSIT-CENTRAL	57.	70.	76.
%TRANSIT-UNIV.	57.	61.	53.
TRANSIT TRIPS-CBD.	29.	26.	15.
TRANSIT TRIPS-CENT.	163.	168.	135.
TRANSIT TRIPS-UNIV.	17.	27.	8.
T.T./100 H.H.-CBD.	3.03	2.22	1.20
T.T./100 H.H.-CENT.	17.01	14.35	10.83
T.T./100 H.H.-UNIV.	1.77	2.31	0.64
EMPLOYEE DENSITY	12.80	20.80	21.98

ZONE 105.	1971	1976	1981

POPULATION	2915.	1968.	2321.
EMPLOYEES	886.	642.	1013.
HOUSEHOLDS	1277.	788.	1382.
ACREAGE	190.	146.	155.
%TRANSIT-CBD	34.	31.	75.
%TRANSIT-CENTRAL	40.	33.	73.
%TRANSIT-UNIV.	55.	-1.	-1.
TRANSIT TRIPS-CBD.	11.	5.	9.
TRANSIT TRIPS-CENT.	51.	16.	40.
TRANSIT TRIPS-UNIV.	21.	4.	4.
T.T./100 H.H.-CBD.	0.86	0.63	0.65
T.T./100 H.H.-CENT.	3.99	2.03	2.89
T.T./100 H.H.-UNIV.	1.64	0.51	0.29
EMPLOYEE DENSITY	4.66	4.40	6.53
ZONE 126.	1971	1976	1981

POPULATION	5401.	4651.	4796.
EMPLOYEES	1736.	1974.	2294.
HOUSEHOLDS	1527.	1542.	1802.
ACREAGE	322.	318.	373.
%TRANSIT-CBD	54.	64.	50.
%TRANSIT-CENTRAL	42.	46.	60.
%TRANSIT-UNIV.	32.	41.	50.
TRANSIT TRIPS-CBD.	26.	14.	13.
TRANSIT TRIPS-CENT.	91.	77.	100.
TRANSIT TRIPS-UNIV.	14.	9.	11.
T.T./100 H.H.-CBD.	1.70	0.91	0.72
T.T./100 H.H.-CENT.	5.96	4.99	5.55
T.T./100 H.H.-UNIV.	0.92	0.58	0.61
EMPLOYEE DENSITY	5.39	6.20	6.15

ZONE 131.	1971	1976	1981
*****	*****	*****	*****
POPULATION	973.	870.	713.
EMPLOYEES	284.	340.	344.
HOUSEHOLDS	229.	235.	224.
ACREAGE	220.	218.	211.
%TRANSIT-CBD	-1.	-1.	-1.
%TRANSIT-CENTRAL	42.	52.	74.
%TRANSIT-UNIV.	-1.	-1.	-1.
TRANSIT TRIPS-CBD.	2.	1.	2.
TRANSIT TRIPS-CENT.	10.	15.	14.
TRANSIT TRIPS-UNIV.	1.	2.	3.
T.T./100 H.H.-CBD.	0.87	0.43	0.89
T.T./100 H.H.-CENT.	4.37	6.38	6.25
T.T./100 H.H.-UNIV.	0.44	0.85	1.34
EMPLOYEE DENSITY	1.29	1.56	1.63
ZONE 132.	1971	1976	1981
*****	*****	*****	*****
POPULATION	4815.	4295.	3999.
EMPLOYEES	1524.	1783.	1924.
HOUSEHOLDS	1261.	1267.	1369.
ACREAGE	296.	294.	293.
%TRANSIT-CBD	57.	48.	54.
%TRANSIT-CENTRAL	47.	62.	58.
%TRANSIT-UNIV.	31.	60.	57.
TRANSIT TRIPS-CBD.	26.	10.	13.
TRANSIT TRIPS-CENT.	99.	95.	69.
TRANSIT TRIPS-UNIV.	10.	9.	12.
T.T./100 H.H.-CBD.	2.06	0.79	0.95
T.T./100 H.H.-CENT.	7.85	7.50	5.04
T.T./100 H.H.-UNIV.	0.79	0.71	0.88
EMPLOYEE DENSITY	5.15	6.07	6.57

ZONE 134.	1971	1976	1981

POPULATION	3456.	1227.	2487.
EMPLOYEES	1161.	520.	1330.
HOUSEHOLDS	927.	360.	892.
ACREAGE	359.	302.	279.
%TRANSIT-CBD	64.	-1.	33.
%TRANSIT-CENTRAL	46.	42.	46.
%TRANSIT-UNIV.	33.	50.	35.
TRANSIT TRIPS-CBD.	14.	4.	3.
TRANSIT TRIPS-CENT.	76.	19.	42.
TRANSIT TRIPS-UNIV.	10.	6.	6.
T.T./100 H.H.-CBD.	1.51	1.11	0.34
T.T./100 H.H.-CENT.	8.20	5.28	4.71
T.T./100 H.H.-UNIV.	1.08	1.67	0.67
EMPLOYEE DENSITY	3.23	1.72	4.77
ZONE 135.	1971	1976	1981

POPULATION	1487.	2946.	3158.
EMPLOYEES	418.	1036.	1493.
HOUSEHOLDS	357.	824.	990.
ACREAGE	160.	161.	138.
%TRANSIT-CBD	60.	58.	78.
%TRANSIT-CENTRAL	47.	39.	54.
%TRANSIT-UNIV.	53.	55.	-1.
TRANSIT TRIPS-CBD.	12.	7.	7.
TRANSIT TRIPS-CENT.	29.	43.	35.
TRANSIT TRIPS-UNIV.	8.	6.	3.
T.T./100 H.H.-CBD.	3.36	0.85	0.71
T.T./100 H.H.-CENT.	8.12	5.22	3.54
T.T./100 H.H.-UNIV.	2.24	0.73	0.30
EMPLOYEE DENSITY	2.61	6.43	10.82

ZONE 137.	1971	1976	1981
*****	*****	*****	*****
POPULATION	2573.	988.	2394.
EMPLOYEES	826.	388.	1193.
HOUSEHOLDS	641.	265.	713.
ACREAGE	252.	232.	188.
%TRANSIT-CBD	69.	-1.	-1.
%TRANSIT-CENTRAL	41.	55.	60.
%TRANSIT-UNIV.	33.	-1.	42.
TRANSIT TRIPS-CBD.	9.	3.	4.
TRANSIT TRIPS-CENT.	56.	27.	46.
TRANSIT TRIPS-UNIV.	6.	4.	5.
T.T./100 H.H.-CBD.	1.40	1.13	0.56
T.T./100 H.H.-CENT.	8.74	10.19	6.45
T.T./100 H.H.-UNIV.	0.94	1.51	0.70
EMPLOYEE DENSITY	3.28	1.67	6.34
ZONE 191.	1971	1976	1981
*****	*****	*****	*****
POPULATION	2959.	3753.	5124.
EMPLOYEES	975.	1486.	2374.
HOUSEHOLDS	711.	939.	1505.
ACREAGE	385.	370.	422.
%TRANSIT-CBD	23.	43.	51.
%TRANSIT-CENTRAL	20.	30.	58.
%TRANSIT-UNIV.	13.	62.	56.
TRANSIT TRIPS-CBD.	5.	6.	20.
TRANSIT TRIPS-CENT.	36.	36.	119.
TRANSIT TRIPS-UNIV.	3.	16.	19.
T.T./100 H.H.-CBD.	0.70	0.64	1.33
T.T./100 H.H.-CENT.	5.06	3.83	7.91
T.T./100 H.H.-UNIV.	0.42	1.70	1.26
EMPLOYEE DENSITY	2.53	4.02	5.63

ZONE 192.	1971	1976	1981
*****	*****	*****	*****
POPULATION	4757.	7598.	5141.
EMPLOYEES	1443.	2888.	2466.
HOUSEHOLDS	1088.	1886.	1536.
ACREAGE	293.	306.	284.
%TRANSIT-CBD	15.	25.	44.
%TRANSIT-CENTRAL	26.	35.	60.
%TRANSIT-UNIV.	5.	73.	53.
TRANSIT TRIPS-CBD.	6.	10.	15.
TRANSIT TRIPS-CENT.	47.	98.	122.
TRANSIT TRIPS-UNIV.	1.	19.	18.
T.T./100 H.H.-CBD.	0.55	0.53	0.98
T.T./100 H.H.-CENT.	4.32	5.20	7.94
T.T./100 H.H.-UNIV.	0.09	1.01	1.17
EMPLOYEE DENSITY	4.92	9.43	8.67
ZONE 201.	1971	1976	1981
*****	*****	*****	*****
POPULATION	4954.	4746.	4168.
EMPLOYEES	1480.	1725.	1830.
HOUSEHOLDS	1331.	1471.	1336.
ACREAGE	320.	315.	313.
%TRANSIT-CBD	59.	13.	59.
%TRANSIT-CENTRAL	43.	24.	60.
%TRANSIT-UNIV.	54.	70.	79.
TRANSIT TRIPS-CBD.	19.	1.	12.
TRANSIT TRIPS-CENT.	80.	29.	74.
TRANSIT TRIPS-UNIV.	7.	7.	23.
T.T./100 H.H.-CBD.	1.43	0.07	0.97
T.T./100 H.H.-CENT.	6.01	1.97	5.54
T.T./100 H.H.-UNIV.	0.53	0.48	1.72
EMPLOYEE DENSITY	4.62	5.47	5.84

ZONE 211.	1971	1976	1981

POPULATION	5863.	6673.	4797.
EMPLOYEES	1816.	2588.	2473.
HOUSEHOLDS	1340.	1640.	1364.
ACREAGE	317.	315.	342.
%TRANSIT-CBD	42.	30.	70.
%TRANSIT-CENTRAL	34.	42.	56.
%TRANSIT-UNIV.	32.	33.	60.
TRANSIT TRIPS-CBD.	26.	11.	14.
TRANSIT TRIPS-CENT.	84.	71.	97.
TRANSIT TRIPS-UNIV.	11.	10.	41.
T.T./100 H.H.-CBD.	1.94	0.67	1.03
T.T./100 H.H.-CENT.	6.27	4.33	7.11
T.T./100 H.H.-UNIV.	0.82	0.61	3.01
EMPLOYEE DENSITY	5.73	8.21	7.24
ZONE 212.	1971	1976	1981

POPULATION	5672.	6446.	4735.
EMPLOYEES	1812.	2578.	2363.
HOUSEHOLDS	1458.	1857.	1589.
ACREAGE	377.	375.	376.
%TRANSIT-CBD	40.	48.	68.
%TRANSIT-CENTRAL	29.	49.	62.
%TRANSIT-UNIV.	29.	56.	71.
TRANSIT TRIPS-CBD.	14.	14.	13.
TRANSIT TRIPS-CENT.	63.	101.	97.
TRANSIT TRIPS-UNIV.	6.	9.	17.
T.T./100 H.H.-CBD.	0.96	0.75	0.82
T.T./100 H.H.-CENT.	4.32	5.44	6.10
T.T./100 H.H.-UNIV.	0.41	0.48	1.07
EMPLOYEE DENSITY	4.80	6.87	6.28

ZONE 221.	1971	1976	1981

POPULATION	5204.	6025.	5350.
EMPLOYEES	1749.	2500.	2586.
HOUSEHOLDS	1315.	1755.	1694.
ACREAGE	369.	365.	445.
%TRANSIT-CBD	36.	52.	42.
%TRANSIT-CENTRAL	23.	39.	62.
%TRANSIT-UNIV.	13.	62.	48.
TRANSIT TRIPS-CBD.	17.	22.	11.
TRANSIT TRIPS-CENT.	57.	112.	117.
TRANSIT TRIPS-UNIV.	4.	13.	15.
T.T./100 H.H.-CBD.	1.29	1.25	0.65
T.T./100 H.H.-CENT.	4.33	6.38	6.91
T.T./100 H.H.-UNIV.	0.30	0.74	0.89
EMPLOYEE DENSITY	4.74	6.84	5.81
ZONE 222.	1971	1976	1981

POPULATION	3688.	3550.	3152.
EMPLOYEES	1175.	1450.	1601.
HOUSEHOLDS	920.	953.	957.
ACREAGE	249.	258.	248.
%TRANSIT-CBD	31.	32.	59.
%TRANSIT-CENTRAL	22.	45.	55.
%TRANSIT-UNIV.	23.	42.	48.
TRANSIT TRIPS-CBD.	10.	6.	10.
TRANSIT TRIPS-CENT.	37.	67.	77.
TRANSIT TRIPS-UNIV.	9.	8.	11.
T.T./100 H.H.-CBD.	1.09	0.63	1.04
T.T./100 H.H.-CENT.	4.02	7.03	8.05
T.T./100 H.H.-UNIV.	0.98	0.84	1.15
EMPLOYEE DENSITY	4.72	5.63	6.45

ZONE 261.	1971	1976	1981

POPULATION	1876.	7730.	6529.
EMPLOYEES	603.	3051.	2887.
HOUSEHOLDS	456.	2192.	2007.
ACREAGE	368.	364.	396.
%TRANSIT-CBD	35.	49.	26.
%TRANSIT-CENTRAL	35.	47.	43.
%TRANSIT-UNIV.	50.	45.	53.
TRANSIT TRIPS-CBD.	6.	22.	9.
TRANSIT TRIPS-CENT.	36.	128.	108.
TRANSIT TRIPS-UNIV.	9.	9.	16.
T.T./100 H.H.-CBD.	1.32	1.00	0.45
T.T./100 H.H.-CENT.	7.89	5.84	5.38
T.T./100 H.H.-UNIV.	1.97	0.41	0.80
EMPLOYEE DENSITY	1.64	8.38	7.29
ZONE 262.	1971	1976	1981

POPULATION	2582.	4953.	3918.
EMPLOYEES	885.	1978.	1676.
HOUSEHOLDS	653.	1304.	1095.
ACREAGE	324.	321.	301.
%TRANSIT-CBD	29.	54.	70.
%TRANSIT-CENTRAL	24.	35.	45.
%TRANSIT-UNIV.	13.	45.	47.
TRANSIT TRIPS-CBD.	9.	14.	7.
TRANSIT TRIPS-CENT.	30.	65.	55.
TRANSIT TRIPS-UNIV.	3.	29.	17.
T.T./100 H.H.-CBD.	1.38	1.07	0.64
T.T./100 H.H.-CENT.	4.59	4.98	5.02
T.T./100 H.H.-UNIV.	0.46	2.22	1.55
EMPLOYEE DENSITY	2.73	6.17	5.56

ZONE 272.	1971	1976	1981

POPULATION	4937.	5671.	3812.
EMPLOYEES	1682.	2463.	2013.
HOUSEHOLDS	1225.	1512.	1216.
ACREAGE	289.	287.	302.
%TRANSIT-CBD	38.	39.	56.
%TRANSIT-CENTRAL	31.	44.	52.
%TRANSIT-UNIV.	28.	71.	61.
TRANSIT TRIPS-CBD.	15.	12.	14.
TRANSIT TRIPS-CENT.	74.	85.	97.
TRANSIT TRIPS-UNIV.	11.	24.	33.
T.T./100 H.H.-CBD.	1.22	0.79	1.15
T.T./100 H.H.-CENT.	6.04	5.62	7.98
T.T./100 H.H.-UNIV.	0.90	1.59	2.71
EMPLOYEE DENSITY	5.82	8.57	6.67
ZONE 273.	1971	1976	1981

POPULATION	2404.	2081.	1823.
EMPLOYEES	889.	1037.	1062.
HOUSEHOLDS	741.	728.	732.
ACREAGE	164.	163.	161.
%TRANSIT-CBD	66.	36.	59.
%TRANSIT-CENTRAL	54.	61.	63.
%TRANSIT-UNIV.	70.	58.	44.
TRANSIT TRIPS-CBD.	21.	4.	10.
TRANSIT TRIPS-CENT.	78.	34.	44.
TRANSIT TRIPS-UNIV.	7.	7.	4.
T.T./100 H.H.-CBD.	2.83	0.55	1.37
T.T./100 H.H.-CENT.	10.53	4.67	6.01
T.T./100 H.H.-UNIV.	0.94	0.96	0.55
EMPLOYEE DENSITY	5.43	6.36	6.60

ZONE 274.	1971	1976	1981

POPULATION	3834.	4970.	2916.
EMPLOYEES	1275.	2055.	1507.
HOUSEHOLDS	1048.	1415.	1038.
ACREAGE	191.	190.	193.
%TRANSIT-CBD	62.	32.	27.
%TRANSIT-CENTRAL	37.	45.	58.
%TRANSIT-UNIV.	18.	81.	80.
TRANSIT TRIPS-CBD.	24.	7.	6.
TRANSIT TRIPS-CENT.	81.	75.	79.
TRANSIT TRIPS-UNIV.	2.	25.	16.
T.T./100 H.H.-CBD.	2.29	0.49	0.58
T.T./100 H.H.-CENT.	7.73	5.30	7.61
T.T./100 H.H.-UNIV.	0.19	1.77	1.54
EMPLOYEE DENSITY	6.66	10.84	7.82
ZONE 411.	1971	1976	1981

POPULATION	3534.	3067.	2578.
EMPLOYEES	1171.	1371.	1369.
HOUSEHOLDS	897.	887.	880.
ACREAGE	249.	245.	251.
%TRANSIT-CBD	28.	38.	33.
%TRANSIT-CENTRAL	28.	37.	46.
%TRANSIT-UNIV.	35.	33.	47.
TRANSIT TRIPS-CBD.	11.	11.	5.
TRANSIT TRIPS-CENT.	54.	65.	43.
TRANSIT TRIPS-UNIV.	17.	13.	14.
T.T./100 H.H.-CBD.	1.23	1.24	0.57
T.T./100 H.H.-CENT.	6.02	7.33	4.89
T.T./100 H.H.-UNIV.	1.90	1.47	1.59
EMPLOYEE DENSITY	4.71	5.60	5.45

ZONE 412.	1971	1976	1981

POPULATION	2888.	2456.	2130.
EMPLOYEES	1074.	1192.	1175.
HOUSEHOLDS	793.	786.	779.
ACREAGE	166.	164.	168.
%TRANSIT-CBD	43.	50.	72.
%TRANSIT-CENTRAL	33.	39.	56.
%TRANSIT-UNIV.	47.	51.	63.
TRANSIT TRIPS-CBD.	15.	8.	13.
TRANSIT TRIPS-CENT.	59.	39.	44.
TRANSIT TRIPS-UNIV.	27.	23.	27.
T.T./100 H.H.-CBD.	1.89	1.02	1.67
T.T./100 H.H.-CENT.	7.44	4.96	5.65
T.T./100 H.H.-UNIV.	3.40	2.93	3.47
EMPLOYEE DENSITY	6.48	7.26	7.01
ZONE 423.	1971	1976	1981

POPULATION	3997.	3613.	2955.
EMPLOYEES	1402.	1639.	1553.
HOUSEHOLDS	1083.	1114.	1064.
ACREAGE	234.	233.	241.
%TRANSIT-CBD	31.	50.	60.
%TRANSIT-CENTRAL	18.	44.	55.
%TRANSIT-UNIV.	21.	46.	69.
TRANSIT TRIPS-CBD.	9.	13.	12.
TRANSIT TRIPS-CENT.	37.	69.	69.
TRANSIT TRIPS-UNIV.	8.	18.	25.
T.T./100 H.H.-CBD.	0.83	1.17	1.13
T.T./100 H.H.-CENT.	3.41	6.19	6.48
T.T./100 H.H.-UNIV.	0.74	1.62	2.35
EMPLOYEE DENSITY	5.98	7.04	6.45

ZONE 424.	1971	1976	1981
*****	*****	*****	*****
POPULATION	2088.	1816.	1521.
EMPLOYEES	679.	815.	840.
HOUSEHOLDS	599.	599.	580.
ACREAGE		190.	197.
%TRANSIT-CBD		55.	-1.
%TRANSIT-CENT		45.	53.
%TRANSIT-UNIV	33.	33.	32.
TRANSIT TRIPS-CBD	6.	6.	3.
TRANSIT TRIPS-CENT	29.	31.	27.
TRANSIT TRIPS-UNIV.	5.	6.	6.
T.T./100 H.H.-CBD.	1.00	1.00	0.52
T.T./100 H.H.-CENT.	4.84	5.18	4.66
T.T./100 H.H.-UNIV.	0.83	1.00	1.03
EMPLOYEE DENSITY	3.37	4.29	4.27
ZONE 432.	1971	1976	1981
*****	*****	*****	*****
POPULATION	3903.	3657.	3372.
EMPLOYEES	1839.	2092.	2174.
HOUSEHOLDS	1610.	1707.	1748.
ACREAGE	217.	206.	216.
%TRANSIT-CBD	63.	65.	74.
%TRANSIT-CENTRAL	54.	67.	76.
%TRANSIT-UNIV.	28.	50.	33.
TRANSIT TRIPS-CBD.	41.	22.	32.
TRANSIT TRIPS-CENT.	162.	158.	133.
TRANSIT TRIPS-UNIV.	19.	20.	10.
T.T./100 H.H.-CBD.	2.55	1.29	1.83
T.T./100 H.H.-CENT.	10.06	9.26	7.61
T.T./100 H.H.-UNIV.	1.18	1.17	0.57
EMPLOYEE DENSITY	8.46	10.15	10.07

ZONE 433.	1971	1976	1981
*****	*****	*****	*****
POPULATION	1935.	1621.	1491.
EMPLOYEES	682.	757.	839.
HOUSEHOLDS	596.	595.	640.
ACREAGE	137.	136.	138.
%TRANSIT-CBD	53.	41.	42.
%TRANSIT-CENTRAL	49.	42.	43.
%TRANSIT-UNIV.	32.	29.	30.
TRANSIT TRIPS-CBD.	9.	7.	5.
TRANSIT TRIPS-CENT.	59.	40.	30.
TRANSIT TRIPS-UNIV.	17.	7.	7.
T.T./100 H.H.-CBD.	1.51	1.18	0.78
T.T./100 H.H.-CENT.	9.90	6.72	4.69
T.T./100 H.H.-UNIV.	2.85	1.18	1.09
EMPLOYEE DENSITY	4.98	5.55	6.08
ZONE 434.	1971	1976	1981
*****	*****	*****	*****
POPULATION	2676.	2478.	2211.
EMPLOYEES	1076.	1296.	1376.
HOUSEHOLDS	958.	1040.	1068.
ACREAGE	153.	146.	146.
%TRANSIT-CBD	55.	66.	71.
%TRANSIT-CENTRAL	54.	56.	70.
%TRANSIT-UNIV.	19.	41.	53.
TRANSIT TRIPS-CBD.	23.	21.	12.
TRANSIT TRIPS-CENT.	98.	76.	81.
TRANSIT TRIPS-UNIV.	8.	13.	18.
T.T./100 H.H.-CBD.	2.40	2.02	1.12
T.T./100 H.H.-CENT.	10.23	7.31	7.58
T.T./100 H.H.-UNIV.	0.84	1.25	1.69
EMPLOYEE DENSITY	7.03	8.87	9.45

ZONE 441.	1971	1976	1981

POPULATION	592.	541.	461.
EMPLOYEES	205.	261.	235.
HOUSEHOLDS	178.	181.	176.
ACREAGE	54.	55.	53.
%TRANSIT-CBD	-1.	-1.	-1.
%TRANSIT-CENTRAL	30.	46.	35.
%TRANSIT-UNIV.	17.	-1.	13.
TRANSIT TRIPS-CBD.	3.	2.	1.
TRANSIT TRIPS-CENT.	9.	13.	9.
TRANSIT TRIPS-UNIV.	4.	0.	1.
T.T./100 H.H.-CBD.	1.69	1.10	0.57
T.T./100 H.H.-CENT.	5.06	7.18	5.11
T.T./100 H.H.-UNIV.	2.25	0.0	0.57
EMPLOYEE DENSITY	3.77	4.74	4.45
ZONE 442.	1971	1976	1981

POPULATION	4487.	5152.	4657.
EMPLOYEES	2262.	2851.	3149.
HOUSEHOLDS	1971.	2734.	2912.
ACREAGE	226.	223.	240.
%TRANSIT-CBD	47.	66.	70.
%TRANSIT-CENTRAL	45.	64.	68.
%TRANSIT-UNIV.	31.	43.	59.
TRANSIT TRIPS-CBD.	53.	42.	51.
TRANSIT TRIPS-CENT.	238.	271.	273.
TRANSIT TRIPS-UNIV.	33.	32.	43.
T.T./100 H.H.-CBD.	2.69	1.54	1.75
T.T./100 H.H.-CENT.	12.08	9.91	9.38
T.T./100 H.H.-UNIV.	1.67	1.17	1.48
EMPLOYEE DENSITY	10.02	12.80	13.12

ZONE 443.	1971	1976	1981

POPULATION	802.	1078.	979.
EMPLOYEES	357.	549.	607.
HOUSEHOLDS	473.	688.	681.
ACREAGE	220.	205.	204.
%TRANSIT-CBD	61.	16.	45.
%TRANSIT-CENTRAL	55.	39.	70.
%TRANSIT-UNIV.	25.	30.	57.
TRANSIT TRIPS-CBD.	19.	3.	9.
TRANSIT TRIPS-CENT.	47.	28.	59.
TRANSIT TRIPS-UNIV.	4.	3.	13.
T.T./100 H.H.-CBD.	4.02	0.44	1.32
T.T./100 H.H.-CENT.	9.94	4.07	8.66
T.T./100 H.H.-UNIV.	0.85	0.44	1.91
EMPLOYEE DENSITY	1.62	2.68	2.97
ZONE 444.	1971	1976	1981

POPULATION	2733.	3646.	3433.
EMPLOYEES	1482.	2170.	2219.
HOUSEHOLDS	1492.	2278.	2325.
ACREAGE	60.	59.	60.
%TRANSIT-CBD	51.	51.	68.
%TRANSIT-CENTRAL	48.	56.	68.
%TRANSIT-UNIV.	26.	53.	63.
TRANSIT TRIPS-CBD.	69.	28.	21.
TRANSIT TRIPS-CENT.	194.	192.	131.
TRANSIT TRIPS-UNIV.	22.	23.	40.
T.T./100 H.H.-CBD.	4.62	1.23	0.90
T.T./100 H.H.-CENT.	13.00	8.43	5.63
T.T./100 H.H.-UNIV.	1.47	1.01	1.72
EMPLOYEE DENSITY	24.59	36.67	37.11

ZONE 461.	1971	1976	1981

POPULATION	2424.	2212.	1908.
EMPLOYEES	792.	980.	926.
HOUSEHOLDS	708.	720.	770.
ACREAGE	173.	172.	170.
%TRANSIT-CBD	23.	22.	50.
%TRANSIT-CENTRAL	26.	27.	40.
%TRANSIT-UNIV.	19.	59.	28.
TRANSIT TRIPS-CBD.	5.	2.	8.
TRANSIT TRIPS-CENT.	33.	23.	34.
TRANSIT TRIPS-UNIV.	5.	13.	8.
T.T./100 H.H.-CBD.	0.71	0.28	1.04
T.T./100 H.H.-CENT.	4.66	3.19	4.42
T.T./100 H.H.-UNIV.	0.71	1.81	1.04
EMPLOYEE DENSITY	4.57	5.69	5.44
ZONE 462.	1971	1976	1981

POPULATION	2826.	2590.	2427.
EMPLOYEES	1071.	1183.	1145.
HOUSEHOLDS	829.	852.	930.
ACREAGE	213.	211.	208.
%TRANSIT-CBD	37.	42.	25.
%TRANSIT-CENTRAL	27.	38.	39.
%TRANSIT-UNIV.	9.	39.	51.
TRANSIT TRIPS-CBD.	20.	8.	2.
TRANSIT TRIPS-CENT.	58.	44.	39.
TRANSIT TRIPS-UNIV.	4.	22.	19.
T.T./100 H.H.-CBD.	2.41	0.94	0.22
T.T./100 H.H.-CENT.	7.00	5.16	4.19
T.T./100 H.H.-UNIV.	0.48	2.58	2.04
EMPLOYEE DENSITY	5.04	5.61	5.51

ZONE 463.	1971	1976	1981

POPULATION	3002.	2631.	2518.
EMPLOYEES	1061.	1155.	1377.
HOUSEHOLDS	944.	929.	987.
ACREAGE	240.	239.	243.
%TRANSIT-CBD	43.	27.	43.
%TRANSIT-CENTRAL	35.	37.	45.
%TRANSIT-UNIV.	14.	17.	39.
TRANSIT TRIPS-CBD.	21.	4.	6.
TRANSIT TRIPS-CENT.	66.	36.	55.
TRANSIT TRIPS-UNIV.	5.	5.	14.
T.T./100 H.H.-CBD.	2.22	0.43	0.61
T.T./100 H.H.-CENT.	6.99	3.88	5.57
T.T./100 H.H.-UNIV.	0.53	0.54	1.42
EMPLOYEE DENSITY	4.42	4.83	5.66
ZONE 464.	1971	1976	1981

POPULATION	3215.	3167.	2754.
EMPLOYEES	1283.	1586.	1417.
HOUSEHOLDS	1073.	1172.	1165.
ACREAGE	300.	299.	307.
%TRANSIT-CBD	29.	33.	22.
%TRANSIT-CENTRAL	24.	38.	31.
%TRANSIT-UNIV.	22.	33.	41.
TRANSIT TRIPS-CBD.	22.	11.	6.
TRANSIT TRIPS-CENT.	64.	71.	51.
TRANSIT TRIPS-UNIV.	16.	21.	22.
T.T./100 H.H.-CBD.	2.05	0.94	0.52
T.T./100 H.H.-CENT.	5.96	6.06	4.38
T.T./100 H.H.-UNIV.	1.49	1.79	1.89
EMPLOYEE DENSITY	4.27	5.31	4.61

ZONE 465.	1971	1976	1981
*****	*****	*****	*****
POPULATION	1203.	1032.	877.
EMPLOYEES	30.	443.	435.
HOUSEHOLDS	300.	315.	295.
ACREAGE	253.	215.	215.
%TRANSIT-CBD	27.	23.	17.
%TRANSIT-CENTRAL	21.	23.	16.
%TRANSIT-UNIV.	4.	21.	39.
TRANSIT TRIPS-CBD.	3.	3.	2.
TRANSIT TRIPS-CENT.	10.	13.	9.
TRANSIT TRIPS-UNIV.	1.	4.	12.
T.T./100 H.H.-CBD.	1.00	0.95	0.68
T.T./100 H.H.-CENT.	3.33	4.13	3.05
T.T./100 H.H.-UNIV.	0.33	1.27	4.07
EMPLOYEE DENSITY	1.22	2.06	2.02
ZONE 471.	1971	1976	1981
*****	*****	*****	*****
POPULATION	3613.	3085.	2649.
EMPLOYEES	1133.	1317.	1395.
HOUSEHOLDS	865.	870.	883.
ACREAGE	222.	220.	214.
%TRANSIT-CBD	40.	42.	38.
%TRANSIT-CENTRAL	36.	34.	49.
%TRANSIT-UNIV.	38.	44.	31.
TRANSIT TRIPS-CBD.	14.	10.	6.
TRANSIT TRIPS-CENT.	58.	43.	47.
TRANSIT TRIPS-UNIV.	11.	8.	10.
T.T./100 H.H.-CBD.	1.62	1.15	0.68
T.T./100 H.H.-CENT.	6.71	4.94	5.32
T.T./100 H.H.-UNIV.	1.27	0.92	1.13
EMPLOYEE DENSITY	5.11	6.00	6.51

ZONE 472.	1971	1976	1981

POPULATION	607.	2263.	1928.
EMPLOYEES	348.	982.	1006.
HOUSEHOLDS	652.	646.	646.
ACREAGE	185.	184.	171.
%TRANSIT-CBD	35.	30.	14.
%TRANSIT-CENTRAL	30.	35.	44.
%TRANSIT-UNIV.	27.	22.	37.
TRANSIT TRIPS-CBD.	7.	3.	1.
TRANSIT TRIPS-CENT.	26.	24.	26.
TRANSIT TRIPS-UNIV.	7.	4.	7.
T.T./100 H.H.-CBD.	1.07	0.46	0.15
T.T./100 H.H.-CENT.	3.99	3.72	4.02
T.T./100 H.H.-UNIV.	1.07	0.62	1.08
EMPLOYEE DENSITY	4.55	5.34	5.88
ZONE 473.	1971	1976	1981

POPULATION	1398.	1570.	1396.
EMPLOYEES	437.	665.	693.
HOUSEHOLDS	342.	466.	465.
ACREAGE	121.	119.	116.
%TRANSIT-CBD	18.	-1.	-1.
%TRANSIT-CENTRAL	27.	47.	34.
%TRANSIT-UNIV.	10.	-1.	27.
TRANSIT TRIPS-CBD.	2.	4.	2.
TRANSIT TRIPS-CENT.	17.	18.	11.
TRANSIT TRIPS-UNIV.	1.	2.	3.
T.T./100 H.H.-CBD.	0.58	0.86	0.43
T.T./100 H.H.-CENT.	4.97	3.86	2.37
T.T./100 H.H.-UNIV.	0.29	0.43	0.65
EMPLOYEE DENSITY	3.62	5.57	5.95

ZONE 474.	1971	1976	1981

POPULATION	2699.	2588.	2736.
EMPLOYEES	901.	1094.	1562.
HOUSEHOLDS	707.	794.	1077.
ACREAGE	184.	183.	225.
%TRANSIT-CBD	33.	13.	64.
%TRANSIT-CENTRAL	34.	37.	65.
%TRANSIT-UNIV.	20.	33.	38.
TRANSIT TRIPS-CBD.	8.	2.	7.
TRANSIT TRIPS-CENT.	34.	20.	45.
TRANSIT TRIPS-UNIV.	3.	4.	6.
T.T./100 H.H.-CBD.	1.13	0.25	0.65
T.T./100 H.H.-CENT.	4.81	2.52	4.18
T.T./100 H.H.-UNIV.	0.42	0.50	0.56
EMPLOYEE DENSITY	4.89	5.98	6.93
ZONE 475.	1971	1976	1981

POPULATION	2664.	2635.	3522.
EMPLOYEES	856.	1131.	1930.
HOUSEHOLDS	774.	883.	1511.
ACREAGE	184.	181.	214.
%TRANSIT-CBD	45.	47.	44.
%TRANSIT-CENTRAL	43.	50.	53.
%TRANSIT-UNIV.	18.	60.	33.
TRANSIT TRIPS-CBD.	9.	8.	8.
TRANSIT TRIPS-CENT.	43.	45.	70.
TRANSIT TRIPS-UNIV.	3.	15.	7.
T.T./100 H.H.-CBD.	1.16	0.91	0.53
T.T./100 H.H.-CENT.	5.56	5.10	4.63
T.T./100 H.H.-UNIV.	0.39	1.70	0.46
EMPLOYEE DENSITY	4.86	6.24	9.03

ZONE 486.	1971	1976	1981

POPULATION	973.	3043.	3978.
EMPLOYEES	230.	1225.	2083.
HOUSEHOLDS	261.	891.	1288.
ACREAGE	181.	225.	380.
%TRANSIT-CBD	-1.	44.	20.
%TRANSIT-CENTRAL	19.	37.	30.
%TRANSIT-UNIV.	5.	26.	33.
TRANSIT TRIPS-CBD.	2.	7.	3.
TRANSIT TRIPS-CENT.	6.	42.	44.
TRANSIT TRIPS-UNIV.	1.	6.	12.
T.T./100 H.H.-CBD.	0.77	0.79	0.23
T.T./100 H.H.-CENT.	2.30	4.71	3.42
T.T./100 H.H.-UNIV.	0.38	0.67	0.93
EMPLOYEE DENSITY	1.27	5.24	5.48

ZONE 491.	1971	1976	1981

POPULATION	1954.	1797.	2261.
EMPLOYEES	760.	853.	1215.
HOUSEHOLDS	546.	585.	800.
ACREAGE	173.	171.	227.
%TRANSIT-CBD	11.	17.	36.
%TRANSIT-CENTRAL	26.	44.	52.
%TRANSIT-UNIV.	10.	44.	47.
TRANSIT TRIPS-CBD.	2.	1.	5.
TRANSIT TRIPS-CENT.	29.	24.	41.
TRANSIT TRIPS-UNIV.	2.	8.	9.
T.T./100 H.H.-CBD.	0.37	0.17	0.63
T.T./100 H.H.-CENT.	5.31	4.10	5.13
T.T./100 H.H.-UNIV.	0.37	1.37	1.13
EMPLOYEE DENSITY	4.40	4.98	5.36

ZONE 492.	1971	1976	1981

POPULATION	2422.	2356.	2393.
EMPLOYEES	785.	1022.	1230.
HOUSEHOLDS	665.	754.	906.
ACREAGE	183.	180.	222.
%TRANSIT-CBD	26.	65.	-1.
%TRANSIT-CENTRAL	29.	53.	58.
%TRANSIT-UNIV.	11.	54.	33.
TRANSIT TRIPS-CBD.	6.	11.	3.
TRANSIT TRIPS-CENT.	30.	40.	39.
TRANSIT TRIPS-UNIV.	2.	14.	8.
T.T./100 H.H.-CBD.	0.90	1.46	0.33
T.T./100 H.H.-CENT.	4.51	5.31	4.30
T.T./100 H.H.-UNIV.	0.30	1.86	0.88
EMPLOYEE DENSITY	4.30	5.67	5.54
ZONE 493:	1971	1976	1981

POPULATION	2936.	2647.	2990.
EMPLOYEES	982.	1136.	1738.
HOUSEHOLDS	928.	930.	1383.
ACREAGE	181.	180.	217.
%TRANSIT-CBD	44.	46.	67.
%TRANSIT-CENTRAL	50.	52.	72.
%TRANSIT-UNIV.	31.	40.	39.
TRANSIT TRIPS-CBD.	8.	6.	14.
TRANSIT TRIPS-CENT.	51.	36.	83.
TRANSIT TRIPS-UNIV.	10.	8.	7.
T.T./100 H.H.-CBD.	0.86	0.65	1.01
T.T./100 H.H.-CENT.	5.50	3.87	6.00
T.T./100 H.H.-UNIV.	1.08	0.86	0.51
EMPLOYEE DENSITY	5.43	6.30	8.01

ZONE 494.	1971	1976	1981

POPULATION	3883.	4187.	4036.
EMPLOYEES	1314.	2061.	2083.
HOUSEHOLDS	911.	1273.	1292.
ACREAGE	289.	286.	282.
%TRANSIT-CBD	28.	50.	43.
%TRANSIT-CENTRAL	2.	36.	48.
%TRANSIT-UNIV.	10.	47.	64.
TRANSIT TRIPS-CBD.	13.	17.	9.
TRANSIT TRIPS-CENT.	51.	82.	79.
TRANSIT TRIPS-UNIV.	8.	30.	41.
T.T./100 H.H.-CBD.	1.43	1.34	0.70
T.T./100 H.H.-CENT.	5.60	6.44	6.11
T.T./100 H.H.-UNIV.	0.88	2.36	3.17
EMPLOYEE DENSITY	4.55	7.20	7.39
ZONE 495.	1971	1976	1981

POPULATION	4031.	3576.	2956.
EMPLOYEES	1205.	1554.	1648.
HOUSEHOLDS	909.	907.	897.
ACREAGE	254.	252.	237.
%TRANSIT-CBD	28.	34.	25.
%TRANSIT-CENTRAL	22.	24.	36.
%TRANSIT-UNIV.	17.	36.	57.
TRANSIT TRIPS-CBD.	13.	10.	2.
TRANSIT TRIPS-CENT.	50.	44.	41.
TRANSIT TRIPS-UNIV.	9.	13.	55.
T.T./100 H.H.-CBD.	1.43	1.10	0.22
T.T./100 H.H.-CENT.	5.50	4.85	4.57
T.T./100 H.H.-UNIV.	0.99	1.43	6.13
EMPLOYEE DENSITY	4.75	6.16	6.96

ZONE 496.	1971	1976	1981

POPULATION	4511.	3940.	3382.
EMPLOYEES	1402.	1803.	1947.
HOUSEHOLDS	1252.	1283.	1357.
ACREAGE	299.	296.	259.
%TRANSIT-CBD	51.	53.	52.
%TRANSIT-CENTRAL	30.	47.	53.
%TRANSIT-UNIV.	35.	56.	63.
TRANSIT TRIPS-CBD.	20.	18.	14.
TRANSIT TRIPS-CENT.	56.	67.	75.
TRANSIT TRIPS-UNIV.	23.	23.	30.
T.T./100 H.H.-CBD.	1.60	1.40	1.03
T.T./100 H.H.-CENT.	4.47	5.22	5.53
T.T./100 H.H.-UNIV.	1.84	1.79	2.21
EMPLOYEE DENSITY	4.69	6.09	7.51
ZONE 501.	1971	1976	1981

POPULATION	3686.	3500.	1894.
EMPLOYEES	1256.	1617.	923.
HOUSEHOLDS	1024.	1040.	654.
ACREAGE	340.	338.	229.
%TRANSIT-CBD	11.	21.	37.
%TRANSIT-CENTRAL	16.	19.	31.
%TRANSIT-UNIV.	11.	26.	8.
TRANSIT TRIPS-CBD.	6.	10.	7.
TRANSIT TRIPS-CENT.	42.	45.	29.
TRANSIT TRIPS-UNIV.	10.	20.	3.
T.T./100 H.H.-CBD.	0.59	0.96	1.07
T.T./100 H.H.-CENT.	4.10	4.33	4.43
T.T./100 H.H.-UNIV.	0.98	1.92	0.46
EMPLOYEE DENSITY	3.69	4.79	4.03

ZONE 502.	1971	1976	1981

POPULATION	1124.	1028.	517.
EMPLOYEES	331.	457.	232.
HOUSEHOLDS	287.	294.	169.
ACREAGE	222.	208.	145.
%TRANSIT-CBD	4.	7.	-1.
%TRANSIT-CENTRAL	4.	9.	30.
%TRANSIT-UNIV.	6.	20.	27.
TRANSIT TRIPS-CBD.	1.	1.	1.
TRANSIT TRIPS-CENT.	3.	5.	7.
TRANSIT TRIPS-UNIV.	3.	9.	4.
T.T./100 H.H.-CBD.	0.35	0.34	0.59
T.T./100 H.H.-CENT.	1.05	1.70	4.14
T.T./100 H.H.-UNIV.	1.05	3.06	2.37
EMPLOYEE DENSITY	1.49	2.20	1.60
ZONE 511.	1971	1976	1981

POPULATION	5743.	4915.	4425.
EMPLOYEES	1758.	2023.	2240.
HOUSEHOLDS	1365.	1320.	1443.
ACREAGE	348.	346.	337.
%TRANSIT-CBD	31.	23.	12.
%TRANSIT-CENTRAL	28.	32.	33.
%TRANSIT-UNIV.	19.	41.	55.
TRANSIT TRIPS-CBD.	20.	5.	2.
TRANSIT TRIPS-CENT.	73.	73.	59.
TRANSIT TRIPS-UNIV.	8.	20.	28.
T.T./100 H.H.-CBD.	1.47	0.38	0.14
T.T./100 H.H.-CENT.	5.35	5.53	4.09
T.T./100 H.H.-UNIV.	0.59	1.52	1.94
EMPLOYEE DENSITY	5.05	5.85	6.64

ZONE 512.	1971	1976	1981

POPULATION	1958.	2681.	2645.
EMPLOYEES	612.	1352.	1581.
HOUSEHOLDS	469.	915.	985.
ACREAGE	171.	163.	152.
%TRANSIT-CBD	0.	22.	36.
%TRANSIT-CENTRAL	10.	36.	44.
%TRANSIT-UNIV.	22.	48.	70.
TRANSIT TRIPS-CBD.	0.	4.	9.
TRANSIT TRIPS-CENT.	12.	54.	62.
TRANSIT TRIPS-UNIV.	11.	23.	49.
T.T./100 H.H.-CBD.	0.0	0.44	0.91
T.T./100 H.H.-CENT.	2.56	5.90	6.29
T.T./100 H.H.-UNIV.	2.35	2.51	4.97
EMPLOYEE DENSITY	3.57	8.29	10.43
ZONE 513.	1971	1976	1981

POPULATION	1889.	1451.	2329.
EMPLOYEES	587.	636.	1275.
HOUSEHOLDS	488.	416.	772.
ACREAGE	207.	250.	239.
%TRANSIT-CBD	15.	13.	46.
%TRANSIT-CENTRAL	16.	12.	22.
%TRANSIT-UNIV.	9.	36.	61.
TRANSIT TRIPS-CBD.	5.	1.	6.
TRANSIT TRIPS-CENT.	20.	7.	24.
TRANSIT TRIPS-UNIV.	4.	9.	43.
T.T./100 H.H.-CBD.	1.02	0.24	0.78
T.T./100 H.H.-CENT.	4.10	1.68	3.11
T.T./100 H.H.-UNIV.	0.82	2.16	5.57
EMPLOYEE DENSITY	2.83	2.54	5.34

ZONE 514	1971	1976	1981
*****	*****	*****	*****
POPULATION	2172.	1257.	1757.
EMPLOYEES	641.	502.	941.
HOUSEHOLDS	502.	322.	506.
ACREAGE	215.	201.	187.
%TRANSIT-CBD	12.	25.	29.
%TRANSIT-CENTRA.	5.	18.	26.
%TRANSIT-UNIV.	6.	23.	54.
TRANSIT TRIPS-CBD	5.	3.	5.
TRANSIT TRIPS-CEN	9.	11.	28.
TRANSIT TRIPS-UNIV	1.	3.	34.
T.T./100 H.H.-CBD.	1.00	0.93	0.99
T.T./100 H.H.-CENT.	1.79	3.42	5.53
T.T./100 H.H.-UNIV.	0.20	0.93	6.72
EMPLOYEE DENSITY	2.98	2.50	5.02
ZONE 593.	1971	1976	1981
*****	*****	*****	*****
POPULATION	1315.	1616.	1470.
EMPLOYEES	330.	645.	664.
HOUSEHOLDS	321.	409.	414.
ACREAGE	202.	198.	188.
%TRANSIT-CBD	0.	29.	10.
%TRANSIT-CENTRAL	1.	18.	20.
%TRANSIT-UNIV.	12.	55.	55.
TRANSIT TRIPS-CBD.	0.	4.	1.
TRANSIT TRIPS-CENT.	1.	18.	17.
TRANSIT TRIPS-UNIV.	5.	27.	35.
T.T./100 H.H.-CBD.	0.0	0.98	0.24
T.T./100 H.H.-CENT.	0.31	4.40	4.11
T.T./100 H.H.-UNIV.	1.56	6.60	8.45
EMPLOYEE DENSITY	1.63	3.25	3.53

ZONE 595.	1971	1976	1981
*****	*****	*****	*****
POPULATION	822.	1413.	1064.
EMPLOYEES	199.	548.	514.
HOUSEHOLDS	188.	361.	293.
ACREAGE	214.	214.	189.
%TRANSIT-CBD	0.	18.	-1.
%TRANSIT-CENTRAL	4.	21.	12.
%TRANSIT-UNIV.	8.	33.	57.
TRANSIT TRIPS-CBD.	0.	2.	0.
TRANSIT TRIPS-CENT.	2.	10.	7.
TRANSIT TRIPS-UNIV.	2.	9.	30.
T.T./100 H.H.-CBD.	0.0	0.55	0.0
T.T./100 H.H.-CENT.	1.06	2.77	2.39
T.T./100 H.H.-UNIV.	1.06	2.49	10.24
EMPLOYEE DENSITY	0.93	2.56	2.72
ZONE 602.	1971	1976	1981
*****	*****	*****	*****
POPULATION	1732.	1517.	1366.
EMPLOYEES	509.	688.	692.
HOUSEHOLDS	503.	503.	480.
ACREAGE	205.	232.	215.
%TRANSIT-CBD	0.	-1.	25.
%TRANSIT-CENTRAL	11.	18.	23.
%TRANSIT-UNIV.	1.	-1.	7.
TRANSIT TRIPS-CBD.	0.	0.	2.
TRANSIT TRIPS-CENT.	9.	7.	12.
TRANSIT TRIPS-UNIV.	2.	1.	1.
T.T./100 H.H.-CBD.	0.0	0.0	0.42
T.T./100 H.H.-CENT.	1.79	1.39	2.50
T.T./100 H.H.-UNIV.	0.40	0.20	0.21
EMPLOYEE DENSITY	2.48	2.97	3.22

ZONE 605.	1971	1976	1981

POPULATION	3256.	4178.	3780.
EMPLOYEES	936.	3164.	3151.
HOUSEHOLDS	1276.	2013.	2187.
ACREAGE	134.	144.	133.
%TRANSIT-CBD	64.	52.	62.
%TRANSIT-CENTRAL	57.	49.	65.
%TRANSIT-UNIV.	1.	3.	48.
TRANSIT TRIPS-CBD.	9.	11.	18.
TRANSIT TRIPS-CENT.	51.	81.	106.
TRANSIT TRIPS-UNIV.	5.	11.	13.
T.T./100 H.H.-CBD.	0.71	0.55	0.82
T.T./100 H.H.-CENT.	4.00	4.02	4.85
T.T./100 H.H.-UNIV.	0.39	0.55	0.59
EMPLOYEE DENSITY	7.00	22.00	23.72
ZONE 611.	1971	1976	1981

POPULATION	3402.	2632.	2694.
EMPLOYEES	1142.	1349.	1271.
HOUSEHOLDS	1062.	903.	1076.
ACREAGE	332.	330.	317.
%TRANSIT-CBD	30.	14.	69.
%TRANSIT-CENTRAL	28.	31.	48.
%TRANSIT-UNIV.	9.	10.	36.
TRANSIT TRIPS-CBD.	6.	2.	9.
TRANSIT TRIPS-CENT.	43.	31.	45.
TRANSIT TRIPS-UNIV.	36.	21.	24.
T.T./100 H.H.-CBD.	0.56	0.22	0.84
T.T./100 H.H.-CENT.	4.05	3.43	4.18
T.T./100 H.H.-UNIV.	3.39	2.33	2.23
EMPLOYEE DENSITY	3.44	4.09	4.98

ZONE 612.	1971	1976	1981

POPULATION	1553.	886.	1159.
EMPLOYEES	404.	401.	529.
HOUSEHOLDS	354.	235.	311.
ACREAGE	334.	311.	367.
%TRANSIT-CBD	25.	-1.	-1.
%TRANSIT-CENTRAL	11.	16.	20.
%TRANSIT-UNIV.	29.	38.	43.
TRANSIT TRIPS-CBD	4.	2.	1.
TRANSIT TRIPS-CENT.	9.	5.	10.
TRANSIT TRIPS-UNIV.	34.	15.	
T.T./100 H.H.-CBD.	1.13	0.85	0
T.T./100 H.H.-CENT.	2.54	2.13	2
T.T./100 H.H.-UNIV.	9.60	6.38	10.61
EMPLOYEE DENSITY	1.21	1.29	1.44
ZONE 632.	1971	1976	1981

POPULATION	3058.	2478.	2278.
EMPLOYEES	1011.	1174.	1136.
HOUSEHOLDS	785.	737.	745.
ACREAGE	203.	206.	202.
%TRANSIT-CBD	24.	46.	33.
%TRANSIT-CENTRAL	27.	42.	45.
%TRANSIT-UNIV.	29.	49.	65.
TRANSIT TRIPS-CBD	8.	6.	5.
TRANSIT TRIPS-CENT.	53.	47.	48.
TRANSIT TRIPS-UNIV.	34.	64.	93.
T.T./100 H.H.-CBD.	1.02	0.81	0.67
T.T./100 H.H.-CENT.	6.75	6.38	6.44
T.T./100 H.H.-UNIV.	4.33	8.68	12.48
EMPLOYEE DENSITY	4.89	5.70	5.62

ZONE 635	1971	1976	1981
*****	*****	*****	*****
POPULATION	999	1747	1603
EMPLOYEES	95	991	951
HOUSEHOLDS	308	583	575
ACREAGE	51	59	59
%TRANSIT-CBD	-1	-1	-1
%TRANSIT-CENTRAL	45	33	46
%TRANSIT-UNIV.	19	51	69
TRANSIT TRIPS-CBD	0	2	1
TRANSIT TRIPS-CENT	5	4	1
TRANSIT TRIPS-UNIV	36	133	232
T.T./100 H.H.-CBD	0.0	0.34	0.17
T.T./100 H.H.-CENT	1.62	0.69	1.1
T.T./100 H.H.-UNIV	11.69	22.81	40.35
EMPLOYEE DENSITY	1.87	16.74	15.99
ZONE 634	1971	1976	1981
*****	*****	*****	*****
POPULATION	2677	2315	1955
EMPLOYEES	788	538	995
HOUSEHOLDS	619	589	601
ACREAGE	192	179	172
%TRANSIT-CBD	6	56	18
%TRANSIT-CENTRAL	15	31	50
%TRANSIT-UNIV.	23	48	54
TRANSIT TRIPS-CBD	1	10	2
TRANSIT TRIPS-CENT	26	46	54
TRANSIT TRIPS-UNIV	17	36	36
T.T./100 H.H.-CBD	0.16	1.70	0.33
T.T./100 H.H.-CENT	4.20	7.81	8.99
T.T./100 H.H.-UNIV	2.75	6.11	5.99
EMPLOYEE DENSITY	4.11	5.23	5.77

ZONE 641	1971	1976	1981
*****	*****	*****	*****
POPULATION	3446	3651	3410
EMPLOYEES	838	1612	1849
HOUSEHOLDS	764	985	1093
ACREAGE	722	857	690
%TRANSIT-CBD	6	14	24
%TRANSIT-CENTRAL	4	21	23
%TRANSIT-UNIV	22	32	45
TRANSIT TRIPS-CBD	2		5
TRANSIT TRIPS-CENT	8	36	39
TRANSIT TRIPS-UNIV	31	88	64
T.T./100 H.H.-CBD	0.26	0.30	0.46
T.T./100 H.H.-CENT	1.05	3.65	3.57
T.T./100 H.H.-UNIV	4.06	3.86	5.86
EMPLOYEE DENSITY	1.16	1.88	2.68
ZONE 651	1971	1976	1981
*****	*****	*****	*****
POPULATION	4536	9454	4156
EMPLOYEES	1634	4283	2296
HOUSEHOLDS	1253	2828	1381
ACREAGE	309	309	300
%TRANSIT-CBD	16	47	60
%TRANSIT-CENTRAL	13	41	52
%TRANSIT-UNIV	14	40	70
TRANSIT TRIPS-CBD	6	27	15
TRANSIT TRIPS-CENT	28	214	86
TRANSIT TRIPS-UNIV	26	133	107
T.T./100 H.H.-CBD	0.48	0.95	1.09
T.T./100 H.H.-CENT	2.23	7.57	6.23
T.T./100 H.H.-UNIV	2.08	4.70	7.75
EMPLOYEE DENSITY	5.28	13.84	7.65

ZONE 652.	1971	1972	1981
*****	*****	*****	*****
POPULATION	1711.	8225.	4743.
EMPLOYEES	567.	2490.	2622.
HOUSEHOLDS	419.	1705.	1566.
ACREAGE	375.	393.	357.
%TRANSIT-CBD	29.	26.	44.
%TRANSIT-CENTRAL	19.	33.	48.
%TRANSIT-UNIV.	8.	31.	42.
TRANSIT TRIPS-CBD	4.	10.	14.
TRANSIT TRIPS-CENT.	14.	84.	118.
TRANSIT TRIPS-UNIV.	5.	52.	57.
T.T./100 H.H.-CBD	0.95	0.59	0.89
T.T./100 H.H.-CENT.	3.34	4.93	7.54
T.T./100 H.H.-UNIV.	1.19	3.05	3.64
EMPLOYEE DENSITY	1.51	6.34	7.35
ZONE 653.	1971	1976	1981
*****	*****	*****	*****
POPULATION	511.	3370.	2265.
EMPLOYEES	81.	1411.	1094.
HOUSEHOLDS	108.	1010.	694.
ACREAGE	188.	255.	203.
%TRANSIT-CBD	1.	55.	67.
%TRANSIT-CENTRAL	67.	42.	46.
%TRANSIT-UNIV.	1.	46.	57.
TRANSIT TRIPS-CBD	4.	12.	8.
TRANSIT TRIPS-CENT.	12.	57.	34.
TRANSIT TRIPS-UNIV.	2.	30.	31.
T.T./100 H.H.-CBD	3.70	1.19	1.16
T.T./100 H.H.-CENT.	11.11	5.64	4.92
T.T./100 H.H.-UNIV.	1.85	2.97	4.49
EMPLOYEE DENSITY	0.43	5.53	5.39

ZONE 654.	1971	1976	1981

POPULATION	5022.	9813.	5181.
EMPLOYEES	1426.	3876.	2595.
HOUSEHOLDS	1156.	2411.	1407.
ACREAGE	359.	384.	371.
%TRANSIT-CBD	18.	25.	28.
%TRANSIT-CENTRAL	19.	33.	36.
%TRANSIT-UNIV.	19.	25.	44.
TRANSIT TRIPS-CBD.	9.	17.	7.
TRANSIT TRIPS-CENT.	54.	196.	95.
TRANSIT TRIPS-UNIV.	28.	64.	85.
T.T./100 H.H.-CBD.	0.78	0.71	0.50
T.T./100 H.H.-CENT.	4.67	8.13	6.75
T.T./100 H.H.-UNIV.	2.42	2.65	6.04
EMPLOYEE DENSITY	3.97	10.09	6.99
ZONE 681.	1971	1976	1981

POPULATION	3022.	5178.	2933.
EMPLOYEES	1181.	2725.	1630.
HOUSEHOLDS	906.	1869.	1289.
ACREAGE	228.	226.	221.
%TRANSIT-CBD	43.	45.	46.
%TRANSIT-CENTRAL	33.	51.	58.
%TRANSIT-UNIV.	26.	38.	69.
TRANSIT TRIPS-CBD.	12.	14.	6.
TRANSIT TRIPS-CENT.	59.	108.	57.
TRANSIT TRIPS-UNIV.	31.	48.	81.
T.T./100 H.H.-CBD.	1.32	0.75	0.47
T.T./100 H.H.-CENT.	6.51	5.78	4.42
T.T./100 H.H.-UNIV.	3.42	2.57	6.28
EMPLOYEE DENSITY	5.18	12.06	7.38

ZONE 682.	1971	1976	1981
*****	*****	*****	*****
POPULATION	2743.	3854.	1763.
EMPLOYEES	903.	1800.	860.
HOUSEHOLDS	675.	1194.	566.
ACREAGE	162.	162.	164.
%TRANSIT-CBD	43.	36.	-1.
%TRANSIT-CENTRAL	30.	42.	39.
%TRANSIT-UNIV.	22.	25.	56.
TRANSIT TRIPS-CBD.	6.	8.	3.
TRANSIT TRIPS-CENT.	25.	49.	16.
TRANSIT TRIPS-UNIV.	15.	13.	27.
T.T./100 H.H.-CBD.	0.89	0.67	0.53
T.T./100 H.H.-CENT.	3.70	4.10	2.83
T.T./100 H.H.-UNIV.	4.22	1.09	4.77
EMPLOYEE DENSITY	5.53	5.24	5.24
ZONE 684.	1971	1976	1981
*****	*****	*****	*****
POPULATION	2015.	1791.	4082.
EMPLOYEES	604.	746.	2302.
HOUSEHOLDS	500.	643.	1830.
ACREAGE	156.	137.	173.
%TRANSIT-CBD	13.	25.	42.
%TRANSIT-CENTRAL	25.	43.	50.
%TRANSIT-UNIV.	15.	30.	64.
TRANSIT TRIPS-CBD.	1.	4.	8.
TRANSIT TRIPS-CENT.	15.	37.	84.
TRANSIT TRIPS-UNIV.	8.	18.	103.
T.T./100 H.H.-CBD.	0.20	0.62	0.44
T.T./100 H.H.-CENT.	3.00	5.75	4.59
T.T./100 H.H.-UNIV.	1.60	2.80	5.63
EMPLOYEE DENSITY	3.87	5.44	13.31

ZONE 691	1971	1976	1981

POPULATION	3905.	2026.	3289.
EMPLOYEES	1385.	1158.	2100.
HOUSEHOLDS	1424.	756.	1612.
ACREAGE	223.	221.	227.
%TRANSIT-CBD	70.	-1.	80.
%TRANSIT-CENTRAL	48.	48.	59.
%TRANSIT-UNIV.	3.	6.	22.
TRANSIT TRIPS-CBD	16.	5.	12.
TRANSIT TRIPS-CENT	82.	29.	47.
TRANSIT TRIPS-UNIV.	14.	8.	11.
T.T./100 H.H.-CBD	1.13	0.66	0.74
T.T./100 H.H.-CENT	5.76	3.84	2.92
T.T./100 H.H.-UNIV.	0.98	1.06	0.68
EMPLOYEE DENSITY	6.21	5.25	9.27
ZONE 692	1971	1976	1981

POPULATION	4753.	3671.	4220.
EMPLOYEES	1927.	2207.	2916.
HOUSEHOLDS	1936.	1719.	2439.
ACREAGE	248.	247.	249.
%TRANSIT-CBD	61.	70.	69.
%TRANSIT-CENTRAL	56.	65.	71.
%TRANSIT-UNIV.	24.	27.	55.
TRANSIT TRIPS-CBD	23.	28.	24.
TRANSIT TRIPS-CENT	124.	113.	166.
TRANSIT TRIPS-UNIV.	89.	59.	66.
T.T./100 H.H.-CBD	1.19	1.63	0.98
T.T./100 H.H.-CENT	0.40	6.57	6.81
T.T./100 H.H.-UNIV.	4.60	3.43	2.71
EMPLOYEE DENSITY	7.76	8.94	11.72

ZONE 694.	1971	1976	1981

POPULATION	2362.	2121.	2001.
EMPLOYEES	878.	1055.	1142.
HOUSEHOLDS	779.	835.	929.
ACREAGE	143.	141.	145.
%TRANSIT-CBD	56.	54.	73.
%TRANSIT-CENTRAL	51.	55.	64.
%TRANSIT-UNIV.	29.	40.	60.
TRANSIT TRIPS-CBD.	10.	15.	8.
TRANSIT TRIPS-CENT.	58.	51.	35.
TRANSIT TRIPS-UNIV.	20.	32.	37.
T.T./100 H.H.-CBD.	1.88	1.80	0.86
T.T./100 H.H.-CENT.	6.11	6.11	3.77
T.T./100 H.H.-UNIV.	2.57	3.83	3.98
EMPLOYEE DENSITY	6.14	7.49	7.90
ZONE 702.	1971	1976	1981

POPULATION	4397.	4446.	3876.
EMPLOYEES	2401.	3230.	2990.
HOUSEHOLDS	2043.	2430.	2408.
ACREAGE	170.	186.	167.
%TRANSIT-CBD	52.	46.	66.
%TRANSIT-CENTRAL	49.	49.	65.
%TRANSIT-UNIV.	7.	8.	56.
TRANSIT TRIPS-CBD.	31.	25.	23.
TRANSIT TRIPS-CENT.	131.	141.	159.
TRANSIT TRIPS-UNIV.	44.	39.	45.
T.T./100 H.H.-CBD.	1.52	1.03	0.96
T.T./100 H.H.-CENT.	6.41	5.80	6.60
T.T./100 H.H.-UNIV.	2.15	1.60	1.87
EMPLOYEE DENSITY	12.34	17.35	17.90