

Table 1. Descriptive statistics (means, SDs, ranges, correlations) for the study variables

<b>Variables</b>	<b>Possible range (midpoint)</b>	<b>Actual range</b>	<b>M</b>	<b>SD</b>	<b>PNS</b>	<b>LS</b>	<b>SL</b>	<b>BF</b>	<b>TE</b>	<b>LL</b>
<b>Psychological need satisfaction</b>	12-72 (42)	37-72	60.38	6.40	-					
<b>Life satisfaction</b>	1-6 (3.5)	1-6	5.01	0.88	.38**	-				
<b>Stress level</b>	0-4 (2)	1-4	2.51	0.79	-.22**	-.36**	-			
<b>Burnout frequency</b>	0-6 (3)	0-6	2.92	1.59	-.36**	-.53**	.61**	-		
<b>Teaching enjoyment</b>	1-6 (3.5)	1-6	5.12	0.90	.26**	.32**	-.08	-.19**	-	
<b>Lifelong learning</b>	14-56 (35)	30-56	44.78	5.13	.22**	.20**	-.03	-.04	.24**	-

\*\*p<0.01; \*p<0.05; M – mean; SD – standard deviation; PNS – psychological need satisfaction; LS – life satisfaction; SL – stress level; BF – burnout frequency; TE – teaching enjoyment; LL – lifelong learning.

Table 2. Physician lifelong learning (means, SDs) by years in practice, medical specialty, and involvement in clinical teaching

	<b>Years in practice (n=202)</b>							<b>Medical specialty (n=197)</b>		<b>Involvement in clinical teaching (n=202)</b>	
	R (n=21)	<5 (n=65)	6-10 (n=35)	11-15 (n=27)	16-20 (n=21)	21-25 (n=8)	26+ (n=23)	FM (n=96)	Non-FM (n=101)	Yes (n=183)	No (n=19)
<b>Lifelong learning</b>	45.0 (5.06)	44.1 (5.21)	43.7 (3.88)	46.0 (5.75)	45.3 (5.12)	43.0 (7.03)	46.9 (4.73)	45.0 (5.49)	44.6 (4.78)	45.0 (4.99)	42.3 (5.97)

SDs – standard deviations are shown in parentheses under each mean; R – residency; FM – family medicine; Non-FM specialties include: internal medicine, paediatrics, surgery, and other specialties.