for this: the victims are usually far more adept at informal conversation than posterior aphasics. Anterior aphasics' comprehension is relatively unimpaired, and for many victims it is only with quite finely-tuned measures, such as the Token Test, that they demonstrate any comprehension deficit at all. And, as above, the TT is very revealing. Even though Broca victims show comparatively fewer difficulties in understanding daily conversation, or passing routine appraisals, while Wernicke victims do poorly at both, the Token Test cannot discriminate between the two dysfunctions (Orgrass and Poeck [1966], Poeck et al. [1972]). The two aphasias involve quantitatively similar perceptual deficits on specialized (language tests.

Clearly, then, the disorders are different, qualitatively. Wernicke patients most probably score poorly on the Token Test for the same reasons they do poorly understanding a question like "What kind of work did you do before you became ill?". On the other hand, Broca patients have little trouble with such questions; so their performance on the TT must reflect another type of impairment. A good deal of quite recent work investigates the proposition that the nature of this qualitative difference centres on function words.

In contrast to the temporal and stress experimental work, there is a common theoretical thread running through the function word studies — initially proposed by Goodglass

(1968), but associated most closely with Edgar Zurif and, to a lesser extent, Alfonso Caramazza. Zurif, Caramazza, and Myerson (1972) claim to have uncovered a differential treatment of functors and content words by Broca's aphasics in nonproduction tasks. Since the principal symptom of Broca's syndrome is agrammatism — the omission of functors and inflectional morphemes in speech — this finding lends support to a competence analysis of the disorder.

Specifically, if Broca victims treat functors analogously in production and perception, that argues for a 'higher order' disruption: some level underlying the performance of production and the performance of comprehension looks to be implicated.

In the wake of Zurif et al. (1972), a number of papers from the same principals (Caramazza and Zurif [1976], Zurif et al. [1976], Caramazza et al. [1978], Zurif and Blumstein [1978], Berndt and Caramazza [1980], Zurif [1980], Zurif [1982b], and Berndt et al. [1983]) have advanced the same general thesis: "syntactic processing is disrupted in Broca's aphasia" (Zurif and Caramazza [1976;290]). The result of this syntactic deficit, hampered access to function words, is that comprehension proceeds by way of pragmatic strategies which analyze only the content words of a sentence:

Broca's aphasics understand a sentence primarily by inferring what makes factual sense from a sampling of the major lexical items — its nouns and verbs — independent of syntactic structure (Zurif [1980:307]).

However, while all the work reviewed below addresses this syntactic hypothesis, and most takes Zurif's research as a starting point, not all of it endorses the proposal, and the majority of results conflict with it.

Goodglass et al. (1970)

The first suggestion that Broca patients' comprehension problems might mirror their production difficulties appears in Goodglass (1968), who gives this hypothetical dysfunction the very apt label of conceptual grammatism. Two years later, along with Gleason and Hyde, he reports on an attempt to test his proposal by running two function word experiments with a large aphasic subject pool (52: 7 conduction, 10 Wernicke's, 10 global, 14 Broca's, and 18 anomic); the hypothesis was not supported. Both tasks involved prepositions, and both were very straightforward. In the Prepositional Preference test, the subjects were simply asked to select the grammatical sentence, matching a picture (e.g., of a man leaning against a lamp post), from two alternatives such as 13.

13 a. He is waiting at the corner.b. He is waiting to the corner. (603)

The second test, of Directional Prepositions, required the subjects to correctly select from an array of three the picture corresponding to a sentence read out loud to them. All pictures (18) invloved "one or two girls placed in proximity to one or two cars" (589), and the sentences were of the form given in 14.

14. Show me the girl behind the car.

Conceptual agrammatism, which claims Broca's syndrome entails a peculiar function word deficit, predicts both tasks to be problematic for Broca victims. As Table 2.5 indicates, the results do not support this position.

Table 2.5

RESULTS OF GOODGLASS ET AL. (1970)

	. •	Directiona	r Frebs.	riep. Freiere
Perfect	Scores	24		10
Subject	Scores	x	x *	x . x *
	Anomic Broca Conduction Global Wernicke	22.3 20.82 20.0 13.7 17.47	27.2 21.5 18.7	10.2 9.8 9.39 9.1 10.7 10.2 5.35 6.4 7.9

Where \bar{x} is the observed mean; \bar{x}^+ is covariance adjusted mean. (Taken from pp. 600-1.)

The figures of Table 2.5 were subjected to statistical significance tests; however, the reporting of these tests is confused. In particular, the discussion of the directional (or, more accurately, spatial) comprehension subtest does not align with the tabled data. Either 2.5 or the following paragraph is in error.

Directional Prepositions are the least discriminating of the four tests [as revealed by analysis of covariance], with a probability of 0.09 that the differences among the means are due to chance. Here, the conduction aphasics score worst, but only by a margin of 2.8 out of a

possible 24 from the highest scoring group — the Broca's aphasics (601).

Table 2.5 has the anomic patients as the "highest scoring group", not the Broca's. The conduction patients are indeed the worst, but separated from the highest group/by 8.5 (though from the Broca mean by the reported 2.8). spatial comprehension scores have a ceiling of 24, the tabled value of \bar{x}^* for the anomics is clearly inaccurate, and probably responsible for most of the confusion, but no simple error is in evidence (e.g!, a figure of 22.7 would still falsify the statement that the Broca group performed best; a figure of 17.2 would falsify the statement that the conduction group fared worst). In any event, this statistical haggling is well beside the point, as Bartlett's test reveals homogeneity of variance not to be supported, either for the Directional Preposition or Prepositional Preference data. That is, ANCOVA is not a legitimate technique for the experimental results. The significance findings, whatever they might be, are valueless.

However, a rough and ready eyeballing of Table 2.5 suggests that nothing special is going on within the Broca subject pool with respect to either grammaticality judgements or spatial comprehension as a function of the tested prepositions. Further, Goodglass et al. (1970:600) supply standard deviations for the observed means, and in both cases the Broca SDs are relatively low (for directional comprehension it is the lowest, 2.49; for grammaticality judgement it is 2.09, less than the median in a range of

0.49 -6 .49). So the Broca results are not skewed. Eyeballing is sufficient here, and the prepositional experiments do not support conceptual agrammatism. Subsequent authors, arguing for a functor deficit in Broca's aphasia, have commented on Goodglass et al. (1970) and discounted the directional test by way of a "subtle " constraint on the patient's performance" (Berndt and Caramazza [1980:239]); namely, that one of the NPs (the girl(s)) was animate, while the other (the car(s)) was not, which is said to have interfered by somehow cuing pragmatic strategies. This objection may be justified, though the reasoning is not transparent, but if so it only mitigates one of the findings, and no similar dismissal has been advanced for the grammaticality judgement subtest, which also indicates there is no peculiar functor deficit specific to Broca's syndrome.

Zurif et al. (1972)

The first clear indication that Broca victims may have a peculiar comprehension disorder involving functors comes from Zurif, Caramazza, and Myerson (1972; see also Caramazza and Zurif [1976]). They simply asked their small subject pool (3 Broca patients) to choose pairs of words from triadic arrays, matching them solely on the criterion 'goes best together'. A simple sentence including all three words was kept in view while the subjects chose. The sentences were of the following sort:

15. The dog chases a cat.

16. The girl'was taller. (409)

They also had a neurologically intact control group perform the same task, and the data were subjected to a hierarchical clustering analysis. The clusters highlight two distinct tendencies. The control group tended to conjoin words according to phrasal constituency, putting words like the with dog and a with cat; their cluster charts look much like conventional phrase markers. But the Broca patients appeared to group words according to a function / content distinction, pairing the with a and dog with cat.

The statistical methodology is sound enough — a graph is derived for each sentence that expresses the frequency with which one word is grouped with another — but as Kellar (1978:2) points out, the experimental methodology is wanting in several respects. In particular, the population size and the lack of another aphasic subtype casts some doubt on the paper's claim of "isolating the syntactic impairment" (415) of Broca's syndrome. Further, the results were not wholly uniform. In the sentence given here as 17, the strongest tendency among the Broca patients was to group my with shoes (forming a conventional NP), next to match where with either of those words, and the weakest trend was to associate the verb with any of the other items.

17. Where are my shoes?

In short, a simple content / function strategy does not account for all the data.'' Nevertheless, Zurif et

^{&#}x27;'Cf. also Kolk and Van Grunsven (1984), reviewed below.

al. (1972) has been quite influential, and has motivated a number of better controlled investigations into the same questions.

Smith (1974a)

Zurif, Caramazza, and Myerson (1972) has also motivated a number of experiments without better controls, one of which is Smith (1974a). She reports findings that support the functor deficit hypothesis, but that involve too many loose variables to allow for adequate evaluation.

She ran two experiments with five aphasic subjects. One involved the manipulation upon request of household items randomly arrayed before the subject. She supplies four examples of these requests, given here as 18 - 21.

- 18. Put the coin in the bowl.
- 19. Point only to the key.
- 20. Touch the cup after the ribbon.
- 21. Put the pencil in front of the ring. (578-9)

The subjects were scored independently for comprehension of nominals and prepositions. The second experiment called for the reorganization of a random array of individual words printed on cards into target prepositional sentences. Each rearrangement trial was performed in view of real world objects placed in the spatial relation corresponding to the target sentence (e.g., a cup on top of a book would be the illustration for a randomized presentation of the words the, cup, is, on, the, and book).

Two of the subjects found both tasks particularly difficult, and both had the classic symptom profile of Broca

patients (the others appear to have been Wernicke patients, one with pronounced anomia; see p.378). On the first task they had relatively little trouble recognizing and processing the named items (i.e., they were good with the nouns), but "were significantly impaired in the understanding of relational words [prepositions]" (379; $\alpha=0.01$); they usually selected the correct articles from the array, but less reliably performed the requested manipulations. None of the other subjects distinguished the nouns and prepositions in any statistically meaningful way (though the anomic patient was somewhat better with relations than items). On the second task, the two Broca subjects, along with the anomic patient, "produced what at first seemed like gibberish" (381). However, upon closer analysis, the sequences proved "highly systematic" (381). Further, Smith notes, this systematicity was guided by English word order strategies. She offers no examples of this tendency, except to say that one of the subjects with a Broca profile "always ended his statements with a noun" (382), but the problems appear to have been more with functor-content word configurations than subject, verb, and object placement. The other two patients performed the task with much less difficulty.

Despite the small number of participants; and the smaller number of Broca patients, in concert with Zurif et al.'s (1972) results Smith's work seems to add robustness to the functor deficit hypothesis. Unfortunately, there were

too many other factors at play. First, there is the issue of pragmatic interference (raised above with respect to the Token Test, and Baum et al.): putting a coin in a bowl is a fairly predictable manipulation, even if only the words coin and bowl are understood. Second, there is a problem with meaningless prepositions. In the case of 19, to is completely redundant - it could, for instance, as easily have been at - and the appropriate action is sufficiently. cued by the linear order of point and key alone. some of the stimuli apparently contained no prepositions at all (after in 20 is an adverbial subordinator, since its 'object' is the elided gerundive touching the ribbon, not a NP). Fourth, some of the stimulus requests involved compound prepositions (such as 21's in front of), which provides for sonic interference. In front of carries .sentential stress, and is substantially longer than the prepositions of 18 and 19, in and to. As the studies reviewed in previous sections demonstrate, both stress and duration affect comprehension.

There is one feature of this interference which might suggest support of the Zurif hypothesis, however. Most of the factors just outlined should act to improve prepositional performance, not retard it, yet Broca subjects still did worse with functors than substantives. An argument might be advanced that a function word deficit would have to be very severe in order not to benefit from pragmatic, redundant, stress, and temporal aids. Further,

the second task is not greatly compromised by these lapses in control. But most probably these were not the only problems of experimental design; when only four stimulus examples are given, and each of them indicates a distinct flaw in the design, it is difficult to have confidence that the stimuli not supplied are better controlled. In any event, when independent variables are allowed to roam free in an experiment, simple linear results (such as improved performance) cannot necessarily be expected. If there is support anywhere here for a functor deficit in Broca's aphasia, its scope is severely limited.

Heilman and Scholes (1976)

Explicitly taking their lead from Zurif et al.'s (1972) suggestion of a "linguistic incompetence" entailed by Broca's syndrome, and "dependent on syntax rather than major lexical items" (259), Heilman and Scholes (1976; also reported in Scholes [1978]) devised an elegant little comprehension test which places an uncharacteristically heavy information load on the. They also expanded the subject pool to include 26 aphasics, of three equally distributed subtypes (Broca's, Wernicke's, and conduction), and a control group of neurologically damaged nonaphasics; thereby sidestepping a principal flaw of the earlier paper. The task was a simple picture-matching paradigm: the subjects were read a sentence and were required to pair it with a line drawing which depicted the described action. Sentences were of the type illustrated by 22.

22 a. The man showed her baby the pictures.

b. The man showed her the baby pictures.

That is, the meaning distinction rested solely on placement of the in the verb phrase (presumably intonation was controlled for). The line drawings were presented in groups of four, depicting, for example:

- 23 a. A man showing a baby some pictures.
 - b. A man showing a woman some baby pictures.
 - c. A man showing horse shoes to some boys.
 - d. A man showing a horse some boy's shoes.

So each trial had four potential responses, one correct and three erroneous, and there was a qualitative difference among the wrong choices. If, for instance, a subject matched 22a with 23b, the error would implicate the definite functor. This choice could be accounted for by the perception of 22a as 22b, or perhaps as the ambiguous 22c.

On the other hand, matching 22a with 23c or 23d suggests a fundamentally different mistake, implicating at the very least the semantics of woman, baby, picture, horse, boys, and shoes. Heilman and Scholes (1976) scored errors of the first type as syntactic, and errors of the second type as lexical, and while the labels are not as self-evidently appropriate as they might hope, the differentiation is patently valid.

The Wernicke patients made significantly more errors of both types (p<0.01) than each of the other groups. In fact, their performance on the task was more or less random ("not significantly different than chance" [262]), supporting the

contention that the difficulties they show with bedside questions and requests carries over to more specific types of investigation. The remaining three groups produced no interesting variance for lexical mismatches,—very few were committed—but the Broca and conduction pools made significantly more syntactic errors than the nonaphasics. Their performance was also close to chance level, though only for the restricted subset of responses hinging on determiner placement (e.g., 23a and 23b). They appeared to perceive 22a and 22b as ambiguous (=22c), attending only to major lexical items.

Heilman and Scholes (1976) use these data to advance the claim that Broca patients have a processing disorder of peculiarly syntactic tenor. Scholes (1978:183) is slightly balder: "impairment of syntactic comprehension is the crucial point". Clearly the matter is still open for debate, but there is a more curious aspect to these papers. They both downplay the fact that Broca and conduction victims have comprehension patterns of the same order, at least as measured by the above paradigm (no significant difference was found between the two groups in any response pattern). Yet this fact does not threaten the syntactic incompetence hypothesis, or the locationist argument it entails (centreing a syntax module in Broca's region) since conduction patients result from damage to the arcuate fasicules, a bundle of netwal fibers which plugs into Broca's area. Indeed, the conduction group's performance

offers indirect support of these positions by calling into question syntactic comprehension experiments that fail to discriminate between fluent and nonfluent subtypes (cf. the survey of Linebarger, Schwartz, and Saffran [1983]), as the fluent Subject pool might well have included conduction patients who would bias the results.

These points aside, Heilman and Scholes (1976) is a very valuable study. The experiment was well designed, the subject population relatively broad, and the results important. They clearly isolate for the first time a significant aspect of the qualitative comprehension differences between Broca's and Wernicke's syndrome. The syntactic label they put on this difference — and the extent to which they generalize their findings — is suspect, but its existence is established.

Shewan (1976)

Evidence of the reverse sort, that Broca patients have no peculiar functor deficit, is reported by another article in the same volume of *Cortex*, Shewan (1976). She tested 27 aphasia patients (9 Broca's, 9 Wernicke's, and 9 amnesic) on the auditory comprehension test introduced in Shewan and Cantor (1971), and examined error patterns as a function of word class (noun, verb, adverb, adjective, pronoun, and preposition). No group was found to treat any word class with particular facility or incompetence.

The Shewan and Cantor (1971) test is poorly documented.
Only a small class of stimulus sentences (8 of 42) is given,

along with only one set of the line drawings (from 42 sets) used to evaluate those sentences. The overall design, though, is apparent. First, the subject is read a sentence on the order of 24.

24. The girl is reading a book.

The task is then to match this stimulus to one of four pictures representing, for example:

- 25 a. A girl reading a book.
 - b. A girl reading a newspaper.
 - c. A girl sleeping.
 - d. A boy reading a book.

The response set was drafted so that each incorrect representation (25 b - d) "differed from the correct representation in only one critical item" (Shewan and Cantor [1971:214]). No clarification is offered in either paper as to how the depictions might differ for a prepositional or pronominal critical item, and no corresponding stimulus sentences are provided, so it is not possible to judge Shewan's (1976) claim of equal impairment for all lexical items, content or functor, for all tested disorders (and of course not all function word categories were tested). Nevertheless, it is noteworthy that neither prepositions nor pronouns generated a significant effect trossed with the Broca subgroup, and the impressive (Kendall's) concordance statistic (W=0.936) suggests very close correspondences between subject groups.

Caramazza and Zurif (1976)

Carammazza and Zurif (1976) is a largely theoretical paper addressing the issue of whether algorithmic and heuristic processes of language comprehension are potentially dissociable; that is, whether constituent analysis (i.e., parsing), and semantico-pragmatic analyses are in principle psychologically distinct. A rather nice study to this end was designed and implemented with three aphasic subject groups. The results indicate that the two processes are dissociable, but also that Broca's syndrome involves some impairment of the former.

Using four sets of eight sentences, as illustrated by 26 - 29, they required 15 subjects (equally comprised of Broca's, Wernicke's, and conduction aphasics) to perform a forced choice picture matching task. Sentences were read "in a clear voice at a conversational pace" (578).

- 26. The girl is kicking a green ball.
- 27. The apple that the boy is eating is red.
- 28. The cat that the dog is biting is black.
- 29. The dog that the man is biting is black. (575)

Type 26 sentences were simply included as controls, subject distractors of a sort common to psychological investigation (but quite rare in experimental aphasiology). Like the remaining sentences, the controls include two underlying propositions (the girl is kicking the ball and the ball is green). Types 27 - 29 are all instances of centre-embedded relative clauses, and they vary systematically in terms of plausibility. Type 27 sentences are designed so that the (syntactically) correct reading of the embedded clause is

also the most plausible (boys eat apples, but apples don't eat boys). Type 28 sentences are all semantically reversible (cats bite dogs and dogs bite cats), though perhaps some readings are favoured. The correct reading of type 29 sentences is the least plausible (dogs bite men but men rarely bite dogs). Only two pictures were used: a correct one and one that included both principals (e.g., a man and a dog), but depicted a false attribute, verbal action, or subject-object relation.

The Wernicke group, surprisingly, performed quite well across the board, though the authors surmise "we likely included only very mildly impaired, atypical Wernicke's aphasics" (579), due to the comprehension difficulties posed by centre-embedded relatives. The crucial point, however, is that they evidenced no sensitivity to any of the conditions; error rates were evenly distributed for all sentence types and for all picture types. In marked contrast, both Broca's and conduction aphasic responses varied significantly (p<0.025) as a function of sentence plausibility and erroneous depiction. Of special interest is their performance for all sentence types where the forced choice differed only in subject-object relations. With semantically constained type 27 sentences, their mean performance level was at 90% correct; with the reversible (28) sentences, the responses dropped to chance level; and with the implausible (29) sentences their scores were slightly lower ($\bar{x}=40\%$).

Caramazza and Zurif (1976:581), as is their wont, conclude the Broca and conduction groups "are unable to use the syntactic-like algorithmic processes" and therefore Broca's area "subserves the syntactic component of both comprehension and production" (581). This seems a little hasty. If the Broca patients were relying solely on heuristic strategies, their %-correct rates would have a mean near 10; they would consistently interpret the dog as subject and the man as object in sentences like 29. fact that their response rates are close to chance indicates they were confused about grammatical role assignment, not that they had no recourse to syntax. In fact, it could only have been syntax that kept their rates as high as they were. Caramazza and Zurif's results demonstrate that Broca (and conduction) patients rely more heavily on semantic strategies than syntactic ones, not that the latter are wholly lost. A reasonable alternative hypothesis, suggested by the Heilman and Scholes (1976) results, might be that at least some of the function words of 27 - 29 are not readily available to them. Such a deficiency would restrict the input to a parser enough to result in confusion, but would not disable it altogether.

Goodenough et al. (1977)

Another nice paradigm, based on the Token Test, was run by Goodenough, Zurif, and Weintraub (1977). The results are more questionable, due to lax control, but they support the findings reported above and, with some reservations,

contribute to the theory that a functor deficit of some order comprises part of Broca's aphasia. Goodenough et al. presented their subjects with three simple geometric shapes, in two colours: a white circle, a black circle, and a black square. The task involved direct response to elementary requests:

- 30. Touch the white one.
- 31. Touch the square.
- 32. Pick up the black circle.
- 33. Pick up a circle.

Interspersed with these appropriate requests were some quite odd ones:

- 34. Touch the black one.
- 35. Touch the circle.

These requests are patently inappropriate for the task at hand. Since there are two black objects, there is not an individual, definite referent for the black one; since there are two circles, there is no definite referent for the circle. (Presumably order of presentation was controlled to maintain inappropriateness; for instance, 34 is not problematic after "Touch the white circle".) Confronted with these circumstances, the neurologically sound control group ("three members of the laboratory personnel" [17]) adopted the following strategy: they restricted the response choices to a subset for which the request was appropriate and then carried out the action required. For 34 they restricted their choice to the set of circles, and chose the black one. For 35 they restricted their choice to the set of black objects and chose the circle. This strategy is

evidenced by response latencies (e.g., a slower response to 34 than 30), and by choice (e.g., the black circle is touched for request 34).

Though this performance pattern is the expected one (cf. Olson [1970:264ff]), the unfortunately small and possibly biased control group makes somewhat suspect both extrapolations to a normal population and significance tests against the aphasics. The aphasia data are a little more useful, but only a little. Goodenough et al. (1977) tested four subgroups: Broca's (n=4), mixed anterior (5), Wernicke's (5), and anomic (4); the two anterior groups were agrammatic. Only the anomic group produced latencies and choices of the appropriate sort (i.e., the same as the neurologically sound group). Both groups of anteriors and the Wernicke group showed no latency differential and no distinctive error pattern; they responded at a rate of about 50%, touching either black object for 34 and either circle for 35. This is the pattern predicted by Heilman and Scholes' (1976) results, of course, since none of these subtypes demonstrate access to the fragile meaning difference cued by the inappropriate use of the. However, there is a confounding factor: the subjects were rated as either moderate or severe (no metric supplied), and the "severe group ... included only one Anomic aphasic, all the Mixed Anteriors, and the majority of the Broca's and Wernicke's" (18). In other words, the elegance of their paradigm was partially hamstrung by a lack of subject

control, and their uncovered comprehension distinction is just as likely to be a product of severity as of syndrome. Still, the anteriors are defined pretest by "relatively intact comprehension" (12) while the Wernicke group is "characterized by severe comprehension problems" (11), so they are comprehensionally distinct in terms of informal evaluation. Therefore, since this pretest distinction collapsed with subtle differences cued by determiners, Goodenough et al. (1977) points to the same qualitative impairment difference noticed above.'

Caramazza et al. (1978)

Another Caramazza-Zurif study, this one with Howard Gardner (1978), provides some interesting data which compromise their functor deficit hypothesis. The task involved the recall of a target word upon hearing a probe, the word immediately preceding the target in a stimulus sentence. The sentences were read aloud and the probe was given after no delay and no distractor tasks. Length and syntax were controlled for as illustrated by 36 - 38: one class of sentences was comprised of five word actives (36); another, of six word passives (37); and the third set contained six word sentences with centre-embedded relatives (38).

^{&#}x27;' Zurif (1982b:206f) reports on a replication of this study, using written stimuli and giving the subjects "unlimited time", which demonstrates that agrammatics can detect inappropriate article use in the right circumstances. That is, they retain the competence necessary to detect meaning cued by functors, but their performance is compromised, at least for oral stimuli.

36. The dog chased a cat.

37. The books were delivered by John.

38. The bike that John holds is broken.

The results were scored, for no explained reason, "in terms of transitional error probabilities (TEP) — the probability of recalling an item other than the one actually following the probe in the sentence", rather than by a more transparent metric, like percent correct.

No feature of this task was able to distinguish syndrome type among the subjects (5 Broca's and 4 Wernicke's): there was no significant group effect, and neither group generated significant interaction statistics with any of the dependent variables. Of particular interest to the functor deficit hypothesis, and to this thesis, is subject performance with respect to word class: when the target was a content word and the probe a functor, subjects produced a mean TEP of 47; when function words were probed for with contentives, the response rates produced a \bar{x} of 75. (No subgroup statistics are supplied.) This means that subjects more reliably recalled content than function words, and the difference proved significant at the impressive level of $\alpha=0.005$. In turn this indicates that functors areless stable psychologically than content words, at any rate with respect to short term memory, for victims of either Wernicke's or Broca's syndrome.

Kolk (1978b)

In a replication of Zurif *et al.*'s (1972) influential test of Broca constituent structure judgements, Kolk (1978b)

uncovered a somewhat surprising result: agrammatics treat adjectives much as they treat functors. Kolk drew one class of stimulus sentences from Zurif and Caramazza (1975), and subjected his data to the same hierarchical cluster analysis, but he also included an analogous stimulus set which substituted adjectives for function words, as in 39 - 41.

- 39. Old sailors tell sad stories.
- 40. Rich people pay high taxes.
- 41. Little girls eat sweet cookies.

His subjects were six Broca patients, divided into equal pools labelled "Severe" and "Recovered". The Severe group produced clusters like those of the earlier experiment's Broca subjects: they grouped functors with other functors and content words with other content words for the Zurif-Caramazza stimuli. The Recovered clusters reflected a phrasal constituency strategy - just like the control clusters in the earlier work - for the adopted stimulus sentences, and this pattern held for Kolk's innovations (e.g., old was grouped with sailors, and sad with stories). But the Severe group tended to lump adjectives with other adjectives and nouns with other nouns or with the verb. That is, they didn't follow a content vs. function word strategy, but a 'noun + verb vs. other' strategy. This indicates that the Broca subjects aren't necessarily ignoring constituency; on the contrary, they may be paying particular attention to one major constituent the S.

The implications of Kolk's (1978b) findings for the original studies are obvious. However, the experiment cannot be regarded as any more reliable than the Zurif et al. (1972) original, since the subject pool is very small and not very well controlled.

Samuels and Benson (1979)

Similar problems attend Samuels and Benson (1979) which, like Kolk (1978b), also claims to be mining a specifically syntactic deficit in anterior aphasia. subject pool was not particularly small, at least by aphasiology standards, but it was very heterogenous. were some differences of educational level, and a very marginal difference in mean age. But the duration of aphasia ranged from four months to almost ten years for the anteriors and only from one to ten months for the posteriors. Anterior production ranged from "single word output with marked dysarthria to fully grammatical but dysprosodic conversational speech" (277), while the posterior group included both Wernicke's and transcortical sensory aphasia. Further, there were twelve anteriors, six posteriors, and five controls, and adjusted means were not used. Consequently, the results are not as useful as they might be.

The tasks were divided into true/false and fill-in-the-blanks tests, with the subject signalling his answer by pointing. The sentences were weighted as indicated by the examples in Figure 2.1. Such sentences

TRUE/FALSE - SEMANTIC

An inch is a unit of weighh.

TRUE/FALSE - SYNTACTIC

The letter "M" comes before "ZZ".

FILL IN THE BLANK - SEMANTIC

Bonnachine that plane is called a

FILL IN THE BLANK - SYNTACTIC

moneckel is worths than a dime.

Figure 2.1: Sample questions from Samuels and Benson (1979)

were presented auditorily and graphically in groups of sixteen (four semantic and four syntactic auditorily, with the same division for graphic presentation). Accuracy and rapidity of response were measured. Predicted results were achieved: the controls were across the board almost errorless; the posteriors had by far the most errors; and the anteriors fell in the middle, doing almost as well as the controls for semantically weighted stimuli, and almost as poorly as posteriors for syntactically weighted stimuli. As above, the claims of statistical significance for these differences cannot be appraised. There was no difference found in mode of presentation. Response times are reported, but left uninterpreted.

Since all the "syntactic" tasks centred on functors like after and more, Samuels and Benson (1979) offer some support for a conceptual agrammatism position. But it is very marginal support.

Bradley et al. (1980)

Bradley, Garrett, and Zurif (1980), reporting on Bradley's doctoral work (see also Zurif [1982a]), discuss

two visual word recognition tasks in which Broca damaged patients were compared to a neurologically sound control group. The first task concerns frequency sensitivity: the more frequent a word is, the more rapidly it is identified in a Yes / No lexical decision; cat gets a "Yes" reaction faster than ape. The second task concerns left-to-right scan order: nonsense words with an initial substring corresponding to real words are rejected slower in a Yes / No lexical decision than words without real word interference; houselt gets a "No" response slower than touselt.

Both of these results are well established, the authors claim, and their work only serves to corroborate them. Bradley also found that these response patterns, for normals, hold only when the real elements are content words. So, in the first task, the is not recognized more rapidly than (the less frequent) or. In the second task, theop is not rejected slower than speop. The story is different for the Broca group. As expected, latencies were slower across the board for them, but their response patterns were fundamentally the same for both word classes. They demonstrated frequency sensitivity to functors as well as content words, accepting the before or; and they demonstrated left-to-right real word interference when the initial substrings corresponded to functors, rejecting theop slower than speop. Bradley et al.'s findings do not directly tap a comprehension problem in Broca's aphasia, but

if they hold, they clearly reflect a feature of the syndrome that could substantially affect perception patterns.

However, it must be noted that the results are not uncontroversial. Gordon and Caramazza (1982) report that they were unable to replicate Bradley's findings on frequency sensitivity for normals, as do Sequi et al. (1982). Gordon and Caramazza, in the following year, also tested fluent aphasics against agrammatics for differential treatment of open and closed class lexical items "spanning a wide frequency range" (1983:337). No significant variance was found here either. On the other hand, Zurif and Grodzinsky (1983:209n1) report on two (unpublished) studies that support Bradley et al.'s (1980) contention that there is a qualitative difference between the way normals and Broca patients process lexical items, specifically functors. On a more agnostic note, a recent paper by Bradley and Garrett (1983) advances the same general thesis of their earlier work ("Broca's aphasics are successful in recognizing elements of the closed class, but fail to do so in the way that normal speakers do" [156; italics original]), without mentioning either the Gordon-Caramazza papers or Sequi et al. (1982). Taking the hopefully reasonable assumption that neither camp is dishonest, it appears that this is one of the many areas in aphasiology requiring more extensive investigation.

Swinney *et al*. (1980)

A similar study, following a different paradigm and controlling for stress, reports consonant results. This study — Swinney, Zurif and Cutler (1980) — was discussed above, in the section on aphasic perception of stress, but a significant finding was finessed and now requires consideration. Recall that Swinney et al. set up a task requiring eight Broca subjects to respond upon hearing a target word in an aurally presented sentence. The subjects responded more quickly to target words carrying stress than words without stress. This is only half the story. The experiment also included functors as target words, controlled for stress as indicated by the stimulus sentences of 42.

b. I think my brother is the man for this job.
b. I think my brother is the man for this job.
When this class of stimuli is considered, the results are
not as straightforward as suggested in the previous
discussion. For the control group, it turns out that the
interesting variance in reaction times reported above only
holds for function words. Functors were recognized more
quickly when stressed, with a whopping Type I probability of
less than 0.0001, but no significant differences resulted as
a function of content word stress; as might be expected,
word class by stress interaction was also highly significant
(p. 002). The Broca group, on the other hand, generated
significant latency differentials as a product of word class
and sentential stress (p<0.025), but no notable word class

by stress interaction.

So Broca subjects appear distinct from normals on two counts: (1) stress is a salient perceptual cue for them independent of word class, while neurologically sound individuals exploit stress only for function word recognition (at least in some experimental tasks); and (2) they respond differently as a function of word class independent of stress, while normal responses depend upon stress for one word class (functors). Swinney et al. (1980) align these results with those of Bradley et al. (1980) and use the conjoint to argue that "the special access and retrieval process which underlies ... appropriate use [of closed class words] in normal comprehension has been disrupted" (141) in agrammatics. The questionable reliability of Bradley's results can be suspended here, but it remains unclear exactly how the Swinney et al. results support a specific functor disruption in Broca's syndrome.

The principal difficulty of interpretation resides, as in Bradley's work, with the comparison of control and aphasic results. The control group produced no effect for stress on content targets, yet there was a (highly significant) stress effect for function target words. There was also a word class by stress interaction. Further, their reaction times "were significantly faster for open than for closed class materials when they were unstressed [p<0.007]" (139). This means, despite the report of a nonsignificant main effect for word class, that the control group evidenced

a clear distinction between functors and content words, just like the Broca subjects. The central difference in the results, then, lies with the ability of normals to react quickly to content target words, irrespective of stress. The authors are careful to point out that the inconsequence of stress here is not the artifact of a floor effect, citing evidence from an unpublished masking experiment of Swinney's (139n2). However, a more obvious supposition is that a ceiling effect was in operation. That is, stress becomes extraneous for normal language users when there are a sufficient number of clues already present. Consider the stimulus sentence given in the previous discussion as 9 (and repeated here for convenience).

9. The umpire said a new ball was necessary.

Given that the subject has been told to watch for ball, the immediately preceding string (the umpire said a new) raises the probability level very substantially that the target word is on its way; and 9 is by no means unrepresentative.

On the other hand, function word distribution is not nearly so predictable. Pragmatically and semantically there are many fewer cues; syntactically, they occur at phrase boundaries (usually phrase-initial), where predictability is minimal.

The findings of Swinney et al. (1980) can be reduced to the facility of normal language users to exploit pragmatic, semantic, and syntactic context more efficiently than aphasics. This is not a startling result.

Schwartz et al. (1980)

As part of a rather ambitious foray into "The Word Order Problem in Agrammatism", Schwartz, Saffran, and Marin (1980) ran two locative preposition experiments with a small subject pool of five "classically agrammatic" (251) patients. This group was somewhat distinguished by heterogeneity: four were CVA victims, one suffered a trauma; output capabilities ranged from entirely holophrastic to occasionally telegrammatic; scores on the Goodglass et al. (1975) Syntax Retrieval Test were between 2 and 7. This diversity is reflected in the experimental results.

One experiment involved 48 semantically reversible locative sentences, using the same two geometric shapes. Sentence 43 is an example.

These sentences were verbally presented in conjunction with three line drawings — one representing the true spatial relations of the sentence; one "reversed role" distractor; and one "lexical" distractor, which represented the relation of a completely distinct preposition (a sample set of drawings is provided). The task proved "extremely difficult for all five subjects" (256): 140 errors resulted from 240 trials, and the best subject had a 42% error rate.

Significantly (p<0.05), only 12% of the errors were lexical, so the subjects apparently understood the preposition, but were unable to discern which NP it was predicated of, and which belonged to the predicate. For the purposes of this

thesis it is particularly important to note that the stimulus sentences were spoken twice, "at a slow conversational pace with equal and heavy stress on the nouns and the locative prepositions" (255). Clearly, this could well have significantly boosted comprehension of the prepositions.

The second prepositional experiment was essentially a replication of the first, but the line drawings included a number of "action scenes" in which "stick figure characterizations of circles and squares [were the] protagonists" (259). Consequently, it also included a number of test sentences on the order of 44.

The lexical distractor was dropped, and the subjects' responses were constrained to either the correct depiction or its reverse. The goal was to find out if the action (verbal) sentences patter ed differently than locative (prepositional) sentences, but the results were not clear. Again subjects had a good deal of difficulty and there was very little between-subject consistency.

One subject is a good representative of the tenor of this paper's overall results:

in [the last experiment] he appears to have adopted a NP2-subject strategy in the face of locative sentences but responded indiscriminatly to the order of noun phrases around the transitive verb. However, in [another experiment with inherently animate NPs] ... which utilized the same verbs in active and passive voice, [he] showed a

tendency (significant at the .03 level) to use and generalize the canonical S-V-O mapping order. In [the first experiment], he manifested no consistent strategy of any kind, (261)

Schwartz et al. (1980) use these results to support their position that a specifically syntactic defect is responsible for specific agrammatic word order comprehension problems, but the conclusion is greatly underdetermined. In fact, nothing of any consequence comes from the experiments, except perhaps further confirmation that Broca patients are comprehensionally impaired.'

Caplan *et al*. (1981)

In a test clearly fashioned after the Heilman and Scholes (1976) model, Caplan, Matthei, and Gigley (1981) found some conflicting results — part of which support a functor deficit hypothesis, part of which are in conflict with it. They read their subjects thirty randomly ordered

¹³ Caplan (1983) offers a reinterpretation of Schwartz et al.'s data which he claims demonstrates "there is no 'word-order problem' in agrammatism" (164), but he falls well short of his goal. First, he is forced to disregard some of the data (that of the subject described in the above quotation). Second, he complains Schwartz et al. "do not give actual scores", but observes they are somehow "recoverable" (157), and his analysis uses these reconstructed scores. And third, he proposes a group of order principles the patients might be following in their interpretation of the stimuli that lead to errors on some items. But if they are dependent on novel strategies to analyze the sentences, particularly as those strategies generate incorrect readings, they obviously do not have access to normal speaker knowledge of word order. Certainly Schwartz et al. (1980) do not establish a specific word order defect concommitant with agrammatism - their results are far too muddy - but their work is suggestive, and not mitigated in the least by Caplan (1983).

sentences, six sets of five, following the paradigm illustrated in 45.

- 45 a. Can you show Bill walking the dog?
 - b, Can you show Bill the walking dog?
 - c. Can you show Bill the walking of the dog?
 - d. Can you show Bill slowly walking the dog?
 - e. Can you show Bill the slow walking of the dog?

The task - model manipulation demonstrating the action of the matrix verb complement - was quite difficult by aphasic experimentation standards, but has a venerable history in first language acquisition studies, and Caplan et al. report no particular difficulties. Figurines representing the principals (e.g., Bill and the dog) were supplied, and a special 'watching place' was established. Unqualified support for a functor deficit would have been obtained if all subjects (11 Broca's aphasics "of varying severity" [151]) had treated the five sentences as ambiguous or as determined by a simple N-V-N = AGENT-ACTION-PATIENT strategy (i.e., Bever's [1970:298] Strategy B). This did not occur. In fact, as a group, the Broca patients exhibited sensitivity to the crucial functors (the and of), and to the adverb morpheme (-ly). The error rates were of course abnormal, but the only strong group pattern to emerge was the correct deciphering of the stimulus sentences.

Caplan et al. requires fairly careful reading, due to an abstract coding system and reader-hostile statistical procedures, but it is clear "that the responses are not totally dictated by admissable grammatical structures" (154-5). Despite the tendency to perform the correct

manipulations, there was a contingent of answers that fell into another pattern: the systematic interpretation of all (embedded) sentence types as simple AGT-ACT-PAT clauses. That is, a component of the results support the functor deficit hypothesis. This component was provided by a subgroup of six patients. Unfortunately, very little information is given for this group, but three specific variables - presence of dysarthria, overall severity, and age - were examined as a function of response, and one proved significant: age. Significance may or may not be coincidental here (age seems an unlikely determinant of a functor deficit), but the general results are quite clear on one point. There is no across the board loss of function words in Broca's aphasia. Still, there is sufficient action in the findings that a functor deficit cannot be dismissed out of hand.

Seron and Deloche (1981)

Further, though somewhat marginal, support for a specific functor deficit in Broca's aphasia comes as a byproduct of Seron and Deoloche's (1981) test of Jakobson's well-worn, but still not retired, Regression Hypothesis.

They also presented their subjects (36 Broca's, 25 Wernicke's, 9 anomic) with a simple model manipulation task.

The stimulus sentences were just as simple — all having the form "put the x {in, on, or under} the y", where x was a movable item and y a fixed referent. Two 'conditions' of x and y were maintained, a pragmatic condition (e.g., x = a

coin and y = a piggy bank), and an awkwardly labelled "perceptivomotor contextual bias" condition. For this second condition, x was always a small cube, and y ranged across three abstract objects, each of which exercised a bias toward one of the prepositions (i.e., one had a prominent declivity, which biased for in; another had a prominent flat surface, biasing for on; the third was raised on legs, leaving a prominent space below and biasing for under); all ys were called object. Consequently, prepositions could be used both congruently and incongruently, so that the stimulus set patterned as illustrated in Figure 2.1.

pragmatic bias

Put the coin in the piggy bank. congruent:

incongruent: Put the coin under the piggy

perceptivomotor contextual bias

Put the cube in the object congruent:

[with declivity].

incongruent: Put the cube under the object

[with declivity].

Figure 2.2: Stimulus set patterns from Seron and Deloche (1981)

The Broca subjects, across the board, responded more accurately to the congruent requests than the incongruent ones (p<0.05 for pragmatic items; p<0.01 in perceptivomotor contexts). Wernicke subjects were also more accurate as a function of congruency, but only under the second condition. That is, probable real world spatial relations were only a factor for the Broca patients.

More to the point, the Broca responses were observed to follow "strategies relying on pragmatics" (78), whereas the Wernicke errors were more random. As above, the support here for a loss of function words in anterior aphasia is limited, but the results are consonant with the hypothesis that Broca patients process major lexical items well and compute sentential meaning as a kind of anagram, where Wernicke patients follow a more rudimentary perceptive (visuospatial) program. (The Regression Hypothesis, of course, was unsupported).

Mack (1981)

Following Seron and Deloche — literally, in the same volume of Brain and Language — Mack (1981) reported findings which are much less compatible with a functor deficit and which, possibly, are more revealing about the actual problem. He employed a modified Token Test designed to focus on prepositional comprehension, and scored it to evaluate independently syntactic and semantic competence: a "syntactic error consisted of touching or placing a token in the incorrect prepositional relationship" (84); semantic errors involved a confusion of one (or more) of the tokens' attributes (size, colour, and shape). Methodology need not be rehearsed here.

A neurologically sound control group performed almost flawlessly, which arouses little surprise, but the nonfluent aphasics (n = 6) were not far behind, with a mean syntactic score of 7.28 (out of a maximum 8), and a semantic error rate of only 0.77 (in 27 potential confusions). In fact, on two of the three subtests, there was no significant difference between the controls and nonfluents on the syntactic measure. The fluent aphasics (n = 6) were another story. They had an average syntactic score of 2.76 and a semantic error rate of 7.13. Fluent vs. nonfluent t-tests proved significant on all measures (with a probability range between 0.001 and 0.05); if there is a peculiar syntactic deficit to be found anywhere in these results, it belongs to the fluents.

Mack's (1981) findings are not the expected ones. In particular, the stellar performance of the nonfluents and the gap separating them from the fluents violate previous findings. Recall that the Token Test is not especially effective for discriminating between Broca and Wernicke patients (Orgrass and Poeck [1962], and Poeck et al. [1972]). However, the mystery is not as great as it might seem. Mack (1981) used a modified version of the TT, and only tested for comprehension of advanced structures, as illustrated by 46 - 48.

- 46. Touch the chip next to the small white circle.
- 47. Put the blue chip below the small red circle.
- 48. Put the small white circle farthest from the largest white square.

These requests differ markedly from De Renzi and Vignolo's

(1962) original set. Only two of Mack's (1981) eight prepositions appear anywhere in the original Token Test, and the advanced sections focus primarily on adverbial subordinate clauses. At first blush this indicates that Broca patients are in fact quite good with prepositions, though maybe not so good with adverb phrases. Yet such a conclusion would then violate Seron and Deloche's (1981) results; namely, that Broca victims can exploit pragmatic relationships, but are not very good with prepositions.

However, Seron and Deloche's set of prepositions was smaller and, more significantly, only one of them receives sentential stress in normal assignment: in and on are always reduced and cliticize to the following noun (determiner or adjective). All of Mack's prepositions are stressed in normal speech (46 - 48 are representative). Further, Mack's prepositions are simply longer, all being at least two syllables, and several being compounds (e.g., next to and farthest from). As the work reviewed in previous sections demonstrates, stress and duration are crucial factors in Broca victims' comprehension. There are no specific controls to this effect, but considering Seron and Deloche (1981) and Mack (1981) in concert, it appears that reduced prepositions are not processed very well and that stressed (longer, louder) prepositions are processed quite well something which cannot be smoothly incorporated into a syntactic or functor deficit hypothesis.

Friederici (1981), and Friederici et al. (1982)

A Shmewhat more fundamental tenet of conceptual agrammatism is challenged by the data presented in a series of papers engineered by Angela Friederici. The first two of these papers - Friederici (1981), and Friederici, Schönle, and Garrett (1982) - report on parallel tests of production and perception that employ the same prepositions. findings are not wholly consistent and are of questionable robustness, but both studies uncover statistically interesting variance in the Broca results. This supports the widespread clinical impression of impaired production concommitant with relatively intact comprehension. since the motivating force behind\conceptual agrammatism (as well as the elegance it lends to a competence analysis), is founded on a hypothetical higher-order deficit uniformly generating symptoms in production and perception, this finding is less than consonant with the theory.

Friederici (1981) reports on two distinct experiments, each organized around a set of line drawings, and each requiring both production and perception by the subjects (6 Broca's, 6 Wernicke's). The first experiment used 11 drawings which represented locative relationships holding "between simple objects like 'ball' and 'box'" (193). For the production task, the patients were asked to provide the "little words" depicted by the items of the drawing. To avoid ambiguity (since, e.g., "the ball is in front of the box" is equivalent to "the box is behind the ball"), they

were directed to one object; for instance, "to describe 'where the ball is'". The comprehension component called for selection of the appropriate preposition, from a visual array of four, corresponding to a presented drawing. The second experiment's stimulus set substituted "real life situations" for the context free depiction of objects. Friederici's examples are given here as 49 -51.

- 49. The cat is lying under the chair.
- 50. The girl is standing behind the tree.
- 51. The smoke is coming out of the chimney.

The production task here was sentence completion. The drawings were presented coincidentally with a visual and an aural token of an incomplete sentence, a sentence like 49 - 51, without the italicized sections, and the subject was asked to fill in the absent word(s). Precisely the same format was followed for the comprehension task, except an array of four prepositions was also supplied, and the patients were required to choose the appropriate word with which to complete the sentence.

There are some obvious problems with these paradigms. For instance, it might be objected that the comprehension subtests were variants of the production task which bypassed the need for lexical search. It might also be objected that instructions to provide "little words" are too vague for victims of aphasia. These are legitimate concerns. There is a problem of statistical analysis as well: Friederici (1981) supplies three pages of figures and graphs, but they all appear to be the product of a standard computer software

package, with very little in the way of thoughtful investigation. For example, a four-way ANOVA design provides information on 16 potential sources of variance, so it is not a tool to be used lightly or without some effort at interpretation; Friederici reports on seven effects, and drops the numbers as if they were radioactive. Neither, for all the figures floating around, is there clear indication of how the two groups fared on the tasks with respect to one another. Production tasks proved to differ very reliably from perception tasks (p<0.0005), and the task by group interaction also proved significant (p<0.01). But most of the variance appears to be a product of the Broca subjects' performance: their production mean was 5.7 (%-correct) and the perception mean, 62.1; the Wernicke subject means were 54.95 and 87.15 respectively. It would appear the Broca pool accounted for a larger measure of the variance than the Wernicke pool, yet this is statistically unexamined and receives no commentary in the text. Still, while the data are compromised, experimentally and analytically, they cannot be rejected out of hand. It remains interesting and runs counter to a functor deficit hypothesis. The existence of a group by task interaction, particularly one that appears to be largely a Broca product, is not consistent with a single underlying deficit manifest in both comprehension and production. Notice also, that the sample sentences include multisyllabic or compound prepositions, which seem to be better processed by Broca patients than

shorter ones.

Some of these problems are cleared up in the study reported by Friederici, Schönle, and Garrett (1982). It used the same stimulus materials as the second experiment discussed above, and possibly some of the same subjects (the age means are very similar), but another subtest was added. The production task remained sentence completion, and one comprehension task was prepositional selection, both following the methodology just outlined. The addition was a sentence selection test: the line drawings were presented along with four random sentential choices; one sentence was correct; one contained an incorrect preposition ("the cat is lying on the chair"); one contained an incorrect prepositional object ("the cat is lying under the table"); and the fourth involved some violation of a linear order constraint ("the cat is lying the under chair"). subtest is a more obvious measure of comprehension, calling for less in the way of metalinguistic analysis than a fill-in-the-gap preposition task; it is also sufficiently divorced from the production part of the experiment. Statistical analysis reveals more thought in this paper as well. A simple 2-way ANOVA was carried out, crossing subject group by task, and a main effect for task was uncovered (p<0.01). Planned t-tests were then executed, and the results support the impression that Broca subjects account for most of the variance in a group by task interaction. No significant differences were found in the

Wernicke data, but production against prepositional selection was again reliably differentiated (α =0.01) for the Broca victims. On the other hand, testing production against sentence completion did not reach significance until α =0.2. That is, when the design is cleaned up and the analysis more principled, the threat to conceptual agrammatism appears to diminish. But even a significance probability just under 0.2 requires some explanation; it signals with a confidence level of 80% that the perception trial scores were higher than the production scores for the same set of prepositions.

It should be noted that Friederici, in both papers, subscribes to "the view that Broca's aphasics' deficit is primarily an inability to use their syntactic knowledge source ... to access a specific fixed (closed) class of items" (Friederici [1981:198]), and she would be loathe to draw the conclusion that her data undermine a syntactic incompetence analysis. In fact, Friederici et al. (1982:532) claim "to have provided some evidence ... that agrammatics' comprehension performance parallels their production performance". This is far from the case.

Friederici (1982)

In a much better study, with clearly defined questions and a more systematic design, Friederici (1982) produced the same results — perception and production tasks involving the same prepositions generated significant variance — and this time the figures are much more compelling. The experiment

is similar to her earlier work just reviewed, but it is distinguished by two important features: a fair measure of semantic control; and the fact that it is one of the very few foreign language aphasia studies published for an English audience. It also produced highly convincing numbers, working from a larger subject pool, and employing more appropriate statistical procedures.

German allows for a particularly nice 2-way test of prepositional content vs. prepositional function. There is a class of prepositions that bear a certain amount of semantic information, as in 52.

52. Peter steht auf dem Stuhl. (Peter stands on the chair.)

Another class of prepositions, comprised of phonologically and etymologically identical elements, has a distribution dependent on certain verbs. That is, they are structural requirements and have no meaning distinct from the verb; in generative terms, some verbs are strictly subcategorized for some prepositions. Sentences 53 and 54 are examples.

- 53. Peter hofft auf den Sommer. (Peter hopes for the summer.)
- 54. Peter achtet auf das Feuer. (Peter watches Ø the fire.)

These two classes have precisely the same combinatory properties — they head either PPs or Ss (i.e., they topicalize) — and are distinct from particles (which cannot head Ss) that also share historical and phonological identity. The crucial difference, then, is semantic.

Friederici (1982) quite deftly exploited this distinction, in what is by far the cleverest and most valuable application of her production / perception format. Her production task was once more sentence completion, although this time "a little story describing the circumstances" (253) was used to establish context, as opposed to the line drawings of her earlier experiments. The choice was prompted by a desire to keep the test "purely linguistic", but it may have confounded the experiment somewhat by placing more demand on comprehension and, perhaps, lessening the productive element of the task. However, there is always some tradeoff in linguistic vs. nonlinguistic stimulus items and, in any event, whatever complications might have been introduced came out in the wash; interesting production against perception variance not only still resulted, it is the cleanest result in any of her three papers. The comprehension task called for grammaticality judgements of forty-six sentences. Fourteen contained 'semantic' prepositions (52) and fourteen were 'syntactic' (53 - 54). The remaining twenty-eight were anomalous, with half violating semantic restrictions (e.g., 55) and half violating syntactic co-occurrence restrictions (56).

- (56). 55. *Peter steht durch dem Stuhl. (Peter stands through the chair.)
 - 56. *Peter hofft *über* den Sommer. (Peter hopes *over* the summer.)

The subjects (12 Broca's, 12 Wernicke's) were asked simply to judge "whether the sentence was correct or not" (253).

The perception data were corrected for a chance level (50%), and all numbers were run through a nested (subjects) ANOVA. The main effect for task type again proved very reliable (an error probability of Ø is given — meaning, presumably, that it calculates beyond 4 decimal places), and a good measure of the variance again stemmed from the Broca patients' performance, for whom task type was significant at a p<0.0003. Such definitive significance statistics add well-needed robustness to the findings of Friederici (1981) and Friederici et al. (1982), making them all the more problematic for conceptual agrammatism.

Friederici's (1982) explorations of the semantic dimension were also rewarded, to some degree. She found a curious dichotomy in the Broca results: the agrammatic subjects were much better at producing the semantic prepositions than the syntactic ones ($\bar{x}=69.64$ vs. $\bar{x}=36.31$; significant with p=0); but there is no evidence that meaningfulness played a similar role in the comprehension task ($\bar{x}=92.28$ vs. $\bar{x}=91.08$; nonsignificant). The Wernicke patients demonstrated no such dichotomy, producing no statistically interesting interaction between task and preposition type. It is not clear how to interpret these results. On one level, they serve to reinforce the impression that Broca production and Broca perception are fundamentally different beasts. But there are alternate accounts. Most notably, it may be that the semantic distincion outlined above dissolves when the task at hand is

grammatical evaluation. Sentence 56 involves co-occurrence restrictions, while 55 does not, but the concept of hoping over the summer, at least without elaborate contextual justification, does not seem any more sensible than standing through a chair. Even if the semantic dimension does not dissolve in such tasks, it may be obscured by a ceiling effect. A second possibility - less likely but dearer to the heart of this thesis - is that a ceiling effect was in operation as a function of the properties investigated in previous sections; German prepositions are not reduced, as their English counterparts are, and the widespread features of diphthong and umlaut make for longer average syllable durations. And, of course, the ceiling could be supported by both semantic and sonic factors. However, this has only incidental bearing on the implications Friederici's work has for the functor deficit hypothesis, a hypothesis more and more difficult to sustain as the data come in.

Kudo et al. (1982)

Another rare foreign language study — Kudo, Kashiwagi, and Segawa's (1982) investigation of Japanese Broca patients' functor perceptions — also provides data incompatible with the function word deficit hypothesis, and Japanese has some properties particularly valuable for testing that hypothesis. It is agglutinative, at least with respect to grammatical relations, and it codes verb arguments with post-positioned particles. For instance, 57a and 57b have the same propositional meaning (a boy [shonen]

hit [naguru] a girl $[sh\tilde{o}jo]$); subject is signalled by the particle ga, while object is signalled by o.

- 57 a. Shonen ga shojo o naguru.
 - b. Shōjo o shōnen naguru.

In the passive form the oblique (BY-)object is coded with the particle *ni*, as in 57c and 57d (an intransitive marker also inflects the verb).

57 c. Shōjo ga shōnen ni nagurareru.d. Shōnen ni shōjo ga nagurareru.

In short, functors (case particles) are the essential cues of grammatical relations in Japanese, as essential as word order in English, and this makes for rather fertile ground in which to dig for data relevant to conceptual agrammatism.

Kudo et al. (1982) see the situation this way as well; unfortunately, the fertility of Japanese here may have been a little intoxicating, and they tackle the subject with a complex assortment of sentences, 64 in all. Four distinct factors were brought into operation, each crossed with the others: (1) semantic reversibility of subject and object, (2) voice, (3) word order, and (4) truth value. Reversible sentences in two word orders (SOV [basic] and OSV) and two voices (active and passive) are presented above. The sentences of 58 are the nonreversible corollaries.

- 58 a. Kuruma ga kodomo o haneru.
 - Kodomo o kuruma ga haneru.
 (A car runs over a child)
 - c. Kodomo ga kuruma ni hanerareru.
 - d. Kuruma ni kodomo ga hanerareru.
 (A child is run over by a car)

All sentences (16 groups of 4 following the above paradigms)

were presented randomly to the subjects (20 Broca's, 10 Wernicke's, 10 amnesics) in conjunction with a line drawing that depicted figures and an action based on the content words of the sentence (e.g., a boy hitting a girl). The task, then, was sentence verification, and truth value was determined as a function of the sentence and picture combinations (57a would be true with respect to the example just given). Further, there were two conditions of 'falseness' in the test, illustrated by 59a and 59b (with respect to the same example).

/59 a. Shōjo ga shōnen o naguru. b. Shōnen qa shōjo ni naguru.

That is, one sentence (59a) represented an inaccurate subject-object relation, and the other represented a syntactic violation (a subject particle and an oblique particle teamed with an active verb).

An ideally constructed experiment, both in terms of focus and statistical dependability, is one that produces figures testable with a tool like the t-test. Kudo et al. (1982) employed, and required, two distinct five-way analyses of variance: ANOVA1 took Aphasia Subtype, Reversibility, Word Order, Voice, and Truth Value (T vs. F) as its factors; ANOVA2 followed essentially the same design, but analyzed the two types of falseness as the fifth factor (F, vs. F₂). The results include some significant numbers, which is to be expected, but interpretation is not at all straightforward. Aside from the fact that multilevel ANOVAs invariably hook some significant F-statistics (the more

tests conducted, or levels of analysis, the more chance of committing type I errors, even at quite low α-levels), there are serious difficulties with the meaning of significant Fs here. For instance, sentences of type 59b involve only one inappropriate case marker (ni), but 59a involves two inappropriate particles (ga and φ), and for the former the line drawings are irrelevant, while it is the line drawings that identify the inappropriate particles in the latter. Further (and of more concern to this thesis), Japanese word order is free in principle only. In practice it is SOV, and departures from that order are marked constructions, usually attended by increased particle stress; in terms of the examples given above, the functors of 57a and 57c are systematically reduced, while those of 57b and 57d are longer, louder, and higher in pitch.

Still, there are two aspects of the general pattern in Kudo et al.'s results that can be reported with some confidence. First, Truth proved a massively significant factor, with an F of 204.37, and "the performance difference between true and false sentences in the Broca's aphasics was far more salient than that in the Wernicke's and the amnesic aphasics" (647). (Aphasia Subtype [p<0.01] and the Subtype x Truth interaction [p<0.01] were both significant.) So the difficulties observed in English Broca patients with functors are also present in Japanese patients. Second, this deficit is context-sensitive: Reversibility generated interesting variance (p<0.05), as did the Truth x Voice

(p<0.01) and Voice x False Type (p<0.05) interactions. That is, detectability of inappropriate functors varied with "the linguistic environment in which they [were] embedded" (648). The functor difficulties of Japanese aphasia patients, like those of English patients, are not independent of other linguistic, or extra-linguistic, factors.

Linebarger et al. (1983a)

The title of Linebarger, Schwartz, and Saffran's (1983a) paper reveals tenor and aim immediately: "Sensitivity to Grammatical Structure in So-Called Agrammatic Aphasics". It is a clear broadside at conceptual agrammatism - in particular, at its syntactic manifestations. To this end they designed a test battery calling for grammatical evaluation of 451 sentences, 221 of which were ill-formed, representing violations of 10 classes of structures. As always in such things, there was a trade-off between thoroughness and generality; detail of experimental design took precedence for Linebarger et al. over subject representativeness, and their sample consisted only of "four adult females, victims of organic brain damage ... aphasics of the Broca type" (367). Consequently, the claim of "providing strong counter-evidence" (362) to a syntactic analysis of the syndrome is a little over-zealous. Nonetheless, their results do run in opposition to syntactic accounts, and they include some specific implications for a functor deficit hypothesis.

Several of the stimulus sentences hinge on function word distributions, valid and invalid. For instance, the difference between the following well-formed sentence (60a) and its ill-formed mate (60b) is the presence of to.

- 60 a. The policeman was talking to a woman.
 b. *The policeman was talking a woman.

 Likewise, the difference between the valid 61a and invalid

 61b depends on the appropriateness of a function word.
 - 61 a. I hope you will go to the store now.
 b. *I hope you to go to the store now.

And similar patterns are responsible for the syntactic violations of most other sentence types in the experiment. Obviously, there is more to these ill-formed sentences than the presence, absence, or appropriateness of the function words. For instance, in 60 the knowledge that the verb is intransitive suffices to reject b, since intransitive verbs cannot be immediately followed by NPs. Knowledge that hope requires a modal, or perhaps that it requires an irreal proposition, is sufficient to reject 61b. But in both cases some access to functors is required, even if only to category membership (e.g., modal vs. preposition). If Broca patients process sentences as content word telegrams, irrespective of whether those words come labelled intransitive or irreal, then the two sentences of 60 and the two of 61 would be identical to them. The results show this not to be the case.

Linebarger et al.'s findings align with those of Friederici (1982): Broca victims are not particularly

impaired in grammaticality jodgement, even when judgement hinges on function words. For only two out of the 10 classes of violation did mean percent correct identification of ill-formed sentences drop below 94 (both those cases being still above chance despite a substatial outlier mean of 0.025 for the two structures).

Kolk and Van Grunsven (1984)

A more specific, and less polemical, assault on conceptual agrammatism comes from Kolk and Van Grunsven's (1984) replication of Zurif et al. (1972). They asked their subjects (4 agrammatic; 2 'non-agrammatic') to choose the two words from a triadic array that "go best together in this sentence" after a sentence containing those words was read aloud, and while the sentence was on display. There were 18 sentences, evenly divided into the three types represented by 62-64 (the examples are Kolk and Van Grunsven's, but it is not clear if they are direct translations of the originals, given in Dutch, or merely illustrative):

- 62 The horse kicked my son.
 (simple active: Det-N-V-Det/Prep-N)
- 63 The car is washed.
 (simple passive: Det-N-Aux-V)
- 64 Rich people buy expensive cars. (simple adjectivals: Adj-N-V-Adj-N)

However, pretest subject preparation was more extensive here than in either Zurif et al. (1972) or Kolk's (1978b) replication. First, all subjects were screened for their

their ability to understand the nature of a triadim comparison. They were presented with three content words, two of which had strong semantic ties (e.g., son, wood, parents), and they very consistently chose that pair. Each subject was also given several trials exactly parallel to those of the central test, and

after he had made his choice for the third triad it was stated that this choice was, of course, perfectly acceptable but that other people could have made a different one. Then the other two possibilities *were pointed out to him. It was stipulated that the choice was a personal one, that it was not a matter of "good" or "bad" and that words that were adjacent in the sentence need not be paired (34).

In addition, during the test proper the subjects were required to demonstrate the two alternative groupings after they had selected from each first and sixth triad.

These elaborate precautions that the subjects understood the task resulted in radically different clusters from those of the two earlier studies. The non-agrammatic subjects produced cluster graphs of the pattern claimed in the earlier studies to typify agrammatics. While this, finding is not at odds with the earlier studies — it couldn't be, since both of them included only agrammatic aphasics — it does seriously compromise Zurif et al.'s claim of "isolating the syntactic impairment" (1972:415) of agrammatism. But the agrammatic clusters are in direct conflict with the earlier runs of the experiment: they take the 'normal' pattern of conjoining words according to

phrasal constituency, pairing, e.g., the with horse and my with son. Kolk and Van Grunsven offer some interesting speculation about the discrepancy between their data and the previous findings; in particular, that the patients who group content words with content words and functors with functors do so because they are people who know they have difficulty understanding language meaning, know the testers are language therapists, and expect to be tested on meaning. But the two important points for this thesis are (1) non-normal judgements (i.e., grouping by some metric other than phrase structure) on this task do not necessarily reflect a lack of structural knowledge, and (2) arguments for conceptual agrammatism depending on the Zurif et al. (1972) results are severely weakened.

Smith and Mimica (1984)

Despite this mounting evidence and its attendant arguments, conceptual agrammatism does not appear to be in any immediate danger of extinction. A good example of its healthy constitution is the recent paper of Smith and Mimica (1984). They report on a study of case-marking sensitivity by agrammatics in an inflected language, and they interpret their results in support of an accessing hypothesis which claims that Broca patients have a specific problem accessing syntactic (case) cues.

Their subjects were 10 Yugoslav Broca victims, native speakers of Serbo-Croatian, and 10 neurologically intact Serbo-Croatian Yugoslavs "matched approximately [with the

aphasics] for age and educational background" (280). The stimulus items were three-word Serbo-Croatian sentences constructed from four pools of concrete nouns and a verb pool. The noun pools were established according to two binary metrics, animacy and overt case marking. one pool consisted of nouns that were both animate and took overt markers, one pool was mate but did not inflect, one was animate and inflected, another was inanimate but did not inflect, and the fourth was inanimate and inflected. sentences were generated at random, so that each patient and matched normal had a unique set, but the sets conformed to the following constraints: there were three inflection types, nominative-accusative, accusative-nominative, and ambiguous (where neither noun was inflected; there were two word sequences, N-V-N and V-N-N (word order is a secondary cue of grammatical relations); and there were 3 animacy conditions, animate-inanimate, inanimate-animate, and animate-animate. These factors combine to make 18 sentence types (3 x 2 x 3), and each type was represented by two tokens, for a total of 36 sentences per set. The sentences were taped "in a slow, even voice, and each sentence was repeated twice" (281), and the subjects demonstrated comprehension by model manipulation, a task they "had little trouble understanding and performing" (281), despite the reported hemiplegia. No feedback was provided during testing.

The diversity of variables required three ANOVAs: one within each subject group, and one treating group as a between-subjects factor and the three remaining factors (case, word sequence, and animacy) as repeated measures. There is little need to report on the within normal results here, other than to note that they "were quite similar to those reported for a larger sample of Serbo-Croatian university students" (282). Nor are the within Broca findings of particular moment; in most respects they paralleled the normal group, at a lower level of performance. But the third analysis is more revealing. found a significant case x group interaction (p<0.001) which shows the Broca patients to be considerably less sensitive to case marking. There was also a significant animacy x group interaction (p<0.009) which shows the Broca's to rely more heavily on semantic strategies for interpretation, even when those strategies conflict with the case inflections. Further, a post hoc comparison of the two groups showed that a convergence of all grammatical relation cues (word order, animacy and overt inflection) resulted in insignificant comprehension differences; the Broca patients had a success rate of 90% with such items. Clearly, these results are in consonance with the major findings of this section: agrammatics have difficulty comprehending 'purely grammatical' information, but the more redundantly that information is coded, the better they do.

As Smith and Mimica (1984) point out, this differential loss — when the information is available if the ome contexts but unavailable in others — is difficult to reconcile with a uniform loss theory. Grammatical formatives are not lost across the board. The authors do not explore the dimensions of the loss to any depth, suggesting only the uninterpretted data reformulation that the problem involves an inability to reliably access cues of grammatical relation, but a strong possibility is that a contributing factor is acoustic. The Broca subjects were least sensitive to case marking, and case is coded in Serbo-Croatian by unstressed suffixes.

Summary

There is a number of individual problems with the work reviewed in this section — problems of design, of analysis, and of interpretation — but two relatively clear results are extractable. First, Broca's aphasics do not detect functor meaning as reliably as nonaphasics. They have comprehension difficulties, and those difficulties implicate function words. Second, the difficulties do not implicate function words qua function words. There is no uniform, class-dependent loss. There are at least three variables — pragmatic, semantic, and acoustic — that condition functor comprehension in Broca's aphasia. Meaning and sentential stress effect a saliency in functors they do not normally possess, and Broca victims respond more accurately as a function of increased salience. (Pragmatic variables most likely work in a precisely reverse manner, by making the

functors irrelevant.)

2.2 Theoretical

Theoretical speculation as to the nature of 'pure case' Broca's aphasia has for the most part been elided in the discussions above, and in general theory does not play a major role in this thesis. The principal reason for this apparent omission is that recent aphasia theories are largely proposals of competence dysfunction, and competence - as a psychological reality - is so poorly understood that cognitive accounts dependent on it must be relegated to a scientific anteroom, alongside speculations on the nature of extraterrestrial life, to await relevant breakthroughs in data. Competence theories in nonpathological linguistics, from the Standard Theory to Generalized Phrase Structure Grammar, have essentially been developed and modified according to criteria like consistency, completeness, and parsimony. These are all criteria that responsible pathological accounts also have to meeta eventually. the most pressing concerns at present do not involve formal elegance. They involve direct empirical research and hypothesis testing. Competence models, intact or with posited malfunctions, are simply not testable in any reliable way.

Nonetheless, two competence theories require some attention here. The first, Zurif's proposal of syntactic incompetence, requires attention because much of the work

reviewed above has been taken, by Zurif and by others, as concrete evidence in its support. The second, Kean's theory of phonological incompetence, requires attention because the experiment reported in the following chapter may, superficially, appear to test its claims.

2.2,1 Zurif's Syntactic Proposal

Edgar Zurif's account of Broca's syndrome, advanced in a number of papers by a number of scholars, is of course not strictly Zurif's. As above, it first shows up in Goodglass (1968) as conceptual agrammatism, and it has several manifestations that Zurif may not endorse. But he is by far the most enthusiastic and prolific proselytizer, and his research is central to both its formulation and current acceptance. The general character of the account is syntactic: Broca victims have production and perception difficulties that run in parallel because they are forced to traffic in major lexical items by an "inability to satisfy some minimum requirements of a syntactic processor" (Zurif and Blumstein [1978:245]). The exact nature of this inability has not been fixed. In early work it was considered to be semantic (Zurif et al. [1972]). Later it was held to implicate lexical retrieval processes (Bradley et al. [1980]). More recently it has gravitated toward Kean's "sound-syntax interface" (Zurif [1982b]). (All three suggestions are treated as fully compatible in his work.) The theory has also moved from an explicit competence

proposal to one cloaked in the language of performance. But the general character — syntactic incompetence keyed to function words — has been remarkably stable; for example, the 'performance model' Zurif (1982b) briefly entertains employs the "grammar as a component" (206), and the discussion centres on that component.

However, it is important to notice that Zurif has never adhered as rigidly to a functor deficit as previous discussions might suggest. His general claim is that Broca victims comprehend by sampling major lexical items, but aside from popular articles in magazines like American Scientist, he has never implied that an across-the-board loss of function words attends Broca's syndrome. He could not support such a claim; data he has been instrumental in collecting argue against it. Recall, for instance, that the early cluster analysis work failed to discriminate between agrammatics and neurologically sound controls by their treatment of the object NP in sentence 17.

17. Where are my shoes?

The stongest cluster for both groups was the conjunct of my and shoes, forming a recognizable NP. Similar results followed from a later run of the same design (Zurif and Caramazza [1976]), which used an expanded stimulus set, illustrated by 65 and 66.

- 65. My dog chased his cat.
- 66. Gifts were given by John.

The cluster graphs for sentences of type 65, somewhat surprisingly, upheld the general results of Zurif et

al. (1972): the control graphs resembled phrase markers, indicating a constituent-governed grouping; the agrammatic graphs followed an apparent contentive-with-contentive, functor-with-functor strategy. Possessives did not affect the response pattern in the second run, and 65 was treated by both groups much like 15 of the original study (The dog chased a cat). But in sentences like 66, both subject pools consistently judged by 'to go best with' John, maintaining the integrity of the PP. In a more recent study, a replication of the Goodenough et al. (1977) Token Test paradigm which gave "the patients unlimited time", Zurif and his coworkers found that all the subjects "recognized when an article [was] ... used inappropriately" (Zurif [1982b:205]).

In short, Zurif's research has uncovered a number of situations in which Broca victims evidence "gradations of sensitivity to functors" (Zurif and Caramazza [1976:270]). The two cluster analyses show relatedness to vary as a product of individual lexical item, though sentence type or availability of similar function words (i.e., articles, possessives, and prepositions) may well have been crucial factors. The Goodenough et al. replication shows detection of inappropriate article use to improve substantially with increased processing time. The variables were different in both cases, but each patently evinces differential treatment of function words. This differential treatment is also the principal finding of this chapter's survey of function word

experiments, of course, and it demonstrates quite conclusively that class membership is not a reliable predictor of agrammatic performance on metalinguistic (or comprehension) tasks; in particular, Broca victims do not respond simply as a function of the contentive vs. functor dichotomy.

This finding automatically vitiates certain

peculiarities of Zurif's proposal. For instance, impairment
of a specific function word retrieval system is ruled out if
some functors are reliably retrieved while others are not.

Nor does the semantic argument appear to hold, since by in
66 is a mere oblique object marker, with considerably less
'weight' than my, or even the. But differential treatment
has more damaging implications for the general claim that
syntactic dysfunction is the heart of agrammatic
comprehension difficulties. There is just no reason to
suppose that a syntactic component requires access to
lexical information beyond category (and subcategory)
membership, and categorically my is indistinct from the; on
is indistinct from next to. They are distinct semantically
and acoustically, but not syntactically.

The problem, then, is not that Zurif's proposal cannot accommodate differential treatment of functors; in fact, quite the opposite. The admission of gradations of sensitivity has two undesirable consequents for the proposal: (1) it weakens it to the point where empirical testing is no longer feasible; and (2) it starts the

- proposal on a slippery slope away from syntax. The first is not desirable because an untestable hypothesis is scientifically vacuous. The second is not desirable because an argument on a slippery slope tolerates both a proposition and its converse: 'syntax is responsible for Broca comprehension difficulties' and 'syntax is not responsible for Broca comprehension difficulties'.
 - Moreover, a very specific and extensive study which attempts to uncover a syntactic deficiency in Broca's syndrome has produced results that indicate "syntactic competence is not inaccessible either in Wernicke's or in Broca's aphasia" (Lonzi and Zanobio [1983:177]). The four year, 133-subject (53 Broca's, 45 Wernicke's, 35 normal controls) experiment tested for syntactic abilities in four distinct areas: general complexity, infinitival complements with null subjects, deictic forms, and structural paraphrases. It found that the two aphasic groups were virtually indistinguishable from one another on all their tests, and though obviously impaired, they performed on parallel with the normals.'

If Zurif's proposal were a straightforward claim of function word loss, it would implicate syntax; more significantly, it would be empirically falsified by, for instance, Mack (1981) or much of Zurif's own research. But

^{&#}x27;* However, they found one subtest which provided a distinction between the two aphasic pools: the Broca subjects had more difficulty with the interpretation of a genitive PP, most often judging it to be a simple object NP (Lonzi and Zanobio [1983:177]). That is, they showed less sensitivity to a function word (di).

as soon as selective loss of function words, or graded sensitivity, is introduced, syntax is extraneous. The interesting variable then becomes whatever the basis of selection is, and there is good reason to believe that a central variable is acoustic.

2.2.2 Kean's Phonological Proposal

There is good reason to believe the variable, or a central variable, in the differential treatment of functors by Broca victims is stress-related. The evidence reviewed in this chapter is certainly consonant with such a suggestion, and such a suggestion is the primary thrust of this thesis. Since stress is the province of phonology in linguistics, the evidence is also consonant with a phonological account of Broca's syndrome, which is the primary thrust of a series of papers by Mary-Louise Kean (1977, 1978, 1980a, 1980b, 1981, 1982). And a change of focus from syntax to phonology is in principle an attractive one:

The likelihood that this endeavour ['biological psychology'] will go far with syntax in the near future is low, because we still know very little about the principles of motor control that might underlie syntactic capacity - that is why [the] current study of syntax is, from a biological point of view, descriptive rather than explanatory. But the prospects are better for phonology, because phonology is necessarily couched in terms that invite us to reflect on the perceptual and motor capacities that support it. (Studdert-Kennedy [1982:329]) However, Kean's position and the position of this thesis are emphatically not in consonance. Her theory is competence-based, vaguely circumscibed, and founded on several notions motivated solely by the theory; nor, in Studdert-Kennedy's terms, does it pause much to reflect on perceptual or motor capacities. But its compatibility with the data and its superficial resemblance to the argument of this thesis, demand it receive more than summary dismissal.

As the number of publications indicates, Kean's theory has undergone some modification, but the alterations are minor — principally terminological — and her position is still best characterized by the earliest paper:

A Broca's aphasic tends to reduce the structure of a sentence to the minimal string of elements which can be lexically construed as phonological words in his language. (1977:25)

The account is admirably succinct, but it is also patently underspecific: what is lexical construal and what are phonological words? Neither is adequately defined. The former, she admits, "is not a phonological concept", but claims it "is part of the normal language system" (26), not merely an ad hoc postulate.

As a demonstration that construal is an activity of undamaged language users, Kean appeals to speech error data. She considers several errors on the order of 67.

67 My frozers are shoulden. (for shoulders are frozen)

67 is a possible speech error (she implies her examples are attested) because *shoulders*, which has the lexical structure

given as 68a, can be misanalyzed as having structure 68b.

68 a [#[#shoulder#]s#] b [#[#should#]er#]s#]

This "construal of *er* in *shoulders* as a word-boundary suffix is possible because there is an occurring suffix -*er* (as in *dealers*) and -*er* does not affect stress" (27). On the other hand, 69a is not a possible speech error, since 69b is not a possible construal of *sing*.

69 a. *they choring sals.
(for sing chorals)
b. *[#[#s#]ing#]

Although -ing occurs as both a derivational and inflectional suffix elsewhere (e.g., jumping), it is not possible to construe a single consonant (namely, s) as a phonological word. Lexical construal, then, is a process solely concerned with the recognition of phonological words, which reveals its role in Kean's principle as (1) circular, and (2) obfuscating.

The key term is clearly phonological word, and construal receives very little mention after the first paper. Kean (1977) provides two properties that define her central concept. First, it is a crucial player in the game of prosody (24). Second, it is delimited formally as any string, X, which occurs in the environment, [#_____#], such that X contains no # (24). The first property is general and informative, and it demonstrates admirable goodness of fit to Broca's aphasia data; affixes rarely affect lexical stress in English, and functors rarely affect sentential stress. Both members of the following two pairs have the



same stress assignments:

- 70 a. móther
 - b. mótherhood
- 71 a. 'Boys 'climb 'trees.
 - b. The 'boys 'climb up the 'trees.'

The second property — the formal environs of mother, boy, etc. — is, of course, theory dependent. However, ... phonological theory is never given much substance in her work.' The only specific given of the phonological system she follows is "that of word-boundary assignment: assign a # to the left and right of every lexical item (N, A, V, P, Adv)" (1981:190). The machinery of this assignment is not specified, but her authority is Chomsky and Halle (1968) — and those authors include a definition which may well have been the prototype of property (1):

Suppose we have a string ...Y... = ...Z[#W#]V, where Z[# and #]V are termini..., and Y contains no other termini. Then [#W#] is a word (367).

But SPE, just prior to this definition, also includes a cautionary note apposite to Kean's work: "it is important to bear in mind, however, that a word, in the phonologically relevant sense, is not simply determined as a string bounded by occurrences of #" (367). In specific, Chomsky and Halle explain that for generative phonology such strings as 72a and 72b, which they analyze (with Kean) as 73a and 73b, meet

^{&#}x27;s Even reports in the literature sympathetic to Kean's work feel compelled to notice this sketchiness. For instance, after noting Kean's persuasiveness in arguing "that agrammatic behaviour in Broca's aphasics is determined by a unitary impairment", Lonzi and Zanobio (1983:188) note parenthetically that impairment "remains to be described in its mechanisms".

"the definition 'word'" (367).

- 72 a differing
 - b *metalanguage*
- 73 a [#[#differ#]ing#]
 b [#meta[#language#]#]

So there is no one-to-one correspondence between the notions of SPE and Kean, despite the notational parallels. Klosek (1979:65) notes this discrepancy as well, and Kean responds by drafting another distinction, holding between word-level word and phonological word (1979:77n10, 1980b:256). This inovation does not alter the fact that Kean's term has no predecessor in the principal document of the phonological theory which apparently underwrites her analysis of Broca's syndrome.

More problematic for her account, however, is the existence of powerful "readjustment rules to 'erase' the word boundaries" (Kean (1981:190)). Chomsky and Halle use this mechanism solely to account for intonation contours not predicted by their regular sentential stress devices

[1968:371-2); Kean follows suit, using the rules to mop up data her theory won't otherwise handle (1979:77, 1980b:252, 1981:203). But nowhere, in either SPE or Kean's writings, is a readjustment rule given. Nowhere is there a suggestion as to what one might look like if it were given, when it might be triggered, how it might be constrained, or what purposes additional to an ad hoc clean up it might serve. For Chomsky and Halle this is not really a problem: their discussion is brief and they admit the rules are thorny because "it is very difficult to separate the study of these

processes from the study of the theory of performance in any principled way" (1968:371). But Kean, who is only interested in competence, simply implies the rules are a well-entrenched feature of a universal phonological theory.

The difficulty here is more than a lack of detail: even if it were possible to assume Kean's phonological framework was essentially identical to SPE (and to assume that framework has no difficulties of its own), her invocation of readjustment rules makes her account of Broca's syndrome empty. Without at least cursory constaints, the existence of this rule type licenses virtually any arbitrary string to occur in the environment [#___#] or not to occur in the environment [#___#].

However, Kean makes some attempt to sidestep these criticisms by claiming that phonological word is "defined within universal linguistic theory" (1980a:358, cf., also, 1977:41, 1980b:251, 1981:197). This is less than reassuring. Universal linguistic theory in principle is a genetically encoded Grand Unification scheme for language; in practice, it is a realm of forms, appealed to with increasing frequency in work by MIT alumni and some of their instructors, where such things as island constraints and responsible definitions have residence. Kean is too recent a graduate to call this construct by its 1965 name, LAD (Language Acquisition Device; see Chomes 1965:52]), but her Broca analysis has spanned two deseaths: in her first paper (1977:40), it is LRCS (Language Responsible Cognitive

Structure; see Chomsky and Walker [1978:15]); in her recent work, it has the more up-to-date title, UG (Universal Grammar; see Chomsky [1982:7]). Whatever its label, Kean (1981:197) echoes Chomsky in assuring us that the "theory of universal grammar is an empirical hypothesis". This is true, but it is not a hypothesis subject to verification before another acronymis much better understood, DNA. For the moment, a more useful characterization comes from Dennett (1980, 19): "passing the buck to biology".

There are a number of other problems with her work — such as the claim that the English plural is derivational, and the systematic misuse of clitic as a foil to phonological word (see Harris [1983] for a more detailed critique) — but the issue of principal concern here is the participation of phonological word in stress assignment. The following synopsis should demonstrate that the theory is no less problematic here:

- (a) If a word is a N, july, or Adv., assign # boundaries to both des of it (pp. 21, 24, 29).
- (b) Assign stress only to words flanked by # boundaries (p. 24).
- (c) "A phonological word [is] the domain over which the assignment of stress [takes] place" (p. 31). (Klosek [1979:64]; the page numbers refer to Kean [1977]).

In short, the concept is "ultimately founded on lexico-syntactic criteria" (Klosek [1979:64]). More specifically: phonological word is isomorphic with terms such as major category (defined syntactically), major lexical item (defined lexically), content word (defined semantically), and open class word (defined in neutral, set-theoretic terms). It looks very much like Kean (1977) has coined a term, appropriated a well-established linguistic notion, and built a theory around it. Further, the phonological word / nonphonological word dichotomy "is not a stress / stressless distinction universally" (Kean [1979:78, cf., also, 1977:34, 1980a:358, 1981:192]).

Still, the implication remains that in some non-universal, language-specific cases, stress is criterial, and while there are some later hedgings, it is clear in the first paper that English is one of those cases: phonological word is "defined in English as the domain over which the assignment of stress [takes] place" (1977:21). Despite the manifold complications, and confusions, of Kean's phonological proposal, this statement, in concert with the claim that Broca victims reduce speech to a string of phonological words, makes her proposal dovetail quite smoothly with the research outlined above and the general hypothesis of this thesis. Moreover, the difficulties posed by polysyllabic and compound prepositions for a simple functor loss theory are avoided in her account. Her phonological component merely flanks all prepositions with the #-boundaries and then employs readjustment rules to erase those on either side of monosyllabic ones (Kean [1981:190]). (This procedure marks another point of departure from SPE, which does not assign #s to any prepositions - Chomsky and Halle [1968:366, convention

115].'') The solution is wery ad hoc, but it works, and it effectively reduces her claim to '(English) Broca victims exploit stressed words and have difficults with nonstressed words'.

This is essentially the hypothesis my replication of Heilman and Scholes (1976) is designed to test. But it is important to notice that the experiment does not, and could not, test Kean's theory. For one thing, stress is incidental to her proposal. But more significantly, there is no conceivable way to test her claims. Her theory rests on the amorphous and wholly unverifiable notion, phonological word.

2.3 Conclusion

There is one further point of contact between Kean's argument and the argument of this thesis, however: stress is also incidental here. But it is incidental in a quite distinct way. For Kean, stress assignment is a reflex of the phonological word category (in English), and consequently a "diagnostic" of that category (1977:34); apparently it is one of many such diagnostics, though no others are ever specified. But the mechanisms of stress assignment, and nebulous categorizations of lexical items, appear to be well beside the point in the Broca comprehension problem. The crucial factor — following from

^{&#}x27;' Lapointe (1983) also notices her use of readjustment rules differs from SPE; however, he does not see that as a problem.

a careful, if lengthy, sifting of the empirical studies — looks to be the simple acoustic properties of the speech signal. That is, relatively long and loud words with proportionately more distinct for are processed by Broca victims better than shorter, quieter words with less distinct for values. The critical acoustic notion is salience.

Of course, Salience has not traditionally been anymore well-defined in linguistics than, say, phonological word, but it can be localized outside of an arbitrary formalism in a way that the latter cannot, and it can be quantified. present purposes, it is identified with a direct increase of duration, amplitude and distinctiveness of fundamental frequency. The items altered in my replication of Heilman and Scholes (1976) cannot be accurately described as receiving more stress, since stress as a theoretical concept. is also associated with "a certain degree of vagueness". Stress is relative, definable only with reference to nonstress (in turn obviously definable only in terms of stress); the problems of definition are very thorny. the stimulus modifications can be described as increasing salience — something that could be tested by, for instance, masking experiments.

More to the point, there is already evidence increased duration, and to a lesser extent increases of amplitude and for facilitates perception for aphasia victims, the population of concern here. The temporal evidence is most

concrete. Efron (1963) and the several researchers following his lead convincingly demonstrate that increased time makes pure tones, arbitrary complex tones, speech sounds, and words significantly more salient for aphasics. These findings are particularly important because they strongly suggest that some of the perceptual difficulties of aphasia may be epiphenomenal (Efron [1963:418]). In performance terms, they signal the presence of "a certain kind of 'noise' or defect in the auditory system of aphasic patients even at a stage precedal, speech comprehension" (Sasanuma et al. [1973:72]). The esults are also quite robust, following from a number of paradigms with a wide range of stimuli.

The temporal work more directly concerned with comprehension is less robust, but again a diversity of stimuli and paradigms have generated quite consistent results — and the conclusion these results motivate is that the influence increased time has on speech perception also extends to speech comprehension. The indications are not as uniform. Some researchers claim to have uncovered counter-evidence (Blanchard and Prescott [1980], Riensche et al. [1983]), and virtually all studies that break down performance by individual isolate a few who improved only slightly, or did not improve at all. But most of the studies produced convincing significance levels for better performance under their expanded conditions. All the general tests demonstrated comprehension to improve

0

nontrivially as a function of increased time, though some were not reliably controlled (e.g., Sheehan et al. [1973]), and the Token Tests were for the most part just as straightforward. The TT paradigm is especially important, of course, since Broca victims do rather well with generalized comprehension probes, like the Minnesota Test, while averaging scores indistinct from those of Wernicke patients on the more pointed Token Test. And all temporal modifications of De Renzi and Vignolo's (1962) paradigm, even those that claimed to have found counter-evidence to expansion facilitating comprehension, found prominent subgroups that benefitted from increased duration. Poeck and Pietron (1981), the most extensive study, found the most stable results. Further, the two experiments that looked at the data in terms of task gradation (Parkhurst [1970], Marckworth [1976]), found that variable performance decreased as the tasks became more difficult: the harder the task, the more visibly temporal expansion improved performance. Since message complexity is a type of information noise, increased duration here can be seen as a direct manifestation of salience, resisting noise in the stimuli.

An interesting sidenot parallel to the complexity result, also comes out of the Token Test experiments. Liles and Brookshire (1975) produced numbers indicating that aphasia involves memory limitations, and that these limitations interact with temporal expansion. In

particular, they found that interpolated silence late in the stimulus sentence only improved comprehension at α =0.25. More specific explorations of short term memory loss in Broca's syndrome, discussed in Chapter 4, have also found these deficiencies to be significant. This means that there is evidence of a particular type of noise in the auditory system — message degradation as a (partial) function of hardware storage restrictions — which lies outside any competence-defined comprehension models. It also means that certain kinds of expansion techniques, including at least late-interpolated silence, do not sufficiently boost message salience to resist that noise.

Experimental research into the saliency for aphasics of the remaining two properties — amplitude and f. — is not near so stracightforward as the temporal work, but the final indications are similar. Although there is no precisely focussed evidence that increases of amplitude or frequency benefit aphasic comprehension, a number of factors conspire to that conclusion. First, with specific reference to amplitude, there is the clinical impression that comprehension improves with "increase[s to] the loudness of the auditory signal until an optimal level is found" (Darley [1976:1]; c.f. Schuell et al. [1964:339]). Second, it is a well-documented fact of psychoacoustics that all three aural dimensions impinge upon the perception of one another. For instance, discrimination of pitch, a psychological notion most closely associated with f., differs as a function of

signal duration and signal amplitude; and loudness, a notion associated closely with amplitude, is perceived differently at different durations and frequencies. Moreover, time and pitch have an especially close relationship, since a long tone contains more pitch periods than a shorter one of the same frequency. So the temporal experiments which uniformly expanded the signal (e.g., Marckworth [1976], Pashek and Brookshire [1982]) bear indirectly on the saliency of amplitude and fundamental frequency (since uniform duration increases are also perceived as amplitude and frequency shifts).

Third, and of more direct relevance, the stress experiments also bear on amplitude and f. saliency. They demonstrate convincingly that victims of aphasia are not peculiarly impaired for stress detection: Goodglass et al. (1967) showed retained stress perception with repetition tasks; Laughlin et al. (1979) and Swinney et al. (1980) showed the same with recognition tasks; the one study with opposite conclusions, Baum et al. (1982) is so fraught with methodological problems that it cannot be taken seriously. This finding, then, is also quite robust.

Fourth, this preserved stress perception clearly influences comprehension: Blumstein and Goodglass (1972) found that aphasics could correctly identify minimal pair members distinguished only by lexical stress; Pashek and Brookshire (1982) found improved comprehension with selective use of emphatic stress. And fifth, since Pashek

and Brookshires' stimuli were paragraphs of more than 90 words, there are indications in their results that stress facilitates message retention — that it combats the noise of memory limitations. In short, there is a substantial amount of independently gathered data that demonstrate the use of stress facilitates aphasic comprehension — that messages are more salient for aphasia patients when they involve extra stress — and stress involves increments of both amplitude and fundamental frequency.

Since stress involves increments of both, there is no evidence that bears exclusively on either amplitude or f, saliency for aphasia victims. In fact, since stress involves durational increments as well, there is no evidence that even isolates the complex of these two factors, and Pashek and Brookshire's failure to locate a rate x stress interaction may suggest only increase of duration is critical. But that conclusion is far from self-evident (Pashek and Brookshire [381] reject it), and there is sufficient indication in the stress work that the amplitude and f, components cannot be dismissed out of hand. In any event, it is very clear from the temporal and stress experiments that language can be made more resilient to noise for victims of aphasia.

The corollary conclusion from the function word experimentation is that certain words are, for wholly acoustic reasons, more noise resistant than other words. Specifically, the well-controlled experiments involving



short, unstressed functors, like that of Heilman and Scholes (1976), found a peculiar failure among their Broca subjects to understand the stimuli fully; the well-controlled experiments involving longer, stressed functors, like Mack (1981) uncovered no such failure. That is, the function word research — though for the most part designed to do precisely the opposite — supports the saliency hypothesis with as much force as the expressly sonic research.

The most immediate implication of this support, and of the functor studies in general, is that Broca's syndrome does not entail a uniform loss of function words. While no researchers seriously entertain this possibility, except perhaps Scholes (1978), functor loss is the most frequently cited tendency of the comprehension side to Broca's syndrome. But, since function word difficulties are not uniform, there is very clearly something beyond a functor-contentive distinction that generates results like those of Heilman and Scholes, and that underwrites the perceptual problems of Broca victims. Certainly there are formal and rhetorical manouevres available to linguists who seek to elevate that tendency to definitional status - such as Zurif and Kean - but a more useful research program is to try to discover the dimensions of that tendency. important question is not 'what (syntactic or phonological) class of words is unavailable to Broca's aphasics?' but 'what characteristics of that class hamper its availability to Broca's aphasics?'

There is some evidence, not considered to this point, that an important characteristic of the class is semantical For instance, Gardner and Zurif's (1975) aptly titled paper "'Bee' but not 'be'", reports that Broca victims accura decreased and response times increased on a simple one work reading task, as the words departed from an ideal the authors termed 'picturability'. The subjects were most reliable and prompt for the lexical items most evident in their production, concrete nouns, and least remable for; abstract items. This result held even when the nouns were relatively long and phonologically complex (e.g., hydrant), and the abstract items were short, easily atticulated items (e.g., at). Further, the subjects' ability to read function words was no more impaired than their abidit with other nonconcrete categories (notice that this in itself argues against a syntactic categorial deficit). Recall that Friederici (1982) also found her subjects to have more difficulty with 's tactic' prepositions than with the more concrete 'semantic' ones. The larging come from a case study reported by Andreewsky and Seron (1975) of a Fre Broca patient who was incapable of reading about items 11) car and or when they were constrained to functional roles because and now), but had little difficulty when there was either a content constraint (= bus and gold), or no constraint at all. (When there were no constraints, it/is probable he was 'reading' the content denotation; e.g., unconstrained or was read paralexically as diamant

[diamond].)

But next to is not, in principle, any more dense semantically, or more picturable, than on; yet Mack (1981), found that the former was reliably understood by his subjects, while Seron and Deloche (1981) found their subjects to disregard the latter in favour of pragmatic strategies. So, while semantic weight most probably accounts for some of the variance in the Broca comprehension results, it is not sufficient on its own.

Goodglass (1976:253) defines saliency for agrammatics "as/the resultant of information load, affective tone, and increased amplitude and intonational stress". The definition is vague, and problematic for research purposes. It is also too loosely formulated; since, for example, the "information load" on the, as the sole disambiguator of argument structure in Heilman and Scholes' paradigm, is very heavy. But it does recognize a semantic component to the disorder, and consequently is a more complete identification of the comprehension problems than the definition of salience adopted by this thesis.

For the purposes of this study, salience refers only to the last two factors Goodglass isolates, the acoustic factors. The reasons behind this restriction have been rehearsed several times to this point: (1) it localizes the term as an exclusively performance variable; (2) it is very well supported by empirical research along two fronts; and (3) it licenses a very straightforward, testable hypothesis.

3. Experimental Procedures and Results

3.1 Introduction

The central hypothesis of this thesis is a simple one: that Broca's aphasics suffer a significant portion of their comprehension difficulties because of a decrease in, or interference with, acoustic processing ability. specific, they unreliably process short, unstressed function words due to some complex of the following three signal characteristics: brief duration, low amplitude, and indistinct for (This proposal does not rule out the possibility that another significant portion of these difficulties might follow from other characteristics of functors, such as low semantic weight.) The Heilman and Scholes (1976) replication around which this thesis is organized investigates that hypothesis: if it is correct, altering the acoustic dimensions of a normally short, unstressed functor (the) should affect/Broca's aphasics' facility in processing a sentence whose interpretation ninges on it; if the is made longer, louder, and more distinct in pitch, they should comprehend the sentence better.

Nine Broca's aphasics and nine neurologically sound nonaphasics were enlisted in the test. They were each scored on their responses to 16 sentences, equally divided by two conditions (NORMAL and SALIENT). The eight sentences of each condition were comprised of the same four pairs,

distinct solely in the post-verb location of the, as illustrated by the contrast of 1 and 2:

- 1. The man showed her baby the pictures.
- 2. The man showed her the baby pictures.

The NORMAL condition was a normally intoned (recorded) reading of the sentence; the SALIENT condition was the same reading except that the second the was removed and a longer, louder, more distinct the token was substituted.

The subjects indicated their comprehension of the sentences by selecting the line drawing, from an array of four, that they thought best corresponded to the meaning of the sentence. A typical array for sentence 1, in either condition, would be a depiction of sentence 1, a depiction of sentence 2, and two depictions of actions entailing other major lexical items (e.g., a man showing some girls' hats to a woman and a man showing hats to some girls). Systematic selection of the correct depiction was deemed to reflect good comprehension; random selection of either the correct choice or the choice involving similar major lexical items was deemed to indicate comprehension of the content words, but a deficiency with functors; and random selection among all four (which did not occur) would have been deemed to indicate a general lack of comprehension.

In the opposition of the two conditions, then, significantly more correct responses to the SALIENT sentences was deemed to reflect better comprehension as a function of better perception. Significantly more correct responses in the NORMAL condition (non-occurring) would have

been deemed to indicate that the acoustic alterations had caused some form of perceptual interference. Lack of significance would have indicated that acoustic perception (at least at the tested levels) has little bearing on Broca patients' functor difficulties.

, The remainder of this chapter reports in detail on the subjects, methods, and the results of the experiment.

3.2 The Experiment

3.2.1 Subjects

3.2.1.1 General Description

The subjects were nine victims of left anterior CVAs diagnosed as Broca's aphasics, and nine nonaphasic controls matched for gender and age (±5 years, with one discrepancy of +7 years). The aphasic subjects were all enrolled in language intervention programs. Five of the nonaphasics were recruited through several hospitals, and four were unhospitalized volunteers (there was no attempt to control for institutionalization). Table 3.1 gives descriptions of the members of both groups. Each pool is comprised of five males and four females. The aphasics had a mean age of 65.33 years (s²=11.4), and a mean education level, where available, of 10.94 years (s²=3.55). The controls had a mean age of 66.89 years (s²=10.6), and a mean education level of 10.67 years (s²=3.87). All subjects had good vision — good acuity with no field deficits — though several

Table 3.1

GENERAL SUBJECT DESCRIPTIONS

.					
Subjects	Age	Gender	Education (Years)	Visual Acuity	Auditory Acuity
				•	
Aphasic			***		
RS	80	female	12	good	fair
FD	77	male	n/a	good	fair
ĴC	77	male	10	good	fair "
HT	70	ma/le	4	good	fair
WP	65	male	⁻³ 12	good =	n/a
AM	58	female	16	good	′ good
DS	58, ⊸.	female	12	good	good
JP	,56	male ,	3 9	good	good
JF	47	female	. 13	good	good
			0 .7		
Nonaphasi	C		,		
RW	79	male -	7	good	poor
GW	77	female	12 🛒 🔻	good	good
EB ₹	76,	male	5	'good	fair
M U	74	male	6-9-6	good	fair
SC	70	male	12	good	fair
LP	63	male	12	good	fair
LL	57	female	12	good	good
PN .	55	female	17	good	good
MB	51	female	13	good	good
•			.4	•	6.

wore corrective lenses, and both groups had relatively good hearing (as defined below). All were right-handed native speakers of English residing in one of the two westernmost Canadian provinces.

3.2.1.2 Aphasic Subjects

The aphasic subjects were recruited through the good offices of several Vancouver hospitals. They were more or less evenly distributed between out-patient and in-patient status (five outpatients, four inpatients), though none had been institutionalized for much more than half a year and,

barring future complications, all but one severely hemiplegic man (FD) were scheduled for discharge. As above, all had suffered left anterior CVAs, and all had been diagnosed by registered therapists as Broca's aphasics. Table 3.2 gives a description of this group in terms of variables specific to their disorder. Their mean postonset time was seven months ($s^2=5.27$). Most had some degree of dysarthria, most had some degree of apraxia, and most had "some right side paresis or paralysis. All were very eager to participate and in good spirits, and only one gentleman (FD) was less than fully alert. He began the session sharp and cheerful, but quickly fatigued. It perhaps would have been wiser to schedule two sessions with FD, but exigencies would not permit more than one. (However, while the fatique slowed his responses and required repetitions, it did not appear to affect the accuracy of his selections, or perhaps increasing comfortableness with the the task counterbalanced his tiredness, since his first eight and his last eight responses contain exactly five errors each, and his two content errors were committed within the first four trials.)

At this level of description, the patients look quite homogeneous, and in fact they were selected with a series of decision rules that aimed at relative uniformity. Several other patients were also tested — patients whose responses would strengthen the significance results reported below — but they were excluded from the experiment for violating one criterion or another. One patient was excluded because his

Table 3.2

.

APHASIA SPECIFIC DESCRIPTIONS	Session Mood/Alertness	friendly/alert	tired	eager / alert	friendly/alert	eager / alert	friendly/alert	eager/alert	friendly/alert	friendly / alert	
	Output/Comprehension Severity	mild/mild	severe/moderate	moderate / mild	moderate/mild	severe/moderate	moderate/mild	moderate/mild	mild/mild	mild/mild	
	Hemiplegia/ Hemiparesis	R, mild	R, severe	R, mild	none	R moderate	R, moderate	R, mild	The state		
	Dysarthria	mild	moderate	plim,	none	severe	none	none	moderate	mild .	
	Apraxia	none	mild	none	» mild	mild	plim .	moderate	mild	mild	
	.CVA Postonset	11 months	19 months	2 months	2 months	7 months	7 months	5 months	5 months	5 months	. •
)	Subjects	RS	FD).).	H	WP	AM	SO .	<u>D</u>	뜨	

productive symptomology was inappropriate, though lesion site was left anterior. Two more were excluded because, while symptomologies were appropriate, lesion site information was unavailable. Two more were excluded because, though lesion sites and symptomologies were appropriate and they were fluent in English premorbidly, it was not their native language.

However, despite this screening mechanism, there were several variables revealed in a review of patient files which introduced unwelcome diversity, and which have not been tabulated. For instance, AM is bilingual, with a fluent (premorbid) knowledge of French. JC had suffered a least three CVAs, dating back to 1979. JP's CT scan show some frontal lobe atrophy and his social report revealed that he had been a "very heavy drinker" prior to his CVA (he had quit drinking entirely postonset after discovering that three beer made him "feel awful"). A therapist who worked with JP but did not originally diagnose him suggested that his Broca classification was incorrect and that he may only have been strongly apraxic (however, she made this observation after a discussion of his near flawless experimental performance, and it would have been somewhat dishonest to exclude his data at that point). Some of the CVAs were embolic, while others were aneurysms, and several patients were receiving hypertension or anti-coagulant medication.

I report these subject complications here not with the intention of mitigating the validity of my results, though they may be interpreted in that way, nor with the intention of claiming the results are all the more powerful for visibility through the haze of this limited heterogeneity, though again, the argument is available. I report them out of the conviction that the best research attempts comprehensive reporting, especially when it is presented in a work with the scope of a thesis, and alerts caution in the reader. But it is also worth noting that such things as medication, alcohol consumption, and second language facility varied in the control group as well (in an uncontrolled way), and no knowledge was available as to the CNS fitness of its members. Perhaps some normals also had cortical atrophy or some other damage. Nor, to the best of my knowledge, is there documentation on different behaviours consequent to blockage than consequent to hemorrhage, and the specific medications taken by some patients are not known to affect cognition. (Interaction among these variables is yet another story.)

There is reason for caution; there is no reason for despair.

3.2.1.3 Ethics

The study presented no danger to the subjects. Each was told (s)he could terminate the session as (s)he saw fit, and each signed a release form to that effect (including one subject whose therapist thought his writing ability was too

severely impaired to sign), and all subjects who were more than mildly impaired were tested in the presence of their therapists. The patients of Vancouver General Hospital signed a special in-house form. All others signed the form given in Appendix B.

The study was screened and approved by The Department of Linguistics Committee on Ethics in Human Research and by a research committee at each hospital which provided subjects.

3.2.2 Materials

3.2.2.1 Stimulùs Items

Sixteen stimulus sentences were used, of approximately seven words each, in two conditions: eight were of NORMAL intonation; the other eight were the same sentences, digitally altered to replace the key functors with more SALIENT tokens. The eight sentences are given here as 1 - 8 (1 and 2, given above, are repeated for convenience):

- 1. The man showed her the baby pictures.
- 2. The man showed her baby the pictures.
- 3. The man showed the boys the horse shoes.
- 4. The man showed the boys' horse the shoes.
- 5. The man showed the girls the bird seed.
- 6. The man showed the girls' bird the seed.
- 7. The man showed her girls the hats.
- 8. The man showed her the girls' hats.

Sentences 1 - 8 were recorded by a trained male speaker with an f_{\circ} just slightly under the normal adult male value of 100 Hz, in a sound-treated booth, using a Sennheiser MD 421N microphone and a Teac A-7030 open reel tape recorder. He

read the sentences with normal intonation, at a deliberate pace, with precise enunciation; the speech rate was approximately 190 wpm. The list he read from was randomized and included some distracting sentences which were not used in the experiment, and he was not told anything about the experiment until after the recording session. During the same session, he also recorded eight isolated two-word noun phrases, all beginning with the, followed by a noun corresponding to those of the key noun phrases in 1 - 8. These phrases are given here as P1 - P8:

- P1 The baby
- P2 The pictures
- P3 The horse
- P4 The shoes
- .P5 The bird
- P6 The seed
- P7 The hats
- P8 The girls

Since the acoustic dimensions of short, isolated phrases are more pronounced than those of the same phrase within a sentence, this procedure resulted in tokens of the which were longer, louder, and more distinct in pitch than their counterparts in 1 - 8. The advantage of recording phrases — as opposed to recording the functor as an isolated lexical token — was twofold: first, it limited the duration and amplitude to manageable bounds, since functors read as part of a lexical list are exceedingly loud and long relative to functors in context; and second, it controlled for both consonantal and vocalic coarticulation variables.

Several tokens each of 1 - 8 and P1 - P8 were recorded, and the best were digitized on the Alligator system

(Stevenson and Stephens [1978a, 1978b]) on a DEC PDP-12A minicomputer, with a sampling rate of 10kHz and an effective frequency response after filtering of 68Hz - 6.8kHz. Using a visual editor precise enough to display each individual data point, the sentences were then broken into three segments and stored separately. Figure 3.1 illustrates the segmentation, for sentences 1 and 2.

Figure 3.1: Stimulus sentence segmentation

The phrasal tokens were also edited: the nouns were gated off and erased, and remaining signals were stored with mnemonic tags linking them to their counterpart sentences. For example, the signal taken from P1 was labelled "PTHE1", from P2, "PTHE2", etc. For each sentence type, then, there were four signals stored — a HEAD, a TAIL, a THE, and a PTHE — each suffixed with an identifying numeral. The NORMAL condition sentences were prepared simply by concatenating HEADs, THEs, and TAILs with the same numeric suffix, reconstituting the original sentence. The SALIENT condition consisted of corresponding HEAD, PTHE, and TAIL

concatenations. (The concatenation program, RPLAY, is given
in Appendix C.)

This procedure resulted in eight pairs of sentences, distinct only in the acoustic dimensions of the key function words (and in the parameters affected by those dimensions; e.g., since all PTHEs are longer than all THEs, the SALIENT sentences were marginally longer than the NORMAL sentences). Table 3.3 lists the durations, amplitudes, and fundamental frequencies of all 16 the tokens employed in the experiment. (The measuring programs, MEASDA and MEASP, are also given in Appendix C.) The mean duration for the NORMAL the tokens used is 87.8 msec, and the mean amplitude (area) is 878.75 RMS; the mean duration for their SALIENT counterparts is 226 msec, the mean amplitude 2,266.25 RMS. On the average, then, the SALIENT tokens are over 2.5 times as long and almost 10 dB greater in intensity than the NORMAL thes. amplitude range of the phrasal tokens is also greater, since the mean maximum and minimum values are higher and lower respectively than for the NORMAL statistics, while the Alexander variance for both is less.

The differences in fundamental frequency are not as pronounced: the average f. of the NORMAL tokens is 97.75 Hz; the SALIENT versions are somewhat lower, at 93.5 Hz. This is a clear departure from the parallels to stress in the other two dimensions. Stressed vowels are longer and louder than the same vowels unstressed, and the SALIENT the tokens are longer and louder than the NORMAL sentential tokens.

Table 3.3 NORMAL AND SALIENT THE MEASUREMENTS

					J
]	Duration(mse	ec) Ai	mplitude(R	MS)	Pitch(Hz)
		Max/Min		Average	
		, , , , , , , , , , , , , , , , , , ,			
THE 1	102	767/190	1,567	497.970	102
THE2	120	624/333.	429	502.405	88
THE3	93	794/247	1,311	496.737	96
THE4	53	630/324	626	500.948	94
THE5	97	665/319		501.962	109
THE6	63	676/268	1,077	500.379	95
THE7	106	615/311	746	491.383	104
THE8	69	704/322	589	498.513	94
x	07 07		878.75	498.787	97.75
S²	23.48	66.6/50.2	397.33	3.588	6.73
		2	The same of the sa		
PTHE	1 257	782/226	2,948	498.296	94
PTHE	2 242	750/248	1,725	496.148	95
PTHE	3 248	796/256	3,294	496.248	94
PTHE	4 193	724/280	1,843	498.187	. 89
PTHE	5 257	782/226	2,948	498.296	94
PTHE	6 178	688/286	1,410	498.523	95
. PTHE	7 230	771/220	2,067	498.512	96
PTHE	8 203	801/300	1,895	498.886	91
x	226	761/255	2,266.25	497.887	93.5
S ²	30.71	38.9/30.6	693.71	1.064	2.3

But stressed vowels are also higher in pitch than unstressed vowels, and the SALIENT versions have lower fos than the NORMAL condition thes. Moreover, as the respective variances indicate, this difference is not uniform. for instance, is higher in pitch than PTHE2, and several other pairs are either equal or very nearly so.

As the discussion of stress in the previous chapter points out, however, this does not pose any theoretical difficulties for the experiment, since any effect the stimulus manipulations had on stress contours was incidental. The modifications were carried out solely to


patterns, and the salience of f. was in fact greater in the phrasal tokens. It is well known that boosting duration or amplitude, or both, improves frequency discrimination (e.g., Ainsworth [1976:24-26]), and the SALIENT versions are higher if both dimensions. But the number of periods was also substantially greater for the phrasal tokens than for the sentential tokens. The SALIENT condition thes averaged seven periods per token, with a range of 5 - 8, while the NORMAL tokens averaged only 2.25 periods and had a range of 1 - 3.

The 16 sentences were assembled in a unique randomization for each subject (RPLAY), filtered through a Rockland 1520 Dual Hi/Lo Filter with cut-offs of 68Hz and 6.8kHz, and recorded on a TC K55II Sony Cassette recorder. Each randomization consisted of 18 sentences, with the first two and the last two being identical (the first two responses were not recorded, and were used to familiarize the subjects with the task).

Figure 3.2 contains linear scale contour spectrograms, marked at 1000 Hz intervals, prepared on a Kay Elemetrics Model 7800 Digital Sona-Graphes of both the NORMAL and the SALIENT versions of sentence 1: the man showed her the paby pictures.' For ease of comparises, they are aligned

^{&#}x27;' For readers unfamiliar with sound spectrograms, they represent pockets of energy as they are distributed through an acoustic waveform. All three dimensions are represented: a spectrograph converts signal duration into spectrogram length, frequency into height, and amplitude into density of shading. The spectrograms of Figure 3.2 represent from zero









Figure 3.2: The man showed her the 1



an showed her the baby pictures.

sentence-initially, NORMAL over SALIENT, and the key functors are labelled. (The remaining seven sentences are represented spectrographically, again with NORMAL over SALIENT, in Appendix D.)

The differences apparent or tacit in Table 3.3 are more. explicit in the spectrograms. It is evident that the SALIENT condition sentences are longer overall than the NORMAL sentences, and it is evident that the differences in duration are a product solely of the functor substitution. In addition to the temporal differences, the spectrograms also illustrate the higher amplitudes of the SALIENT thes, through the greater area of the ark contours, and show their much better defined vocalic nuclei. F. is especially distinct, in terms of both its frequency and its labial transition. Notice, however, that even the NORMAL the in Figure 3.2 is considerably more visible (therefore, more audible) than the token preceding man; indeed, the latter does not have a presence distinct from the noun that follows This does not, as it might seem to, indicate that the NORMAL version is in fact abnormally well defined for an average sentential functor. While the speaker was a professional and was instructed to enunciate clearly, the differences between these two tokens have less to do with

^{&#}x27;'(cont'd) to (approximately) two seconds in duration, read left to right; from zero to just over 4000 Hz, read bottom to top; and from zero to about 800 RMS, read from light to dark. Therefore, the dark contours indicate relatively intense energy concentrations, whose frequency and duration are identifiable both on objective scales and relative to other concentrations.

his clarity than with the sad fate of sentence-initial functors, which are squeezed out very rapidly because of the high subglottal pressure built up in anticipation of an extended word sequence.

A further point which should be clear from the spectrograms is that there are no marked discontinuities in the SALIENT sentences: no periods of silence flanking the substitution, no acoustic spikes, and no abrupt shifts in intensty or frequency. The Alligator did a very good job of gating off and splicing in the phrasal tokens, the speaker did a good job of controlling his amplitude, and the methodology took care of the coarticulation variables. That is, the SALIENT condition sentences sounded very normal. No one, aphasic or control, consciously detected the differences, and all were surprised to hear the study had an acoustic component.

3.2.2.2 Response Items

There were 16 four-drawing response arrays, each mounted on a 43 x 56 cm sheet of four-ply cardboard and covered with a glossless, transparent vinyl. The arrays were assembled from an original set of eight 21.5 x 28 cm line drawings, prepared by a University of Alberta Fine Arts student. The drawings were simple, representational and nondistracting. Each corresponded directly to one of the sentences above (1/-8). For example, the drawing which corresponded to sentence 1 depicted a man holding two pictures of a baby out for a woman to look at. The eight

drawings constitute Appendix E.

Since the original set was small, all the drawings recurred several times throughout the test, so the correct choice for one stimulus sentence showed up again as an incorrect choice for another sentence. Each array contained a correct choice, a "function" distractor, and two "content" distractors paired by lexical content (i.e., the two content distractors were the correct and function errors of another sentence). The drawings were randomized within each array, so that positions of the correct response, the function error, and the content errors were not predictable. Table 3.4 illustrates the 16 arrays, which were ordered according to the stimulus randomization they were used with.

Two additional 43 x 56 cm sheets were also used, though these are not properly called "response items", since they were used in a pretest task. They consisted of drawings of the figures and props depicted in the experiment. The boys, the girls, the man, the woman, the baby, the horse, and the bird were on one sheet; the shoes, the horse shoes, the pictures, the baby pictures, the hats, the girls' hats, and the seed (beside another picture of the bird for reference) were on the other. These drawings were virtually identical to the those used in the action scenes of the task proper; in fact, the original drawings were cut out, pasted on a sheet, and photocopied to get this second set. The only difference is that the prop depictions (and the second bird "*If the "function" and "content" labels are not clear, see subsection "Scoring", below.

Table 3.4

RESPONSE ARRAYS

BABY, HATS,		BIRD, HATS,	BABY ₂ BIRD ₂
BABY, HATS,		BIRD, HATS,	BIRD ₁ BABY ₁
BIRD, HORS, HORS, BIRD,	HORS 2 BABY 2 BABY 2 HORS ,	BABY, BABY, HORS, HORS,	HATS, HORS, HATS, HORS,
HORS, HATS, HATS, HATS, HORS,	BIRD, BIRD, BABY, BABY,	BIRD, HORS, HORS, BIRD, *	
HATS, BIRD,		HATS, BABY,	HORS, HATS,
BIRD, HATS,		HATS, BABY,	HATS, HORS,

Where (as in Appendix D):

```
BABY, = a man showing baby pictures to a woman BABY<sub>2</sub> = a man showing pictures to a baby HORS<sub>1</sub> = a man showing horse shoes to some boys HORS<sub>2</sub> = a man showing shoes to a horse BIRD<sub>1</sub> = a man showing bird seed to some girls BIRD<sub>2</sub> = a man showing seed to some girls HATS<sub>1</sub> = a man showing girls' hats to a woman HATS<sub>2</sub> = a man showing hats to some girls
```

picture) were expanded by a factor of 50%, to fill out the sheet better.

3.2.3 Procedures

Each experimental session consisted of four procedures, ranging between 30 and 75 minutes in total, depending on the mood and severity of the subject. First there was an introductory period, followed by an auditory screening a combination comprehension screening and task preparation protocol, and the test proper.

3.2.3.1 Introductory Period

The introductory period served two purposes. First, since I was seeing most of the subjects for the first time, it simply gave us a chance to meet — so I could learn a little about them, and they could become comfortable with me. Second, it introduced the subjects in a very general way to the task ("You will hear a sentence over this speaker [pointing], and I would like you to choose the drawing off one of these cards [pointing] that is the same as the sentence") — allowing them to decide about proceeding. Before moving on to the second part of the session, the subjects read and signed the release forms. For some subjects, it was necessary to read the form out loud and to draw specific attention to their option of withdrawing at any time.

3.2.3.2 Auditory Screening

The auditory screening was conducted with an audiometer, though make and model varied from hospital to hospital. Four different testers were involved, though testing frequencies remained constant. One aphasic subject was not tested at all, and several of the normal subjects were tested under quite adverse conditions. This was the least controlled area of the study.

WP, the untested aphasic subject, had an external hearing aid, so closed field testing could not be conducted, and the facilities for open field testing were unavailable. However, since his hearing was aided and since his responses

patterned similarly to patients of comparable severity, this did not seem sufficient to exclude him from the study.

The remaining subjects were tested at .5, 1, 2, 4, 6, and 8 kHz, which extends below and above the filtering range of the stimulus sentences (0.68 - 6.8 kHz). If they could discriminate reliably at under 40dB, their hearing was judged "good", and under 60dB, "fair", and at any value greater than 60dB, "poor", though only one (normal) subject tested in this range, and only in one ear, at 6 kHz and above. The rather high values for the "good" and "fair" ratings are a product of the poor testing conditions, as the control of background noise was difficult; it should be noted that the stimulus sentences were played at a mean SPL of 72 dB (A), above the "fair" level.

Several subjects exhibited some loss at 8kHz, and some at 7kHz (tested only if they had difficulty at 8kHz), but high frequency loss is normal for their age group, and it occurred in both aphasic and normal subjects about equally.

3.2.3.3 Comprehension Screening and Task Preparation

The third procedure of the session involved a combination comprehension (and short term retention) screening test and task preparation. The subjects were shown two 43 x 56 cm sheets, discussed under "Response Items" above, which contained line drawings of all the figures and prop depictions used in the task proper. They were told:

I want to show you some drawings.

I want to make sure that you can

recognize them.
So I know they are good drawing.

Then each figure (prop) was pointed to in turn, with descriptions of the following sort:

This is a man.
This is a woman.
This is her baby.
These are hats.
These are girls' hats.

When all the drawings had been introduced, the subjects were asked to point to them, with requests like:

Show me the boys.
Show me the boys' horse.
Point to the pictures.
Point to the baby pictures.

If an error was committed during this stage, it was first ignored and the request was made again later, after at least three intervening requests; that is, the first error was treated as a lapse in concentration. If the patient failed again, the request was repeated immediately, with heavier stress on the important word(s) (Show me the girls). A third failure resulted in a renaming of the confused figure (prop):

No.
That is the woman.
These are the girls here [pointing].

Since the comprehension level of most patients was rated as mild, with only 1 moderate, and 1 severe', and since the drawings were good ones, there were very few errors committed. In fact, only one subject (WP) reached

^{&#}x27;' In fact, FD was rated as "moderate-to-severe" by his therapist. The severe rating is reported herein because it most accurately reflects his (fatigued) state at the time of testing.

the third stage, and his trouble was confined to two items: he repeatedly pointed to the woman upon hearing "Show me the girls" (also upon hearing'"Show me the woman"), and he expressed total bafflement at "Show me the girls' bird". His difficulties are not easily explained. depicted is a youngish one and in the isolated drawings she is situated next to a baby, without the man to provide height reference; she could be construed as a girl. But the girls are clearly younger, and the plural marker was emphasized after his initial failure. With the redundancy of "These are the girls here [pointing]", he demonstrated complehension and could thereafter point to them on request. As to "the girls' bird" - possession did not appear to be a problem, since both "boys' horse" and "girls' hats" elicited accurate and relatively prompt responses. Perhaps the contiguous /a/ syllables #ere the problem. At any rate, following the explicit "This the girls' bird, here [pointing]", he grudgingly admitted that perhaps pointing to it was the correct response for "Show me the girls' bird", but would only carry out the request with a deliberately puzzled expression. (His responses for both the NORMAL and the SALIENT versions of sentence 6 were function errors. Apparently, the fuss made over "girls' bird" during this part of the session did not affect his responses. He did not recall the item any better because of the extra attention, nor did he commit any content errors.)

3.2.3.4 Task

The experiment proper was introduced with the following instructions:

I will show you some drawings and you will hear a sentence. After you hear the sentence, please point to the drawing that is the same as the sentence.

The instructions were enunciated clearly and slowly, with a slight emphasis on "same". I was prepared to repeat these instructions as required, but the situation never arose (recall that the task had already been described briefly, and that they had just finished a "same as" picture-pointing task).

Each subject sat at a table. The arrays were stacked directly in front of each subject, with the speaker just beyond them. The first array was then presented very deliberately: I pointed to each drawing in turn, requesting that they look at it. Then the first sentence was played, and the tape recorder stopped. Following the response, I moved the first card to the bottom of the stack and exposed the second. When I was confident the subject had looked at each drawing of the second array, I played the second sentence, waited for the response, and then moved that card to the bottom. This cycle was repeated for the remaining 16 sentences, with the pace being determined by observing the subject. When the subject looked up at me, or stared off fixedly awaiting the next stimulus, or simply returned his gaze to the starting point, the next sentence was played.

If the subject delayed his response for 45 seconds or more, or if he requested it, the tape was rewound and the sentence replayed. Repetitions were not frequently required, but one subject (FD) needed two repetitions for two stimuli and single repetitions for three others before he was sure of his his reply. (The repetitions did not appear to affect his accuracy.)

The sentences were played on Telefunken Studio | HiFi receiver with the (notched) volume control set at 12. SPL measurements were done in one of the testing facilities in conditions approximating those of a test session with a Type 2120 Bruel and Kjær Frequency Analyzer, and the mean SPL was 72 dB (A) $(s^2=1.31)$.

3.2.4 Scoring

The subjects heard 18 sentences and gave 18 responses, 16 of which were recorded. The first two sentences of all randomizations were identical to the last two, and were not scored. They were used to ensure that the subjects were comfortable with the task. (The question of whether this methodology had any effect is finessed for the moment, until the overall results are reported.)

Subject responses were scored to fall within one of three categories: (1) correct (pointing to the depiction of the sentence), (2) function error (pointing to the other depiction involving the same major lexical items as the correct choice), and (3) content error (pointing to either

of the two depictions involving different major lexical However, while these labels are clearly appropriate, 1 items. it is important to note that, respectively, they do not exclusively identify for any given trial (1) total comprehension, (2) confusion about function words, or (3) confusion about content. For instance, a subject who completely fails to understand the stimulus sentence would choose at random among the four pictures; he would not automatically commit a content error. In more explicit terms, only a subject who does not comprehend the content would commit a content error, but the same subject would have a 25% chance of selecting the correct drawing and a 25% chance of 'committing' a function error. Similarly, a subject who understands the content words but is unsure of the difference cued by the placement would be more apt to commit a function error, but would have an equal (50%) chance of making a correct response.

Still, this interpretive difficulty exists only at the level of the individual trial: there are, in principle, three distinct response patterns, illustrated by Table 3.5. Pattern 1 is, of course, the expected distribution of a nonaphasic population's responses. Pattern 2 is the expected distribution of a population whose members understand only the content words and not the relations between them (in specific, the argument assignment cued by the). Pattern 3 is the expected response pattern of a population whose members completely fail to understand all

Table 3.5
DISTINCT RESPONSE PATTERNS

	Correct	Function Error	Content Error
Pattern 1	N	Ø	Ø .
Pattern 2	N/2	N/2	, ø
Pattern 3	N/4	N/4	N/2

(Where N = total number of responses).

stimulus sentences.

3.2.5 Results and Analysis

The responses were set up as three-dimensional matrices (subject x sentence x response) in two MTS files, one for the aphasic subjects and one for the nonaphasics. The files were read by a FORTRAN program (MEANS, Appendix F) which sums over subject and condition and calculates a series of means: the overall correct responses, mean function errors, and mean content errors; the same means under the NORMAL condition; and those means under the SALIENT condition. The output of the program for the aphasic subjects is given in Table 3.6.

A total of 144 aphasic responses were measured? 99 were correct, 41 were function errors, and 4 were content errors. Of the 16 responses per subject, an average of 11 were correct, 4.6 were function errors, and the remaining 0.4 were content errors. Breaking these figures down by

Table 3.6 (MEAN APHASIC RESPONSES

Subject	Condition	Correct	Funct Error(s) Cont	Error(s)
RS	NORMAL SALIENT	6 6	2 2		Ø Ø
FD	NORMAL SALIENT	2 4	5 3	· · · · · · · · · · · · · · · · · · ·	1 * *
JC	NORMAL SALIENT	4 8	3 Ø		1 Ø
HT	NORMAL SALIENT	5 7	'2 1		1 Ø
WP	NORMAL SALIENT	4 6	4 2	·	ø ø
AM,	NORMAL SALIENT	5 . 5	3 3		Ø Ø
DS	NORMAL SALIENT	4 6	4 2		ø ø
JP	NORMAL SALIENT	7 8	1 Ø		ø ø
JF	NORMAL SALIENT	5 7	3 1		ø ø
x	OVERALL NORMAL SALIENT	11 4.6 6 7 6.333			Ø.444 Ø.333 Ø.111
S²	OVERALL NORMAL SALIENT	2.499 1.414 1.323	1.225		Ø.726 Ø.5 Ø.333
			•		

condition: out of the eight responses per subject in the NORMAL condition, an average of 4.7 were correct, 3 were function errors, and 0.3 were content errors; of the 8 SALIENT responses from each subject, the mean correct response was 6.3, the mean function error was 1.6, and the

mean content error was just over 0.1.

These results indicate that the Broca subjects, on the average, have some difficulty with comprehension tasks keyed to functors, but do not have much difficulty with the content of simple nouns. In short, they substantiate the recent work of investigators such as Zurif, Caramazza, Goodenough, and others. They also replicate the effect discovered in Heilman and Scholes' original experiment.

However, there is a little more to the story. The inclusion of a further condition in the experiment resulted in better performance than Heilman and Scholes found.

Specifically, the Broca subjects did better with sentences whose interpretation hinged on acoustically boosted functors than with those hinging on their unaltered counterparts.

For the NORMAL sentences, they responded very close to chance level (Pattern 2 in Table 3.5). But under the SALIENT condition, they made half as many function errors, and a third as many content errors (though there were very few of this class overall), resulting in a 36% improvement—substantially better than chance.

There is some variance obscured in these means.

Notice, for instance, that neither RS nor AM showed improvement and that AM was close to chance in both conditions, while JC's improvement was 100%. But such is the nature of averaging, and also in the nature of averaging is the ability to reveal trends. The trend revealed most clearly in these statistics is that the functor

comprehension of these subjects improved with increased salience.

There is little point giving a table like 3.6 for the normal subjects, or pursuing a discussion of their averages, since their performance was virtually flawless: their error means are all close to zero, and their condition means are indistinct; they responded consonant with Pattern 1 of Table 3.5 above. Notice, however, that although there is no way with these results to distinguish normal performance in one condition from that in the other, it does not make sense to say functor salience has no effect on nonaphasic comprehension: there might very well be a ceiling effect in operation. This issue could be addressed by fatigue, or distraction, or masking studies, but it has not been confronted by the current experiment.

The question suspended above — whether the procedure of repeating the first two tokens of all randomizations as the last two and scoring only the repetitions had any effect on the data — is not much easier to answer now. The vastly unequal sample sizes (2 tokens against 14, or 18 measures against 126) makes formal statistical analyses unavailable, and the luck of the draw determined that the two conditions would not even be equally represented in the final pairs. Of the 18 randomization—final responses, five were to NORMAL stimuli and resulted in three correct responses with two function errors; 13 were SALIENT, with 12 correct against only 1 function error. There were no content errors. On

the surface, this looks like there was no effect at all for the NORMAL tokens: since the measures are discreet, they could not be any closer to chance level. On the other hand, it appears as though a quite substantial effect occurred under the SALIENT condition (a %-change of +17). However, nothing can be said with any degree of surety at these imbalanced levels.

As a very informal test of whether these figures reflect any reliable trend in the data, I randomly chose a contiguous pair of responses (responses 5 and 6) and tabulated them for the nine data sheets: of the 18 responses, 13 were to NORMAL stimuli, with 9 correct and 4 function errors; 5 were SALIENT responses, with 4 correct and 1 function error. Again there were no content errors. Comparing these results against the overall results, it appears there is a strong effect in the NORMAL condition for fifth and sixthness: the subjects did 18% better on NORMAL fifth and sixth sentences than they did overall. But for the SALIENT sentences, the difference amounts to a 1.5% decrease in accuracy. Comparing the fifth and sixth sentences to the final two of each randomization, there is yet another trend in evidence. The fifth and sixth sentences are +15% against the final two in the NORMAL condition, and -13% when SALIENT.

In other words, nothing of any certainty can be said about a possible effect the repetitions may have had. Any random pair of responses is likely to differ from the

overall means in at least as marked a manner as the final pair does. However, in retrospect, it might have been wiser to go with only the cardinal 16 sentences, with no token repetitions, if only to spare both reader and writer from the previous two paragraphs.

3.2.5.1 Comparison of Mean's

The experiment and the data it produced were designed to facilitate three straightforward comparisons, two between-group, and one within the aphasic group: (1) the overall performance of the aphasic subjects vs. the overall performance of the normal subjects; (2) the SALIENT performance of the aphasic subjects vs. the SALIENT performance of the normal subjects; and (3) the performance of the aphasics for the NORMAL sentences vs. their performance for the SALIENT sentences. All three of these comparisons are between independent events. For the first two, this is true by definition, since no subject participated in both groups. For the within group test, the unique randomizations for each subject ensure independence: the probability of any given response is independent of any other response. On the surface, then, three independent t-tests should provide all the necessary statistics for the comparisons.,

However, it is very difficult to support the standard assumptions of classical statistics like the t-test - gaussian distribution and homogeneous variance - with

pathological subject pools. 20 Too many variables are involved and too little is known about them or their interactions. Consequently, aphasiologists often rely on nonparametrical techniques for avoiding the classical assumptions. Yet most of these tests have problems of their They tend to entail a higher probability of committing a Type II error. They still require the assumption of random sampling, "the most implausible assumption of typical psychological research" (Cotton [1973:168]), rendered even less plausible by work with brain-injured populations. more crucially for those of us uninitiated in higher mathematics, the justifications offered for Wilcoxon Rank Sum statistics, or Kruskal-Wallis chi² statistics either do not match our intuitions or are mysterious enough to preclude intuitions. Fortunately, there is a branch of statistics just under development that yields highly precise significance tests without dependence on gaussian distribution, homogeneity of variance, or even random sampling, and is founded on principles simple enough to satisfy mathematical neophytes: randomization tests.21

Randomization (or permutation) tests are methods of finding significance levels for any classical statistic.

All the measures are assigned an index and the statistic of

^{2°} Hartley's test, suggested by Winer (1971:207) as a quite liberal test of variance homogeneity, produced an observed Fmax of 313.02, where Fmax $_{(,5)}(2,8) = 4.43$, indicating very strongly that homogeneity is not supported in the data.

^{2¹} See Edgington (1980:1-16), on which much of this discussion is based.

interest - a t-statistic, for instance - is calculated in the standard manner. Then the indices and measurements are permuted recurringly and a new t-statistic is calculated for each permutation. When all the permutations have been exhausted, the probability of the original t-statistic is determined by the proportion of permutations that produces t-statistics within its range. That is, the method substitutes brute "computational power for theoretic analysis" (Efron [1982:3]): if the experimental results are the product of random chance, the proportion of t-statistics close to the original t will be large, the probability will be high, and the significance low; if something other than chance produced the results - say, that the subjects were comprehending better under one condition than under another - the proportion and probability will be low, the significance high.

To carry out all the permutations and calculations necessary for the comparisons (48,620 permutations alone for each test), and to return the probability values, a FORTRAN program (RANDTTEST, Appendix F) was adapted from Edgington (1980:80). For all three comparisons, the significance levels were quite low: for test (1), the overall aphasic performance against the overall normal performance, α =0.00004; for test (2), the SALIENT aphasic performance vs. the SALIENT normal performance, α =0.001; for (3), the highly important test of SALIENT aphasic performance against NORMAL aphasic performance, α =0.01. In short, all findings

were very significant.

The comparison of overall means substantiates the findings of many recent studies on Broca comprehension deficiencies, most of which are outlined in Chapter 2: on a task crucially dependent on a brief, monosyllabic function word, Broca patients proved far less reliable than normal subjects of similar age, background, and gender.

The comparison of the two groups on a subset of items from the same test also substantiates these findings.

However, the much lower probability indicates that the gap between the groups is not as substantial when the key function word is acoustically boosted.

The within-aphasic group comparison of NORMAL and SALIENT performance, on the other hand, resulted in new information. It has some support from earlier work — stress research, temporal manipulation research, and, incidentally, some function word research, as outlined in the previous chapter — but it is a much more explicit and interpretable finding. It suggests that a large part of the comprehension deficit Broca victims experience is peripheral to their specifically linguistic difficulties. A large portion of this deficit can be explained in processing terms.

4. Conclusion -

Conclusions depend exclusively on premises. As with any study, the premises underwriting this one are varied and legion. Three in particular are essential, requiring both explicitness and justification.

1. The syndrome under investigation — roughly correlating the anterior perisylvian cortical area and/or its subcortical projection with a cluster of largely productive symptoms — is legitimate. The issue here is the opposition of Gordian language behaviour and the patterns excisable from that behaviour. Broca's aphasia is such a pattern, the most common, and it is very frequently consequent to Broca's area neural insult.

There are a number of arguments against the ...
Wernicke-Lichtheim taxonomy, perpetuated by the BDAE and its subscribers. Most of these arguments (e.g., Schuell [1965]) are directed at the schema's supposed inappropriateness to clinical settings. But there are also a few which argue that it is similarly unsuited to meaningful linguistic generalizations of the type sought here, and sought by much of the research outlined in Chapter 2. One of the more immediately persuasive of these cases is presented by Schwartz (1984), who works from the position that aphasia is a dynamic phenomenon, misguidedly treated as static by the BDAE. But once she has discounted the Boston metric for unjustifiable rigidity, she has nothing to offer in its place. Overall severity, she points out, is an even less

tenable measure; it cannot adequately account for qualitatively distinct disturbances. In short: it cannot \account for patterns, and there are patterns.

Schwartz suggests aphasia might be best classified according to what she terms a "polytypic" procedure:

some sort of multivariate space that charts simultaneous variation in [several underlying characteristics] as a function of, for example, site of lesion, age of patient, etiology, time since onset, etc. (16)

However, she pulls up far short of demonstrating how this procedure could be implemented, and there is very little surprise in this omission. The task she proposes is formidable enough in its synopsis, without having to fill in the vagueries of "some sort" and "etc". The Wernicke-Lichtheim schema, for all its tendencies to oversimplify and overlook, remains a highly valuable compass in the labyrinth of aphasia. It bears resolutely toward the most distinct syndromes.²²

This is not to claim there are no significant dissimilarities among the individual cases grouped according to its classifications; given, among other things, the

Although this is slightly beside the point, the schema, at least in its BDAE manifestation, is a good deal less static than its detractors care to admit. It has built-in scaling methods for such important variables as severity, and allows all manner of mixed categories; it does not stop at a Wernicke's/Broca's dichotomy. And many therapists — who perhaps have a more urgent need to recognize patterns than do linguists — find it very useful. A recent survey answered by 121 British therapists (Beele [1984]) found that the BDAE was their preferred test, and virtually—all the therapists on sulted in the course of this study employed it, if online select subsections.

variability of responses measured in this study, that would be absurd. But although scatter and overlap among syndromes cannot be ignored, neither can it take centre court at the expense of important distinctions. There are taxonomic problems in all sciences, but there is always a point at which a set of assumptions is adopted and the haggling dies away. Biologists are still not resolved as to the classification of the platypus — some say it is a mammal, others, a reptile — yet both sides recognize its existence and find it particularly meaningful in the study of evolutionary theory.

Broca's aphasia is a recognizable and meaningful symptom cluster, the most consistent such cluster to emerge from the knot of neural insult language disorders.

2. Investigating Broca's aphasia can provide useful information about Broca's area, and the function it subserves in normal language use. The first clause of Linebarger et al. (1983) is: "the phenomena of aphasia are of psycholinguistic interest primarily insofar as they shed light on normal language processing". Primarily is overstating the case somewhat, since many psycholinguists are concerned with aphasic phenomena for what they reveal about aphasia. But the point should be well taken—perturbations in a system are unique and valuable clues as to the processes underlying its normal operation. And even those researchers investigating aphasia qua aphasia are unique interested in ways to reverse its debilitating

1

effects back toward normal processing levels.

The issue is another\familiar one - whether or not pathological behaviour has any bearing on the behaviour of similar individuals who do not share the pathology. On some levels, the question must be resolved in the negative; on others, a qualified affirmative can be advanced. Again there are premise dependencies. Take, for example, the case of two relatively parallel individuals, matched in at least the major respects known to influence language. One of them has a CVA, a Left anterior CVA, and begins to exhibit marked linguistic differences from the other (and from his own premorbid state). It is reasonable to assume that these symptoms are the product of some interaction between the normal language system, still on display in the individual fortunate to have escaped a CVA, and this new factor, the lesion. An investigation of the pathology is an investigation of this interaction; necessarily, it considers the normal system and the damaged one, to better profit than considering either in isolation.

There are a number of possibilities for the interaction. It might be that Broca's area is primarily responsible for monitoring digestion and, since digestion is such an essential biological process, evolution has arranged for a back up system to kick in. This emergency component is supported by cortex normally devoted to language, a biologically expendable function. The result is that language processing is incidentally disrupted and digestion

goes on unabated. The scenario is conceivable, but when other postulates are considered — such as the thoroughly researched cross-species role the thalamus plays in . . digestion — its plausibility plummets rather quickly.

On the other hand, it might be that Broca's area has some principal responsibility to the language faculty — it might be instrumental in signal processing — and its destruction or impairment affects language behaviour directly. I don't mean to imply that there are only two possibilities here, digestion or parsing. But there are two classes of possibilities, incidental disruption and direct disruption, with the latter as the most likely. And the plausibility of direct involvement increases with the introduction of other postulates, such as the simulated aphasia effected by Penfield and Roberts' (1959) probing in Broca's area, and cerebral blood flow findings, (e.g., Ingvar and Schwartz [1974])

However, much of the evidence in pathology is constrained to the negative. That is, it supports confident statements about what functions the defective region does not serve, but only cursory speculation about the role it in fact plays. So, if our CVA victim breaks into fluent swearing, it must be concluded that he knows how to swear and that all the necessary peripheral mechanisms for implementing that knowledge are relatively intact. A proposition follows with some certainty that the damaged area does not significantly subserve cursing, either in its

steady or its engaged state. If this behaviour is observed in a majority of the cases with the syndrome (at least those who swore premorbidly), then it would be perverse to claim that either aphasics or nonaphasics have cursing stored or activated in Broca's region.

To exhume the competence / performance distinction, cerebral pathologies can inform about the presence of knowledge, but not its absence. If a class of brain-injured patients can no longer understand the subtle meaning cued by placement of the - or, more precisely, if they can no longer demonstrate such understanding relevant to a given task the evidence is insufficient to presume that the word or the meaning is no longer represented cognitively. The elegant organization of the brain is too complex and too poorly understood to support claims about knowledge or abilities when there is no overt evidence, except in the most general and speculative ways; argumentum ad ignorantium is no less a fallacy in disciplines where the level of ignorance is high. On the other hand, if the same class demonstrates comprehension of dog, their knowledge of the word and the processing necessary to apply that knowledge can be said to be functional. It would be bizarre in such a situation to claim that speakers, with or without the syndrome, store dog in the damaged area, or that the area is crucial to processing it. Precisely the same must be true for the. a class of pathological individuals demonstrates comprehension of the meaning cued by the placement, say, the

class of Broca's apasics, it would be just as bizarre to claim that the lesion site is instrumental in storing or processing the.

Experimentation can uncover useful information about aphasic syndromes and, indirectly, about the brains and language faculties of people without the syndrome. Aside from some of the more mystic "New Physicists", it is well accepted that experimentation is a valuable method of enquiry. But it has rather strict limits, and one of the strictest is that experimental conditions are, by definition, artificial. Mesons may not occur in nature, because the conditions of a particle accelerator may not occur in nature. However, the fact that mesons are torn away from larger particles consistently in cyclotrons indicates that, in the right conditions, they can occur in nature. Working with other postulates, it can be inferred that they may occur in nature. The more robust those postulates, the more they converge on one set of answers; the greater the probability that they do occur in nature.

Returning to aphasia; demonstration of competence for dog or the in an unnatural linguistic setting does not, a priori, demonstrate that the competence can be activated in natural settings. With dog the situation is not especially distressing, since naturalistic observation is likely to confirm or augment experimentation; with the, the problem becomes critical. It is extremely unlikely (1) that sentences whose disambiguation hinges on the presence or

location of the will occur nonexperimentally, (2) that the natural context will not suffice on its own to disambiguate such sentences, should they occur, and (3) that the event would be apparent to an observer. The only way to gather postulates about such knowledge is experimentally. But if a demonstration of competence can be engineered in artificial situations, it is reasonable to conclude that, with the right conditions, comprehension can occur outside the experiment. More to the point, since the primary condition, impaired cognition, is not artificial, there has been a demonstration that comprehension does occur in the pathological brain.

Once again, failure to demonstrate the competence, whatever that might be, does not signal its absence. In my paradigm, there are at least three indispensible abilities, above and beyond comprehension of the, which are required for reliable trial performance: (1) the subject must be able to process the sentence; (2) he must be able to assess the pictures; and (3) he must be able to effect an explicit connection between the two presentation modes. Fortunately, aphasics become quite practiced at these skills, and Broca victims are generally very good at picture-pointing tasks (Seron and Deloche [1981]); nevertheless, a breakdown at any one of these levels, or any one of possibly scores more, can interrupt the process and result in failure. But success is meaningful. It entails all three abilities and it entails comprehension of the sentential reading cued by the. And

better success under one condition than the other entails that something peculiar to the condition is instrumental_in the comprehension.

Taking the in-context complex of these three assumptions — essentially, that my experiment has generated useful information for aphasiology in specific and psycholinguistics in general — it is perhaps time to examine that information.

The most immediate result of the experiment is the demonstration of a comprehension deficit for some function words in Broca's syndrome. This amounts to a successful replication of the findings discovered by the study taken as a prototype for this thesis, Heilman and Scholes (1976). They found that Broca patients had impaired comprehension that implicated processing of the, and of the argument structure cued by its location. The massively significant (α =0.00004) difference between the aphasics and controls showed this deficit to be very distinct in the group I studied. Moreover, Heilman and Scholes found their Broca pool's mean proportion of syntax (function) errors to be 0.42, slightly below chance level. My replication found the mean function error in the condition that matched Heilman and Scholes' presentation (i.e., NORMAL) to be 0.46: a proportion of 0.58, insignificant from chance at p<0.1. (The mild discrepancy may be due to Heilman and Scholes statistical procedure of correcting for lexical errors in their calculations of the syntax proportion, a procedure I

did not adopt.) This finding is also consonant with several other function word experiments, such as Goodenough et al. (1977).

However, the introduction to Heilman and Scholes' paradigm of a second, SALIENT, condition licensed the detection of some differences the original was not equipped The Broca patients I tested proved significantly to find. more reliable (α =0.01) on the SALIENT sentences than on the NORMAL ones. Since the differences between these two conditions were acoustic and localized to only the key functors, this result indicates that part of their failure in the NORMAL condition (and, by extension, part of the Heilman and Scholes pool's failure) was the product of defective signal processing. Further, while the difference between normals and aphasics for SALIENT sentences remained statistically significant at a very low α -level (0.001), the gap between these groups reduced as a function of increased salience. (A NORMAL normal vs. NORMAL aphasic t-test proved significant at $\alpha=0.00002$.)

It is at this point that the results of this study become most interesting: the uncovering of a significant SALIENT effect has implications for competence theories of the sort entertained by Heilman and Scholes, and promulgated by authors like Zurif and Kean. In particular, it compromises the claim made by Scholes (1978) for his work with Heilman:

the findings ... support the view that there are autonomous lexical

and syntactic components in the neurolinguistic model of language ... and that these components can be localized as posterior and anterior respectively. (183)

And it compromises the strong form of any similar hypothesis, such as Bradley, Garrett and Zurif's (1980:284) suggestion that Broca function word peculiarities follow from the "loss of specifically syntactically supported language processes" or Kean's early phonological word claims. While most of these theories prefer to take more politic routes than the fragile formulations advocated by Popper, and consequently are not easily falsified, this finding at least has a tempering effect on their plausibility. The reason it compromises the strong form of any functor loss theory — and mitigates the weaker forms — is, quite simply, that it shows the functors are not lost. They might be obscured, difficult to recover from the signal or the mind, but they are not missing outright.

The saliency effect, of course, is not altogether unexpected. It is in accord with several of the functor research papers reviewed in the second chapter, such as Mack (1981), who found quite good comprehension using multisyllabic, stressed function words. It also follows rather naturally upon many of the acoustic manipulation experiments reviewed earlier, such as Goodglass et al.'s (1967) finding that Broca victims were significantly better at repetition tasks as a function of stress placement. But the result is more specific and interpretable than these

earlier findings, due to the coupling of an elegant design and very precise stimulus controls. It does not require extrapolation from statistical insignificance, as Mack does, and it depends on comprehension, not simple retention, as does the Goodglass et al. paradigm.

Unfortunately, the study cannot go much further on its It quite clearly identifies an acoustic dependency in Broca comprehension difficulties. But it does not support more specific claims on the nature of that dependency. does not speak directly to the impaired mechanisms behind the acoustic problems. If there had been more conditions in the experiment - perhaps independent manipulations of duration, intensity and f_{\circ} , or substitution of a 200 msec gap or noise burst for the functor - then the study might have provided answers keyed more directly to particular aspects of signal processing, and investigation of this sort is certainly suggested by the present study. But nothing more specific can be said at this point than: (1) there is a performance aspect to the functor comprehension deficit in Broca's syndrome; (2) the competence proposals for the deficit are unsupported, possibly wrong; and (3) Broca's area is at least partially involved in low level signal processing.

Still, there is always speculation, and my feeling is that a major culprit in the Broca functor difficulties is defective short term memory (STM). There are several reasons supporting this impression. First, many of the

papers reviewed in Chapter 2 impinged somewhat on STM. instance, the very first paper discussed (Efron [1963]) was based on a sequencing task which discovered that Broca patients required significantly more time than normals (p<0.001) and other aphasics (p<0.01) to identify the order of frequency pulses, and Efron's finding has been replicated by Edwards and Auger (1965) and Ebbin and Edwards (1967). Laughlin et al. (1979) administered a temporally controlled version of Melodic Intonation Therapy and found that the more time the subjects were given, the better they recalled the intoned phrase (significant beyond the α =0.001 mark). The just discussed Goodglass et al. task also involved recall, which varied significantly as a function of stress patterns. And Liles and Brookshire (1975) found that interpolated silences only facilitated comprehension of their TT requests when there was very little memory strain; the later in the sentence, the less the gaps helped.

Second, there is a quite robust series of studies which directly investigates STM loss in aphasia. All of them have found substantial memory deficits, and several experiments have found more profound losses in Broca's syndrome than in other aphasias. Another study headed by Goodglass and reported in Chapter 2, is instrumental here as well.

Goodglass, Gleason and Hyde (1970) also gave their subjects a comprehension task with a sequencing component. They orally presented simple noun sequences (of between two and six items), and the subjects were required to reconstruct

the sequence by selecting the named items from an array of eight pictures. The best of their four aphasic groups, the anomics, scored below the worst of their normals, six-year old children, and the "Broca's aphasics had by far the poorest score" (595), significant at α =0.004.

Swinney and Taylor (1971) also gave their (predominantly expressive) aphasic subjects a sequencing task: tachistoscopic presentation of two, four, and six item digit lists which the subject attempted to reconstruct, uncovering an error rate 20 times greater than the controls and significantly greater response latencies. Albert (1976) found the same results with his very straightforward sequencing task: "in this order, point to the A, the B, the C, and the D", where each upper case letter stands for the name of some commonplace item (a comb, a pen, etc.) on display in front of the subject. The aphasics proved to be significantly impaired (p<0.001) in both accuracy and sequencing with respect to normals and brain-injured nonaphasics.

Recall that Efron (1963:418) suggested his expressive subjects' performance might be the product of "a primary deficit in temporal analysis"; that is, a sequencing impairment, and Goodglass et al. (1970), Swinney and Taylor (1971), and Albert (1976) all support that position. But they also support, as does Efron (1963), another deficit — of defective STM — and several other studies have explored this possibility by way of simple recognition tasks, without

3 mayor

sequence dependencies. They indicate the problem may not be in analysis, but in retention.

Cermak and Moreines (1976) used a recognition task with a predominantly anterior (exclusively anterior for one subtest) aphasic subject pool they were using as part of a general memory investigation. They tested for identification of repeated letters, repeated words, same category words, and rhyming words, and they found that the greater the number of intervening items, the worse these subjects did. They were significantly (p<0.05) worse on all but one task than normals, right hemisphere nonaphasics, Korsakoff patients, and nonKorsakoff alcoholics; the only group that performed worse, on one task, was the Korsakoff pool, victims of a syndrome identified with memory deficiencies. Cermak and Moreines were understandably quite surprised at this outcome:

The aphasic patients seemed to be perfectly capable of detecting repetitions when the target items were adjacent to one another, and even when one or two items intervened, but were worse even than the Korsakoff patients as soon as their running memory load became taxed beyond this point.

Apparently, the aphasics' working memory is actually inferior to patients whose primary diagnosis is amnesic. (26)

Cermak's curiosity was piqued by this outcome, and he continued the investigation in two subsequent studies. The most recent — Cermak, Stiassny, and Uhly (1984) — is more or less a straightforward replication, which again found the

aphasic pool (this time exclusively Broca patients, n=8) to perform worse than the Korsakoff's and the other controls, again with a between group significance level of α =0.05. The second study is a little more interesting. Cermak and Tarlow (1978) gave their subjects both linguistic and nonlinguistic stimuli. With the linguistic stimuli, oral and visual word lists of between 7 and 14 items from which repetitions were to be identified, their exclusively anterior pool again did significantly worse than all other groups, including Korsakoffs (p<0.05). But for the two tasks with nonlinguistic stimuli (7 - 14 item displays of pictures or randomly generated shapes), they were not significantly differentiated from the other pools. $^{2.3}$

Cermak's work is particularly important here, for the success with which it isolates the memory deficit. On the one hand, it locates a problem distinct from (and possibly responsible for) a sequencing deficiency. On the other hand, it separates off problems of analysis, pattern matching, and (very) immediate memory. The subjects of Cermak and Moreines (1976) and Cermak et al. (1984) were clearly successful at analyzing acoustic signals, at briefly storing them, and at matching the memory with a repetition. But their performance degraded dramatically as soon as the STM load went beyond two items. Moreover, Cermak and Tarlow

² For other memory deficit studies with aphasics, cf. Shallice and Warrington (1970), Heilman *et al*. (1976), Locke and Deck (1978), Caramazza *et al*. (1978), Rothi and Hutchinson (1981) Gordon (1983), Ostergaard and Meudell (1984), and Ostergaard (1984).

(1978) isolate the deficit as an auditory one (since reading involves auditory reconstruction), or a linguistic one, distinct from other memory mechanisms.

It is also instructive here to keep in mind both the spectrograms of Appendix C and the HWIM system under research at Harvard. HWIM works by way of spectrographic analysis and scans for reliabled acoustic clumps from which to derive hypotheses about meaning. It, too, has trouble with the acoustic clumps that give Broca patients so much difficulty, small function words. The NORMAL spectrograms are a graphic display of why these words pose the problems they do: they are not very distinct. If it is considered that the spectrograms are very good ones, the product of a detailed digital analysis that might not be available to cognitive analyzers, and that the speaker was a professional, enunciating clearly and carefully, the difficulties unstressed functors can cause become more apparent still. And, of course, a spectrogram is a memory.

In fact, a Sona-Graph could be accurately called a short term memory, or at least its central mechanism could be so designated. It records very limited (about 2 sec) acoustic sequences, and as soon as its tolerance is reached the incoming signal begins to copy over the original memory, obliterating it. There are some obvious constraints on this analogy — principally, that the Sona-Graph's capacity is defined wholly in temporal terms, while STM works in units, and the interstimulus periods are unrecorded — but it is a

useful one nonetheless. If, as some psychoacoustic research implies, the initial "auditory image ... present[s] itself in the form of a neural spectrogram ... [which] is continuously being replaced by new information" (Borden and Harris [1980:203]), then the task of analyzing and storing minor acoustic clumps is revealed as quite remarkable. With a defective STM, of about two items in capacity, such clumps could very well be deemed expendable. But the SALIENT versions of those minor acoustic clumps represent the same information much more distinctly, and might well make as much of an impression on such a memory as they do on the spectrograms.

In brief, what might be going on with the SALIENT stimuli is a von Restorff effect. A commonplace in memory studies is that any prominent item is a sequence in easier to retain, recall, and manipulate than the same item without emphasis: a long, loud, distinct function word, in a normally reduced position, violating expected intonation patterns, can safely be labelled "prominent".

There is also a less scientific, informal reason to believe my subjects did less well on NORMAL than on SALIENT sentences because of memory restrictions. A number of their final answers were clearly manifestations of a memory intrusion, since they would select a picture, then change their minds and select another. These reversals were not recorded, but it is my impression that the majority of them were corrections of function errors, and that the majority

occurred with SALIENT stimuli, though certainly this process happened in both conditions, and at least one SALIENT 'response reversal was from correct to function error. Some of the normal subjects also exhibited memory interference, or more correctly, memory monitoring, since all of their reversals were corrections of function errors. Several of the aphasics also occasionally echoed the last phrase or so of the stimulus sentence before making their final decision. One of the most successful subjects (JC) followed this strategy for 17 of the 18 sentences: his three function errors were preceded by an inaccurate echo, and his content error occurred on the one sentence for which he neglected to follow the strategy.

Heilman and Scholes do not mention such behaviour in their paper, but it is interesting to note that one suggestion they offer for the performance pattern they uncovered in Broca patients is that the subjects "could only recall the major lexical items" (63), and the next paper they collaborated on was an explicit investigation of aphasic memory (Heilman et al. [1976]). This characterization in fact might be the most accurate appraisal offered for the comprehension difficulties of Broca patients. If they do process many sentences as content word anagrams, structureless and somewhat uncategorized — as a good many studies, including this one, suggest — that anagram does not necessarily have to follow from syntactic incapacity, or lexical loss, or phonological

word processing restrictions. It might be because that is all they can semember.

As above, there were not enough controls in my study to support this speculation exclusively. The better SALIENT performance could also be explained as the result of poor acoustic resolution, or some specific subcomponent of this ability, such as temporal resolution; certainly there is enough other evidence that duration is a factor in aphasic comprehension. Similarly, it might be ascribed to disturbed attention span. It is well known that boosting duration and amplitude also boosts the hearer's attention levels. might be that the saliency effect can be explained by a resource allocation model, of the sort discussed in Kahneman (1973) and investigated in childhood aphasia by Campbell and McNeil (in press). That is, the answer may lie in a more specific exploration of the relationships between the signal processing ends of STM, attention, and resource allocation; they are perhaps different terms for, and perspectives on, the same cognitive procedures.

But the saliency effect cannot, at least without a great deal of unapparent ingenuity, be explained as the manifestation of some competence deficit. Knowledge is either present or absent: if it is differentially accessed as a function of external factors, then it is present and there is something amiss with the access system; if it is absent, it cannot be accessed. My subjects clearly had some access to the and some idea of how to parse the sentence

readings cued by its location, both of which were influenced by acoustic manipulations. In Sasanuma et al.'s (1973:72) words, this result suggests "the presence of a certain kind of 'noise' or defect in the auditory system ... at a stage preceding speech comprehension". Defective memory processes seem the most likely generators of this noise.

It may seem that the research undertaken in this thesis has the principal objective of dissociating two fundamental aspects of Broca's complex that much of recent psycholinguistics has sought to conjoin. It has long been known that a central component of Broca's syndrome is agrammatic speech, but only in the last decade or so has the possibility that it may also entail agrammatic comprehension been explored with any thoroughness. Psycholinguists working on this problem have been buoyed by the prospect that production and comprehension might parallel one another, and consequently help to validate the modular view of language offered by most formal linguists. Taking a grammatical competence model like the traditional Standard Theory transformational grammar, or like any one of its numerous offspring, and selectively incapacitating one component should result in a uniform output / input deficit. If syntax, or semantics, or phonology, or the lexicon, were disrupted, then both understanding and expression would be coincidentally distorted. Therefore, an aphasia which manifested parallel disturbances would be a compelling argument for the psychological reality of language

modularity.

Broca's aphasia was the most likely place to start — since it is the most common form of aphasia, it is relatively well defined, and its victims are more manageable subjects than those of syndromes like global or Wernicke's aphasia. But as more and more investigations were launched into the "syntactic deficit", it looked less and less that the loss was uniform. Sometimes the Broca subjects behaved in perfect accord with the theory; other times, they violated its predictions. One paper claims to have uncovered the component and the disruption that effects agrammatism (Heilman and Scholes [1976]); another produces counter evidence (Mack [1981]).

But there are consistencies in the results that few noticed or commented on. For one thing, the Broca production problems are not uniformly agrammatic either. Broca patients occasionally speak in telegramese, but their speech is often very different than the telegrammatic outputs observable in pidgins or in children undergoing acquisition. Broca patients frequently include function words, sometimes repeating them several times before hitting a noun or verb. It is this behaviour that scuttled the old economy of effort hypothesis (Goodglass [1968]). Second, this irregularity is present in their comprehension as well. Sometimes they understand a function word. Other times, they do not. And third, there is a pattern to their comprehension of functors that is at least as systematic as

their output pattern. Quite consistently, when semantic and pragmatic variables are constrained they comprehend multisyllabic or compound function words, while failing to comprehend short, monosyllabic, unstressed ones.

Is then the attempt to uncover a single mechanism responsible for parallel production and comprehension deficits ultimately a misguided one? No, that doesn't follow, though it may be that the attempt to explain such a loss in neat competence terms will prove misguided. It would not, for instance, take a great deal of imagination to draft a model of language processing that involves a shared memory buffer for production and comprehension, or that uses a spectral analyzer to monitor output as well as input.

But, since both production and comprehension have their own irregularities in Broca's syndrome, in addition to the parallels, the sources of variation should receive at least as much attention as theoretical sources of similarity. It is the patients, not the linguists, we should be trying to help.

References and Bibliography

- ASHA. 1975. "Guidelines for Identification Audiometry".

 American Speech-Language-Hearing Association
 17:93-4.
- Ainsworth, W. A. 1976. Mechanisms of Speech Recognition. Toronto: Pergamon Press.
- Albert, Martin L. 1972. "Note: Auditory Sequencing and Left Cereberal Dominance for Language". Neuropsychologia 10:245-8.
- Albert, Martin L. 1976. "Short Term Memory and Aphasia".

 Brain and Language 3:28-33.
- Andreewsky, E., and X. Seron. 1975. "Implicit Processing of Grammatical Rules in a Classical Case of Agrammatism". *Cortex* 11:379-90.
- Ansell, Barbara J., and Charles R. Flowers. 1982a. "Aphasic Adults' Understanding of Complex Adverbial Sentences". Brain and Language 15:82-91.
- Ansell, Barabara J., and Charles R. Flowers. 1982b.
 "Aphasic Adults's Use of Heuristic and Structural
 Linguistic Cues for Sentential Analysis". Brain and
 Language 16:61-72.
- American Heart Association. 1969. Aphasia and the Family.

 Dallas: A. H. A. Communication Division.
- Arbib, Michael A., David Caplan, and John C. Marshall. 1982.
 "Neurolinguistics in Historical Perspective".

 Neural Models of Language Processes. Edited by
 Michael A. Arbib, David Caplan, and John
 C. Marshall. Toronto: Academic Press, 5-24.
- Arnold, G. E., F. Winckel, and B. D. Wyke, editors. 1981.

 Clinical Aspects of Dysphasia. New York:

 Springer-Verlag.
- Assal, Gil, Jocelyne Buttet, and Remi Jolivet. 1981.
 "Dissociations in Aphasia: A Case Report". Brain and Language 13:223-40.
- Baker, William J. 1979. "On Draining the Conceptual Swamp". Perspectives in Experimental Linguistics. Edited by Gary D. Prideaux. Amsterdam: John Benjamins B. V., 142-9.
- Baum, Shari R., Joanne Kelsch Daniloff, and Raymond

- Daniloff. 1982. "Sentence Comprehension by Broca's Aphasics: Effects of some Suprasegmental Variables". Brain and Language 17:261-71.
- Beck, Ann R. 1984. "The Processing of the Sounds and Meanings of Ongoing Speech by Aphasic Subjects".

 Brain and Language 22:320-38.
- Beele, K. A., Ena Davies, and Dave J. Müller. 1984.
 "Therapists' Views on the Clinical Usefulness of
 Four Aphasia Tests". British Journal of Disorders
 of Communication 19:169-78.
- Berndt, Rita S., and Alfonso Caramazza. 1980. "A Redefinition of the Syndrome of Broca's Aphasia: Implications for a Neuropsychological Model of Language". Applied Psycholinguistics 1:225-78.
- Berndt, Rita S., Alfonso Caramazza, and Edgar B. Zurif.
 1983. "Language Functions: Syntax and Semantics".

 Language Function and Brain Organization. Edited by
 Sidney J. Segalowitz. Toronto: Academic Press,
 5-28.
- Bever, Thomas G. 1970. "The Cognitive Basis for Linguistic Structures". Cognition and the Development of Language. Edited by John R. Hayes. New York: John Wiley & Sons, Inc., 279-362.
- Blanchard, Sumner L., and Thomas E. Prescott. 1980. "The Effects of Temporal Expansion upon Auditory Comprehension in Aphasic Adults". British Journal of Disorders of Communication 15:115-27.
- Bliss, S. L., R. S. Tikofsky, and A. M. Guilford. 1976.
 "Aphasics' Sentence Repetion Behavior as a Function of Grammaticality". *Cortex* 12:113-21.
- Blumstein, Sheila E., and Harold Goodglass. 1972. "The Perception of Stress as a Semantic Cue in Aphasia". The Journal of Speech and Hearing Research 15:800-6.
- Blumstein, Sheila E., and Kenneth N. Stevens. 1980.

 "Perceptual Invariance and Onset Spectra for Stop Consonants in Different Vowel Environments".

 Journal of the Acoustic Society of America 67:648-62.
- Boller, François. 1968. "Latent Aphasia: Right and Left 'Non Aphasic' Brain-Damaged Patients Compared".

 Cortex 4:245-56.
- Boller, François. 1983. "Phrenology, 1982: What does it Tell the Aphasiologist?" The Behavioral and Brain

- Sciences 6:207.
- Boller, F., and L. A. Vignolo. 1966. "Latent Sensory Aphasia in Hemisphere-Damaged Patients: An Experimental Study with the Token Test". Brain 89:815-30.
- Boller, François, Youngjai Kim, and James L. Mack. 1976.
 "Auditory Comprehension in Aphasia". Studies in
 Neurolinguistics 3. Edited by Haiganoosh Whitaker
 and Harry A. Whitaker. Toronto: Academic Press,
 1-63.
- Bradley, Dianne C., and Merrill F. Garrett. "Note:
 Hemisphere Differences in the Recognition of Closed
 and Open Classed Words". Neuropsychologia 21:155-9.
- Bradley, Dianne C., Merrill F. Garrett, and Edgar B. Zurif.
 1980. "Syntactic Deficits in Broca's Aphasia".
 Biological Studies of Mental Processes. Edited by
 D. Caplan. Cambridge: The MIT Press, 269-86.
- Bradley, James V. 1968. Distribution-Free Statistical
 Tests. Englewood Cliffs, New Jersey: Prentice-Hall,
 Inc.
- Brookshire, Robert H. 1978. "Auditory Comprehension and Aphasia". Clinical Management of Neurogenic Communicative Disorders. Edited by Donnell F. Johns. Boston: Little, Brown and Company, 103-28.
- Brookshire, Robert H. 1983. "Subject Description and Generality of Results in Experiments with Aphasic Adults". Journal of Speech and Hearing Research 48:342-6.
- Brookshire, R. H., and L. E. Nicholas. 1984a.

 "Comprehension of Directly and Indirectly Stated
 Main Ideas and Details in Discourse by Brain-Damaged
 and Non-Brain-Damaged Listeners". Brain and
 Language 21:21-36.
- Brookshire, R. H., and L. E. Nicholas. 1984b. "Consistency of Effects of Slow Rate and Pauses on Aphasic Listeners' Comprehension of Spoken Sentences".

 Journal of Speech and Hearing Research 27:323-28.
- Brown, Jason W. 1976. "The Neural Organization of Langauge: Aphasia and Lateralization". Brain and Language 3:482-94."
- Brown, Jason W. 1980. "Brain Structure and Language Production: A Dynamic View". Biological Studies of

- Mental Processes. Edited by D. Caplan. Cambridge: The MIT Press, 287-300.
- Brown, Jason W. 1982. "Hierarchy and Evolution in Neurolinguistics". Neural Models of Language Processes. Edited by Michael A. Arbib, David Caplan, and John C. Marshall. Toronto: Academic Press, 447-67.
- Brown, Jason W. 1983. "Stimulation Maps from the Standpoint of Aphasia Study". The Behavioral and Brain Sciences 6:207-8.
- Brown, J. W., and J. Jaffe. 1975. "Hypothesis on Cerebral Dominance". *Neuropsychologia* 13:107-110.
- Butterworth, Brian, David Howard and Patricia McLoughlin.
 1984. "The Semantic Deficit in Aphasia: The
 Relationship between Semantic Errors in Auditory
 Comprehension and Picture-Naming". Neuropsychologia
 22:427-34.
- Calvin, William H. 1983a. "Timing Sequences as a Foundation for Language". Brain and Behavioural Sciences 6:.
- Calvin, William H. 1983b. The Throwing Madonna. Toronto: McGraw-Hill.
- Campbell, Thomas F., and Malcolm R. McNeill. In press.
 "Effects of Presentation Rate and Divided Attention
 on Auditory Comprehension in Children with an
 Acquired Language Disorder.
- Caplan, David. 1980. "Changing Models of Neuropsychology of Language". Biological Studies of Mental Processes. Edited by David Caplan. Cambridge: The MIT Press, 233-8.
- Caplan, David. 1981. "On the Cerebral Localization of Linguistic Functions: Logical and Empirical Issues Surrounding Deficit Analysis and Function Localization". Brain and Language 18:120-37.
- Caplan, David. 1983. "A Note on the 'Word-Order Problem' in Agrammatism". Brain and Language 20:155-65.
- Caplan, David. 1984. "Syntactic Competence in Agrammatism A Lexical Hypothesis". *Psychobiology of Language*. Edited by Michael Studdert Kennedy. Cambridge: The MIT Press, 177-87.
- Caplan, David, Edward Matthei, and Helen Gigley. 1981.
 "Comprehension of Gerundive Constructions by Broca's Aphasics". Brain and Language 13:145-60.

- Caramazza, Alfonso. 1984. "The Logic of Neuropsychological Research and the Problem of Patient Classification in Aphasia". Brain and Language 21:9-20.
- Caramazza, Alfonso, and Edgar B. Zurif. 1976. "Dissociation of Algorithmic and Heuristic Processes in Language Comprehension". Brain and Language 3:572-82.
- Caramazza, Alfonso, Edgar B. Zurif, and Howard Gardner.
 1978. "Sentence Memory in Aphasia".
 Neuropsychologia 16:661-9.
- Carpenter, Robert L., and David R. Rutherford. 1973.

 "Acoustic Cue Discrimination in Adult Aphasia".

 Journal of Speech and Hearing Research 16:534-44.
- Cermak, Laird S., and Judith Moreines. 1976. "Verbal Retention Deficits in Aphasic and Amnesic Patients". Brain and Language 3:16-27.
- Cermak,/Laird S., and S. Tarlow. "Aphasic and Amnesic Patients' Verbal vs. Non-verbal Retentive Abilities". Cortex 14:32-40.
- Cermak, Laird S., Denise Stiassny, and Barbara Uhly. 1984.
 "Reconstructive Retrieval Deficits in Broca's
 Aphasia". Brain and Language 21:95-104.
- Chomsky, Noam. 1965. Aspects of the Theory of Syntax. Cambridge: The MIT Press.
- Chomsky, Noam. 1981. Rules and Representations. New York: Columbia University Press.
- Chomsky, Noam. 1982. Some Concepts and Consequences of the Theory of Government and Binding. Cambridge: The MIT Press.
- Chomsky, Noam, and Edward Walker. 1978. "The Linguistic and Psycholinguistic Background". Explorations in the Biology of Language. Edited by Edward Walker. New York: Bradford Books, 15-26.
- Connell, Bruce A. 1982. "The Interaction of Tone and Intonation in Mandarin Chinese". An unpublished Master's thesis for the Department of Linguistics, University of Alberta (Edmonton, Alberta).
- Cotton, J. W. 1973. "Even Better than before [a review of Winer (1973)]". Contemporary Psychology 18:168-9.
- Cutler, Anne. 1982. "Prosody and Sentence Perception in English". Perspectives on Mental Representation. Edited by Jaques Mehler, Edward C. Walker, and

والشائية

- Merrill Garrett. Hillsdale: Lawrence Erlbaum Associates, 201-16.
- Danly, Martha, and Barbara Shapiro. 1982. "Speech Prosody in Broca's Aphasia". Brain and Lanuguage 16:171-90.
- Darley, Frederick L. 1976. "Maximizing Input to the Aphasic Patient: A Review of Research". Clinical Aphasiology Conference Proceedings. Edited by Robert H. Brookshire. Minneapolis: BRK Publishers, 1-21.
- Deloche, Gérard, and Xavier Seron. 1981. "Sentence Understanding and Knowledge of the World: Evidence from a Sentence-Picture Matching Task Performed by Aphasics". Brain and Language 14:57-69.
- Dennett, Daniel C. 1980. "Passing the Buck to Biology".

 The Behavioral and Brain Sciences 3:19.
- De Renzi, E., and L. A. Vignolo. 1962. "The Token Test: A Sensitive Test to Detect Language Disturbances in Aphasia". *Brain* 85:665-78.
- de Villiers: listed under 'V'.
- DiSimoni, Frank G., Robert L. Reith, and Frederic L. Darley.
 1983. "'Tuning In' and 'Fading Out': Performance of Aphasic Patients on Ordered PICA Subtests". Journal of Communication Disorders 16:31-40.
- Ebbin, Judith B., and Allan E. Edwards. 1967. "Speech Sound Discrimination of Aphasics when Intersound Interval is Varied". Journal of Speech and Hearing Research 10:120-5.
- Edgington, Eugene S. 1980. Randomization Tests, Statistics Textbooks and Monographs Volume 31. New York: Marcel Dekker, Inc.
- Edwards, Allan E., and Richard Auger. 1965. "The Effect of Aphasia on the Perception of Precedence".

 Proceedings [of the 73rd Annual Convention] of the American Psychological Association, 207-8.
- Edwards, Mary Louise, and Lawrence D. Shriberg. 1983.

 Phonology: Applications in Communicative Disorders.

 San Diego: College-Hill Press.
- Efron, Bradley. 1982. The Jackknife, the Bootstrap, and other Resampling Plans. Philadelphia: The Society for Industrial and Applied Mathematics.
- Efron, Robert. 1963. "Temporal Perception, Aphasia, and

- Déjà Vu". Brain 86:403-24.
- Farrell, Barry. 1969. Pat and Roald. New York: Random House.
- Finger, Stanley, and Donald G. Stein. 1982. Brain Damage and Recovery: Research and Clinical Perspectives.

 Toronto: Academic Press.
- Fletcher, Jack M., Paul Satz, and Robert J. Scholes. 1981.
 "Developmental Changes in the Linguistic Performance
 Correlates of Reading Achievment": Brain and
 Language 13:78-90.
- Friederici, Angela D. 1981. "Production and Comprehension of Prepositions in Aphasia". *Neuropsychologia* 19:191-9.
- Friederici, Angela D. 1982. "Syntactic and Semantic Processes in Aphasic Deficits: The Availability of Prepositions". Brain and Language 15:249-58.
- Friederici, Angela D. 1983. "Aphasics' Perception of Words in Sentential Context: Some Real-Time Processing Evidence". Neuropsychologia 21:351-8.
- Friederici, Angela, Paul W. Schoinle, and Harold Goodglass.
 1981. "Mechanisms Underlying Writing and Speech in Aphasia". Brain and Language 13:212-22.
- Friederici, Angela D., Paul W. Schönle, and Merrill F. Garrett. 1982. "Syntactically and Semantically Based Computations: Processing of Prepositions in Agrammatism". Cortex 18:525-34.
 - Fry, D. B. 1955. "Duration and Intensity as Physical Correlates of Linguistic Stress". *Journal of the Acoustical Society of America* 27:765-8.
 - Fucci, Donald, and Linda Petrosino. 1984. "The Practical Applications of Neuroanatomy for the Speech-Language Pathologist". Speech and Language Volume 11. Edited by Norman J. Lass. Toronto: Academic Press, 249-315.
 - Galbadura, Albert M. 1982. "Histology, Architectonics, and Assymmetry of Language Areas". Neural Models of Language Processes. Edited by Michael A. Arbib, David Caplan, and John C. Marshall. Toronto: Academic Press, 435-446.
 - Gante, Mayadevi. 1981. The Development and Clinical Validation of a Psycholinguistic Test for Aphasia. An unpublished Doctoral dissertation for the

- Department of Linguistics, University of Alberta (Edmonton, Alberta).
- Gardner, Howard, and Edgar B. Zurif. 1975. "'Bee' but not 'be': Oral Reading of Single Words in Aphasia and Alexia". Neuropsychologia 13:181-90.
- Gardner, Howard, Martin L. Albert, and Sandra Weintraub.
 1975. "Comprehending a Word: The Influence of Speed and Redundancy on Auditory Comprehension in Aphasia". Cortex 11:155-62.
- Giegerich, H. J. 1983. "On English Sentence Stress and the Nature of Metrical Structure". *Journal of Linguistics* 19:1-28.
- Glosser, Gulia, Edith Kaplan, and Stephen LoVerme. 1982.
 "Longitudinal Neuropsychological Report of Aphasia
 Following Left-Subcortical Hemorage". Brain and
 Language 15:95-116.
- Goldfarb, Robert, and Harvey Halpern. 1981. "Word Association of Time-Altered Auditory and [Vi]sual Stimuli". Journal of Speech and Hearing Research 24:233-46.
- Goldstein, K. 1948. Language and Language Disturbances.
 New York: Grune & Stratton.
- Goodenough, Cheryl, Edgar B. Zurif, and Sandra Weintraub.
 1977. "Aphasic's Attention to Grammatical
 Morphemes". Language and Speech 20:11-9.
- Goodglass, Harold. 1968. "Studies on the Grammar of Aphasics". Developments in Applied Psycholinguistics. Edited by Sheldon Rosenberg and James H. Koplin. New York: The MacMillan Company, 177-208.
- Goodglass, Harold. 1976. "Agrammatism". Studies in Neurolinguistics 1. Edited by Haiganoosh Whitaker and Harry A. Whitaker. Toronto: Academic Press, 237-60.
- Goodglass, Harold. 1980. "Disorders in Naming Following Brain Injury". American Scientist 68:647-55.
- Goodglass, Harold. 1984. "A Neuropsychological Approach [to the Psychobiology of Language]". Psychobiology of Language. Edited by Michael Studdert-Kennedy. Cambridge: The MIT Press, 20-5.
- Goodglass, Harold, and Edith Kaplan. 1972. The Assesment of Aphasia and Related Disorders. Philadelphia: Lea

- and Febiger.
- Goodglass, Harold, and Edith Kaplan. 1983. The Assessment of Aphasia and Related Disorders, Second Edition.
 Philadelphia: Lea and Febiger.
- Goodglass, Harold, and J. Hunt. 1958. "Grammatical Gomplexity and Aphasic Speech". Word 14:197-207.
- Goodglass, Harold, and J. Mayer. 1958. "Agrammitism in Aphasia". Journal of Speech and Hearing Disorders 23:99-111.
- Goodglass, Harold, and Jean Berko. 1960. "Agrammation and Inflectional Morphology in English". *Journal of Speech and Hearing Research* 3:257-67.
- Goodglass, Harold, Iris G. Fodor, and Celia Schulhoff. 1967.
 "Prosodic Factors in Grammar -- Evidence from Aphasia". Journal of Speech and Hearing Research 10:5-20.
- Goodglass, Harold, Jean Berko Gleason, and Mary R. Hyde. 1970. "Some Dimensions of Auditory Language Comprehension in Aphasia". *Journal of Speech and Hearing Reseach* 13:595-606.
- Gordon, Barry, and Alfonso Caramazza. 1982. "Lexical Decision for Open- and Closed-Class Words: Failure to Replicate Differential Frequency Sensitivity".

 Brain and Language 15:143-60.
- Gordon, Barry, and Alfonso Caramazza. 1983. "Closed- and Open-Class Lexical Access in Agrammatic and Fluent Aphasics". Brain and Language 19:335-45.
- Gordon, Musetta C. 1967. "Reception and Retention Factors in Tone Duration Discriminations by Brain-Damaged and Control Patients". *Cortex* 3:233-49.
- Gordon, William P. 1983. "Memory Disorders in Aphasia I. Auditory Immediate Recall". Neuropsychologia 21:325-39.
- Grobner, Ellen, Ellen Perecman, Lucia Kellar and Jason
 Brown. 1980. "Lexical Knowledge in Anterior and
 Posterior Aphasics". Brain and Language 10:318-30.
- Grodzinsky, Yosef. 1984. "The Syntactic Characterization of Agrammatism". Cognition 16:99-120.
- Grossman, Murray, and Susan Haberman. **82. "Aphasics' Selective Deficits in Appreciating Grammatical Agreements". Brain and Language 16:109-20.

- Guyard, H., O. Sadouraud, and J. Gagnepain. 1981. "A Procedure to Differentiate Phonological Disturbances in Broca's Aphasia and Wernicke's Aphasia". Brain and Language 13:19-30.
- Hanson, Wayne R., Walter H. Riege, E. Jeffrey Metter, and Vaughan W. Inman. 1982. "Factor-Derived Categories of Chronic Aphasia". *Brain and Language* 15:369-80.
- Harris, Randy. 1983. "The Case Against Kean: Inadequacies of an Exclusively Phonological Account of Broca's Aphasia". Manuscript, University of Alberta.
- Heilman, Kenneth M., and Robert J. Scholes, 1976. "The Nature of Comprehension Errors in Brock's, Conduction, and Wernicke's Aphasics". Cortex 12:258-65.
- Heilman, Kenneth M., Robert Scholes, and Robert T. Watson. 1976. "Defects of Immediate Memory in Broca's and Conduction Aphasia". *Brain and Language* 3:201-8.
- Ingvar, David H. 1979. "Patterns of Activity in the Cerebral Cortex Related to Memory Functions". Perspectives on Memory Research. Edited by Lars-Goran Nilson. Hillsdale, N.J.: Lawrence Erlbaum and Associates, 247-55.
- Ingvar, David H., and Martin S. Schwartz. 1974. "Blood Flow Patterns Induced in the Dominant Hemisphere by Speech and Reading". *Brain* 97:273-88.
- Jackson, John Hughlings. 1958. Selected Writings of John Hughlings Jackson, Volume Two. Edited for the guarantors of Brain by James Taylor. London: Staples Press.
- Jacobson, Roman, and kathy Santilli. 1980. Brain and Language: Cerebral Hemispheres and Linguistic Structure in Mutual Light. Columbus: Slavica Publishers.
- Jones, Jeffrey. 1980. "Meaning, Language and Philosophy in the Later Wittgenstein". An unpublished master's thesis for the Department of Philosophy, University of Waterloo.
- Kahneman, D. 1973. Attention and Effort. Englewood Cliffs, New Jersey: Prentice-Hall.
- Kean, Mary-Louise. 1977. "The Linguistic Interpretation of Aphasia Syndromes: Agrammatism in Broca's Aphasia, an Example". Cognition 5:9-46.

- Kean, Mary-Louise. 1978. "The Linguistic Interpretation of Aphasic Syndromes". Explorations in the Biology of Language. Edited by Edward Walker. Montgomery, Vermont: Bradford Books, 67-138.
- Kean, Mary-Louise, 1980a. "Grammatical Representations and the Description of Language Processing". Biological Studies of Mental Processes. Edited by David Caplan. Cambridge: The MIT Press, 236-68.
- Kean, Mary-Louise. 1980b. "A Note on Kolk's 'Judgement of Sentence Structure in Broca's Aphasia'". Neuropsychologia 18:357-9.
- Kean, Mary-Louise. 1981. "Explanation in Neurolinguistics". Explanation in Linguistics. Edited by Norbert Hornstein and David Lightfoot. London: Longmans.
- Kean, Mary-Louise. 1982. "Three Perspectives for the Analysis of Aphasic Syndromes". Neural Models of Language Processes. Edited by Michael A. Arbib, David Caplan, and John C. Marshall. Toronto: Academic Press, 173-201.
- Kellar, Lucia A. 1978. "Stress and Syntax in Aphasia".
 Abstract of a paper presented to the Academy of Aphasia, Chicago.
- Kerschensteiner, Max, Klaus Poeck, and Edgar Brunner. 1972.

 "The Fluency Non Fluency Dimension in the Classification of Aphasic Speech". Cortex 8:233-47.
- Kertesz, Andrew. 1982. "Two Case Studies: Broca's and Wernicke's Aphasia". Neural Models of Language Processes. Edited by Michael A. Arbib, David Caplan, and John C. Marshall. Toronto: Academic Press, 25-44.
- Kertesz, Andrew, Wilhelmina Harlock, and Robert Coates.
 "Computer Tomography Localization, Lesion Size, and Prognosis in Aphasia and Nonverbal Impairment".

 Brain and Langauge 8:34-50.
 - Klosek, J. 1979. "Two Unargued Linguistic Assumptions in Kean's 'Phonological' Interpretation of Agrammitism". Cognition 7:61-8.
 - Knox, David. 1971. Portrait of Aphasia. Detroit: Wayne State University Press.
 - Kolk, H. H. J. 1978a. "The Linguistic Interpretation of

- Broca's Aphasia: A Reply to M.-L. Kean". Cognition 6:353-61.
- Kolk, H. H. J. 1978b. "Judgement of Sentence Structure in Broca's Aphasia". *Neuropsychologia* 16:617-25.
- Kolk, H. H. J., and M. J. F. Van Grunsven. 1984.

 "Metalinguistic Judgements on Sentence Structure in Agrammatism: A Matter of Task Misinterpretation".

 Neuropsychologia 22:31-40.
- Kudo, Takayuki. 1984. "The Effects of Semantic Plausibility on Sentence Comprehension in Aphasia". Brain and Language 21:208-18.
- Kudo, T., M. Tateishi, T. Kashiwagi, and N. Segawa. 1982. "Sensitivity to Functors in Japanese Aphasics". Neuropsychologia 2 41-50.
- Lapointe, Stephen G. 1983. "Some Issues in the Linguistic Description of Agrammatism". Cognition 14:1-39.
- Lasky, E. Z., W. E. Weidner, and J. P. Johnson. 1976.
 "Influence of Linguistic Complexity, Rate of
 Presentation, and Interphrase Pause-Time on
 Auditory-Verbal Comprehension of Adult Aplasic
 Patients". Brain and Language 3:386-96.
- Laughlin, Susan A., Margaret A. Naeser, and William
 P. Gordon. 1979. "Effects of Three Syllable
 Durations Using the Melodic Intonation Therapy".

 Journal of Speech and Hearing Research 22:311-20.
- Lehiste, Ilse. 1970. Suprasegmentals. Cambridge: The MIT Press.
- Lenneberg, Eric H. 1975. "In Serach of a Dynamic Theory of Aphasia". Foundations of Language Development Edited by Eric H. Lenneberg and Elizabeth Lenneberg. New York: Academic Press, 3-20.
- Lenneberg, Eric H. 1964. "A Biological Perspective on Language". New Directions in the Study of Language. Edited by Eric H. Lenneberg. Cambride: The MIT Press.
- Levine; David N., and Eric Sweet. 1982. "The Neuropathological Basis of Broca's Aphasia and Its Implications for the Cerebral Control of Speech". Neural Models of Language Processes. Edited by Michael A. Arbib, David Caplan, and John C. Marshall. Toronto: Academic Press, 299-326.
- Liederman, Jaqueline, Susan Kohn, Maryanne Wolf, and Harold

- Goodglass. 1983. "Lexical Creativity during Instances of Word-finding Difficulties: Broca's vs. Wernicke's Aphasia". Brain and Language 20:21-32.
- Lightfoot, David. 1982. The Language Lottery: Towards a Biology of Grammars. Cambridge: The MIT Pres.
- Liles, Betty Z., and Robert H. Brookshire. 1975. "The Effects of Pause Time on Auditory Comprehension of Aphasic Subjects". Journal of Communication Disorders 8:221-35.
- Linebarger, Marcia C., Myrna F. Schwartz, and Eleanor M. Saffran. 1983a. "Sensitivity to Grammatical Structure in So-called Agrammatic Aphasics". Cognition 13:361-92.
- Linebarger, Marcia C., Myrna F. Schwartz, and Eleanor M. Saffran. 1983b. "Syntactic Processing in Agrammatism: A Reply to Zurit and Grodzinsky".

 Cognition 15:215-25
- Locke, John L., and John W. Beck. 1978. "Retrieval Failure, Rehearsal Deficiency, and Short-term Memory Loss in the Aphasic Adult". Brain and Language 5:227-235.
- Lonzi, Lidia, and M. Ester Zanobio. 1983. "Syntactic Component in Language Responsible Cognitive Structure: Neurological Evidence". Brain and Launguage 18:177-91.
- Mack, James L. 1981. "The Comprehension of Locative Prepositions in Nonfluent and Fluent Aphasia".

 Brain and Language 14:81-92.
- Marckworth [Stanford], Mary Lois. 1976. "Effect of Temporal Expansion of Speech on Aphasic Comprehension".

 Canadian Journal of Linguistics 21:79-94.
- Marshall, John C. 1980. "Clues from Peurological Deficits".

 Signed and Spoken Language: Constraints on
 Linguistic Form. Edited by U. Belugi and
 M. Studdert-Kennedy. Weinheim: Verlag Chemie GmbH.
- Marshall, John C. 1982. "What is a Symptom-Complex?"

 Neural Models of Language Processes. Edited by
 Michael A. Arbib, David Caplan, and John
 C. Marshall. Toronto: Academic Press, 389-410.
- Marshall, John C. 1983. "A Rose by any other Name". The Behavioral and Brain Sciences 6:216-7.
- Marshall, Robert C. 1981. "Heightening Auditory

- Comprehension for Aphasic Patients" Language Intervention Strategies in Adult Aphasia. Edited by Roberta Chapey. Baltimore: Williams and Wilkins, 297-328.
- Mateer, Catherine A., and George A. Ojemann. 1983.
 "Thalamic Mechanisms in Language and Memory".

 Language Functions and Brain Organisation. Edited by Sidney J. Segalowitz. Toronto: cademic Press, 171-91.
- McNeil, M., and T. Prescott. 1978. The Revised Token Test. Baltimore: University Park Press.
- Miceli, Gabrielle, Ana Mazzucchi, Lise Menn, and Harold Goodglass. 1983. "Contrasting Cases of Italian Agrammatic Aphasia without Comprehension Disorder". Brain and Language 19:65-97.
- Milberg, William, and Sheila E'. Blumstein. 1981. "Lexical Decision and Aphasia: Evidence for Semantic Processing". Brain and Language 14:371-85.
- Miller, Jonathan. 1983. "The Organization of the Living Brain: Dialogue with Norman Geschwind". States of Mind. New York: Pantheon Books, 116-34.
- Myers, Jerome L. 1972. Fundamentals of Experimental Design, Second Edition. Boston: Allyn and Bacon, Inc.
- Obler, L., M. Albert, H. Goodglass, and D. Bensen. 1978. "Aphasia Type and Aging". *Brain and Language* 6:318-322.
- Ojeman, George A. 1983. "Brain Organization for Language from the Perspective of Electrical Stimulation Mapping". The Behavioral and Brain Sciences 6:189-206.
- Orson, David R. 1970. "Language and Thought: Aspects of a Cognitive Theory of Semantics". *Psychological Review* 77:257-73.
- Orgrass, R., and K. Poeck. 1962. "Clinical Validation of a New Test for Aphasia: An Experimental Study on the Token Test". *Cortex* 2:223-43.
- Ostergaard, Arne L. "Note: The Effect of Sentence Boundaries upon Aphasic Patients' Immediate RMemory for Connected Speech". Cortex 20:591-7.
- Ostergaard, Arne L., and Peter R. Meudell. 1984. "Immediate Memory Span, Recognition Memory for Subspan Series of Words, and Serial Position Effects in Recognition

- Memory for Supraspan Series of Verbal and Nonverbal Items in Broca's and Wernicke's Aphasia". Brain and Language 22:1-13.
- Pashek, Gail V., and Robert H. Brookshire. 1982. "Effects of Rate of Speech and Linguistic Stress on Auditory Paragraph Comprehension of Aphasic Individuals".

 Journal of Speech and Hearing Research 25:377-83.
- Penfield, Wilder, and Lamar Roberts. 1959. Speech and Brain Mechanisms. Princeton: Princeton University Press.
- Plotnik, Rod, and Sandra Mollinauer. 1978. Brain and Behaviour. San Francisco: Canfield Press, a division of Harper and Row, Ppublishers.
- Poeck, Klaus. 1983. "What do we Mean by 'Aphasia Syndromes?' A Neurologist's View". Brain and Language 20:79-89.
- Poeck, Klaus, M. Kerschensteiner, and W. Hartje. 1972. "A Quantitative Study on Language Understanding in Fluent and Non Fluent Aphasia". Cortex 8:299-304.
- Poeck, Klaus, and Hans-Peter Pietron. 1981. "The Influence of Stretched Speech on Token Test Performance of Aphasic and Right Brain Patients". Neuropsychologia 19:133-6.
- Pylyshyn, Zenon W. 1980. "Computation and Cognition: Issues in the Foundations of Cognitive Science". The Behavioral and Brain Sciences 3:111-69.
- Pylyshyn, Zenon W. 1984. "Syntax as an Autonomous Component of Language". Psychobiology of Language. Edited by Michael Studdert-Kennedy. Cambridge: The MIT Press, 147-51.
- Ramsberger, Gail, and Robert E. Hillman. 1985. "Temporal Speech Characteristics Associated with Anterior Left Hemisphere Cortical and Subcortical Lesions: A Case Study". Brain and Language 24:59-73.
- Riensche, Linda L., Amy Wohlert, and Bruce E. Porch. 1983.

 "Aphasic Comprehension and Preference of
 Rate-Altered Speech". British Journal of Disorders
 of Communication 18:39-48.
- Risberg, Jarl, and David H. Ingvar. 1973. "Patterns of Activity in the Grey Matter of the Dominant Hemisphere During Memorizing and Reading". Brain 96:737-56.
- Robinson, Robert G., and D. Frank Benson. 1981. "Depression

- in Aphasic Patients: Frequency, Severity and Clinical-pathological Correlations". Brain and Language 14:282-91.
- Rothi, Leslie J., and Edward C. Hutchinson. 1981.

 "Retention of Verbal Information by Rehearsal in Relation to Fluency of Verbal Output in Aphasia".

 Brain and Language 12:347-59.
- Ryalls, John H. 1982. "Intonation in Broca's Aphasia". Neuropsychologia 20:355-60.
- Saffran, E. M., M. F. Schwartz, and O. S. M. Marin. 1980.
 "The Word Order Problem in Agrammatism. II.
 Production". Brain and Language 10:263-80.
- Samuels, Jeffrey A., and D. Frank Benson. 1979. "Some Aspects of Language Comprehension in Anterior Aphasia". *Brain and Language* 8:275-86.
- Sasanuma, S., I. F. Tatsumi, S. Kiritani, and H. Fujisaki.
 1973. "Auditory Perception of Signal Duration in
 Aphasic Patients". Research Institute for
 Logopedics and Phoniatrics Annual Bulletin 7:65-72.
- Schiller, Francis: 1979. "A Manner of Not Speaking". Paul Broca: Founder of French Anthropology, Explorer of the Brain. Berkeley: University of California Press, 165-211.
- Scholes, Robert J. 1978. "Syntactic and Lexical Components of Sentence Comprehension". Language Acquisition and Language Breakdown. Edited by Edgar B. Zurif and Alfonso Caramazza. Baltimore: The Johns Hopkins University Press.
- Schuell, Hildred. 1974. Aphasia Theory and Therapy. Edited by Luther F. Sies. Baltimore: University Park Press.
- Schuell, Hildred, and Joyce W. Sefer. 1973. Differential Diagnosis of Aphasia with the Minnesota Test, Second Edition. Minneapolis: University of Minnesota Press.
- Schuell, H., J. J. Jenkins, and E. Jimenez-Pabon. 1964.

 Aphasia in Adults: Diagnosis, Prognosis, and
 Treatment. New York: Hoeber.
- Schwartz, Myrna F. 1984. "What the Classical Aphasia Categories Can't Do for us, and Why". Brain and Language 21:3-8.
- Schwartz, M. F., E. M. Saffran, and O. S. M. Marin. 1980.

- "The Word Order Problem in Agrammatism. I. Comprehension". Brain and Language 10:249-62.
- Schwegel, Janet D. M. 1984. "Acoustic Factors in the Perception of Voiced Labial and Dental Stop/Fricative Categories". An unpublished Master's thesis for the Department of Linguistics, University of Alberta (Edmonton, Alberta).
- Segui, Juan, Jacques Mehler, Uli Frauenfelder, and John Morton. 1982. "The Word Frequency Effect and Lexical Access". Neuropsychologia 20:615-27.
- Seron, Xavier, and Gérard Deloche. 1981. "Processing of Locatives 'in' 'on', and 'under' by Aphasic Patients: An Analysis of the Regression Hypothesis". Brain and Language 14:70-80.
- Shallice, Tim. 1979. "Neuropsychological Research and the Fractionation of Memory". Perspectives on Memory Research. Edited by Lars-Goran Nilson. Hillsdale, N.J.: Lawrence Erlbaum and Associates, 257-78.
- Sheehan, Joseph G., Suzanne Aseltine, and Allan E. Edwards. 1973. "Aphasic Comprehension of Time Spacing". Journal of Speech and Hearing Research 16:650-7.
- Shepard, Roger N. 1982. "Perceptual and Analogical Bases of Cognition". Perspectives on Mental Representation. Edited by Jaques Mehler, Edward C. Walker, and Merrill Garrett. Hillsdale: Lawrence Erlbaum Associates, 49-67.
- Shewan, Cynthia. 1976. "Error Patterns in Auditory Comprehension of Adult Aphasics". Cortex 12:325-38.
- Shewan, Cynthia, M. 1980. "Phonological Processing in Broca's Aphasia". Brain and Language 10:71-88.
- Shewan, Cynthia, and Gerald J. Canter. 1971. "Effects of Vocabulary, Syntax, and Sentence Length on Auditory Comprehension in Adult Aphasic Patients". Cortex 7:209-26.
- Shinn, Paul, and Sheila E. Blumstein. 1983. "Phonetic Disintegration in Aphasia: Acoustic Analysis of Spectral Characteristics for Place of Articulation". Brain and Language 20:90-114.
- Shorr, David N., and Philip S. Dale. 1984. "Reflectivity Bias in Picture-Pointing Grammatical Comprehension Tasks". Journal of Speech and Hearing Research 27:549-56.

- Smith, Mary Devine. 1974a. "On the Understanding of Some Relational Words in Aphasia". *Neuropsychologia* 12:377-84.
- Smith, Mary Devine. 1974b. "Operant Conditioning of Syntax in Aphasia". *Neuropsychologia* 12:403-5.
- Smith, Stanley D., and Ivo Mimica. 1984. "Agrammatism in a Case-Inflected Language: Comprehension of Agent-Object Relations". Brain and Language 21:274-90.
 - Sparks, Robert W. 1981. "Melodic Intonation Therapy".

 Language Intervention Strategies in Adult Aphasia.

 Edited by Roberta Chapey. Baltimore: Williams and Wilkins, 265-82.
- Sparks, Robert, N. Helm, and M. Albert. 1974. "Aphasia Rehabilitation Resulting from Melodic Intonation Therapy". *Cortex* 10:303-16.
- Sparks, Robert, and A. Holland. 1976. "Method: Melodic Intonation Therapy for Aphasia". Journal of Speech and Hearing Research 41:287-97.
- Stevenson, Dale C., and Richard C. Stevens. 1978a.
 "Introduction to the Alligator". Edmonton:
 Department of Linguistics, University of Alberta.
- Stevenson, Dale C., and Richard C. Stevens. 1978b. "The Alligator Reference Manual". Edmonton: Department of Linguistics, University of Alberta.
- Studdert-Kennedy, Michael. 1982. "A Note on the Biology of Speech Perception". Perspectives on Mental Representation. Edited by Jaques Mehler, Edward C. Walker, and Merrill Garrett. Hillsdale: Lawrence Erlbaum Associates, 329-38.
- Swinney, David A. 1982. "The Structure and Time-Course of Information Interaction During Speech Comprehension: Lexical Segmentation, Access, and Interpretation". Perspectives on Mental Representation. Edited by Jaques Mehler, Edward C. Walker, and Merrill Garrett. Hillsdale: Lawrence Erlbaum Associates, 151-67.
- Swinney, David A., and Orlando L. Taylor. 1971. "Short-Term Memory Recognition Seach in Aphasics". Journal of Speech and Hearing Research 14:578-588.
- Swinney, David A., Edgar B. Zurif, and Anne Cutler. 1980. "Effects of Sentential Stress and Word Class upon Comprehension in Broca's Aphasics". *Brain and*

- Language 10:132-44.
- Swisher, Linda Peck, and Martha Taylor Sarno. 1969. "Token Test Scores of Three Matched Patient Groups: Left Brain-Damaged with Aphasia; Right Brain-Damaged without Apahsia; Non-Brain-Damaged". Cortex 8:299-304
- Tallal, Paula, and Freda Newcombe. 1978. "Impairment of Auditory Perception and Language Comprehesion in Dysphasia". Brain and Language 5:13-24.
- Tikofsky, Ronald S. 1984. "Contemporary Aphasia Diagnostics". Speech and Language Volume 11. Edited by Norman J. Lass. Toronto: Academic Press, 1-111.
- Tuller, Betty. 1984. "On Categorizing Speech Errors". Neuropsychologia 22:547-58.
- Tyler, Lorraine Komisarjevsky, and William
 D. Marslen-Wilson. 1982. "Speech Comprehension
 Processes". Perspectives on Mental Representation.
 Edited by Jaques Mehler, Edward C. Walker, and
 Merrill Garrett. Hillsdale: Lawrence Erlbaum
 Associates, 169-84.
- de Villiers, Jill. 1974. "Quantitative Aspects of Agrammatism". Cortex 10:36-54.
- Wales, Roger, and Glynda Kinsella. 1981. "Syntactic Effects in Sentence Comprehension by Broca's Aphasics".

 Brain and Language 13:301-7.
- Warrington, Elizabeth K., Valentine Logue, and R. T. C. Pratt. 1971. "The Anatomical Localization of Selective Impairment of Auditory Verbal Short-Term Memory". Neuropsychologia 9:377-87.
- Warrington, Elizabeth K., and Tim Shallice. 1969. "The Selective Impairment of Auditory Short Term Memory". Brain 92:885-96.
- Watt, W. C. 1974. "Mentalism in Linguistics, II". Glossa 8:3-40.
- Weidner, W. E., and E. Z. Lasky. 1976. "Interaction of Rate and Complexity of Stimulus on the Performance of Adult Aphasia Subjects". *Brain and Language* 3:34-40.
- Whitaker, Harry A. 1984. "Two Views on Aphasia Classification". Brain and Language 21:1-2.

- Wilcox, M. Jeanne, G. Albyn Davis, and Lawrence B. Leonard. 1978. "Aphasic's Comprehension of Contextually Conveyed Meaning". Brain and Language 6:362-77.
- Winer, B. J. 1972. Statistical Principles in Experimental Design, Second Edition. New York: McGraw-Hill.
- Wittgenstein, Ludwig. 1958. Philosophische Untersuchungen / Philosophical Investigations. Translated by G. E. M. Anscombe. Oxford: Basil Blackwell & Mott Ltd.
- Woods, William A. 1982. "HWIM: A Speech Understanding System on a Computer". Neural Models of Language Processes. Edited by Michael A. Arbib, David Caplan, and John C. Marshall. Toronto: Academic Press, 95-113.
- Wulf, Helen Harlan. 1973. Aphasia, my world alone.
 Detroit: Wayne State University Press.
- Zangwill, O. L. 1975. "Excision of Broca's Area without Persistent Aphasia". Cerebral Localization: An Otfrid Foerster Symposium. Edited by K. J. Zulch, O. Creutzfeld, and G. C. Galbraith. New York: Springer-Verlag, 258-63.
- Zurif, Edgar B. 1980. "Language Mechanisms: A Neurolinguistic Perspective". American Scientist 68:305-11.
- Zurif, Edgar B. 1982a. "Language and Brain: Some Points of Connection". Perspectives on Mental Representation. Edited by J. Mehler, Edward C. Walker, and Merrill Garrett. Hillsdale: Lawrence Erlbaum Associates, 311-6.
- Zurif, Edgar B. 1982b. "The Use of Data from Aphasia in Constructing a Performance Model of Language".

 Neural Models of Language Processes. Edited by Michael A. Arbib, David Caplan, and John C. Marshall. Toronto: Academic Press, 203-7.
- Zurif, Edgar B. 1984. "Aspects of Sentence Processing in Aphasia". *Psychobiology of Language*. Edited by Michael Studdert-Kennedy. Cambridge: The MIT Press, 188-94.
- Zurif, Edgar B., and Sheila E. Blumenstein. 1978. "Language and the Brain". Linguistic Theory and Psychological Reality. Edited by Morris Halle et al. Cambridge: The MIT Press, 229-45.
- Zurif, Edgar B., and Alfonso Caramazza. 1976.

- "Psycholinguistic Structures in Aphasics: Studies in Syntax and Semantics". Studies in Neurolinguistics 1. Edited by Haiganoosh Whitaker and Harry A. Whitaker. Toronto: Academic Press.
- Zurif, Edgar B., and Yosef Grodzinsky. 1983. "Sensitivity to Grammatical Structure in Agrammatic Aphasics: A Reply to Linebarger, Schwartz and Saffran". Cognition 15:207-13.
- Zurif, Edgar B., Alfonso Caramazza, and R. Myerson. 1972. "Grammatical Judgements of Agrammatic Aphasics". Neuropsychologia 10:405-17.
- Zurif, Edgar B., Alfonso Caramazza, R. Myerson, and J. Galvin. 1974. "Semantic Feature Representations for Normal and Aphasic Language". *Brain and* Language 1:167-87.
- Zurif, Edgar B., E. Green, Alfonso Caramazza, and Cheryl Goodenough. 1976. "Grammatical Intuitions of Aphasic Patients: Sensitivity to Functors". *Cortex* 12:183-6.
- Zwicky, Arnold M., and Geoffrey K. Pullum. 1983.
 "Cliticization vs. Inflection: English n't".
 Language 59:502-13.

APPENDIX A: Additional Aphasic Data

entioned in Chapter 3, this study also gathered data from several aphasic patients who were excluded from the primary analysis. Although there are very good reasons for these exclusions, it would be inappropriate to discard the information altogether. It would be unfair to the patients, who kindly sat through the experiment in the expectation that their contributions would be of some scientific benefit, and it would be unfair to the readers of this study, who are aware that aphasiological data are far too precious to leave mouldering in a file jacket.

But it is important to keep in mind that the following reports and commentary are addenda only, and do not constitute a further refinement of the information already presented. It is not, for instance, appropriate to think of the gentleman whose diagnosis was distinctly nonBroca as a control for another syndrome. Neither would it be legitimate to suggest that the two non-native English speakers show the findings reported above to generalize from native to non-native speakers. The information these subjects provide is suggestive, nothing more, and must be interpreted cautiously.

The five subjects not included in the analyses reported above are described in Tables A.1 and A.2; the former contains general descriptions, like those of Table 3.1, while the latter parallels Table 3.2. These subjects were recruited through the good offices of one Edmonton hospital

Table A.1

GENERAL DESCRIPTIONS, ADDITIONAL SUBJECTS

Subjects	Age	Gender	Education (Years)		Auditory Acuity
MK	73	male	n/a	good	fair
GP	66	female	gymnasium	good	fair
LS	58^	male	19 (M.D.)	good	. good
JC	58	male	n/a	good	good
EH	48	male	n/a	good "	good

NOTES:

GP is a native German speaker who as been speaking Canadian English for over 30 years.

MK is a native Ukranian speaker who has been speaking Canadian English for over 30 years.

and several Vancouver hospitals. All were victims of left CVAs; two had anterior lesions, but more specific localization was unavailable for the other three. one (MK) were outpatients, and MK was as severely hampered by hemiplegia as by his linguistic problems and was not scheduled for release. The mean age for this group was 52.6 years (s2=25.7), and their mean postonset time was 16 months All had good vision, though again several wore corrective lenses, and relatively good hearing. All were right-handed, but there was a note in LS's file to the effect that he had been "left-handed as a child". If this means that he was trained into right-handedness, as was not uncommon as recently as two decades ago, this could mean that a substantial portion of his language development did not follow the normal lateralization pattern of

Table A.2

APHASIA SPECIFIC DESCRIPTIONS, ADDITIONAL SUBJECTS

Subjects	CVA Postonset	Apraxia	Dysarthria	Hemiplegia/ Hemiparesis	Output/Comprehension Severity	Session Mood / Alertness
 Z X	29 months	severe	plim	R, severe	severe/moderate	friendly / tired
G G	3 months	moderate	mild	R, mild	moderate/mild	friendly/alert
၁	28 months	moderate	none	none	moderate/moderate	friendly/alert
rs	3 months	moderate	mild	mild	mild/mild	friendly/alert
H	17 months	"queried"	mild	R, mild	moderate/moderate	eager/alert
 NOTES:						

LS was diagnosed as a nonaphasic apraxic.

EH was diagnosed as "Mixed, Non-Fluent".

JC was appraised as a Wernicke's aphasic.

MK and GP had left anterior lesions, but there was no lesion information on LS, EH, or JC more specific than left

right-handers, and it might help explain the mildness of his aphasia. His score on the BDAE comprehension subtests was 100%, and his therapist had diagnosed him as exclusively apraxic, without language deficits (though his performance on the experimental task was far below normal levels and reveals some degree of language impairment). He was also quite anxious not to appear impaired. He asked how he did on the task and explained away his errors by saying the bird in the pictures should have been called a parrot (two of his errors occurred on the bird sentences). All were diagnosed as "Non-Fluent", with the exception of JC. When I saw hom he was quite fluent and in conversation only suffered minor word-finding difficulties. His regular therapist was unavailable for consultation, but my hospital liaisan assumed his lesion was posterior and that he was a largely recovered Wernicke's case.

The responses for this group are displayed in Table A.3. The most curious result in Table A.3 is the performance of MK, especially as it relates to the performance of FD, reported earlier. These men are very similar in several respects: age, institutionalization, levels of severity, and in performance on the experiment. This would not be surprising (AM and DS are also very similar on all these metrics) except for the pattern of that performance. Both men did worse than chance level on the NORMAL stimuli, and very close to chance on the SALIENT stimuli. Since there is no reason to believe that there is

Table A.3 ,
MEAN RESPONSES, ADDITIONAL SUBJECTS

Subject	Condition	Correct	Funct Er	ror(s)	Cont	Error(s)	•
MK	NORMAL SALIENT	2 4	5 4		•	i Ø	
GP	NORMAL SALIENT	.6	6 2			ø ø	
LS	NORMAL SALIENT	, 5 , 7	3 1			Ø Ø	
JC	NORMAL SALIENT	3 6	5 2	•		Ø Ø	
EH	NORMAÛ SALIENT	3 6	5 2			Ø Ø	5
x	OVERALL NORMAL SALIENT	9.2 3.4 5.8	6.6 4.2 2.2			Ø.2 Ø.2 Ø	
S²	OVERALL NORMAL SALIENT	2.168 1.44 1.095	Ø.83	36		Ø.447 Ø.447 Ø	

something about the former that would lead these patients to systematically misinterpret the sentences in the function error direction, and nothing about the latter that should improve misinterpretation to guess level, this parallel must be a coincidence. But it is a curious one nonetheless.

Another unpredicted outcome is the performance of JC.

If he is indeed a Wernicke victim, it is somewhat unexpected that he would not pattern a little closer to the Wernicke pool investigated by Heilman and Scholes, but he made no content errors at all, he was close to chance for the NORMAL stimuli, and he evidenced a SALIENT effect. My suspicion is

that he might be a conduction, or transcortical, aphasic:
Though the therapist who was present clearly ventured a more educated guess than mine, she did not have the results of any examination to go by; I tested JC on the comprehension screen and on the experiment proper, and conversed with him for some time. If he is better diagnosed as a Conduction, then his performance is in consonance with the Heilman and Scholes results; if he is a Wernicke patient, then his performance is somewhat anomalous, though anomalies are not unusual in aphasiology.

The three remaining patients patterned pretty much as those discussed in the primary analysis. LS and EH were close to chance level for NORMAL stimuli, and better than chance for SALIENT stimuli. GP was also better than chance with the SALIENT stimuli, though she was worse than chance for the NORMAL sentences. On the average this group performed slightly less reliably than the primary group, but the pattern is similar, and there is a marked salience effect.

(Post hoc randomized t-tests are conducted on these data, with the following result at α =0.05: the NORMAL results of this group did not differ from chance level; this group did not differ in overall scores from the previously analyzed group; they did not differ on the SALIENT stimuli; however, they did significantly worse on the NORMAL stimuli than the primary group.)

APPENDIX B: Consent letter / release form

Dear (Mr. /Mrs. appropriate name here):

I am studying language at the University of Alberta. I would like to include you in my study.

The study consists of one session, much like the session you have with your speech therapist.

I will keep your comfort and welfare in mind during all sessions. You may stop any time if you wish.

Your name and other personal information will not be reported.

If you wish to help me in my study, please put a check mark in the space on the bottom of this form, and please sign the form.

Thank you very much for your time, and a special thanks if you have decided to help.

-- Randy Harris

I have read this	letter	and	wish	to	help	the	study:	
Signature:								
					•			

[I countersigned here, with the date.]

APPENDIX C: Alligator programs for assembling and randomizing the stimulus sentences

```
RPLAY
     C Assembles stimulus sentences in 2 conditions, from sets
     C of 3 segments (condition 1 = HEADx + THEx + TAILx;
   C condition 2 = HEADx + PTHEx + TAILx). HEADNTAIL is a
     C signal file containing sentence HEADs and sentence TAILs.
 C THES is a signal file containing THES and PTHES. RLIST
     C is a text file containing the randomized numbers 1 - 14
     DATA NWAIT 10
DATA PAUSE 20
     DATA HEAD*8
     DATA THE*8
     DATA TAIL*8
     DATA I
     SET FREQ=10
     GET HEADNTAIL
     GET THES *IN
      SOURCE RLIST
     LABEL 1
     CL WA
     READ *SOU &I
 IF &I GT 8 GOTO 2
     ENCODE &HEAD HEAD &I
 ENCODE &THE THE &I
     ENCODE &TAIL TAIL&I
     LOAD &HEAD
     LOAD *IN &THE
    LOAD &TAIL
      Q A &HEAD &THE &TAIL
      WAIT NWAIT SEC
      GOTO 1
      LABEL 2
      SUB &I 8
      ENCODE &HEAD HEAD &I
      ENCODE &THE PTHE &I
      ENCODE &TAIL TAIL &I
      LOAD &HEAD
      LOAD *IN &THE
      LOAD &TAIL
      Q &HEAD
  SWAIT &PAUSE MSEC
€ CONTRACTOR CONTRACT
      WAIT &PAUSE MSEC
      Q &TAIL
      WAIT &NWAIT SEC
      GOTO 1
```

ΕΝ̈́D

RAND

C A PROGRAM TO GENERATE A
C RANDOM SEQUENCE OF 16 NUMBERS,
C USED BY RPLAY. SEED IS A 5-DIGIT
C NUMBER TAKEN FROM A RANDOM NUMBER
C TABLE, ENTERED ON THE TERMINAL
DATA NUM(16) 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16
DATA SEED
PRINT SEED?
READ *TTY &SEED
EMPTY RLIST
SINK RLIST
RANDOMIZE *SINK &SEED 1 &NUM
END


MEASDA

C A PROGRAM TO MEASURE THE . C DURATIONS (MSEC) & AMPLITUDES C (PEAK, AREA & AVERAGE RMS) OF C THEX & PTHEX; X = 1 - 8. C SEGNAMES IS A LIST OF NAMES C FOR THE MEASURED SEGMENTS. DATA X DATA Y DATA SEG*6 SET FREQ=10 SOURCE DØ: SEGNAMES GET DØ:THES LABEL 1 CLEAR WA READ *SOURCE &SEG LOAD &SEG MEASURE DURATION &X &Y MSEC PRINT &SEG PRINT DURATION = &X &Y MEASURE PEAK &X &Y PRINT PEAK = &X &Y MEASURE AREA &X &Y IFERROR 50 PRINT 50 PRINT AREA = &X &Y MEASURE AVER &X &Y PRINT AVERAGE = &X &Y GOTO 1 END


```
MEASP
 C A PROGRAM FOR MEASURING THE LENGTH OF PITCH PERIODS
 C ON AN ACTIVE SIGNAL. FILE & SEGMENT ARE READ FROM
 C TERMINAL, SEGMENT STORED IN TEMP. THE PROGRAM
 C ADJUSTS CURSOR POSITIONS BY THE DURATION OF THE
 C PREVIOUS PERIOD & PRINTS THE NUMBER OF DATA POINTS
 C FOR THAT PERIOD.
 CLEAR WA
 RELEASE
 EMPTY DØ:TEMP
SET NTH= 1
 RELEASE
 DATA A Ø
 DATA B Ø
 DATA F
 DATA G
 DATA N
 DATA FILE*6
 PRINT ENTER FILE, SEG
 READ *TTY &FILE &VOW
 LABEL 1
 GET D1:&FILE
 ADD &N 1
 CLEAR WA
 LQ &VOW
 ADJUST &VOW ENTRY &A &B
 RELEASE
 EMPTY DØ:TEMP
 GET DØ:TEMP
 SAVE &VOW
 CLEAR WA
 LOAD &VOW
 LABEL 3
 QUEUE &VOW
 EDIT
LOCK
 WAIT 20 SEC
 WAIT 20 SEC
 LOCK
TRUNCATE
 RETURN
 PLAY 30
 WAIT 15 SEC
 IF SS:Ø EQ 1 GOTO 3
 MEASURE DURATION &F &G PTS
 PRINT PERIOD &N &G PTS
ADD &A &F
 ADD &B &G
 LABEL 5
 IF &B LT &G ADD &A 1
 GOTO 1
```


END

APPENDIX D STIMULI SPECTROGRAMS




The man showed her baby the pictures.





her baby the pictures.

242






The man showed the boys the horse show






e boys the horse shoes.


· 2 / 2




The man showed the boys' horse the shoe





boys' horse the shoes.






The man showed the girls the bird see






the girls the bird seed.


つ.20.3.




The man showed the girls' bird the seed.




girls' bird the seed.







The man showed her the girls' hats.



the girls' hats.



The man showed her girls the hats.




girls the hats.


242


APPENDIX E

RESPONSE ITEMS




¥








ŧ
















APPENDIX F: Fortran 77 programs used to collate and analyze response data

```
A program to: read in subject responses; calculate
       the CORRect responses, the FUNCTion errors, and the
       CONTent errors for each subject and condition; find
       the total correct (TC), total function errors (FE),
       and total content errors (CE); calculate the mean
       _correct responses (AVRC), the mean function errors
        (AVRFE), and the mean content errors (AVRCE) overall;
        find the mean correct response (AVRC1, AVRC2), the
       mean function errors (AVRFE1, AVRFE2), and the mean
       content errors (AVRCE1, AVRCE2) for the 2 conditions,
       where 1 = normal, and 2 = salient; and to print out
        the calculations.
  C
  C
       Variable declaration:
       CHARACTER * 4 RESP(9, 2, 8)
2
       INTEGER C, FE, CE, I, J, K, TC, TFE, TCE
       INTEGER TC1, TFE1, TCE1, TC2, TFE2, TCE2
       -SUBJN, CONDN, SENTN
       REAL AVRC, AVRFE, AVRCE, AVRC1, AVRFE1, AVRCE1
       REAL AVRC2, AVRFE2, AVRCE2
       Variable initialization:
       SUBJN = 9
       CONDN = 2
8
       SENTN = 8
       C = FE = CE = TC = TFE = TCE = TC1 = TFE1 = TCE1
       -TC2 = TFE2 = TCE2 = 0
       I = J = K = 1
       Print out table headings:
      PRINT 1, 'SUBJECT', 'CONDITION', 'CORRECT', 'FUNCT ERROR(S)', 'CONT ERROR(S)'
11
     1 FORMAT (///, 2x, A7, 5x, A9, 5x, A7,
       -5X, A14, 5X, A13, ///)
   C
       Read in the responses, summing over subject (I) and
   C
       condition (K):
\13
       WHILE (I.LE.SUBJN) DO
14
           WHILE (J.LE.CONDN) DO
15
              WHILE (K.LE.SENTN) DO
                 READ 2, RESP(I, J, K)
16
17
                 FORMAT (7X, A4)
18
                 IF (RESP(I, J, K).EQ.'CORR') THEN DO
                    C = C_1 + 1
```

```
20
                  ENDIF
21
                     (RESP(I, J, K).EQ. FUNC') THEN DO
22
                     FE = FE + 1
23
24
                  IF (RESP(I, J, K).EQ.'CONT') THEN DO
25
                     CE = CE + 1
26
                  ENDIF.
27
                  K = K + 1
28
              ENDWHILE
29
              IF (I.EQ.1) NAME = 'RS'
30
              IF (I.EQ.2) NAME = 'FD'
31
             \iota IF (I.EQ.3) NAME = 'JC'
32
              ΙF
                  (I.EQ.4) NAME =
                                   'HT'
             c I F
.33
                  (I.EQ.5) NAME =
34
              IF (I.EQ.6) NAME =
                                   ' AM'
35
              ΙF
                 (I.EQ.7) NAME =
                                   'DS'
36
              IF (I.EQ.8) NAME =
                                   'JP'
37
              IF (I.EQ.9) NAME = 'JF'
38
              IF (J.EQ.1) THEN DO
39
                  TC1 = TC1 + C
40
                  TFE1 = TFE1 + FE
41
                  TCE1 = TCE1 + CB
42
              ENDIF
43
              IF (J.EQ.2) THEN DO
44
                  TC2 = TC2 + C
45
                  TFE2 = TFE2 + FE
46
                  TCE2 = TCE2 + CE
47
              ENDIF
        Print out response sums by condition:
48
              PRINT 3, I, J, C, FE, CE
49
              FORMAT (5X, A2, 7X, A7, 9X, I1, 14X, I1, 19X,
I1)
              I1, 19X, I1)
        Sum the responses overall, and initialize array
   C
        variables:
50
              TC = TC +
                           C
51
              TFE = TFE + FE
52
              TCE = TCE + CE
53
                  C = FE = CE = 0
54
              K = 1
55
              J = J +
56
           ENDWHILE
57
           J = 1
58
           I \cdot = I + 1
59
        ENDWHILE
       Print overall totals:
60
       PRINT 4, 'A total of', TC, 'responses were correct
61
        PRINT 4, 'A total of', TFE,
```

```
-/function errors were made.'
       PRINT 4, 'A total of', TCE,
      -'content errors were made.'
     4 FORMAT (//, 5X, A10, 2X, I2, 2X, A26)
       Calculate overall means:
64
       AVRC = FLOAT (TC) / FLOAT (SUBJN)
65
       AVRFE = FLOAT (TFE) / FLOAT (SUBJN)
       AVRCE = FLOAT (TCE) / FLOAT (SUBJN)
66
       Print overall means (to 3 decimal places):
67
       PRINT 5, 'The average correct response was:', AVRC
68
       PRINT 5,
      -'The average number of function errors was; AVFE
69
       PRINT 5.
      -'The average number of content errors was: ', AVRCE
     5 FORMAT (//, 5X, A42, 19X, F7.3)
       Calculate means by condition: "
       AVRC1 = FLOAT (TC1) / FLOAT (SUBJN)
72
       AVRFE1 = FLOAT (TFE1) / FLOAT (SUBJN)
       AVRCE1 = FLOAT (TCE1) / FLOAT (SUBJN)
73
74
       AVRC2 = FLOAT (TC2) / FLOAT (SUBJN)
75
       AVRFE2 = FLOAT (TFE2) / FLOAT (SUBJN)
76
       AVRCE2 = FLOAT (TCE2) / FLOAT (SUBJN)
       Print means by condition (to 3 decimal places):
77
       PRINT 6, 'The average correct response in
      -condition 1 was:', AVRC1
78
       PRINT 7, 'The average number of', -
      -'function errors in condition 1 was:', AVRFE1
79
      'PRINT 7, 'The average number of',
      -'content errors in condition 1 was: ', AVRCE1
80
       PRINT 6, 'The average correct response in
      -condition 2 was:', AVRC2
       PRINT 7, 'The average number of',
      -'function errors in condition 2 was:', AVRFE2
      PRINT 7, 'The average number of',
82
      -'content errors in condition 1 was: ', AVRCE2
     6 FORMAT (//, 5X, A48,/ 13X, F6.3)
83
     7 FORMAT (//, 5X, A21, 1X, A35, 4X, F6.3)
84
85
       STOP
86
       END
/EXECUTE
/END
```

```
RANDTTEST 2 4
/COMPILE LIST NOEXT T=10
       A program to read in 2 DATA-samples of measures,
       assign INDEXes to each measure, OBTain a t-statistic
       testing the samples, systematically permute
       the measures and the indices, finding a t-statistic
       for each permutation, and return a one-tailed
       RROBability as a function of the proportion of
       of permutations that produce t-statistics close
      *to the original value.
   C
       Variable declaration:
     INTEGER N1, N2, NN, TOTAL, DATA(18), INDEX(18),
      -SUM, I
       INTEGER TEST, NPERM, OBT, NGE
       REAL PROB
   C
       Variable initialization:
      N1 = 9
       N2 = 9
       NN = N1 + N2
       TOTAL = 0
       Read in data, calculate SUM, TOTAL:
       DO 1 I = 1, NN
8
          READ 10, DATA(I)
          FORMAT (2X, I1)
11
          TOTAL = TOTAL + DATA(I)
12
          IF (I.EQ.N1) SUM = TOTAL
   С
       Assign indices, permute, calculate t's:
     1 \text{ INDEX}(I) = I
```

24 This program depends on systematic permutation of cases and assigned indices, and the number of permutations escalates very quickly with the addition of new cases (the formula is $(N1 \cdot N2)!/(N1! \cdot N2!)$). Consequently, the program can burn a good deal of CPU time, and can prove relatively expensive to run. If you use the *WATFIV compiler, any more than 16 cases (total) will exceed the built-in job time limits. To get around this problem a T=x (where x is an upper bound for CPU time in seconds) must be added to the /COMPILE card, as above. Eighteen cases will take about 8 seconds, 20 cases about 30 seconds, and any more than 20, unless your budget is high, should be analyzed with a random data permutation program (see Edgington [1980:84]). Notice that the arrays DATA and INDEX must be initialized to NN, and that N1 and N2 must be initialized to sample sizes (which need not be equal),

```
OBT = SUM
        NPERM = NGE = 1
15
16
      2 I = N1
      3 IF (INDEX(I) NN) GO TO 6
17
18
         INDEX(I) = INDEX(I) + 1
        IF (I.EQ.N.1) GO TO 4
19
    I' = I + INDEX(I - 1)

GO TO 3
20
21
22
        GO TO 3
. 23
      4 \text{ "NPERM'} = \text{NPERM} + 1
24
        SUM = 0
      DO 5 I' = 1, N1
5 SUM = SUM + DATA(INDEX(I))
25
26
27
        TEST = SUM
28
        IF (TEST.GE.QBT) NGE = NGE + 1
29
        GO TO 2
      6 I = I - 1
30
        IF (I.NE.0) GO TO 3
31
    С
       Calculate PROB, print PROB:
32
        PROB = FLOAT(NGE) / FLOAT(NPERM)
33
        PRINT, PROB
34
        STOP
35.
        END
/EXECUTE
/END
```