## Progressive Aphasia and Supported Conversation for Adults with Aphasia: A guide for families

Mikaila Perrino & Amanda D. Foort University of Alberta – Augustana Campus Department of Social Sciences December 2, 2016



This document can be retrieved from the University of Alberta Education & Research Archive:

Perrino, M., & Foorte, A. (2016). Progressive Aphasia and Supported Conversation for Adults with Aphasia: A guide for families. University of Alberta—Augustana Campus. Edmonton, AB: Education and Research Archive. doi: 10.7939/R3257V




This work is licensed under a Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License. To view a copy of this license go to https://creativecommons.org/licenses/by-nc-sa/4.0/"

Resources available to clients and their families about progressive aphasia (PA) are often missing experiential information about living with aphasia. In order to bridge this gap, the authors paired emotionally charged imagery along with academic research to provide a holistic understanding of PA. Most resources available to families do not include emotional side effects. The essay emphasizes the importance of a realistic approach to a difficult outcome for those with PA. In order to respond to declining conversational skills, supported conversation for adults with aphasia (SCA) can act as a ramp between the family members. SCA is an excellent tool to enhance PA clients' communication; families need support to use it effectively at home. The authors designed the essay for distribution amongst Speech Language Pathologists and PA clients along with their families to encourage the use of SCA in the home. The featured SCA strategies are recommended for natural conversations outside the Speech Language Pathologist's office.

## Bibliography

- Harris, J. M., & Jones, M. (2014). Pathology in primary progressive aphasia syndromes. *Current Neurology and Neuroscience Reports, 14*(8), 466. doi:10.1007/s11910-014-0466-4
- Kagan, A., Black, S. E., Duchan, J. F., Simmons-Mackie, N., & Square, P. (2001). Training volunteers as conversation partners using "Supported conversation for adults with aphasia" (SCA): A controlled trial. *Journal of Speech, Language, and Hearing Research, 44*(3), 624-638. doi: 0.1044/1092-4388(2001/051)
- Kagan, A., & LeBlanc, K. (2002). Motivating for infrastructure change: Toward a communicatively accessible participation -based stroke care system for all those with aphasia. *Journal of Communication Disorders*, 35, 153-169. doi: 10.1016/s0021-9924(02)00062-x
- Parr, S. (2007). Living with severe aphasia: Tracking social exclusion. *Aphasiology*, 21(1), 98-123. doi: 10.1080/02687030600798337
- Simmons-Mackin, N., & Kagan, A. (1999). Communication strategies used by 'good' versus 'poor' speaking partners of individuals with aphasia. *Aphasiology*, *13*(9-11), 807-820.
- Singh, T. D., Duffy, J. R., Strand, E. A., Machulda, M. M., Whitwell, J. L., & Josephs, K. A. (2015). Neuropsychiatric symptoms in primary progressive aphasia and apraxia of speech. *Dementia & Geriatric Cognitive Disorders*, 39(3/4), 228-238. doi:10.1159/000369062
- Tippett, D. C., Hillis, A. E., & Tsapkini, K. (2015). Treatment of Primary Progressive Aphasia. *Current Treatment Options in Neurology*, 17(8), 362. doi:10.1007/s11940-015-0362-5






This work is licensed under a Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International

License. To view a copy of this license go to https://creativecommons.org/licenses/by-nc-sa/4.0/"

ALBERTA

AUGUSTANA CAMPUS CAMROSE·ALBERTA·CANADA




I P -55 NJ

People with progressive aphasia are bettling a condition in which they will loose their ability to **Speak Heir ability** to **Speak Hear** 

Progressive appresia unfortunately does not improve with treatment. Eventually, almost all patients lose the ability and Unable to understand Spoken or written langwage, even if their behaviour seems otherwise normal.

As patients continue to decline, they may become increasingly frustrated by their inability to communicate to other people. faulte angola tagenderty Juke the Dhyes, then... just um-...doc-doc umm...the...doc


People with progressive aphasia may Find it helpful to use support and communication strategies. One strategy is to carry identification Cards and other materials that can explain the person's Condition to others. I have progressive aphasia




Non-verbal techniques for communicating such as gesthering and pointing to pictures, may help people with progressive aphasia express themselves. It is important that families and friends also learn these strategies to Support accurate and fluid communication

Supported conversation for adults with aphasia (SCA) is a Communication ramp for people who know more than they an say. Aphasia takes away a person's ability to express themselves easily, but that doesn't mean they don't have anything they want to say. Like a wheelchair vamp that helps mobility, SCA is a language ramp to help people with aphasia express their inner thoughts Expression

Trace thought & Incres Houghts Inner Hough





Aphesia changes everyone's life including the family members! IF the person with aphasia has the tools, they can actively participate in the conversations. SCA offers direct training that helps people with aphasia and their loved ones converse better.



Be creative, get resourceful, and have fin!