This document has been digitized by the Oil Sands Research and Information Network, University of Alberta, with permission of Alberta Environment and Sustainable Resource Development.

REPORT # RRTAC OF-2

# List of Reclamation Research Technical Advisory Committee Reports



CONSERVATION AND RECLAMATION MANAGEMENT GROUP Reclamation Research Technical Advisory Committee

### List of Reclamation Research Technical Advisory Committee Reports

by

### C. B. Powter

Chairman Reclamation Research Technical Advisory Committee

Prepared for

ALBERTA CONSERVATION AND RECLAMATION MANAGEMENT GROUP (Reclamation Research Technical Advisory Committee)

## Alberta's Reclamation Research Program

i i jan kesta divida nan tara ara adaga Ana i ina seoran papara kena papara jan wa ina aliyakilan i jan diki ini ilaya kana sation ika Ojeon II i Reputa ya wa ina katabi iki ini.

Regulating surface disturbances in Alberta is the responsibility of the Conservation and Reclamation Management Group. The Chairman is from Alberta Environmental Protection. The Group oversaw a reclamation research program, established in 1978, to identify the most efficient methods for achieving acceptable reclamation in the province. Funding for the research program was provided by Alberta's Heritage Savings Trust Fund, Land Reclamation Program. Funding ended in March of 1994.

an the property was a set of the set of the theory of the set of the set

te a table de

a la casa da ang kang kang bang panta

Additional information on the Reclamation Research Program may be obtained by contacting:

Chris Powter, Chairman

**Reclamation Research Technical Advisory Committee** 

Alberta Environmental Protection

3rd Floor, Oxbridge Place

9820 - 106 Street Edmonton, Alberta T5K 2J6

(403) 427-4147

This report may be cited as:

C.B. Powter, 1994. List of Reclamation Research Technical Advisory Committee Reports. Alberta Conservation and Reclamation Management Group No. RRTAC OF-2. 20 pp.

## **Report Availability**

This list is divided into two sections. The first section lists reports that were formally published by RRTAC. The second section lists Open File Reports that were produced by RRTAC.

Copies of the reports may be obtained at cost plus GST from:

Publication Services Queen's Printers 11510 Kingsway Avenue Edmonton, Alberta T5G 2Y5 (403) 427-4952 (403) 452-0668

4 Å.

Copies of all the reports are in the Alberta Environmental Protection library, 6th Floor, Bramalea Building, 9920 - 108 Street, Edmonton for use by the public. You may be able to arrange inter-library loans for these reports.

Margine Margine Program
 The second seco

### 1. RECLAMATION RESEARCH REPORTS

## 1.1 Published Reports - Available from Queen's Printers

1. RRTAC 79-2: Proceedings: Workshop on Native Shrubs in Reclamation. P.F. Zienkiewicz, C.A. Dermott and H.P. Sims (Editors). 104 pp. No longer available.

The Workshop was organized as the first step in developing a Native Shrub reclamation research program. The Workshop provided a forum for the exchange of information and experiences on three topics: propagation; outplanting; and, species selection.

2. RRTAC 80-1: Test Plot Establishment: Nativé Grasses for Reclamation. R.S. Sadasivaiah and J. Weijer. 19 pp. No longer available.

The report details the species used at three test plots in Alberta's Eastern Slopes. Site preparation, experimental design, and planting method are also described.

3. RRTAC 80-2: Alberta's Reclamation Research Program - 1979. Reclamation Research Technical Advisory Committee. 22 pp. No longer available.

This report describes the expenditure of \$1,190,006 of Alberta Heritage Savings Trust Fund monies on research under the Land Reclamation Program. The report outlines the objectives and research strategies of the four program areas, and describes the projects funded under each program.

4. RRTAC 80-3: The Role of Organic Compounds in Salinization of Plains Coal Mining Sites. N.S.C. Cameron et al. 46 pp.: No longer available.

This is a literature review of the chemistry of sodic mine spoil and the changes expected to occur in groundwater.

5. RRTAC 80-4: Proceedings: Workshop on Reconstruction of Forest Soils in Reclamation. P.F. Ziemkiewicz, S.K. Takyi and H.F. Regier (Editors). 160 pp. \$10.00

Experts in the field of forestry and forest soils report on research relevant to forest soil reconstruction and discuss the most effective means of restoring forestry capability of mined lands.

6. RRTAC 80-5: Manual of Plant Species Suitability for Reclamation in Alberta. L.E. Watson, R.W. Parker and D.F. Polster. 2 vols, 541 pp. No longer available; replaced by RRTAC 89-4.

(4) RETARADA CLEARANCE CONTINUES AND INCLESS FOR SUPERIOR CONTINUES, RESIDENCES CONTINUES AND A SUBMIT ACTION ACTION CONTINUES. IN 197 (ACTION 21212).

Forty-three grass, fourteen forb, and thirty-four shrub and tree species are assessed in terms of their suitability for use in reclamation. Range maps, growth habit, propagation, tolerance, and availability information are provided.
7. RRTAC 81-1: The Alberta Government's Reclamation Research Program - 1980. Reclamation Research Technical Advisory Committee. 25 pp. No longer available.

This report describes the expenditure of \$1,455,680 of Alberta Heritage Savings Trust Fund monies on research under the Land Reclamation Program. The report outlines the objectives and research strategies of the four program areas, and describes the projects funded under each program.

1

andes Elle Esta de la

#### 8. RRTAC 81-2: 1980 Survey of Reclamation Activities in Alberta. D.G. Walker and R.L. Rothwell. 76 pp. \$10.00

This survey is an update of a report prepared in 1976 on reclamation activities in Alberta, and includes research and operational reclamation, locations, personnel, etc.

#### 9. RRTAC 81-3: Proceedings: Workshop on Coal Ash and Reclamation. P.F. Ziemkiewicz, R. Stein, Miller And G. Lutwick (Editors): 253 pp. \$10.00 (1000) (1000) (1000) (1000) (1000) (1000) (1000) (1000) (1000) Miller Angel (1000)

Presents nine technical papers on the chemical, physical, and engineering properties of Alberta fly and bottom ashes, revegetation of ash disposal sites, and use of ash as a soil amendment. Workshop discussions and summaries are also included. The endition appropriate lager of the first state of the endition of the state of th

## 10. RRTAC 82-1: Land Surface Reclamation: An International Bibliography. H.P. Sims and C.B. Powter. 2 vols, 292 pp. \$10.00

Literature to 1980 pertinent to reclamation in Alberta is listed in Vol. 1 and is also on the University of Alberta computing system (in a SPIRES database called RECLAIM). Vol. 2 comprises the keyword index and computer access manual.

11. RRTAC 82-2: A Bibliography of Baseline Studies in Alberta: Soils, Geology, Hydrology and Groundwater. C.B. Powter and H.P. Sims. 97 pp. \$5.00

This bibliography provides baseline information for persons involved in reclamation research or in the preparation of environmental impact assessments. Materials, up to date as of December 1981, are available in the Alberta Environment Library.

12. RRTAC 82-3: The Alberta Government's Reclamation Research Program - 1981. Reclamation Research Technical Advisory Committee. 22 pp. No longer available.

This report describes the expenditure of \$1,499,525 of Alberta Heritage Savings Trust Fund monies on research under the Land Reclamation Program. The report outlines the objectives and research strategies of the four program areas, and describes the projects funded under each program.

13. RRTAC 83-1: Soil Reconstruction Design for Reclamation of Oil Sand Tailings. Monenco Consultants Ltd. 185 pp. No longer available

Volumes of peat and clay required to amend oil sand tailings were estimated based on existing literature. Separate soil prescriptions were made for spruce, jack pine, and herbaceous cover types. The estimates form the basis of field trials (See RRTAC 92-4).

14. RRTAC 83-2: The Alberta Government's Reclamation Research Program - 1982. Reclamation Research Technical Advisory Committee. 25 pp. No longer available.

Research Technical Advisory Committee. 25 pp. No longer available. This report describes the expenditure of \$1,536,142 of Alberta Heritage Savings Trust Fund monies on research under the Land Reclamation Program. The report outlines the objectives and research strategies of the four program areas, and describes the projects funded under each program.

#### 15. RRTAC 83-3: Evaluation of Pipeline Reclamation Practices on Agricultural Lands in Alberta. Hardy Associates (1978) Ltd. 205 pp. No longer available.

Available information on pipeline reclamation practices was reviewed. A field survey was then conducted to determine the effects of pipe size, age, soil type, construction method, etc. on resulting crop production.

16. RRTAC 83-4: Proceedings: Effects of Coal Mining on Eastern Slopes Hydrology. P.F. Ziemkiewicz (Editor): 123 pp. \$10.00

Technical papers are presented dealing with the impacts of mining on mountain watersheds, their flow characteristics, and resulting water quality. Mitigative measures and priorities were also discussed.

17. RRTAC 83-5: Woody Plant Establishment and Management for Oil Sands Mine Reclamation. Techman Engineering Ltd. 124 pp. No longer available.

This is a review and analysis of information on planting stock quality, rearing techniques, site preparation, planting, and procedures necessary to ensure survival of trees and shrubs in oil sand reclamation.

 18. RRTAC 84-1: Land Surface Reclamation: A Review of the International Literature. H.P. Sims, C.B. Powter and J.A. Campbell. 2 vols, 1549 pp. \$20.00

Nearly all topics of interest to reclamationists including mining methods, soil amendments, revegetation, propagation and toxic materials are reviewed in light of the international literature.

19. RRTAC 84-2: Propagation Study: Use of Trees and Shrubs for Oil Sand Reclamation. Techman Engineering Ltd. 58 pp. \$10.00

This report evaluates and summarizes all available published and unpublished information on large-scale propagation methods for shrubs and trees to be used in oil sand reclamation.

and the spectrum of

20. RRTAC 84-3: Reclamation Research Annual Report - 1983. P.F. Ziemkiewicz. 42 pp. \$5.00

This report describes the expenditure of \$1,529,483 of Alberta Heritage Savings Trust Fund monies on research under the Land Reclamation Program. The report outlines the objectives and research strategies of the four program areas and describes the projects funded under each program.

21. RRTAC 84-4: Soil Microbiology in Land Reclamation. D. Parkinson, R.M. Danielson, C. Griffiths, S. Visser and J.C. Zak. 2 vols, 676 pp. \$10.00

This is a collection of five reports dealing with re-establishment of fungal decomposers and mycorrhizal symbionts in various amended spoil types.

22. RRTAC 85-1: Proceedings: Revegetation Methods for Alberta's Mountains and Foothills. P.F. Ziemkiewicz (Editor). 416 pp. \$10.00.

Results of long-term experiments and field experience on species selection, fertilization, reforestation, topsoiling, shrub propagation and establishment are presented.

23. RRTAC 85-2: Reclamation Research Annual Report - 1984. P.F. Ziemkiewicz. 29 pp. No longer available.

This report describes the expenditure of \$1,320,516 of Alberta Heritage Savings Trust Fund monies on research under the Land Reclamation Program. The report outlines the objectives and research strategies of the four program areas and describes the projects funded under each program.

24. RRTAC 86-1: A Critical Analysis of Settling Pond Design and Alternative Technologies. A. Somani. 372 pp. \$10.00

The report examines the critical issue of settling pond design, and sizing and alternative technologies. The study was co-funded with The Coal Association of Canada.

ŝ

25. RRTAC 86-2: Characterization and Variability of Soil Reconstructed after Surface Mining in Central Alberta. T.M. Macyk. 146 pp. No longer available.

Reconstructed soils representing different materials handling and replacement techniques were characterized, and variability in chemical and physical properties was assessed. The data obtained indicate that reconstructed soil properties are determined largely by parent material characteristics and further tempered by materials handling procedures. Mining tends to create a relatively homogeneous soil landscape in contrast to the mixture of diverse soils found before mining.

26. RRTAC 86-3: Generalized Procedures for Assessing Post-Mining Groundwater Supply Potential in the Plains of Alberta - Plains Hydrology and Reclamation Project. M.R. Trudell and S.R. Moran. 30 pp. \$5.00

In the Plains region of Alberta, the surface mining of coal generally occurs in rural, agricultural areas in which domestic water supply requirements are met almost entirely by groundwater. Consequently, an important aspect of the capability of reclaimed lands to satisfy the needs of a residential component is the post-mining availability of groundwater. This report proposes a sequence of steps or procedures to identify and characterize potential postmining aquifers.

27. RRTAC 86-4: Geology of the Battle River Site: Plains Hydrology and Reclamation Project. A. Maslowski-Schutze, R. Li, M. Fenton and S.R. Moran. 86 pp. \$10.00

This report summarizes the geological setting of the Battle River study site. It is designed to provide a general understanding of geological conditions adequate to establish a framework for hydrogeological and general reclamation studies. The report is not intended to be a detailed synthesis such as would be required for mine planning purposes.

28. RRTAC 86-5: Chemical and Mineralogical Properties of Overburden: Plains Hydrology and characterization control of the Antiberry State of the State of the Antiberry State of the State

This report describes the physical and mineralogical properties of overburden materials in an effort to identify individual beds within the bedrock overburden that might be significantly different in terms of reclamation potential.

29. RRTAC 86-6: Post-Mining Groundwater Supply at the Battle River Site: Plains Hydrology and policity workstows: Reclamation Project: M.R. Trudell, G.J. Sterenberg and S.R. Moran. 49 pp. \$5.00 \* double stort double statement of policity of the stort double statement of the store store store statement of the store st

The report deals with the availability of water supply in or beneath cast overburden to support post-mining land use, including both quantity and quality considerations. The study area is in the Battle River Mining area in east-central Alberta.

#### 30. RRTAC 86-7: Post-Mining Groundwater Supply at the Highvale Site: Plains Hydrology and Reclamation Project: M.R. Trudell. 25 pp. \$5.00 and anti-

This report evaluates the availability of water supply in or beneath cast overburden to support post-mining land use, including both quantity and quality considerations. The study area is the Highvale mining area in west-central วกร่างสารณาและสุบารณา (โษาะสินักสารที่ คณะ แน่นางสุดาวารสารการสารที่สารที่สารที่สารที่สารที่ (การสารที่ โ Sand to address a local taiwhile of the sectors

31. RRTAC 86-8: Reclamation Research Annual Report - 1985. P.F. Ziemkiewicz. 54 pp. \$5.00 - SRIAC U.S. (LESSING Ledge State and Sediment Distances an ib. Network Strate, Chalcon

This report describes the expenditure of \$1,168,436 of Alberta Heritage Savings Trust Fund monies on research under the Land Reclamation Program. The report outlines the objectives and research strategies of the four program areas and describes the projects funded under each program.areas are added and the selection of the sel ang i i nga kanda sambor dan waa sa sindaraya, maalis ii siddhar waa dabdada, maala baddadaya y qaya s 32. RRTAC 86-9: Wildlife Habitat Requirements and Reclamation Techniques for the Mountains and Distance in a section of Alberta. J.E. Green, R.E. Salter and D.G. Walker. 285 pp. No longer

available. at the Ball the boltest are the soil and Brook energy in the second soil and the second 

This report presents a review of relevant North American literature on wildlife habitats in mountain and foothills biomes, reclamation techniques, potential problems in wildlife habitat reclamation, and potential habitat assessment methodologies. Four biomes (Alpine, Subalpine, Montane, and Boreal Uplands) and 10 key wildlife species (snowshoe hare, beaver, muskrat, elk, moose, caribou, mountain goat, bighorn sheep, spruce grouse, and whitetailed ptarmigan) are discussed. The study was co-funded with The Coal Association of Canada.

ranji gala sa sana si karanga kasa jitu sana biji 33. RRTAC 87-1: Disposal of Drilling Wastes. L.A. Leskiw, E. Reinl-Dwyer, T.L. Dabrowski, successful in second of B.J. Rutherford and H. Hamilton. 210 pp. No longer available. Second and H. Hamilton. led der were Alle undere graden og herrige bereken, på fog i værde som fillere fillere et

.....

网络白色 网络白色

alaren 18 edi bali eta dar este e tari kuta (16 fa sterit e alitzenar e da Current drilling waste disposal practices are reviewed and criteria in Alberta guidelines are assessed. The report also identifies research needs and indicates mitigation measures. A manual provides a decision-making flowchart to assist in selecting methods of environmentally safe waste disposal. 1.

34. RRTAC 87-2: Minesoil and Landscape Reclamation of the Coal Mines in Alberta's Mountains and Sector and Foothills. A.W. Fedkenheuer, L.J. Knapik and D.G. Walker. 174 pp. No longer su da nont i stranile, **available**, su per di istreaux per suddi ornoti funoatura i indizi ansares eta e egese su

en 1994), bo efter grunz has janga fan trente arfana tra ni litte nora i annens het daal has a fijdel for gen last engryada – sem laine de angres e sebure. Be <sup>b</sup>en sons lemmin againt ra als la<mark>bbellemente</mark> Mens and al refere This report reviews current reclamation practices with regard to site and soil reconstruction and re-establishment of biological productivity. It also identifies research needs in the Mountain-Foothills area. The study was cofunded with The Coal Association of Canada. เสราของหรือ อาสาร การจะสาราสมโตรเล เป็นจะที่สาราชี่และไป และ

RRTAC 87-3: Gel and Saline Drilling Wastes in Alberta: Workshop Proceedings. D.A. Lloyd 35. (Compiler). 218 pp. No longer available.

Technical papers were presented which describe: mud systems used and their purpose; industrial constraints; government regulations, procedures and concerns; environmental considerations in waste disposal; and toxic constituents of drilling wastes. Answers to a questionnaire distributed to participants are included in an appendix.

36. RRTAC 87-4: Reclamation Research Annual Report - 1986. 50 pp. No longer available.

This report describes the expenditure of \$1,186,000 of Alberta Heritage Savings Trust Fund monies on research under the Land Reclamation Program. The report outlines the objectives and research strategies of the four program areas and describes the projects funded under each program.

## 37. RRTAC 87-5: Review of the Scientific Basis of Water Quality Criteria for the East Slope Foothills of Alberta. Beak Associates Consulting Ltd. 46 pp. \$10.00 at 2010

The report reviews existing Alberta guidelines to assess the quality of water drained from coal mine sites in the East Slope Foothills of Alberta. World literature was reviewed within the context of the East Slopes environment and current mining operations. The ability of coal mine operators to meet the various guidelines is discussed. The study was co-funded with The Coal Association of Canada.

38.18 og 12 addeeddies N. 3.4. 1921 - mored leanna drass affendle method 1948 37.725 38. RRTAC 87-6: Assessing Design Flows and Sediment Discharge on the Eastern Slopes. Hydrocon

Engineering (Continental) Ltd. and Monenco Consultants Ltd. 97 pp. \$10.00 determine determine determine and a construction of the determine determine and the determine determin

#### 39.

40. RRTAC 87-7: The Use of Bottom Ash as an Amendment to Sodic Spoil. S. Fullerton. 83 pp. No longer available.

The report details the use of bottom ash as an amendment to sodic coal mine spoil. Several rates and methods of application of bottom ash to sodic spoil were tested to determine which was the best at reducing the effects of excess sodium and promoting crop growth. Field trials were set up near the Vesta mine in East Central Alberta using ash readily available from a nearby coal-fired thermal generating station. The research indicated that bottom ash incorporated to a depth of 30 cm using a subsoiler provided the best results.

41. RRTAC 87-8: Waste Dump Design for Erosion Control. R.G. Chopiuk and S.E. Thornton. 45 pp. \$5.00

This report describes a study to evaluate the potential influence of erosion from reclaimed waste dumps on downslope environments such as streams and rivers. Sites were selected from coal mines in Alberta's mountains and foothills, and included resloped dumps of different configurations and ages, and having different vegetation covers. The study concluded that the average annual amount of surface erosion is minimal. As expected, erosion was greatest on slopes which were newly regraded. Slopes with dense grass cover showed no signs of erosion. Generally, the amount of erosion decreased with time, as a result of initial loss of fine particles, the formation of a weathered surface, and increased vegetative cover.

42. RRTAC 87-9: Hydrogeology and Groundwater Chemistry of the Battle River Mining Area. M.R. Trudell, R.L. Faught and S.R. Moran. 97 pp. No longer available.

This report describes the premining geologic conditions in the Battle River coal mining area including the geology as well as the groundwater flow patterns, and the groundwater quality of a sequence of several water-bearing formations extending from the surface to a depth of about 100 metres. 43. RRTAC 87-10: Soil Survey of the Plains Hydrology and Reclamation Project - Battle River Project Area: T.M. Macyk and A.H. MacLean. 62 pp. plus 8 maps. \$10.00

The report evaluates the capability of post-mining landscapes and assesses the changes in capability as a result of mining, in the Battle River mining area. Detailed soils information is provided in the report for lands adjacent to areas already mined as well as for lands that are destined to be mined. Characterization of the reconstructed soils in the reclaimed areas is also provided. Data were collected from 1979 to 1985. Eight maps supplement the report. All the reclaimed areas is also provided in the report. The reclaimed areas is also provided. Data were collected from 1979 to 1985. Eight maps supplement the report. All the reclaimed areas is also provided in the reclaimed areas is also provided. Data were collected from 1979 to 1985. Eight maps supplement the report. The reclaimed areas is also provided in the reclaimed areas is also provided. Data were collected from 1979 to 1985. Eight maps supplement the report. The reclaimed areas is also provided in the reclaimed areas is also provided. Data were collected from 1979 to 1985. Eight maps supplement the report. The reclaimed areas is also provided in the reclaimed areas areas

A. Maslowski-Schutze. 78 pp. \$10.00

The report is one of a series that describes the geology, soils and groundwater conditions at the Highvale Coal Mine study site. The purpose of the study was to establish a summary of site geology to a level of detail necessary to provide a framework for studies of hydrogeology and reclamation.

45. RRTAC 87-12: Premining Groundwater Conditions at the Highvale Site. M.R. Trudell and R. Faught. 83 pp. No longer available.

المراجعين المعالية. المراجعية مريد المراجعة المراجع

This report presents a detailed discussion of the premining flow patterns, hydraulic properties, and isotopic and hydrochemical characteristics of five layers within the Paskapoo Geological Formation, the underlying sandstone beds of the Upper Horseshoe Canyon Formation, and the surficial glacial drift.

 RRTAC 87-13: An Agricultural Capability Rating System for Reconstructed Soils. T.M. Macyk. 27 pp. \$5.00

This report provides the rationale and a system for assessing the agricultural capability of reconstructed soils. Data on the properties of the soils used in this report are provided in RRTAC 86-2.

47. RRTAC 88-1: A Proposed Evaluation System for Wildlife Habitat Reclamation in the Mountains and Foothills Biomes of Alberta: Proposed Methodology and Assessment Handbook. T.R. Eccles, R.E. Salter and J.E. Green. 101 pp. plus appendix. \$10.00

1964 - J. C. S. Maria M. Maria and A. S. Sandar M. S. Sandar

The report focuses on the development of guidelines and procedures for the assessment of reclaimed wildlife habitat in the Mountains and Foothills regions of Alberta. The technical section provides background documentation including a discussion of reclamation planning, a listing of reclamation habitats and associated key wildlife species, conditions required for development, recommended revegetation species, suitable reclamation techniques, a description of the recommended assessment techniques and a glossary of basic terminology. The assessment handbook section contains basic information necessary for evaluating wildlife habitat reclamation, including assessment scoresheets for 15 different reclamation habitats, standard methodologies for measuring habitat variables used as assessment criteria, and minimum requirements for certification. This handbook is intended as a field manual that could potentially be used by site operators and reclamation officers. The study was co-funded with The Coal Association of Canada.

48. RRTAC 88-2: Plains Hydrology and Reclamation Project: Spoil Groundwater Chemistry and its Impacts on Surface Water. M.R. Trudell (Compiler). 135 pp. No longer available. Two reports comprise this volume. The first "Chemistry of Groundwater in Mine Spoil, Central Alberta," describes the chemical make-up of spoil groundwater at four mines in the Plains of Alberta. It explains the nature and magnitude of changes in groundwater chemistry following mining and reclamation. The second report, "Impacts of Surface Mining on Chemical Quality of Streams in the Battle River Mining Area," describes the chemical quality of water in streams in the Battle River mining area, and the potential impact of groundwater discharge from surface mines on these streams.

#### 49. RRTAC 88-3: Revegetation of Oil Sands Tailings: Growth Improvement of Silver-berry and Buffalo-berry by Inoculation with Mycorrhizal Fungi and N2-Fixing Bacteria. S. Visser and R.M. Danielson. 98 pp. \$10.00

le than see this light al shoeld this diseas the constant gradeble of this was set where to make this The report provides results of a study: (1) To determine the mycorrhizal affinities of various actinorrhizal shrubs in the Fort McMurray, Alberta region; (2) To establish a basis for justifying symbiont inoculation of buffalo-berry and silver-berry; (3) To develop a growing regime for the greenhouse production of mycorrhizal, nodulated silverberry and buffalo-berry; and, (4) To conduct a field trial on reconstructed soil on the Syncrude Canada Limited oil sands site to critically evaluate the growth performance of inoculated silver-berry and buffalo-berry as compared with their un-inoculated counterparts. Although the state of the state et die lafter leitensteller iste le

50. RRTAC 88-4: Plains Hydrology and Reclamation Project: Investigation of the Settlement Behaviour of Mine Backfill. D.R. Pauls (compiler). 135 pp. \$10.00 · · · · · ·

This three part volume covers the laboratory assessment of the potential for subsidence in reclaimed landscapes. The first report in this volume, "Simulation of Mine Spoil Subsidence by Consolidation Tests," covers laboratory simulations of the subsidence process particularly as it is influenced by resaturation of mine spoil. The second report, "Water Sensitivity of Smectitic Overburden: Plains Region of Alberta," describes a series of laboratory tests to determine the behaviour of overburden materials when brought into contact with water. The report entitled "Classification System for Transitional Materials: Plains Region of Alberta," describes a lithological classification system developed to address the characteristics of the smectite rich, clayey transition materials that make up the overburden in the Plains of Alberta.

51. RRTAC 88-5: Ectomycorrhizae of Jack Pine and Green Alder: Assessment of the Need for Inoculation, Development of Inoculation Techniques and Outplanting Trials on Oil Sand Tailings. R.M. Danielson and S. Visser. 177 pp. No longer available.

The overall objective of this research was to characterize the mycorrhizal status of Jack Pine and Green Alder which are prime candidates as reclamation species for oil sand tailings and to determine the potential benefits of mycorrhizae on plant performance. This entailed determining the symbiont status of container-grown nursery stock and the quantity and quality of inoculum in reconstructed soils, developing inoculation techniques and finally, performance testing in an actual reclamation setting. • • •

RRTAC 88-6: Reclamation Research Annual Report - 1987. Reclamation Research Technical 52. Advisory Committee. 67 pp. No longer available. 1.1.2 مجرار المصادي اليمه الرديران المحقور تترار ال

This annual report describes the expenditure of \$500,000.00 of Alberta Heritage Savings Trust Fund monies on research under the Land Reclamation Program. The report outlines the objectives and research strategies of the four program areas, and describes the projects funded under each program. 

RRTAC 88-7: Baseline Growth Performance Levels and Assessment Procedure for Commercial Tree Species in Alberta's Mountains and Foothills. W.R. Dempster and Associates Ltd. 66 pp. \$5.00 ى بەر يېلىكى بەر يېلىكى يېلىكى بەر يېلىكى بە يېلىكى بەر ي

Data on juvenile height development of lodgepole pine and white spruce from cut-over or burned sites in the Eastern Slopes of Alberta were used to define reasonable expectations of early growth performance as a basis for evaluating the success of reforestation following coal mining. Equations were developed predicting total seedling height and current annual height increment as a function of age and elevation. Procedures are described for applying the equations, with further adjustments for drainage class and aspect, to develop local growth performance against these expectations. The study was co-funded with The Coal Association of Canada.

#### 54. RRTAC 88-8: Alberta Forest Service Watershed Management Field and Laboratory Methods. A.M.K. Nip and R.A. Hursey. 4 Sections, various pagings. \$10.00

Disturbances such as coal mines in the Eastern Slopes of Alberta have the potential for affecting watershed quality during and following mining. The collection of hydrometric, water quality and hydrometeorologic information is a complex task.) A variety of instruments and measurement methods are required to produce a record of hydrologic inputs and outputs for a watershed basin. There is a growing awareness and recognition that standardization of data acquisition methods is required to ensure data comparability, and to allow comparison of data analyses. The purpose of this manual is to assist those involved in the field of data acquisition by outlining methods, practices and instruments which are reliable and recognized by the International Organization for Standardization.

A FRANCISCO DE LE CARE DE RECEILE RRTAC 88-9: Computer Analysis of the Factors Influencing Groundwater Flow and Mass Transport 55. in a System Disturbed by Strip Mining. F.W. Schwartz and A.S. Crowe. 78 pp. No longer available.

A.B. CLOWE. TO PP. TO INIGE AVAILABLE. A second contraction of the second A second secon Work presented in this report demonstrates how a groundwater flow model can be used to study a variety of mining-related problems such as declining water levels in areas around the mine as a result of dewatering, and the development of high water tables in spoil once resaturation is complete. This report investigates the role of various hydrogeological parameters that influence the magnitude, timing, and extent of water level changes during and following mining at the regional scale. The modelling approach described here represents a major advance on existing work.

56. RRTAC 88-10: Review of Literature Related to Clay Liners for Sump Disposal of Drilling Wastes. D.R. Pauls, S.R. Moran and T. Macyk. 61 pp. No longer available.

i ter sama mening mengelakan keristi kelangan pering kenye ang kering kenye seban pakan seban pering bahar seb Der kering mengember kering kantak karang menger pering kering kering menger pering karan seban seban menger me The report reviews and analyses the effectiveness of geological containment of drilling waste in sumps. Of particular importance was the determination of changes in properties of clay materials as a result of contact with highly saline brines containing various organic chemicals. 

57. RRTAC 88-11: Highvale Soil Reconstruction Project: Five Year Summary. D.N. Graveland, T.A. Oddie, A.E. Osborne and L.A. Panek. 104 pp. \$10.00

a stabilizacio de processiones de la seconda en entre en la seconda de la seconda de la seconda de la seconda d Establicada de la seconda d This report provides details of a five year study to determine a suitable thickness of subsoil to replace over minespoil in the Highvale plains coal mine area to ensure return of agricultural capability. The study also examined the effect of slope and aspect on agricultural capability. This study was funded and managed with industry assistance, growing the selection of a second free straight free straight and a constraint straight second these second s e e fan 1999 wet de ste de fan it en een een de de fan te de gedere de een neer geder te gedere gedere gedere g

58. RRTAC 88-12: A Review of the International Literature on Mine Spoil Subsidence. J.D. Scott, G. Zinter, D.R. Pauls and M.B. Dusseault. 36 pp. \$10.00

real and a sublement of the second day and an and the second description of the second second second second sec The report reviews available engineering literature relative to subsidence of reclaimed mine spoil. The report covers methods for site investigation, field monitoring programs and lab programs, mechanisms of settlement, and remedial measures.

59. RRTAC 89-1: Reclamation Research Annual Report - 1988. 74 pp. \$5.00 येको हो भूव प्राय होते. तिके स्वको स्थ्या स्थान स्थान स्थान कहे जाव मुल्लाक्सी हिस्टा प्रिकोवर है, इन्हा नहोग्य मिल्सी स्थितिकाल लाहान्या काल कुल्लाक स्थान स्थान होते कहे जाव मुल्लाक्स के स्थान हो जावत के लोग के महत्व म This annual report describes the expenditure of \$280,000.00 of Alberta Heritage Savings Trust Fund monies on research under the Land Reclamation Program. The report outlines the objectives and research strategies of the four program areas, and describes the projects funded under each program.

#### 60. RRTAC 89-2: Proceedings of the Conference: Reclamation, A Global Perspective. D.G. Walker, C.B. Powter and M.W. Pole (Compilers). 2 Vols., 854 pp. \$5.00 10,00

•

Over 250 delegates from all over the world attended this conference held in Calgary in August, 1989. The proceedings contains over 85 peer-reviewed papers under the following headings: A Global Perspective; Northern and High Altitude Reclamation; Fish & Wildlife and Rangeland Reclamation; Water; Herbaceous Revegetation; Woody Plant Revegetation and Succession; Industrial and Urban Sites; Problems and Solutions; Sodic and Saline Materials; Soils and Overburden; Acid Generating Materials; and, Mine Tailings. 61. RRTAC 89-3: Efficiency of Activated Charcoal for Inactivation of Bromacil and Tebuthiuron

Bromacil and Tebuthiuron were commonly used soil sterilants on well sites, battery sites and other industrial sites in Alberta where total vegetation control was desired. Activated charcoal was found to be effective in binding the sterilants in greenhouse trials. The influence of factors such as herbicide:charcoal concentration ratio, soil texture, organic matter content, soil moisture, and the time interval between charcoal incorporation and plant establishment were evaluated in the greenhouse.

25

1.5 34

Residues in Soil. M.P. Sharma. 38 pp. ISBN 0-7732-0878-X. \$5.00

62. RRTAC 89-4: Manual of Plant Species Suitability for Reclamation in Alberta - 2nd Edition. Hardy BBT Limited. 436 pp. ISBN 0-7732-0882-8. \$10.00.

This is an updated version of RRTAC Report 80-5 which describes the characteristics of 43 grass, 14 forb and 34 shrub and tree species which make them suitable for reclamation in Alberta. The report has been updated in several important ways: a line drawing of each species has been added; the range maps for each species have been redrawn based on an ecosystem classification of the province; new information (to 1990) has been added, particularly in the sections on reclamation use; and the material has been reorganized to facilitate information retrieval. Of greatest interest is the performance chart that precedes each species and the combined performance charts for the grass, forb, and shrub/tree groups. These allow the reader to pick out at a glance species that may suit their particular needs. The report was produced with the assistance of a grant from the Recreation, Parks and Wildlife Foundation.

63. RRTAC 89-5: Battle River Soil Reconstruction Project Five Year Summary. L.A. Leskiw. 188 pp. No longer available.

This report summarizes the results of a five year study to investigate methods required to return capability to land surface mined for coal in the Battle River area of central Alberta. Studies were conducted on: the amounts of subsoil required, the potential of gypsum and bottom ash to amend adverse soil properties, and the effects of slope angle and aspect. Forage and cereal crop growth was evaluated, as were changes in soil chemistry, density and moisture holding characteristics.

64. RRTAC 89-6: Detailed Sampling, Characterization and Greenhouse Pot Trials Relative to Drilling Wastes in Alberta: T.M. Macyk, F.I. Nikiforuk, S.A. Abboud and Z.W. Widtman. 228 pp. No longer available.

This report summarizes a three-year study of the chemistry of freshwater gel, KCl, NaCl, DAP, and invert drilling wastes, both solids and liquids, from three regions in Alberta: Cold Lake, Eastern Slopes, and Peace River/Grande Prairie. A greenhouse study also examined the effects of adding various amounts of waste to soil on grass growth and soil chemistry. Methods for sampling drilling wastes are recommended.

#### 65. RRTAC 89-7: A User's Guide for the Prediction of Post-Mining Groundwater Chemistry from Overburden Characteristics. M.R. Trudell and D.C. Cheel. 55 pp. No longer available

This report provides the detailed procedure and methodology that is required to produce a prediction of post-mining groundwater chemistry for plains coal mines, based on the soluble salt characteristics of overburden materials. The fundamental component of the prediction procedure is the geochemical model PHREEQE, developed by the U.S. Geological Survey, which is in the public domain and has been adapted for use on personal computers.

## 66. RRTAC 90-1: Reclamation Research Annual Report - 1989. 62 pp. No longer available.

This annual report describes the expenditure of \$480,000.00 of Alberta Heritage Savings Trust Fund monies on research under the Land Reclamation Program. The report outlines the objectives and research strategies of the four program areas, and describes the projects funded under each program.

67. RRTAC 90-2: Initial Selection for Salt Tolerance in Rocky Mountain Accessions of Slender Wheatgrass and Alpine Bluegrass. R. Hermesh, J. Woosaree, B.A. Darroch, S.N. Acharya and A. Smreciu. 40 pp. \$5.00

Selected lines of slender wheatgrass and alpine bluegrass collected from alpine and subalpine regions of Alberta as part of another native grass project were evaluated for their ability to emerge in a saline medium. Eleven slender wheatgrass and 72 alpine bluegrass lines had a higher percentage emergence than the Orbit Tall Wheatgrass control (a commonly available commercial grass). This means that as well as an ability to grow in high elevation areas, these lines may also be suitable for use in areas where saline soil conditions are present. Thus, their usefulness for reclamation has expanded.

a la segura de construitor en la seconda de la seconda La seconda de la seconda de

68. RRTAC 90-3: Natural Plant Invasion into Reclaimed Oil Sands Mine Sites. Hardy BBT Limited. 65 pp. \$5.00

Vegetation data from reclaimed sites on the Syncrude and Suncor oil sands mines have been summarized and related to site and factors and reclamation methods. Natural invasion into sites seeded to agronomic grasses and legumes was minimal even after 15 years. Invasion was slightly greater in sites seeded to native species, but was greatest on sites that were not seeded. Invasion was mostly from agronomic species and native forbs; native shrub and tree invasion was minimal.

69. RRTAC 90-4: Physical and Hydrological Characteristics of Ponds in Reclaimed Upland Landscape Settings and their Impact on Agricultural Capability. S.R. Moran, T.M. Macyk, M.R. Trudell and M.E. Pigot, Alberta Research Council. 76 pp. \$5.00

Constraints annual to antick and galler its interaction of the way for the state of the first of the first of t

The report details the results and conclusions from studying a pond in a reclaimed upland site in Vesta Mine. The pond formed as a result of two factors: (1) a berm which channelled meltwater into a series of subsidence depressions, forming a closed basin; and (2) low hydraulic conductivity in the lower subsoil and upper spoil as a result of compaction during placement and grading which did not allow for rapid drainage of ponded water. Ponds such as this in the reclaimed landscape can affect agricultural capability by: (1) reducing the amount of farmable land (however, the area covered by these ponds in this region is less than half of that found in unmined areas); and, (2) creating the conditions necessary for the progressive development of saline and potentially sodic soils in the area adjacent to the pond.

#### 70. RRTAC 90-5: Review of the Effects of Storage on Topsoil Quality. Thurber Consultants Ltd., Land Resources Network Ltd., and Norwest Soil Research Ltd. 116 pp. \$10.00

The international literature was reviewed to determine the potential effects of storage on topsoil quality. Conclusions from the review indicated that storage does not appear to have any severe and longterm effects on topsoil quality. Chemical changes may be rectified with the use of fertilizers or manure. Physical changes appear to be potentially less serious than changes in soil quality associated with the stripping and respreading operations. Soil biotic populations appear to revert to pre-disturbance levels of activity within acceptable timeframes. Broad, shallow storage piles that are seeded to acceptable grass and legume species are recommended; agrochemical use should be carefully controlled to ensure soil biota are not destroyed.

### RRTAC 90-6: Proceedings of the Industry/Government Three-Lift Soils Handling Workshop. Deloitte & Touche. 168 pp. \$10.00

N.

This report documents the results of a two-day workshop on the issue of three-lift soils handling for pipelines. The workshop was organized and funded by RRTAC, the Canadian Petroleum Association and the Independent Petroleum Association of Canada. Day one focused on presentation of government and industry views on the criteria for three-lift, the rationale and field data in support of three- and two-lift procedures, and an examination of the various soil handling methods in use. During day two, five working groups discussed four issues: alternatives to three-lift; interim criteria and suggested revisions; research needs; definitions of terms. The results of the workshop are being used by a government/industry committee to revise soils handling criteria for pipelines.

ฐนสารที่ประวัฒนาปฏิสีต้านไปสู่เกิดที่สารเรียนใหญ่ การเห็กเรติชชาติรัฐการสารและค่องกำหละที่สุดความสินได้เรื่องเป

### RRTAC 90-7: Reclamation of Disturbed Alpine Lands: A Literature Review. Hardy BBT Limited. 209 pp. \$10.00

This review covers current information from North American sources on measures needed to reclaim alpine disturbances. The review provides information on pertinent Acts and regulations with respect to development and environmental protection of alpine areas. It also discusses: alpine environmental conditions; current disturbances to alpine areas; reclamation planning; site and surface preparation; revegetation; and, fertilization. The report also provides a list of research and information needs for alpine reclamation in Alberta.

ويعذبه أسترجح وأحجا

73. RRTAC 90-8: Plains Hydrology and Reclamation Project: Summary Report. S.R. Moran, M.R. Trudell, T.M. Macyk and D.B. Cheel. 105 pp. \$10.00

This report summarizes a 10-year study on the interactions of groundwater, soils and geology as they affect successful reclamation of surface coal mines in the plains of Alberta. The report covers: Characterization of the Battle River and Wabamun study areas; Properties of reclaimed materials and landscapes; Impacts of mining and reclamation on post-mining land use; and, Implications for reclamation practice and regulation. This project has led to the publication of 18 RRTAC reports and 22 papers in conference proceedings and referred journals. 방문 그는 것은 것은 가슴을 걸었다. 网络科学 网络布兰语马克 铅液 机合同器合同器

74. RRTAC 90-9: Literature Review on the Disposal of Drilling Waste Solids. Monenco Consultants 

This report reviews the literature on, and government and industry experience with, burial of drilling waste solids in an Alberta context. The review covers current regulations in Alberta, other provinces, various states in the US and other countries. Definitions of various types of burial are provided, as well as brief summaries of other possible disposal methods. Environmental concerns with the various options are presented as well as limited information on costs and monitoring of burial sites. The main conclusion of the work is that burial is still a viable option for some waste types but that each site and waste type must be evaluated on its own merits.

75. RRTAC 90-10: Potential Contamination of Shallow Aquifers by Surface Mining of Coal. M.R. Trudell, S.R. Moran and T.M. Macyk. 75 pp. \$5.00

This report presents the results of a field investigation of the movement of salinized groundwater from a mined and reclaimed coal mine near Forestburg into an adjacent unmined area. The movement is considered to be an unusual occurrence resulting from a combination of a hydraulic head that is higher in the mined area than in the adjacent coal aquifer, and the presence of a thin surficial sand aquifer adjacent to the mine. The high hydraulic head results from deep ponds in the reclaimed landscape that recharge the base of the spoil.

 76. RRTAC 91-1: Reclamation Research Annual Report - 1990. Reclamation Research Technical Advisory Committee. 69 pp. No longer available.

This annual report describes the expenditure of \$499 612 of Alberta Heritage Savings Trust Fund monies on research under the Land Reclamation Program. The report outlines the objectives and research strategies of the four program areas, and describes the projects funded under each program. The report lists the 70 research reports published under the program.

77. RRTAC 91-2: Winter Soil Evaluation and Mapping for Regulated Pipelines. A.G. Twardy. 43 pp. ISBN 0-7732-0874-7. \$5.00

Where possible, summer soil evaluations are preferred for pipelines. However, when winter soil evaluations must be done, this report lays out the constraints and requirements for obtaining the best possible information. Specific recommendations include: restricting evaluations to the time of day with the best light conditions; use of core- or auger-equipped drill-trucks; increased frequency of site inspections and soil analyses; and, hiring a well-qualified pedologist. The province's soils are divided into four classes, based on their difficulty of evaluation in winter: slight (most soils); moderate; high; and, severe (self-affected soils in the Brown and Dark Brown Soil Zones).

78. RRTAC 91-3: A User Guide to Pit and Quarry Reclamation in Alberta. J.E. Green, T.D. Van Egmond, C. Wylie, I. Jones, L. Knapik and L.R. Paterson. 151 pp. ISBN 0-7732-0876-3. \$10.00

Sand and gravel pits or quarries are usually reclaimed to the original land use, especially if that was better quality agricultural or forested land. However, there are times when alternative land uses are possible. This report outlines some of the alternate land uses for reclaimed sand and gravel pits or quarries, including: agriculture, forestry, wildlife habitat, fish habitat, recreation; and residential and industrial use. The report provides a general introduction to the industry and to the reclamation process, and then outlines some of the factors to consider in selecting a land use and the methods for reclamation. The report is not a detailed guide to reclamation; it is intended to help an operator determine if a land use would be suitable and to guide him or her to other sources of information.

79. RRTAC 91-4: Soil Physical Properties in Reclamation. M.A. Naeth, D.J. White, D.S. Chanasyk, T.M. Macyk, C.B. Powter and D.J. Thacker. 204 pp. ISBN 0-7732-0880-1. \$10.00

This report provides information from the literature and Alberta sources on a variety of soil physical properties that can be measured on reclaimed sites. Each property is explained, measurement methods, problems, level of accuracy and common soil values are presented, and methods of dealing with the property (prevention, alleviation) are discussed. The report also contains the results of a workshop held to discuss soil physical properties and the state-of-the-art in Alberta.

#### 80. RRTAC 92-1: Reclamation of Sterilant Affected Sites: A Review of the Issue in Alberta. M. Cotton and M.P. Sharma. 64 pp. ISBN 0-7732-0884-4. No longer available

This report assesses the extent of sterilant use on oil and gas leases in Alberta, identifies some of the concerns related to reclamation of sterilant affected sites and the common methods for reclaiming these sites, and outlines the methods for sampling and analyzing soils from sterilant affected sites. The report also provides an outline of a research program to address issues raised by government and industry staff.

## 81. RRTAC 92-2: Reclamation Research Annual Report - 1991. Reclamation Research Technical Advisory Committee: 55 pp. ISBN 0-7732-0888-7. No longer available.

This report describes the expenditure of \$485,065 of Alberta Heritage Savings Trust Fund monies on research under the Land Reclamation Program. The report outlines the objectives and research strategies of the five program areas, and describes the projects funded under each program. It also lists the 75 research reports that have been published to date.

#### 82. RRTAC 92-3: Proceedings of the Industry/Government Pipeline Reclamation Success Measurement Workshop. R.J. Mahnic and J.A. Toogood. 62 pp. ISBN 0-7732-0886-0. \$5.00.

Ŧ

建品建立

 $\overline{\mathbb{C}}_{i,j}$ 

Level at 1

This report presents the results of a workshop to identify the soil and vegetation parameters that should be used to assess reclamation success on pipelines in Alberta. Six soil parameters (topsoil admixing; topsoil replacement thickness; compaction; soil loss by erosion; texture; and salinity) and six vegetation parameters (plant density; species composition; ground cover; vigour; weeds/undesirable species; and rooting characteristics) were selected as most important. Working groups discussed these parameters and presented suggested methods for assessing them in the field.

83. RRTAC 92-4: Oil Sands Soil Reconstruction Project Five Year Summary. HBT AGRA Limited. 109 pp. ISBN 0-7732-0875-5. \$10.00

This report documents a five year study of the effects of clay and peat amendments to oil sand tailings sand on survival and growth of trees and shrubs. Ten species (jack pine, white spruce, serviceberry, silverberry, buffaloberry, pin cherry, prickly/woods rose, Northwest poplar, green alder, and Bebb willow) were planted into tailings sand amended with three levels of peat and three levels of clay. The treatments were incorporated to a depth of 20 cm or 40 cm. Data are provided on plant survival and growth, root size and distribution, disease and small mammal damage, herbaceous cover, soil moisture, soil chemistry, and bulk density.

84. RRTAC 92-5: A Computer Program to Simulate Groundwater Flow and Contaminant Transport in the Vicinity of Active and Reclaimed Strip Mines: A User's Guide. A.S. Crowe and F.W. Schwartz, SIMCO Groundwater Research Ltd. 104 pp. plus appendix. ISBN 0-7732-0877-1. NOTE: This report is only available from the Alberta Research Council, Publications Centre, 250 Karl Clark Road, P.O. Box 8330, Station F, EDMONTON, Alberta T6H 5R7 as ARC Information Series 119. The cost is \$20.00 and the cheque must be made out to the Alberta Research Council.

The manual describes a computer program that was developed to study the influence of coal strip mining on groundwater flow systems and to simulate the transport of generated contaminants, both spatially and in time, in the vicinity of a mine. All three phases of a strip mine can be simulated: the pre-mining regional groundwater flow system; the mining and reclamation phase; and, the post-mining water level readjustment phase. The model is sufficiently general to enable the user to specify virtually any type of geological conditions, mining scenario, and boundary conditions.

85. RRTAC 92-6: Alberta Drilling Waste Sump Chemistry Study. Volume I: Report (Volume II: Appendices is only available through the Alberta Research Council, Publications Centre, 250 Karl Clark Road, P.O. Box 8330, Station F, EDMONTON, Alberta T6H 5R7. The cost is \$15.00 and the cheque must be made out to the Alberta Research Council.). T.M. Macyk, S.A. Abboud and F.I. Nikiforuk, Alberta Research Council. 217 pp. ISBN 0-7732-0879-8. \$10.00.

This study synthesizes the data from sampling and analysis of the solids and liquids found in 128 drilling waste sumps across Alberta. Drilling waste types sampled included: 72 freshwater gel, 19 invert, 27 KCl, 2 NaCl, and 8 others. Data and statistics are tabulated by waste type, depth of the drill hole, and ERCB administrative region for both the solids and the liquids. Using preliminary loading limits developed by the government/industry Drilling Waste Review Committee, the report presents information on the volume and depth of waste that could be landspread, and the area required for landspreading. The oil and gas industry provided approximately \$585,000 for the sampling and analysis phase of this study.

86. RRTAC 93-1: Reclamation of Native Grasslands in Alberta: A Review of the Literature. D.S. Kerr,
 L.J. Morrison and K.E. Wilkinson, Environmental Management Associates. 205 pp. plus appendices. ISBN 0-7732-0881-X. \$15.00.

A review of the literature on native grassland reclamation was conducted to summarize the current state of knowledge on reclamation and restoration efforts within Alberta. The review is comprehensive, including an overview of the regulations and guidelines governing land use on native prairie; a description of the dominant grassland ecoregions in Alberta; a review of the common disturbance types, extent and biophysical effects of disturbance on native prairie within Alberta; a description of the factors which influence the degree of disturbance and reclamation; and examples of both natural and enhanced recovery of disturbed sites through the examination of selected case studies.

ريار الأبرائي والمتحمية والجاج فبالدا والإرار وموا

87. RRTAC 93-2: Reclamation Research Annual Report - 1992. Reclamation Research Technical Advisory Committee. 56 pp. ISBN 0-7732-0883-6. \$5.00.

This report describes the expenditure of \$474,705 of Alberta Heritage Savings Trust Fund monies on research under the Land Reclamation Program. The report outlines the objectives and the research strategies of the five programs, and describes the projects funded under each program. It also lists the 85 research reports that have been published to date.

88. RRTAC 93-3: Catalogue of Technologies for Reducing the Environmental Impact of Fine Tailings from Oil Sand Processing. B.J. Fuhr, Alberta Research Council, D.E. Rose, Dereng Enterprises Ltd.; and D. Taplin, Komex International Ltd. 63 pp. ISBN 0-7732-0885-2. \$5.00.

A catalogue containing 22 technologies for reducing the environmental impact of fine tailings derived from oil sands has been assembled. The report consists of an introduction to oil sand processing and fine tailings generation, a simple spreadsheet for comparing the technologies, and a process summary for each technology. The technologies were not evaluated for effectiveness. Rather, a detailed set of questions was prepared that highlights the environmentally-related information a proponent should have. These questions will help to form a basis for comparisons among the technologies.

89. RRTAC 93-4: Organic Materials as Soil Amendments in Reclamation: A Review of the Literature. Land Resources Network Ltd. 228 pp. ISBN 0-7732-0887-9. \$10.00

ন্ধু পদ্য ইকসলি

<u>----</u> - 25

A review of the literature was conducted to examine the effect of various organic materials when used as amendments to disturbed soil. Organic amendments reviewed included animal manures, crop residues, peat, wood wastes, sewage sludge, municipal yard waste, humates, vermicomposts, and spent mushroom composts. Their effects on soil chemistry, physical properties, and biology were examined. Application methods, costs, longevity of effects, and use in reclamation were also reviewed. Benefits and drawbacks of each were discussed. A provide the set of the second and an action of the second second second second second second second second se الأولوقية الأراقية إنباه بقطعا أجانك

90. RRTAC 93-5: Drilling Waste Disposal. T.M. Macyk and S.A. Abboud, Alberta Research Council. 125 pp. ISBN 0-7732-0889-5. \$10.00

An overall perspective and description of the steps involved in the management and land-based disposal of drilling wastes in Alberta. A computer program, available from the Alberta Research Council, has been written to support the data management required for proper disposal. A field manual is in preparation. These three information sources provide technical support for the Energy Resources Conservation Board's Guide G-50: Drilling Waste Management. 

91. RRTAC 93-6: Mapping and Characterization of Cutover Peatlands for Reclamation Planning. L.W. Turchenek, Alberta Research Council, W.S. Tedder, Alberta Agriculture, Food and Rural Development, and R. Krzanowski, Alberta Research Council. 100 pp. ISBN 0-7732-6038-2. \$5.00

The report presents a methodology for cost-effective soil survey and sampling of cutover peatlands. It also presents baseline chemical information and data interpretation for peat materials from a cutover peatland site. The report provides background information on classifying and describing peatlands. This information can be used to develop reclamation plans.

ange der Statut and Statute ange stelle son fin in ny son der son der son der son der son son auf ander son de

xy에는 문제에는 가장 이것은 이것은 이것은 이것은 제품에서 제품에 있는 것이라. 이가 가장 문제 등에서 문제 등에 등에 문제하는 것을 수 있는 것을 수 있는 것을 수 있는 것을 수 있는 것을 수 있 92. RRTAC 93-7: Soil Series Information for Reclamation Planning in Alberta. Pedocan Land Evaluation Ltd. Various pagings. ISBN 0-7732-6041-2. \$10.00

이번 영화는 것 이 없는 사람을 들고 있는 것이 없는

This manual has been published to provide conservation and reclamation planners with information and guidelines to help understand and use soil inventory data. The soil series in the manual correspond to those in the Generation 2 Alberta Soil Names File. Part 1 of the manual describes the terminology used in soil surveys and presents the assumptions and conventions upon which the interpretations for each soil series are based. Part 2 presents typical data and interpretations for each soil series.

93. RRTAC 93-8: Oil Sands Sludge Dewatering by Freeze-Thaw and Evapotranspiration: R.L. Johnson, P. Bork. W. H. James and L. Koverny, Alberta Environmental Centre. 247 pp. ISBN ್ರಿ ಕೆಲ್ಲೆ ಕ್ರಿಯಾಗ್ 0-7732-6042-0: \$10.00 ಕ್ರಿಯಾಗ್ ಕ್ರಾಮಾಗಿದ್ದರ್ ಬ್ಯಾಂಕ್ ಕ್ರಾಮಾಗ್ರಾಮ್ ಲೈಲ್ ಕ್ರಿಯಾಸ್ ಕ್ರೌಮಾರ್ ಕ ಕ್ರಿಯಾಗ್ರೆ ಕ್ರಿಯಾಗ್ ಕ್ರಿಯಾಗ್ ಕ್ರಾಮಾಗ್ ಕ್ರಾಮಾಜ್ ಕ್ರಿಯಾಜ್ ಕ್ರಿಯಾಗ್ರ್ ಕ್ರಿಯಾಗ್ರೆ ಕ್ರಿಯಾಗ್ರೆ ಕ್ರಿಯಾಗ್ರೆ ಕ್ರಿಯಾಗ್ರೆ ಗ್ರಾಮಾಗ್ರೆ ಕ್ರಿಯಾಗ್ರೆ ಕ್ರಿಯಾಗ್ ಕ್ರಾಮಾಗ್ರೆ ಕ್ರಾಮಾಜ್ ಕ್ರಿಯಾಗ್ರೆ ಕ್ರಿಯಾಗ್ರೆ ಕ್ರಿಯಾಗ್ರೆ ಕ್ರಿಯಾಗ್ರೆ ಕ್ರಿಯಾಗ್ರೆ ಕ್ರಿಯ

This report presents data from a series of laboratory and field experiments designed to evaluate the removal of water from oil sands sludge. A number of plant species were evaluated and two, reed canary grass and western dock, were found to remove a significant amount of water through evapotranspiration. Freeze-thaw cycles were also found to remove water from both sand-sludge mixtures and pure sludge. A combination of freeze-thaw and biological dewatering using plants was found to increase solids content from 30% to 80%. At 80% solids the sludge had a shear strength of 120 kPa and could support machine traffic. These studies prompted further field work.

94. RRTAC 93-9: Native Legumes for Reclamation in Alberta. A. Smreciu, Wild Rose Consulting Inc. 94 pp. ISBN 0-7732-0643-9. \$5.00

Seeds from Astragalus (milkvetches), Hedysarum (sweetbrooms), Lupinus (lupins), and Oxytropis (locoweeds) were collected from the mountains and foothills region of Alberta, from Waterton Lakes National Park to Grande Cache. The species were tested for germination and seedlings were established and evaluated for three growing seasons in Vegreville. The species were evaluated based on survival, growth and development, and yield. Astragalus alpinus was selected as the most promising species. Oxytropis monticola and Oxytropis splendens were also recommended.

 95. RRTAC 93-10: Proceedings of the Alberta Wellsite Reclamation Criteria Workshop. R.J. Mahnic, Communiplan Inc., L.J. Knapik and T.R. Bossenberry, Pedocan Land Evaluation Ltd., and G.C. Mott, G.C. Mott Associates. Various Pagings. ISBN 0-7732-0644-7. \$10.00

This report summarizes government, industry and public comments received before and during a two-day workshop held to discuss the *Reclamation Criteria for Wellsites and Associated Facilities*. The information in the report was used to revise the Criteria for use from 1994 onward.

#### 96. RRTAC 93-11: Salt Movement in Disturbed Soils. N.M. Finlayson, Land Resources Network. 61 pp. ISBN 0-7732-6045-5. \$5.00

The report reviews the literature regarding the movement of salts down or up in the soil profile following surface disturbance. The objective was to find out if salts in the upper 50 cm of a soil profile would return to pre-disturbance levels. If they do, special soil handling requirements may not be needed for saline soils when pipelining. There were few studies on pipelines so the majority of the report focuses on mining and deep plowing studies. The results varied between soil zones. More pipeline specific work is required.

### 97. RRTAC 93-12: Reclamation Techniques for Soils Treated with Non-Selective Residual Herbicides (Soil Sterilants): M.M. Cotton, Artemis Consulting Inc. and M.P. Sharma, Alberta Environmental Centre. 84 pp. ISBN 0-7732-6046-3. \$5.00

Several soil amendments were examined for their effectiveness at inactivating herbicide residues under controlled and field conditions. The influence of herbicide and amendment ratios, soil type, and number of incorporations on the effectiveness of the amendments were considered. Bromacil, tebuthiuron, atrazine and diuron were the herbicides tested. Activated charcoal and manure were the two best treatments, and when combined provided crop protection and stimulated crop growth. The quality (age) of manure affected its ability to protect crops.

جارته والمحاد المحاد والمتع

## 98. RRTAC 93-13: Agricultural Capability Classification for Reclamation: Working Document. L.A. Leskiw, CAN-AG Enterprises Ltd. ISBN 0-7732-6039-0. 97 pp. \$5.00

This classification system is a tool for assisting in the planning process and for evaluating dryland, arable agricultural land capability. It is based primarily on rating and integrating soil and landscape features of a site, with climate included as an option. Key factors for rating soil (root zone) quality in this system are: water holding capacity; organic carbon content; structure and consistence; salinity; sodicity; soil reaction (pH); nutrient balance; and moisture regime. The main landscape parameters include slope, stoniness, pattern, and erosion. A field manual has been developed to compliment this "office" report. The data may be entered manually onto a worksheet or into a computerized system available through CAN-AG. 99. RRTAC 93-14: Land Reclamation: Agricultural Capability Classification: Field Manual. L.A. Leskiw, CAN-AG Enterprises Ltd. Various pagings. ISBN 0-7732-6040-4. \$5.00

This report presents a field version of the more detailed Working Document. The field manual also contains general soil information that makes it a valuable tool for a variety of reclamation related tasks, in addition to land capability assessment. CAN-AG has also developed a computerized version of the system. 1.2 Open File Reports - Available from Queen's Printer

100. RRTAC OF-1A: Glossary of Reclamation Terms Used in Alberta -3rd Edition. 31 pp. ISBN 0-7732-1410-0 \$5.00

This report replaces OF-1: Glossary of Reclamation Terms Used in Alberta - 1994. This report was prepared to provide people working in the field of reclamation in Alberta with a standardized set of definitions. The definitions have been taken from a variety of sources, which are referenced in the report. A list of commonly used acronyms is also provided.

101. RRTAC OF-2: List of Reclamation Research Technical Advisory Committee Reports. 18 pp.

This report lists the 98 regular RRTAC reports and the RRTAC Open File reports. 

્ય જ

102.- RRTAC OF-3: Agricultural Capability Classification for Land Reclamation: 1993 Field Tests. Leskiw, L.A. and R.N. Wiebe. 69 pp. \$5.00 a ga contrative a terrative a gate of the second second second second second second second second second second

This report provides data from field trials of the capability system (see RRTAC 93-13) at coal mines, gravel pits, pipelines and wellsites. ۰.

103. RRTAC OF-4: Chemical Characterization of Various Oil Sands Substrates. C.B. Powter (Compiler), 1994. 64 pp. \$5.00

en de la service de la construction de la service de la construction de la construction de la construction de En 1997 Filment de la construction d This report is a condensed version of two reports on the chemistry of a variety of oil sands substrates from Syncrude, Suncor, OSLO and SolvEx. The study was conducted by EnviroTest Laboratories for RRTAC, Syncrude, Suncor and OSLO. An appendix to the report with the detailed analytical results is housed in the Alberta Environmental Protection library.

104. RRTAC OF-5: A Survey of Native and Agronomic Plants on Gas Wellsites in Southwestern Alberta. A. Smreciu, 1994. 45 pp. \$5.00

ى دارىيىنى ئىيىتى بىرى بىرى تىغۇرىيىتى ئىيىتى تىيىتى تىيىتى بىيىتى بىيىت تىيىتى يىيىتى بىيىت تىيارىيى بىيىتى ب الديسة والرائيل الدياسية والناو تارونيه المحتم بالجوتين فالجامع المواسعة والاراطي المواسية فالمترق المراجع Eleven abandoned gas wellsites and roads were assessed in the Shell Waterton gas field to determine the extent of native species invasion, and the extent of migration of seeded species into the surrounding undisturbed areas. The results provided an indication of the species that should be considered for use in revegetation schemes and some that should not and any more a cominant serie of a distantiant should a farmined a state and a state farm ೆ ಅವರು ಸಂಪರ್ಧಿಸಿದೆ. ಇದರೆ ಸಾಮಾನದಲ್ಲಿ ಸಿರುದಿ ಸಂಪರ್ಧಿಸಿದ್ದರೆ ಅವರು ಅವರಾಗಿದ್ದಾರೆ. ಇದು ಸೋವಾಗಿದ್ದಾರೆ ಮಾಡಿದ್ದಾರೆ ಪ್ರೋತ ಕಾರ್ಯಕ್ರಮದಲ್ಲಿ ಸಿರುದಿ ಸೇವಿ ಸಾಮಾನ್ಯ ಸ್ಥೇಷ್ಟ್ರಾಂಗಿ ಸಿರುದ್ದ ಸಂಪರ್ಧಿಸಿದ್ದಾರೆ. ಇದು ಸಿರುದಿ ಸಿರುದಿ ಸಾಮಾನ ಸಂಪರ್ಧಿಸಿದ್ದಾ ಕಾರ್ಯಕ್ರಮದಲ್ಲಿ ಸಿರುದಿ ಸಾಮಾನ್ ಸ್ಥೇಷ್ಟ್ರಾನ್ ಸಿರುದ್ದ ಸಿರುದ್ದ ಸಿರುದಿ ಸಿರುದಿ ಸಿರುದಿ ಸಿರುದಿ ಸಿರುದಿ ಸಿರುದಿ ಸಿರುದಿ ಸಿರು

105. RRTAC OF-6: Oil Sands Tailings Capping Study. HBT AGRA Limited. 35 pp. \$5.00

This report details the initial results of a long term study on the effects of soil capping depth on tree and shrub species at Syncrude Canada Ltd.'s site in Fort McMurray. Depths of 30, 50 and 70 cm of fair or better soil were tested An additional treatment of 70 cm of poor or better soil was also included. Soil depths and chemistry were assessed. Jack pine, white spruce, aspen and dogwood were planted and assessed for survival and growth.

#### 106. RRTAC OF-7: Oil Sands Tailings Preliminary Ecological Risk Assessment. Golder Associates Ltd. 74 pp.

This study takes the chemistry data collected from various oil sands soil-tailings mixtures (see report OF-4) and uses the values to determine the potential ecological risk that could be posed by having these materials at the surface of a reclaimed landscape. The intent of the report is to provide an overview of a methodology that could be used to help evaluate the risks posed by various reclamation options. The risks identified in this report are solely for dry landscapes; other papers prepared by industry scientists and consultants have reviewed the potential risks posed by wet landscapes. An appendix to the report is housed in the Alberta Environmental Protection library. This material is provided under educational reproduction permissions included in Alberta Environment's Copyright and Disclosure Statement, see terms at <u>http://www.environment.alberta.ca/copyright.html</u>. This Statement requires the following identification:

"The source of the materials is Alberta Environment <u>http://www.environment.gov.ab.ca/</u>. The use of these materials by the end user is done without any affiliation with or endorsement by the Government of Alberta. Reliance upon the end user's use of these materials is at the risk of the end user.